

Antonio S B Sombra

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/699227/publications.pdf>

Version: 2024-02-01

327
papers

6,118
citations

76196

40
h-index

128067

60
g-index

332
all docs

332
docs citations

332
times ranked

5035
citing authors

#	ARTICLE	IF	CITATIONS
1	Optical temperature sensing using upconversion fluorescence emission in Er ³⁺ /Yb ³⁺ -codoped chalcogenide glass. Applied Physics Letters, 1998, 73, 578-580.	1.5	206
2	On the physico-chemical and dielectric properties of glutaraldehyde crosslinked galactomannan-collagen films. Carbohydrate Polymers, 2004, 56, 313-320.	5.1	170
3	Impedance and modulus studies of magnetic ceramic oxide Ba ₂ Co ₂ Fe ₁₂ O ₂₂ (Co ₂ Y) doped with Bi ₂ O ₃ . Journal of Applied Physics, 2011, 110, .	1.1	151
4	Frequency upconversion in Er ³⁺ /Yb ³⁺ -codoped chalcogenide glass. Applied Physics Letters, 1998, 72, 753-755.	1.5	141
5	Upconversion fluorescence spectroscopy of Er ³⁺ /Yb ³⁺ -doped heavy metal Bi ₂ O ₃ -Na ₂ O-Nb ₂ O ₅ -GeO ₂ glass. Journal of Applied Physics, 1998, 83, 604-606.	1.1	123
6	Structural properties of hydroxyapatite obtained by mechanosynthesis. Solid State Sciences, 2003, 5, 553-558.	1.5	108
7	Dielectric and impedance properties studies of the of lead doped (PbO)-Co ₂ Y type hexaferrite (Ba ₂ Co ₂ Fe ₁₂ O ₂₂ (Co ₂ Y)). Materials Chemistry and Physics, 2010, 123, 35-39.	2.0	108
8	Yttrium Iron Garnet: Properties and Applications Review. Solid State Phenomena, 0, 202, 65-96.	0.3	102
9	Ni substitution effect on the structure, magnetization, resistivity and permeability of zinc ferrites. Journal of Materials Chemistry C, 2021, 9, 5425-5436.	2.7	101
10	Optical thermometry through infrared excited upconversion fluorescence emission in Er ³⁺ - and Er ³⁺ /Yb ³⁺ -doped chalcogenide glasses. IEEE Journal of Quantum Electronics, 1999, 35, 395-399.	1.0	90
11	Magnetic and dielectric properties of the M-type barium strontium hexaferrite (Ba _x Sr _{1-x} Fe ₁₂ O ₁₉) in the RF and microwave (MW) frequency range. Journal of Materials Science: Materials in Electronics, 2009, 20, 408-417.	1.1	88
12	Thermally induced threefold upconversion emission enhancement in nonresonant excited Er ³⁺ /Yb ³⁺ -codoped chalcogenide glass. Applied Physics Letters, 1999, 74, 3607-3609.	1.5	87
13	Structural properties of CaCu ₃ Ti ₄ O ₁₂ obtained by mechanical alloying. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2002, 96, 275-283.	1.7	81
14	All optical logic gates based on an asymmetric nonlinear directional coupler. Optics Communications, 2006, 262, 32-37.	1.0	81
15	Structural and dielectric spectroscopy studies of the M-type barium strontium hexaferrite alloys (Ba _x Sr _{1-x} Fe ₁₂ O ₁₉) in the RF and microwave (MW) frequency range. Journal of Materials Science: Materials in Electronics, 2009, 20, 408-417.	1.1	81
16	DC conductivity and dielectric permittivity of collagen-chitosan films. Materials Chemistry and Physics, 2006, 99, 284-288.	2.0	77
17	Polyanionic collagen membranes for guided tissue regeneration: Effect of progressive glutaraldehyde cross-linking on biocompatibility and degradation. Acta Biomaterialia, 2010, 6, 4011-4018.	4.1	67
18	Study of the structural, dielectric and magnetic properties of Bi ₂ O ₃ and PbO addition on BiFeO ₃ ceramic matrix. Journal of Physics and Chemistry of Solids, 2010, 71, 1329-1336.	1.9	67

#	ARTICLE	IF	CITATIONS
19	Electrical and optical properties of CaCu ₃ Ti ₄ O ₁₂ (CCTO) substrates for microwave devices and antennas. <i>Microwave and Optical Technology Letters</i> , 2003, 39, 145-150.	0.9	64
20	Dielectric properties of BaTiO ₃ (BTO)–CaCu ₃ Ti ₄ O ₁₂ (CCTO) composite screen-printed thick films for high dielectric constant devices in the medium frequency (MF) range. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2004, 111, 113-123.	1.7	60
21	Investigation of structural, hysteresis and electromagnetic parameters for microwave absorption application in doped Ba–Sr hexagonal ferrites at X-band. <i>Journal of Alloys and Compounds</i> , 2019, 806, 1220-1229.	2.8	58
22	Raman scattering and x-ray diffraction studies of polycrystalline CaCu ₃ Ti ₄ O ₁₂ under high-pressure. <i>Physical Review B</i> , 2004, 70, .	1.1	56
23	Logic gates based in two- and three-modes nonlinear optical fiber couplers. <i>Optical and Quantum Electronics</i> , 2007, 39, 1191-1206.	1.5	55
24	Synthesis, structure and vibrational properties of Gd _{1-x} Y _{1-x} ferrimagnetic ceramic composite. <i>Journal of Physics and Chemistry of Solids</i> , 2009, 70, 202-209.	1.9	55
25	Collagen–hydroxyapatite films: piezoelectric properties. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2001, 86, 210-218.	1.7	54
26	Raman and infrared spectra of KNbO ₃ in niobate glass-ceramics. <i>Journal of Physics Condensed Matter</i> , 1999, 11, 4451-4460.	0.7	53
27	Apatite coating on anionic and native collagen films by an alternate soaking process. <i>Acta Biomaterialia</i> , 2007, 3, 773-778.	4.1	53
28	Crystallite size study of nanocrystalline hydroxyapatite and ceramic system with titanium oxide obtained by dry ball milling. <i>Journal of Materials Science</i> , 2007, 42, 3851-3855.	1.7	52
29	Study of the dielectric and magnetic properties of Co ₂ Y, Y-type hexaferrite (Ba ₂ Co ₂ Fe ₁₂ O ₂₂) added with PbO and Bi ₂ O ₃ in the RF frequency range. <i>Journal of Alloys and Compounds</i> , 2010, 493, 326-334.	2.8	52
30	Subpicosecond-pulse generation through cross-phase-modulation-induced modulational instability in optical fibers. <i>Optics Letters</i> , 1988, 13, 901.	1.7	50
31	Chemically Modified Banana Fiber: Structure, Dielectrical Properties and Biodegradability. <i>Journal of Polymers and the Environment</i> , 2010, 18, 523-531.	2.4	50
32	Raman spectroscopy measurements of hydroxyapatite obtained by mechanical alloying. <i>Journal of Physics and Chemistry of Solids</i> , 2004, 65, 1031-1033.	1.9	46
33	Soliton switching in three-core nonlinear directional fiber couplers. <i>Journal of Applied Physics</i> , 1998, 84, 1834-1842.	1.1	45
34	Optical properties of Bi ₁₂ SiO ₂₀ (BSO) and Bi ₁₂ TiO ₂₀ (BTO) obtained by mechanical alloying. <i>Journal of Materials Science</i> , 2001, 36, 587-592.	1.7	45
35	Piezoelectric lithium niobate obtained by mechanical alloying. <i>Journal of Materials Science Letters</i> , 1998, 17, 449-451.	0.5	44
36	An alternative method for the measurement of the microwave temperature coefficient of resonant frequency ($\frac{\Delta f}{f \Delta T}$). <i>Journal of Applied Physics</i> , 2012, 112, .	1.1	44

#	ARTICLE	IF	CITATIONS
37	Femtosecond soliton amplification in erbium doped silica fibre. <i>Electronics Letters</i> , 1990, 26, 186.	0.5	42
38	Electrical and dielectrical properties of the percolating system polystyrene/polypyrrole particles. <i>European Polymer Journal</i> , 2002, 38, 1495-1499.	2.6	42
39	Dielectric permittivity and loss of CaCu ₃ Ti ₄ O ₁₂ (CCTO) substrates for microwave devices and antennas. <i>Journal of Materials Science: Materials in Electronics</i> , 2004, 15, 657-663.	1.1	42
40	Structural and electrical study of CaCu ₃ Ti ₄ O ₁₂ (CCTO) obtained in a new ceramic procedure. <i>Journal of Materials Science: Materials in Electronics</i> , 2009, 20, 163-170.	1.1	42
41	Electrical characterization of SiO ₂ :LiNbO ₃ glass and glass-ceramics using dc conductivity, TSDC measurements and dielectric spectroscopy. <i>Journal of Non-Crystalline Solids</i> , 2007, 353, 4390-4394.	1.5	41
42	Realization of All-Optical Logic Gates in a Triangular Triple-Core Photonic Crystal Fiber. <i>Journal of Lightwave Technology</i> , 2013, 31, 731-739.	2.7	41
43	Inhibitory properties of calcium exchanged silica epoxy paintings. <i>Corrosion Science</i> , 2001, 43, 2291-2303.	3.0	40
44	Electric and dielectric properties of a SiO ₂ -Na ₂ O-Nb ₂ O ₅ glass subject to a controlled heat-treatment process. <i>Physica B: Condensed Matter</i> , 2007, 396, 62-69.	1.3	40
45	Piezoelectric properties of collagen-nanocrystalline hydroxyapatite composites. <i>Journal of Materials Science</i> , 2002, 37, 2061-2070.	1.7	39
46	Novel magnetic-dielectric composite ceramic obtained from Y ₃ Fe ₅ O ₁₂ and CaTiO ₃ . <i>Journal of Alloys and Compounds</i> , 2015, 644, 763-769.	2.8	39
47	Modulational instability in lossless fibers with saturable delayed nonlinear response. <i>Journal of the Optical Society of America B: Optical Physics</i> , 2009, 26, 183.	0.9	38
48	Structural studies of lithium triborate (LiBO ₃) in borophosphate glass-ceramics. <i>Solid State Sciences</i> , 2001, 3, 829-838.	0.8	37
49	On the piezoelectricity of collagen-chitosan films. <i>Physical Chemistry Chemical Physics</i> , 2001, 3, 4154-4157.	1.3	37
50	Preparation and optical characterization of hydroxyapatite and ceramic systems with titanium and zirconium formed by dry high-energy mechanical alloying. <i>Solid State Sciences</i> , 2004, 6, 1365-1374.	1.5	37
51	Bistable pulse collisions of the cubic-quintic nonlinear Schrödinger equation. <i>Optics Communications</i> , 1992, 94, 92-98.	1.0	36
52	Magneto-dielectric properties of the Y ₃ Fe ₅ O ₁₂ and Gd ₃ Fe ₅ O ₁₂ dielectric ferrite resonator antennas. <i>Microwave and Optical Technology Letters</i> , 2008, 50, 2852-2857.	0.9	36
53	White light upconversion emission and color tunability in Er ³⁺ /Tm ³⁺ /Yb ³⁺ tri-doped YNbO ₄ phosphor. <i>Journal of Luminescence</i> , 2018, 204, 676-684.	1.5	35
54	Analysis of soliton switching in dispersion-decreasing fiber couplers. <i>Optics Communications</i> , 1999, 171, 351-364.	1.0	34

#	ARTICLE	IF	CITATIONS
55	Optical properties of hydroxyapatite obtained by mechanical alloying. <i>Journal of Physics and Chemistry of Solids</i> , 2002, 63, 1745-1757.	1.9	34
56	Temperature-, power-, and concentration-dependent two and three photon upconversion in $\text{Er}^{3+}/\text{Yb}^{3+}$ co-doped lanthanum ortho-niobate phosphors. <i>RSC Advances</i> , 2016, 6, 68160-68169.	1.7	34
57	Structural studies of KNbO_3 in niobate glass-ceramics. <i>Journal of Physics and Chemistry of Solids</i> , 2000, 61, 899-906.	1.9	33
58	Raman and infrared spectroscopy studies of LiNbO_3 in niobate glass-ceramics. <i>Journal of Physics and Chemistry of Solids</i> , 1998, 59, 689-694.	1.9	32
59	The modulus formalism used in the dielectric analysis of hydroxyapatite and calcium phosphate with titanium formed by dry ball milling. <i>Journal of Non-Crystalline Solids</i> , 2005, 351, 2945-2950.	1.5	32
60	On the dielectric behaviour of collagen-algal sulfated polysaccharide blends: Effect of glutaraldehyde crosslinking. <i>Biophysical Chemistry</i> , 2006, 120, 154-159.	1.5	32
61	Optical switches and all-fiber logical devices based on triangular and planar three-core nonlinear optical fiber couplers. <i>Optics Communications</i> , 2007, 276, 107-115.	1.0	32
62	Study of a microwave ferrite resonator antenna, based on a ferrimagnetic composite $(\text{Gd}_3\text{Fe}_5\text{O}_{12})\text{Gd}(\text{Y}_3\text{Fe}_5\text{O}_{12})\text{YIG}1\text{X}$. <i>IET Microwaves, Antennas and Propagation</i> , 2009, 3, 1191.	0.7	32
63	All-optical soliton switching in three-core nonlinear fiber couplers. <i>Optics Communications</i> , 1998, 145, 281-290.	1.0	31
64	Dielectric properties of sol-gel derived $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ thin films onto $\text{Pt}/\text{TiO}_2/\text{Si}(100)$ substrates. <i>Journal of the European Ceramic Society</i> , 2007, 27, 3829-3833.	2.8	31
65	Experimental and numerical investigation of a ceramic dielectric resonator (DRA): $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ (CCTO). <i>Physica B: Condensed Matter</i> , 2008, 403, 586-594.	1.3	31
66	BiFeO_3 ceramic matrix with Bi_2O_3 or PbO added: Müssbauer, Raman and dielectric spectroscopy studies. <i>Physica B: Condensed Matter</i> , 2011, 406, 2532-2539.	1.3	31
67	Elucidation of microwave absorption mechanisms in Co-Ga substituted Ba-Sr hexaferrites in X-band. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 14995-15005.	1.1	31
68	The dielectric behavior of a thermoelectric treated $\text{B}_2\text{O}_3\text{-Li}_2\text{O-Nb}_2\text{O}_5$ glass. <i>Journal of Non-Crystalline Solids</i> , 2008, 354, 3408-3413.	1.5	30
69	Infrared to visible up-conversion fluorescence spectroscopy in Er^{3+} -doped chalcogenide glass. <i>Journal of Luminescence</i> , 1998, 78, 271-277.	1.5	29
70	Hydroxyapatite screen-printed thick films: optical and electrical properties. <i>Materials Chemistry and Physics</i> , 2005, 92, 260-268.	2.0	28
71	Structure and optical properties of lithium niobium-phosphate glasses and glass ceramics. <i>Physica Status Solidi (B): Basic Research</i> , 1996, 197, 231-240.	0.7	27
72	Properties and in vivo investigation of nanocrystalline hydroxyapatite obtained by mechanical alloying. <i>Materials Science and Engineering C</i> , 2004, 24, 549-554.	3.8	27

#	ARTICLE	IF	CITATIONS
73	AC and DC conductivity analysis of hydroxyapatite and titanium calcium phosphate formed by dry ball milling. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 1490-1494.	1.5	27
74	Electrical and dielectrical properties of $\text{SiO}_2\text{-Li}_2\text{O-Nb}_2\text{O}_5$ glass and glass-ceramics obtained by thermoelectric treatments. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 5199-5204.	1.5	27
75	All-Optical Half-Adder Using All-Optical XOR and AND Gates for Optical Generation of Σ and Carry . <i>Fiber and Integrated Optics</i> , 2010, 29, 254-271.	1.7	26
76	Generation of logic gates based on a photonic crystal fiber Michelson interferometer. <i>Optics Communications</i> , 2014, 322, 143-149.	1.0	25
77	Effects of CaTiO_3 addition on the microwave dielectric properties and antenna properties of BiVO_4 ceramics. <i>Composites Part B: Engineering</i> , 2019, 175, 107122.	5.9	25
78	Analogy of different optical temperature sensing techniques in $\text{LaNbO}_4:\text{Er}^{3+}/\text{Yb}^{3+}$ phosphor. <i>Journal of Luminescence</i> , 2021, 235, 117992.	1.5	25
79	Structural and electrical study of calcium phosphate obtained by a microwave radiation assisted procedure. <i>Physica B: Condensed Matter</i> , 2009, 404, 1503-1508.	1.3	24
80	Microstructure and magneto-dielectric properties of ferrimagnetic composite $\text{Gd}(\text{Gd}_x\text{Y}_{1-x})\text{Fe}_2$ at radio and microwave frequencies. <i>Journal of Physics and Chemistry of Solids</i> , 2009, 70, 804-810.	1.9	23
81	Optical and electrical properties of barium titanate-hydroxyapatite composite screen-printed thick films. <i>Solid State Sciences</i> , 2004, 6, 267-278.	1.5	22
82	Microstrip antenna on a high dielectric constant substrate: BaTiO_3 (BTO)- $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ (CCTO) composite screen-printed thick films. <i>Journal of Electronic Materials</i> , 2006, 35, 1848-1856.	1.0	22
83	Study of Structural and Photoluminescent Properties of $\text{Ca}_8\text{Eu}_2(\text{PO}_4)_6\text{O}_2$. <i>Journal of Fluorescence</i> , 2008, 18, 253-259.	1.3	22
84	Studies of the structural and electrical properties of lithium ferrite (LiFe_5O_8). <i>Physica Scripta</i> , 2010, 82, 055702.	1.2	22
85	Dielectric investigation of the Sr_3WO_6 double perovskite at RF/microwave frequencies. <i>RSC Advances</i> , 2016, 6, 42502-42509.	1.7	22
86	Properties of the Sr_3MoO_6 electroceramic for RF/microwave devices. <i>Journal of Alloys and Compounds</i> , 2018, 748, 766-773.	2.8	22
87	Optimum self phase modulation profile for nonlinear transmission recovery in twin core optical couplers with loss. <i>Optics Communications</i> , 1998, 151, 31-34.	1.0	21
88	Dielectric relaxation of BaTiO_3 (BTO)- $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ (CCTO) composite screen-printed thick films at low temperatures. <i>Materials Chemistry and Physics</i> , 2006, 96, 402-408.	2.0	21
89	Structural and mechanical study of the sintering effect in hydroxyapatite doped with iron oxide. <i>Physica B: Condensed Matter</i> , 2008, 403, 3826-3829.	1.3	21
90	Copper concentration effect in the dielectric properties of BiNbO_4 for RF applications. <i>Journal of Alloys and Compounds</i> , 2012, 542, 264-270.	2.8	21

#	ARTICLE	IF	CITATIONS
91	A Study of the Dielectric Properties of Al ₂ O ₃ –TiO ₂ Composite in the Microwave and RF Regions. Journal of Electronic Materials, 2015, 44, 4220-4226.	1.0	21
92	BaTiO ₃ (BTO)–CaCu ₃ Ti ₄ O ₁₂ (CCTO) substrates for microwave devices and antennas. Journal of Materials Science, 2006, 41, 4623-4631.	1.7	20
93	Bandwidth enhancement of stacked dielectric resonator antennas excited by a coaxial probe: an experimental and numerical investigation. IET Microwaves, Antennas and Propagation, 2008, 2, 580-587.	0.7	20
94	A performance study of an all-optical logic gate based in PAM-ASK. Journal of Modern Optics, 2009, 56, 1004-1013.	0.6	20
95	Interplay of XPM and nonlinear response time in the modulational instability of copropagating optical pulses. Journal of the Optical Society of America B: Optical Physics, 2010, 27, 1878.	0.9	20
96	Soliton and quasi-soliton switching in nonlinear optical loop mirror constructed from dispersion decreasing fiber. Optics Communications, 1999, 163, 292-300.	1.0	19
97	Microwave preparation, structure and electrical properties of calcium–sodium–phosphate biosystem. Journal of Non-Crystalline Solids, 2006, 352, 3512-3517.	1.5	19
98	Analysis of an optical logic gate using a symmetric coupler operating with pulse position modulation (PPM). Optics Communications, 2008, 281, 1056-1064.	1.0	19
99	Dielectric and microwave properties of common sintering aids for the manufacture of thermally stable ceramics. Ceramics International, 2019, 45, 20446-20450.	2.3	19
100	On the piezoelectricity of anionic collagen films. Journal of Physics and Chemistry of Solids, 2002, 63, 465-470.	1.9	18
101	Impedance spectroscopy study of dehydrated chitosan and chitosan containing LiClO ₄ . Physica B: Condensed Matter, 2010, 405, 4439-4444.	1.3	18
102	A Review on Ba _x Sr _{1-x} Fe ₁₂ O ₁₉ Hexagonal Ferrites for use in Electronic Devices. Solid State Phenomena, 0, 202, 1-64.	0.3	18
103	Up-conversion emission of Er ³⁺ /Yb ³⁺ co-doped BaBi ₂ Nb ₂ O ₉ (BBN) phosphors. Journal of Luminescence, 2017, 183, 102-107.	1.5	18
104	The properties and crystallization of LiNbO ₃ in lithium niobophosphate glasses. Journal of Physics Condensed Matter, 1995, 7, 9723-9730.	0.7	17
105	Radio-frequency (RF) studies of the magneto-dielectric composites: Cr _{0.75} Fe _{1.25} O ₃ (CRFO)–Fe _{0.5} Cu _{0.75} Ti _{0.75} O ₃ (FCTO). Physica B: Condensed Matter, 2008, 403, 2902-2909.	1.3	17
106	Morphological, structural, optical and dielectric properties of 91SiO ₂ :4Li ₂ O:4Nb ₂ O ₅ :1Dy ₂ O ₃ (% mole) glass prepared by sol–gel. Optical Materials, 2011, 33, 1964-1969.	1.7	17
107	Power dependent upconversion in Er ³⁺ /Yb ³⁺ co-doped BiNbO ₄ phosphors. Ceramics International, 2016, 42, 6899-6905.	2.3	17
108	Magneto-dielectric composite based on Y ₃ Fe ₅ O ₁₂ –CaTiO ₃ for radio frequency and microwave applications. Journal of Alloys and Compounds, 2019, 783, 652-661.	2.8	17

#	ARTICLE	IF	CITATIONS
109	Structure and electrical properties of lithium niobophosphate glasses. Canadian Journal of Physics, 1997, 75, 747-758.	0.4	16
110	Title is missing!. Journal of Materials Science Letters, 1999, 18, 1871-1874.	0.5	16
111	Dielectric permittivity and loss of hydroxyapatite screen-printed thick films. Journal of Materials Science, 2003, 38, 3713-3720.	1.7	16
112	Impedance spectroscopy study of Na ₂ Nb ₄ O ₁₁ ceramic matrix by the addition of Bi ₂ O ₃ . Journal of Alloys and Compounds, 2014, 584, 295-302.	2.8	16
113	Radiofrequency and microwave properties study of the electroceramic BaBi ₄ Ti ₄ O ₁₅ . Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2014, 182, 37-44.	1.7	16
114	Magnetoelectric, photovoltaic, and magnetophotovoltaic effects in $KBiF_2e_2O_5$. Physical Review B, 2016, 93, .	1.1	16
115	PAMASK optical logic gates in an optical fiber Sagnac interferometer. Optics and Laser Technology, 2016, 77, 116-125.	2.2	16
116	Dielectrical and structural studies of composite matrix BiVO ₄ CaTiO ₃ and temperature effects by impedance spectroscopy. Journal of Materials Science: Materials in Electronics, 2018, 29, 16248-16258.	1.1	16
117	Dielectric Relaxation Process and Pyroelectric Currents in LiNbO ₃ : Fe Single Crystals. Physica Status Solidi A, 1991, 125, 723-729.	1.7	15
118	Analytical and numerical studies of the performance of a nonlinear directional fiber coupler with periodically modulated dispersion. Optical Fiber Technology, 2006, 12, 148-161.	1.4	15
119	Electric properties of Bi ₄ Ti ₃ O ₁₂ (BIT)CaCu ₃ Ti ₄ O ₁₂ (CCTO) composite substrates for high dielectric constant devices. Journal of Materials Science, 2007, 42, 2112-2120.	1.7	15
120	Graphene-photonic crystal switch. Optics Communications, 2014, 321, 150-156.	1.0	15
121	Warm-white light emission in Er ³⁺ /Tm ³⁺ /Yb ³⁺ tri-doped YNbO ₄ phosphor under 808 nm excitation: A synergistic upconversion effect. Materials Letters, 2019, 254, 65-68.	1.3	15
122	Tailoring of Electromagnetic Absorption in Substituted Hexaferrites from 8.2 GHz to 12.4 GHz. Journal of Electronic Materials, 2020, 49, 1646-1653.	1.0	15
123	Piezoelectric and Dielectric Properties of Collagen Films. Physica Status Solidi A, 1999, 176, 1077-1083.	1.7	14
124	Multistable all-optical switching behavior of the asymmetric nonlinear directional coupler. Optics Communications, 2000, 173, 413-421.	1.0	14
125	Analysis of the four wave mixing effect (FWM) in a dispersion decreasing fiber (DDF) for a WDM system. Optical Fiber Technology, 2005, 11, 306-318.	1.4	14
126	Studies of the temperature coefficient of capacitance (TCC) of a new electroceramic composite: Pb(Fe _{0.5} Nb _{0.5})O ₃ (PFN)Cr _{0.75} Fe _{1.25} O ₃ (CRFO). Journal of Materials Science: Materials in Electronics, 2009, 20, 149-156.	1.1	14

#	ARTICLE	IF	CITATIONS
127	Switching and enhanced bistability in an asymmetric nonlinear directional coupler with a metamaterial channel. <i>Communications in Nonlinear Science and Numerical Simulation</i> , 2013, 18, 1258-1268.	1.7	14
128	Multiwavelength frequency-doubling in bulk gallium-lanthanum-sulphide glasses for optical fiber amplifiers at 1.3 μ m. <i>Optical Materials</i> , 1997, 7, 1-7.	1.7	13
129	The optical and ^{57}Fe Mössbauer spectra of lithium diborate ($\text{Li}_2\text{B}_4\text{O}_7$) in borophosphate glass-ceramics. <i>Physica B: Condensed Matter</i> , 2002, 322, 276-288.	1.3	13
130	Logic Gates Based in Asymmetric Couplers: Numerical Analysis. <i>Fiber and Integrated Optics</i> , 2007, 26, 217-228.	1.7	13
131	A novel white-light emitting $\text{BaBi}_2\text{Nb}_2\text{O}_9$: $\text{Li}^+/\text{Tm}^{3+}/\text{Er}^{3+}/\text{Yb}^{3+}$ upconversion phosphor. <i>Journal of Luminescence</i> , 2018, 204, 539-547.	1.5	13
132	Effect of the pH on the piezoelectric properties of collagen films. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2001, 83, 165-172.	1.7	12
133	Study of the electric and dielectric properties of $\text{SiO}_2\text{-Li}_2\text{O-Nb}_2\text{O}_5$ sol-gel glass-ceramics. <i>Journal of Non-Crystalline Solids</i> , 2006, 352, 1501-1505.	1.5	12
134	Optical cryptography under PPM-PAM modulation based in short optical pulses in an acoustic-optic tunable filter (AOTF). <i>Optical and Quantum Electronics</i> , 2009, 41, 963-980.	1.5	12
135	Analysis of the nonlinear optical switching in a Sagnac interferometer with non-instantaneous Kerr effect. <i>Optics Communications</i> , 2012, 285, 1408-1417.	1.0	12
136	Impedance Spectroscopy Analysis of $\text{Mg}_4\text{Nb}_2\text{O}_9$ Ceramics with Different Additions of V_2O_5 for Microwave and Radio Frequency Applications. <i>Journal of Electronic Materials</i> , 2017, 46, 4344-4352.	1.0	12
137	Dielectric relaxation study of the ceramic matrix $\text{BaBi}_4\text{Ti}_4\text{O}_{15}:\text{Bi}_2\text{O}_3$. <i>Materials Chemistry and Physics</i> , 2018, 205, 72-83.	2.0	12
138	Nonlinear switching in semiconductor (CdSSe) doped glass. <i>Solid State Communications</i> , 1993, 88, 305-308.	0.9	11
139	Infrared to visible frequency upconversion in erbium-doped $\text{Ga}_2\text{S}_3\text{-La}_2\text{O}_3$ chalcogenide glass. <i>Optical Materials</i> , 1998, 10, 241-244.	1.7	11
140	Up-conversion pumped light amplification with temperature tunable gain in $\text{Er}^{3+}/\text{Yb}^{3+}$ -codoped chalcogenide glasses. <i>Journal of Luminescence</i> , 2000, 87-89, 1020-1022.	1.5	11
141	New ferrimagnetic biocomposite film based in collagen and yttrium iron garnet. <i>EXPRESS Polymer Letters</i> , 2010, 4, 790-797.	1.1	11
142	Study of the temperature and organic bindings effects in the dielectric and structural properties of the lithium ferrite ceramic matrix (LiFe_5O_8). <i>Journal of Alloys and Compounds</i> , 2011, 509, 9466-9471.	2.8	11
143	Study of the structural and dielectric properties of Bi_2O_3 and PbO addition on BiNbO_4 ceramic matrix for RF applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2011, 22, 978-987.	1.1	11
144	Study of the Performance of an All-Optical Half-Adder Based on Three-Core Non-Linear Directional Fiber Coupler Under Delayed and Instantaneous Non-Linear Kerr Responses. <i>Fiber and Integrated Optics</i> , 2011, 30, 201-230.	1.7	11

#	ARTICLE	IF	CITATIONS
145	NUMERICAL ANALYSIS OF THE INSTANTANEOUS AND RELAXED KERR MODEL FOR GENERATION OF THE ALL-OPTICAL LOGIC GATES WITH TRIANGULAR FIBER COUPLER (TFC). Journal of Nonlinear Optical Physics and Materials, 2012, 21, 1250037.	1.1	11
146	Dielectric Properties of Ca _{0.7} Bi _{0.3} Ti _{0.7} Cr _{0.3} O ₃ (CBTC)â€“CaCu ₃ Ti ₄ O ₁₂ (CCTO) Composite. Journal of Electronic Materials, 2015, 44, 295-302.	1.0	11
147	Circularly polarized quarter-cylinder-shaped dielectric resonator antenna using a single probe feed. Microwave and Optical Technology Letters, 2015, 57, 722-726.	0.9	11
148	Dielectric characterization of BiVO ₄ -TiO ₂ composites and applications in microwave range. Journal of Alloys and Compounds, 2019, 775, 889-895.	2.8	11
149	Efficient second-harmonic generation in praseodymium-doped Ga:La:S glass for 1.3- μ m optical fiber amplifiers. IEEE Photonics Technology Letters, 1996, 8, 821-823.	1.3	10
150	On the piezoelectricity of collagen/natural rubber blend films. European Polymer Journal, 2003, 39, 1267-1272.	2.6	10
151	Composite screenâ€“printed thick films for high dielectric constant devices: Bi ₄ Ti ₃ O ₁₂ â€“CaCu ₃ Ti ₄ O ₁₂ films. Polymer Composites, 2007, 28, 771-777.	2.3	10
152	Structural properties study of the magneto-dielectric composite: Cr _{0.75} Fe _{1.25} O ₃ (CRFO):Fe _{0.5} Cu _{0.75} Ti _{0.75} O ₃ (FCTO). Journal of Alloys and Compounds, 2009, 481, 438-445.	2.8	10
153	New magnetic nanobiocomposite based in galactomannan/glycerol and superparamagnetic nanoparticles. Materials Chemistry and Physics, 2015, 156, 113-120.	2.0	10
154	Design and simulation of Na ₂ Nb ₄ O ₁₁ dielectric resonator antenna added with Bi ₂ O ₃ for microwave applications. Microwave and Optical Technology Letters, 2016, 58, 1211-1217.	0.9	10
155	Dielectric Study in the Microwave Range for Ceramic Composites Based on Sr ₂ CoNbO ₆ and TiO ₂ Mixtures. Journal of Electronic Materials, 2017, 46, 5193-5200.	1.0	10
156	Experimental and numerical investigation of dielectric resonator antenna based on doped Ba(Zn _{1/3} Ta _{2/3})O ₃ ceramic. Journal of Electromagnetic Waves and Applications, 2019, 33, 84-95.	1.0	10
157	High thermal stability and colossal permittivity of novel solid solution LaFeO ₃ /CaTiO ₃ . Materials Chemistry and Physics, 2021, 257, 123239.	2.0	10
158	Crystallization of ferroelectric LiNbO ₃ in niobophosphate glasses. Physica Scripta, 1996, 53, 104-107.	1.2	9
159	Acousto-optic tunable filter (AOTF) with increasing non-linearity and loss. Optics Communications, 2002, 208, 415-426.	1.0	9
160	Dielectric resonator antenna: Operation of the magnetodielectric composites Cr _{0.75} Fe _{1.25} O ₃ (CRFO)/Fe _{0.5} Cu _{0.75} Ti _{0.75} O ₃ (FCTO). Microwave and Optical Technology Letters, 2007, 49, 409-413.	0.9	9
161	Experimental and numerical investigation of dielectric resonator antenna based on the BiFeO ₃ ceramic matrix added with Bi ₂ O ₃ or PbO. Journal of Alloys and Compounds, 2013, 576, 324-331.	2.8	9
162	Microwave dielectric properties study of (Al ₂ O ₃)-(Nb ₂ Ti ₂ O ₇) BT/Overlock 10 Tf 50 67 Technology Letters, 2016, 58, 1473-1479.	0.9	9

#	ARTICLE	IF	CITATIONS
163	High thermal stability OF Li ₂ TiO ₃ -Al ₂ O ₃ composite in the microwave C-Band. Journal of Physics and Chemistry of Solids, 2019, 125, 51-56.	1.9	9
164	A Nd: Yag laser pumped soliton self-frequency shifter. Optics Communications, 1988, 68, 139-142.	1.0	8
165	Electrical properties of LiKSO ₄ crystals at low temperatures. Solid State Communications, 1993, 87, 959-962.	0.9	8
166	Spectroscopic Studies of Iron Niobophosphate Glasses. Physica Status Solidi A, 1997, 162, 515-523.	1.7	8
167	Title is missing!. Journal of Materials Science Letters, 1998, 17, 497-499.	0.5	8
168	Study of the electrical conductivity and piezoelectricity in iron doped collagen films. Solid State Sciences, 2002, 4, 43-51.	1.5	8
169	Characterization by X ray diffraction of mechanically alloyed tripotassium sodium sulfate. Materials Research, 2006, 9, 243-246.	0.6	8
170	Optical short pulse switching characteristics of ring resonators. Optical Fiber Technology, 2008, 14, 79-83.	1.4	8
171	All-optical nonlinear switching cell made of photonic crystal. Journal of the Optical Society of America A: Optics and Image Science, and Vision, 2009, 26, 1661.	0.8	8
172	High dielectric permittivity in the microwave region of SrBi ₂ Nb ₂ O ₉ (SBN) added La ₂ O ₃ , PbO and Bi ₂ O ₃ , obtained by mechanical alloying. Physica Scripta, 2012, 86, 025701.	1.2	8
173	Study of the performance of dielectric resonator antennas based on the matrix composite of Al ₂ O ₃ - CaTiO ₃ . Microwave and Optical Technology Letters, 2015, 57, 963-969.	0.9	8
174	Performance of microstrip patch antenna due EBG/PBG arrangements insertion. Microwave and Optical Technology Letters, 2016, 58, 2933-2937.	0.9	8
175	Dielectric Resonator Antennas with Frequency Stability Under Severe Temperature Variations Based on Li ₂ MgTi ₃ O ₈ Ceramic Matrix Added with Bi ₂ O ₃ . Journal of Electronic Materials, 2018, 47, 7272-7280.	1.0	8
176	Structural and dielectric behaviour analysis of TiO ₂ addition on the ceramic matrix BiVO ₄ . Journal of Materials Science: Materials in Electronics, 2018, 29, 14557-14566.	1.1	8
177	A study of the dielectric and electrical properties of the matrix composite [Ba ₂ CoNbO ₆ (BCNO) _{1-X} - CaTiO ₃ (CTO) _X]. Materials Research Bulletin, 2019, 113, 169-174.	2.7	8
178	Effects of the Bi ³⁺ substitution on the structural, vibrational, and magnetic properties of bismuth layer-structured ferroelectrics. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	1.1	8
179	Optical bistability and nonlinear switching in CdSe microcrystallite-doped glass. Solid State Communications, 1992, 82, 805-808.	0.9	7
180	Piezoelectricity of native and anionic collagen. Journal of Materials Science Letters, 1999, 18, 983-986.	0.5	7

#	ARTICLE	IF	CITATIONS
181	Photonic time-division multiplexing (OTDM) using ultrashort picosecond pulses in a terahertz optical asymmetric demultiplexer (TOAD). <i>Optics Communications</i> , 2002, 205, 299-312.	1.0	7
182	Structural studies of a new electroceramic composite: $\text{Pb}(\text{Fe}_{0.5}\text{Nb}_{0.5})\text{O}_3$ (PFN)- $\text{Cr}_{0.75}\text{Fe}_{1.25}\text{O}_3$ (CRFO). <i>Journal of Materials Science</i> , 2008, 43, 75-82.	1.7	7
183	Structural properties of $\text{CaTi}_{1-x}(\text{Nb}_{2/3}\text{Li}_{1/3})\text{O}_3$ (CNLTO) and $\text{CaTi}_{1-x}(\text{Nb}_{1/2}\text{Ln}_{1/2})\text{O}_3$ (Ln=Fe (CNFTO), Bi) <i>Tj ETQq1 1 0.784</i> 404, 1409-1414.	1.3	7
184	Magnetic properties study on Fe-doped calcium phosphate. <i>Physica Scripta</i> , 2009, 80, 055706.	1.2	7
185	Experimental and numerical investigation of a magnetic resonator antenna based on the Mn-type hexaferrite ($\text{Ba}_x\text{Sr}_{1-x}\text{Fe}_{12}\text{O}_{19}$). <i>Microwave and Optical Technology Letters</i> , 2010, 52, 452-458.	0.9	7
186	High thermal stability of the microwave dielectric properties of $\text{CaTi}_{1-x}(\text{Nb}_{2/3}\text{Li}_{1/3})\text{O}_3$ alloys. <i>Physica Scripta</i> , 2011, 84, 055701.	1.2	7
187	Microstructure and magneto-dielectric properties of the chitosan/gelatin-YIG biocomposites. <i>EXPRESS Polymer Letters</i> , 2011, 5, 1041-1049.	1.1	7
188	Study of the performance of dielectric resonator antennas based on the matrix BiREWO_6 [RE = Gd, Y, Nd]. <i>Microwave and Optical Technology Letters</i> , 2012, 54, 18-23.	0.9	7
189	Influence of the polysaccharide galactomannan on the dielectrical characterization of hydroxyapatite ceramic. <i>Composites Part B: Engineering</i> , 2013, 44, 95-99.	5.9	7
190	Mach-Zehnder nonlinear interferometer in photonic crystal fibers with nonlinearity profiles. <i>Journal of Nonlinear Optical Physics and Materials</i> , 2015, 24, 1550036.	1.1	7
191	Effect of V_2O_5 Addition on the Phase Composition of $\text{Bi}_5\text{FeTi}_3\text{O}_{15}$ Ceramic and RF/Microwave Dielectric Properties. <i>Journal of Electronic Materials</i> , 2017, 46, 2467-2475.	1.0	7
192	Identification of giant dielectric permittivity in the BiVO_4 . <i>Materials Letters</i> , 2017, 205, 67-69.	1.3	7
193	Magneto Tuning of a Ferrite Dielectric Resonator Antenna Based on LiFe_5O_8 Matrix. <i>Journal of Electronic Materials</i> , 2018, 47, 3829-3835.	1.0	7
194	Magneto-dielectric properties studies of the matrix composite $[\text{SrFe}_{12}\text{O}_{19}(\text{SFO})_{1-x}\text{BiFeO}_3(\text{BFO})_x]$. <i>Journal of Alloys and Compounds</i> , 2018, 735, 2111-2118.	2.8	7
195	Low-frequency relaxation processes in LiNbO_3 : Fe single crystals. <i>Optical Materials</i> , 1992, 1, 59-63.	1.7	6
196	Kilohertz Relaxation Process in LiNbO_3 :Fe Single Crystals. <i>Physica Status Solidi A</i> , 1995, 147, 585-589.	1.7	6
197	Pulse position modulation (PPM) of ultrashort pulse trains in optical fibers. <i>Optics Communications</i> , 1998, 152, 59-64.	1.0	6
198	PICOSECOND PULSE SWITCHING IN AN ACOUSTO-OPTIC TUNABLE FILTER (AOTF) WITH LOSS. <i>Nonlinear Optics, Quantum Optics</i> , 2002, 29, 79-97.	0.2	6

#	ARTICLE	IF	CITATIONS
199	Chitosan-hydroxyapatite-BIT composite films: Preparation and characterization. <i>Polymer Composites</i> , 2007, 28, 582-587.	2.3	6
200	A performance study of a nonlinear all Fibre Michelson interferometer, add-drop multiplexer, based in Fibre Bragg grating mirrors. <i>Optical and Quantum Electronics</i> , 2008, 40, 525-534.	1.5	6
201	Study of the structural and dielectric properties of $x\text{LiFe}_5\text{O}_8 \cdot (100-x)\text{LiNbO}_3$ composites, processed using microwave energy. <i>Journal of Non-Crystalline Solids</i> , 2010, 356, 602-606.	1.5	6
202	Impedance spectroscopy study of TiO_2 addition on the ceramic matrix $\text{Na}_2\text{Nb}_4\text{O}_{11}$. <i>Journal of Materials Science: Materials in Electronics</i> , 2013, 24, 4993-4999.	1.1	6
203	Attenuation, dispersion and nonlinearity effects in graphene-based waveguides. <i>Beilstein Journal of Nanotechnology</i> , 2015, 6, 1221-1228.	1.5	6
204	New materials for miniaturized magneto-dielectric antennas based on $\text{Gd}(\text{GxYIG})_{1-x}$ composite. , 2016, , .		6
205	Experimental and numerical investigation of the microwave dielectric properties of the MgTiO_3 ceramic matrix added with $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$. <i>Journal of Microwaves, Optoelectronics and Electromagnetic Applications</i> , 2017, 16, 403-418.	0.4	6
206	Bandstop Passive Filter Characteristics of Hexagonal Ferrite Composites at X-Band. <i>Journal of Electronic Materials</i> , 2019, 48, 6189-6193.	1.0	6
207	Effect of V_2O_5 addition on the structural and electrical properties of CoTiO_3 . <i>Composites Part B: Engineering</i> , 2019, 176, 107286.	5.9	6
208	Dielectric characterisation and numerical investigation of $\text{SrBi}_2\text{Nb}_2\text{O}_9 \cdot \text{Bi}_2\text{O}_3$ composites for applications in microwave range. <i>Journal of Electromagnetic Waves and Applications</i> , 2020, 34, 1705-1718.	1.0	6
209	Evaluation of dielectric properties of the barium titanium silicate ($\text{Ba}_2\text{TiSi}_2\text{O}_8$) for microwave applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 7034-7048.	1.1	6
210	Design and characterization study of LaFeO_3 and CaTiO_3 composites at microwave frequencies and their applications as dielectric resonator antennas. <i>Ceramics International</i> , 2021, 47, 33232-33241.	2.3	6
211	Structural properties of lithium borate glasses doped with rare earth ions. <i>Ceramica</i> , 2001, 47, 88-93.	0.3	6
212	Structure of iron niobophosphate glasses investigated by DTA, infrared and Mössbauer spectroscopy. <i>Journal of Physics Condensed Matter</i> , 1998, 10, 7511-7518.	0.7	5
213	Optical time-division multiplexing using picosecond solitons in a terahertz optical asymmetric demultiplexer. <i>Optics Communications</i> , 2000, 186, 87-97.	1.0	5
214	Optical crosstalk in a periodically inhomogeneous nonlinear dispersion directional fiber coupler. <i>Optical Fiber Technology</i> , 2005, 11, 180-192.	1.4	5
215	Structural studies of calcium phosphate doped with titanium and zirconium obtained by high-energy mechanical alloying. <i>Physica Scripta</i> , 2009, 80, 065801.	1.2	5
216	Dielectric spectroscopy of LiNbO_3 and TmNbO_4 nanocrystals embedded in a SiO_2 glass matrix. <i>Journal of Non-Crystalline Solids</i> , 2010, 356, 800-804.	1.5	5

#	ARTICLE	IF	CITATIONS
217	Temperature Dependence of the Magnetic and Electric Properties of $\text{Ca}_{2-x}\text{Fe}_x\text{O}_{5-x}$. Materials Sciences and Applications, 2011, 02, 1349-1353.		
218	Communication "Detection of Giant Dielectric Constant in Strontium Orthovanadate $\text{Sr}_3\text{V}_2\text{O}_8$. ECS Journal of Solid State Science and Technology, 2017, 6, N213-N215.	0.9	5
219	High thermal stability of the YNbO_4 - CaYTiNbO_7 composites for radio frequency and microwave applications. Materials Chemistry and Physics, 2021, 271, 124956.	2.0	5
220	Interchannel crosstalk on the acousto-optic tunable filter (AOTF) for network applications. Microwave and Optical Technology Letters, 2002, 35, 230-235.	0.9	4
221	Properties of nanoparticles of $\text{Bi}_{12}\text{GeO}_{20}$ (BGO) obtained by ball milling. Journal of Materials Science Letters, 2002, 21, 963-965.	0.5	4
222	Crosstalk and contrast ratio studies of a four stage Mach-Zehnder optical fiber demultiplexer. Optical Fiber Technology, 2005, 11, 167-179.	1.4	4
223	Optical mixing effect and modulation instability in a dispersion decreasing fibre operating with picosecond light pulses. IEE Proceedings: Optoelectronics, 2005, 152, 292-298.	0.8	4
224	Microstructural and electrical properties of PbTiO_3 screen-printed thick films. Journal of Materials Science: Materials in Electronics, 2008, 19, 973-980.	1.1	4
225	Dielectrical and structural characterization of iron oxide added to hydroxyapatite. Bulletin of Materials Science, 2008, 31, 635-638.	0.8	4
226	Dielectric and structural properties of SiO_2 - LiFe_5O_8 glass-ceramics prepared by sol-gel processing. Journal of Non-Crystalline Solids, 2010, 356, 607-610.	1.5	4
227	High dielectric permittivity of $\text{SrBi}_2\text{Nb}_2\text{O}_9$ (SBN) added Bi_2O_3 and La_2O_3 . Journal of Electroceramics, 2013, 30, 119-128.	0.8	4
228	High dielectric permittivity and low loss of $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$ with PbO and V_2O_5 additions for RF and microwave applications. Journal of Materials Science: Materials in Electronics, 2013, 24, 3467-3473.	1.1	4
229	High Contrast Optical Logic Gates Using a Photonic Crystal Fiber Modulated by PAM-ASK. Journal of Optical Communications, 2014, 35, .	4.0	4
230	Dielectric and magnetic properties of a yttrium ferrite/calcium copper titanate composite. Spectroscopy Letters, 2017, 50, 206-213.	0.5	4
231	A new modulation method to generate all-optical logic gates in an AOTF. Microsystem Technologies, 2017, 23, 5491-5503.	1.2	4
232	All-optical XOR and OR by Mach-Zehnder Interferometer engineered photonic crystal fibers. Optics and Laser Technology, 2017, 94, 128-137.	2.2	4
233	Structural and electrical properties of the $\text{SrBi}_4\text{Ti}_4\text{O}_{15}$: V_2O_5 matrix in the microwave frequency range. Journal of Electromagnetic Waves and Applications, 2018, 32, 1329-1341.	1.0	4
234	Microwave Dielectric Properties Study of the La_2O_3 Additions on the $\text{SrBi}_2\text{Nb}_2\text{O}_9$ Matrix. Journal of Electronic Materials, 2019, 48, 1196-1206.	1.0	4

#	ARTICLE	IF	CITATIONS
235	Effects of MgO on dielectric relaxation and phase transition of the ceramic matrix BaBi ₄ Ti ₄ O ₁₅ . Journal of Science: Advanced Materials and Devices, 2019, 4, 170-179.	1.5	4
236	Influence of pyrochlore phase on the dielectric properties of the bismuth niobate system. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2021, 263, 114880.	1.7	4
237	High-bandwidth microwave dielectric resonator antennas from BiVO ₄ /ZnO composites. Journal of the Australian Ceramic Society, 2021, 57, 369-377.	1.1	4
238	Influence of the addition of CaTiO ₃ on the microwave dielectric properties of the BaMoO ₄ matrix. Materials Chemistry and Physics, 2022, 289, 126478.	2.0	4
239	The Modulus Formalism Used in the Dielectric Analysis with Optical Characterization of Hydroxyapatite and CaTi ₄ P ₆ O ₂₄ Ceramic Formers by Dry Ball Milling. Materials Science Forum, 2006, 514-516, 1087-1093.	0.3	3
240	A performance study of a logical gate using PPM optical pulse modulation for TDM systems. Optics Communications, 2007, 275, 476-485.	1.0	3
241	Electrical properties of the electroceramic composite in the microwave frequency range: Pb(Fe _{0.5} Nb _{0.5})O ₃ (PFN)â€“Cr _{0.75} Fe _{1.25} O ₃ (CRFO). Physica Scripta, 2008, 78, 065704.	1.2	3
242	Bulk and patch ferrite resonator antennas based on the ceramic matrix composite: GdIG _x YIG _{1-x} . Microwave and Optical Technology Letters, 2009, 51, 1595-1602.	0.9	3
243	Structural study of Fe ₂ O ₃ -doped calcium phosphates obtained by the mechanical milling method. Physica Scripta, 2009, 79, 055601.	1.2	3
244	Add-Drop Demultiplexer Operating in an Optical Michelson Interferometer Based in Fiber Bragg Gratings for Time Division Multiple Access Systems. Fiber and Integrated Optics, 2010, 29, 239-253.	1.7	3
245	Design and analysis of microstrip antenna arrays for meteorological nano-satellites for UHF uplink. , 2014, , .		3
246	Phase-shift-controlled logic gates in Y-shaped nonlinearly coupled chains. Physical Review E, 2016, 93, 022218.	0.8	3
247	All-optical logic gates based on XPM effect under the PAM-ASK modulation in a symmetric dual NLDC. Microsystem Technologies, 2019, 25, 447-459.	1.2	3
248	On the synthesis and down-conversion luminescence of the LaNbO ₄ :Pr ³⁺ phosphor. Ferroelectrics, 2019, 545, 55-61.	0.3	3
249	Nonlinearity effect on dual photonic crystal fiber coupler for generating fully optical logic gates. Microwave and Optical Technology Letters, 2020, 62, 3002-3013.	0.9	3
250	Complex permittivity and complex permeability characteristics of Coâ€“Ti doped barium strontium hexaferrite/paraffin wax composites for application in microwave devices. Applied Physics A: Materials Science and Processing, 2020, 126, 1.	1.1	3
251	Investigation on luminescence based optical temperature sensing behavior of Sr ₃ MoO ₆ :Eu ³⁺ /Tb ³⁺ . Optik, 2021, 246, 167825.	1.4	3
252	Amplification of Picosecond Pulses in Neodymium-doped Single-mode Optical Fibres. Journal of Modern Optics, 1989, 36, 1143-1150.	0.6	2

#	ARTICLE	IF	CITATIONS
253	Structural and electrical properties of iron molybdenum phosphate glasses. Nuovo Cimento Della Societa Italiana Di Fisica D - Condensed Matter, Atomic, Molecular and Chemical Physics, Biophysics, 1998, 20, 209-220.	0.4	2
254	Ultrafast Optical Switching in a Nonlinear Loop Mirror Constructed from Dispersion Decreasing Fiber. Journal of Optical Communications, 1999, 20, .	4.0	2
255	An ultra stable glass system for optical fiber devices. Physical Chemistry Chemical Physics, 2001, 3, 613-615.	1.3	2
256	Analysis of Ultrashort Pulse Switching in an Acousto-optic Tunable Filter (AOTF) with Loss. Journal of Optical Communications, 2001, 22, .	4.0	2
257	Study of the piezoelectricity in iron-doped collagen films. Journal of Materials Science: Materials in Electronics, 2002, 13, 157-165.	1.1	2
258	Numerical Analysis of the Crosstalk on an Integrated Acousto-Optic Tunable Filter (AOTF) for Network Applications. Fiber and Integrated Optics, 2004, 23, 345-363.	1.7	2
259	Integrated Acousto-Optical Temperature Sensor. Fiber and Integrated Optics, 2006, 25, 387-402.	1.7	2
260	Acousto-Optic Tunable Filter (AOTF) Revisited: Ultrashort Optical Pulses Crosstalk Studies on the Lossy Filter. Fiber and Integrated Optics, 2006, 25, 195-211.	1.7	2
261	Dielectric studies of metal/n-GaN/metal Schottky contact in the radio frequency range. Journal of Crystal Growth, 2008, 310, 3992-3997.	0.7	2
262	Numerical analysis of the stability of optical bullets ($2\hat{A}+\hat{A}1$) in a planar waveguide with cubicâ€“quintic nonlinearity. Optical and Quantum Electronics, 2009, 41, 121-130.	1.5	2
263	Photonic crystal optical memory. Applied Physics A: Materials Science and Processing, 2011, 103, 521-524.	1.1	2
264	HIGH THERMAL STABILITY OF MICROWAVE DIELECTRIC PROPERTIES OF $\text{CaTi}_{1-x}(\text{Nb}_{1/2}\text{Fe}_{1/2})_x\text{O}_3$ CERAMICS. Journal of Advanced Dielectrics, 2011, 01, 417-427.	1.5	2
265	Random photonic crystal optical memory. Journal of Optics (United Kingdom), 2012, 14, 105402.	1.0	2
266	Novel fiber-optic sensor of high electrical alternating currents. , 2013, , .		2
267	Dielectric and microwave properties study of TiFeNbO_6 ceramics added Bi_2O_3 . Journal of Materials Science: Materials in Electronics, 2014, 25, 4450-4457.	1.1	2
268	High quality of logic gates from the return arm of a Sagnac fiber interferometer. Journal of Electromagnetic Waves and Applications, 2016, 30, 2459-2483.	1.0	2
269	Nanophotonic graphene-based racetrack-resonator add/drop filter. Optics Communications, 2016, 366, 210-220.	1.0	2
270	Magnetolectric effects in the spiral magnets CuCl_2 and CuBr_2 . Journal of Physics Condensed Matter, 2017, 29, 035701.	0.7	2

#	ARTICLE	IF	CITATIONS
271	Fabrication and operational characteristics of step-down piezoelectric transformer based on PMN-PT ceramics. <i>Ferroelectrics</i> , 2018, 535, 18-24.	0.3	2
272	Effects of TiO ₂ Addition on the Radio-Frequency Properties of the Sr ₂ CoNbO ₆ Matrix. <i>Journal of Electronic Materials</i> , 2020, 49, 2211-2221.	1.0	2
273	Enhancing the electrical properties of Bi ₄ Ti ₃ O ₁₂ (BiT) matrix by special alloying and sintering. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 22265-22273.	1.1	2
274	Effect of (Pr-Yb) Co-doping on the Luminescence and Dielectric Behaviour of LaNbO ₄ Ceramic. <i>Journal of Electronic Materials</i> , 2020, 49, 6016-6023.	1.0	2
275	High thermal stability of RF dielectric properties of BiVO ₄ matrix with added ZnO. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 13078-13087.	1.1	2
276	Microwave Dielectric Properties of Ba ₅ Li ₂ W ₃ O ₁₅ Ceramic with Excess Lithium for Dielectric Resonator Antenna Application. <i>Journal of Electronic Materials</i> , 0, , 1.	1.0	2
277	Reversible non-linear electrical switching in CdTeS-doped glass. <i>Journal of Materials Science</i> , 1996, 31, 3601-3604.	1.7	1
278	Pulse position modulation (PPM) of ultrashort pulse trains in optical fibres. , 0, , .		1
279	Numerical analysis in triangular and planar three-core nonlinear optical fiber couplers (TNLDC) operating logical gates. , 2006, , .		1
280	Switching cell embedded in photonic crystal. <i>Microsystem Technologies</i> , 2009, 15, 821-825.	1.2	1
281	Spatiotemporal optical solitons in planar waveguide with periodically modulated cubic-quintic nonlinearity. <i>Optical and Quantum Electronics</i> , 2010, 42, 179-192.	1.5	1
282	Microwaves dielectric properties of Y₃Fe₅O₁₂-CaCu₃Ti₄O₁₂ composites. , 2011, , .		
283	Photonic crystal electro-optical switching cell. <i>Optics Communications</i> , 2012, 285, 3195-3201.	1.0	1
284	A nanophotonic switching cell. <i>Journal of Optics (United Kingdom)</i> , 2014, 16, 105005.	1.0	1
285	SiO ₂ -Fe ₂ O ₃ -MoO ₃ ceramic system doped with Nb ₂ O ₅ , a study of the dielectric temperature dependence. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 5764-5769.	1.1	1
286	Analysis of the Performance of a PAM/PPM/OOK System Operating with OCDMA, under Nonlinear Optical Effects in Optical Fiber Propagation. <i>Journal of Optical Communications</i> , 2016, 37, .	4.0	1
287	The Effects of TiO ₂ Addition on the Dielectric and Microwave Properties in the Ceramic Matrix BiVO ₄ . , 2018, , .		1
288	RF and Microwave Electrical Properties Study of the Magneto-Dielectric Resonator Antenna of the Matrix Composite [SrFe ₁₂ O ₁₉ (SFO) _{1-x} BiFeO ₃ (BFO) _x]. <i>Journal of Electronic Materials</i> , 2018, 47, 6144-6152.	1.0	1

#	ARTICLE	IF	CITATIONS
289	Microwave filter characteristics of ferrite and polyaniline composites from 8.2 to 12.4 GHz. Journal of Materials Science: Materials in Electronics, 2019, 30, 14923-14927.	1.1	1
290	Up-Conversion Luminescence of Er ³⁺ /Pr ³⁺ /Yb ³⁺ Co-doped LaNbO ₄ Phosphors. Journal of Electronic Materials, 2020, 49, 6009-6015.	1.0	1
291	YIG Matrix Based Multiband Magneto-Dielectric Cylindrical Resonator Antenna. Journal of Microwaves, Optoelectronics and Electromagnetic Applications, 2021, 20, 348-358.	0.4	1
292	Dielectric properties of bismuth layer structured ferroelectric Bi ₃ R ₂ Ti ₃ FeO ₁₅ (R = Bi, Gd, and Nd) at microwave and radiofrequency. Journal of Materials Science: Materials in Electronics, 2021, 32, 18628-18643.	1.1	1
293	Switching cell of directional coupler embedded in photonic crystal driven by an external command (for the C, L, and U bands of ITU). Journal of Communication and Information Systems, 2009, 24, 40-45.	0.2	1
294	Ferrimagnetism and Ferroelectricity of the Composite Matrix: SrBi ₂ Nb ₂ O ₉ (SBN)-BaFe ₁₂ Materials Sciences and Applications, 2012, 03, 6-17.		
295	Picosecond pulse switching in a lossy acousto-optic tunable filter (AOTF). , 0, , .		0
296	Picosecond pulse amplification in a single mode neodymium doped fibre. AIP Conference Proceedings, 1989, , .	0.3	0
297	Pump and probe spectroscopy of A Cr ³⁺ -doped glass. Solid State Communications, 1990, 76, 183-186.	0.9	0
298	Nonlinear electrical switching in CdTeS doped glass. Physica Scripta, 1996, 53, 631-634.	1.2	0
299	Nonlinear switching recovery in planar directional coupler with loss. , 0, , .		0
300	Ultrafast optical switching in a nonlinear loop mirror (NOLM) constructed from dispersion decreasing fiber (DDF). , 0, , .		0
301	Dielectric Complex Function Studies of LiNbO ₃ in Niobate Glass-Ceramics. Physica Status Solidi A, 1999, 172, 255-263.	1.7	0
302	Dispersion profile studies on twin core directional fiber couplers. , 0, , .		0
303	Ultra-short pulse propagation in a lossy acousto-optic tunable filter (AOTF). Microwave and Optical Technology Letters, 2001, 28, 346-350.	0.9	0
304	Time-division multiplexing (OTDM) using ultrashort picosecond pulses in a terahertz optical asymmetric demultiplexer (TOAD). , 0, , .		0
305	Nonlinear optical waveguide coupling with planar solitonic field profile. Optics Communications, 2003, 221, 63-71.	1.0	0
306	Four wave mixing in a dispersion decreasing fiber (DDF) for a WDM system. , 2006, , .		0

#	ARTICLE	IF	CITATIONS
307	Ultrashort Pulse Reflection through Nonlinear Fiber Bragg Gratings. , 2006, , .		0
308	Soliton optical gates with asymmetric planar Dual-Core Nonlinear Directional Fiber Coupler (DNLDC).. , 2006, , .		0
309	Raman amplification and optical short pulse generation in a waveguide with periodic gain. Optics Communications, 2008, 281, 5804-5810.	1.0	0
310	Soliton-like pulse dynamics in add-drop optical filters based on nonlinear fiber grating couplers. Optical and Quantum Electronics, 2009, 41, 441-452.	1.5	0
311	FULL ANALYSIS OF AN ALL-OPTICAL PHOTONIC CRYSTAL SWITCH. International Journal of Nanoscience, 2010, 09, 57-67.	0.4	0
312	Microwave dielectric properties of Ca (Nb _{2/3} Li _{1/3}) _x Ti _{1-x} O ₃ (CNLTOX). , 2011, , .		0
313	Dielectric resonator antennas based in BiYWO ₆ and operating at 3.3 GHz: Electrical properties study. , 2011, , .		0
314	Optical memory made of photonic crystal working over the C-band of ITU. Journal of Optical and Fiber Communications Research, 2011, , 1.	0.5	0
315	Pedagogical microwave design of photonic crystal waveguides. , 2011, , .		0
316	Preparation and Study of Bismuth Rare-Earth Tungstate Composite Screen-Printed Thick Films. Journal of Electronic Materials, 2013, 42, 752-760.	1.0	0
317	Compact triple-band PIFA with high bandwidth and gain for multiple mobile services. Microwave and Optical Technology Letters, 2016, 58, 2961-2965.	0.9	0
318	Nonlinear graphene-based nanophotonic switch working in dense wavelength division multiplexing (DWDM) systems. Applied Physics A: Materials Science and Processing, 2017, 123, 1.	1.1	0
319	Study of the structural and dielectric properties of ceramic obtained from residual electrocoagulation. Advances in Applied Ceramics, 2018, 117, 395-405.	0.6	0
320	Dual-frequency magneto-dielectric resonator antenna based in a YIG matrix with control of HEM 11 ^l and TE 01 ^l modes. Microwave and Optical Technology Letters, 2021, 63, 310-321.	0.9	0
321	Impedance spectroscopy analysis of an FeNbO ₄ matrix with different additions of TiO ₂ and the effects of temperature variation. Journal of Materials Science: Materials in Electronics, 2021, 32, 5936-5944.	1.1	0
322	Impedance and Mössbauer spectroscopy study of BiCu ₃ Ti ₃ FeO ₁₂ dielectric matrix. Journal of Materials Science: Materials in Electronics, 2021, 32, 11607-11615.	1.1	0
323	Improving the microwave dielectric properties of BiCu ₃ Ti ₃ FeO ₁₂ with the addition of Bi ₂ O ₃ . Journal of Electromagnetic Waves and Applications, 2022, 36, 321-331.	1.0	0
324	Propagation of Light in Doped Media with Regular and Random Distributed Clusters. , 1996, , 433-434.		0

#	ARTICLE	IF	CITATIONS
325	Optical Coupler Network Modeling and Parameter Estimation Based on a Generalized Tucker Train Decomposition. IEEE Access, 2022, 10, 9906-9924.	2.6	0
326	Estimation and Mapping of the Received Power Level of Digital Signals TV Using Spatial Interpolation Methods. Journal of Microwaves, Optoelectronics and Electromagnetic Applications, 2022, 21, 305-318.	0.4	0
327	Application of the ultrashort pulse position modulation method in the frequency domain and dual optical sideband modulation, based on the acoustic-optical filter of photonic crystal fibers to obtain optical logic gates. Optical Engineering, 2022, 61, .	0.5	0