## Giuseppina Tommonaro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6995210/publications.pdf

Version: 2024-02-01

72 papers 2,498 citations

201674 27 h-index 206112 48 g-index

79 all docs

79 docs citations

79 times ranked

3509 citing authors

#	Article	IF	CITATIONS
1	Curcumin and Cancer. Nutrients, 2019, 11, 2376.	4.1	560
2	High level synthesis of levan by a novel Halomonas species growing on defined media. Carbohydrate Polymers, 2009, 78, 651-657.	10.2	189
3	Marine bacteria associated with sponge as source of cyclic peptides. New Biotechnology, 2003, 20, 311-316.	2.7	93
4	Application of Cell Culture for the Production of Bioactive Compounds from Sponges:Â Synthesis of Avarol by Primmorphs fromDysideaavara. Journal of Natural Products, 2000, 63, 1077-1081.	3.0	91
5	Plant growth-promoting effects of rhizospheric and endophytic bacteria associated with different tomato cultivars and new tomato hybrids. Chemical and Biological Technologies in Agriculture, 2016, 3, .	4.6	88
6	Production and characterization of a microbial glucan, synthesized by Geobacillus tepidamans V264 isolated from Bulgarian hot spring. Carbohydrate Polymers, 2009, 77, 338-343.	10.2	87
7	Synthesis and Biological Activities of Thio-avarol Derivatives. Journal of Natural Products, 2008, 71, 1850-1853.	3.0	77
8	Diketopiperazines Produced by the Halophilic Archaeon, Haloterrigena hispanica, Activate AHL Bioreporters. Microbial Ecology, 2012, 63, 490-495.	2.8	75
9	Aliphatic and aromatic glycosides from the cell cultures of Lycopersicon esculentum. Phytochemistry, 1996, 42, 1031-1034.	2.9	67
10	The lignicolous fungus <i>Trametes versicolor</i> (L.) Lloyd (1920): a promising natural source of antiradical and AChE inhibitory agents. Journal of Enzyme Inhibition and Medicinal Chemistry, 2017, 32, 355-362.	5.2	57
11	Exocellular Cyclic Dipeptides from a Ruegeria Strain Associated with Cell Cultures of Suberites domuncula. Marine Biotechnology, 2004, 6, 95-103.	2.4	50
12	Silver(I) N-heterocyclic carbene complexes: Synthesis, characterization and antibacterial activity. Journal of Organometallic Chemistry, 2013, 725, 46-53.	1.8	50
13	Acetamide Derivatives with Antioxidant Activity and Potential Anti-Inflammatory Activity. Molecules, 2010, 15, 2028-2038.	3.8	48
14	Production and chemical characterization of an exopolysaccharide synthesized by psychrophilic yeast strain Sporobolomyces salmonicolor AL1 isolated from Livingston Island, Antarctica. Folia Microbiologica, 2010, 55, 576-581.	2.3	43
15	Avarol derivatives as competitive AChE inhibitors, non hepatotoxic and neuroprotective agents for Alzheimer's disease. European Journal of Medicinal Chemistry, 2016, 122, 326-338.	<b>5.</b> 5	43
16	Light-Responsive Nanocapsule-Coated Polymer Films for Antimicrobial Active Packaging. Polymers, 2019, 11, 68.	4.5	42
17	Biological Properties of Polyphenols Extracts from Agro Industry's Wastes. Waste and Biomass Valorization, 2018, 9, 1567-1578.	3.4	40
18	Re-Use of Vegetable Wastes as Cheap Substrates for Extremophile Biomass Production. Waste and Biomass Valorization, 2011, 2, 103-111.	3.4	39

#	Article	IF	CITATIONS
19	Further <i>in vitro</i> evaluation of cytotoxicity of the marine natural product derivative 4′-leucine-avarone. Natural Product Research, 2014, 28, 347-350.	1.8	36
20	Antioxidative Activity and Lycopene and $\hat{l}^2$ -Carotene Contents in Different Cultivars of Tomato (Lycopersicon Esculentum). International Journal of Food Properties, 2007, 10, 321-329.	3.0	35
21	Development in primary cell culture of demosponges. Journal of Biotechnology, 2003, 100, 119-125.	3.8	34
22	Antitumoral potential, antioxidant activity and carotenoid content of two Southern Italy tomato cultivars extracts: San Marzano and Corbarino. Journal of Cellular Physiology, 2018, 233, 1266-1277.	4.1	34
23	Sugar composition of the moss <i>Rhodobryum ontariense</i> (Kindb.) Kindb Natural Product Research, 2012, 26, 209-215.	1.8	32
24	Chemical Composition and Biotechnological Properties of a Polysaccharide from the Peels and Antioxidative Content from the Pulp of <i>Passiflora liguralis</i> Fruits. Journal of Agricultural and Food Chemistry, 2007, 55, 7427-7433.	5.2	31
25	Cavernosolide, a New Sesterterpene from a Tyrrhenian Spongeâ€. Journal of Natural Products, 1997, 60, 844-846.	3.0	29
26	Recent Advances in the Study of Marine Microbial Biofilm: From the Involvement of Quorum Sensing in Its Production up to Biotechnological Application of the Polysaccharide Fractions. Journal of Marine Science and Engineering, 2016, 4, 34.	2.6	28
27	Further in vitro Evaluation of Antimicrobial Activity of the Marine Sesquiterpene Hydroquinone Avarol. Current Pharmaceutical Biotechnology, 2014, 15, 583-588.	1.6	27
28	A Novel Cyclopeptide from a Bacterium Associated with the Marine Sponge Ircinia muscarum. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2003, 58, 740-745.	1.4	26
29	Tomato Derived Polysaccharides for Biotechnological Applications: Chemical and Biological Approaches. Molecules, 2008, 13, 1384-1398.	3.8	24
30	Polysaccharides from Wastes of Vegetable Industrial Processing: New Opportunities for Their Eco-Friendly Re-Use. , 0, , .		24
31	Development in a Primary Cell Culture of the Marine Sponge Ircinia muscarum and Analysis of the Polar Compounds. Marine Biotechnology, 2001, 3, 281-286.	2.4	23
32	Degradative actions of microbial xylanolytic activities on hemicelluloses from rhizome of Arundo donax. AMB Express, 2014, 4, 55.	3.0	22
33	Cyclic dipeptides produced by marine sponge-associated bacteria as quorum sensing signals. Natural Product Communications, 2014, 9, 229-32.	0.5	20
34	A new depsidone of <i>Lobaria pulmonaria</i> with acetylcholinesterase inhibition activity. Journal of Enzyme Inhibition and Medicinal Chemistry, 2013, 28, 876-878.	5.2	19
35	Cacospongionolide and Scalaradial, Two Marine Sesterterpenoids as Potent Apoptosis-Inducing Factors in Human Carcinoma Cell Lines. PLoS ONE, 2012, 7, e33031.	2.5	19
36	Evaluation of Antioxidant Properties, Total Phenolic Content, and Biological Activities of New Tomato Hybrids of Industrial Interest. Journal of Medicinal Food, 2012, 15, 483-489.	1.5	17

#	Article	IF	Citations
37	Triterpenoids and sterol glucoside from cell cultures of Lycopersicon esculentum. Phytochemistry, 1997, 44, 861-864.	2.9	16
38	A new dimethylscalarane derivative from the sponge Cacospongia scalaris. Tetrahedron, 1998, 54, 6185-6190.	1.9	16
39	A Novel C21 Terpene Lactone from the Sponge Fasciospongia Cavernosa. Tetrahedron, 1999, 55, 13805-13808.	1.9	16
40	A Polysaccharide from Tomato ( <i>Lycopersicon esculentum</i> ) Peels Affects NF-κB Activation in LPS-Stimulated J774 Macrophages. Journal of Natural Products, 2007, 70, 1636-1639.	3.0	16
41	Bioactive Marine Prenylated Quinones/Quinols. Studies in Natural Products Chemistry, 2012, , 163-218.	1.8	12
42	A Î <sup>2</sup> -Amino Acid Containing Tripeptide from aPseudomonasâ <sup>2</sup> 'AlteromonasBacterium Associated with a Black Sea Sponge. Journal of Natural Products, 2000, 63, 1454-1455.	3.0	11
43	Bioactivity of Tomato Hybrid Powder: Antioxidant Compounds and Their Biological Activities. Journal of Medicinal Food, 2013, 16, 351-356.	1.5	11
44	Antioxidant and cytotoxic activities investigation of tomato seed extracts. Natural Product Research, 2014, 28, 764-768.	1.8	11
45	Further <i>in vitro</i> biological activity evaluation of amino-, thio- and ester-derivatives of avarol. Journal of Enzyme Inhibition and Medicinal Chemistry, 2015, 30, 333-335.	<b>5.</b> 2	11
46	<i>In vitro</i> evaluation of cytotoxic and mutagenic activity of avarol. Natural Product Research, 2016, 30, 1293-1296.	1.8	11
47	Liposomal integration method for assessing antioxidative activity of water insoluble compounds towards biologically relevant free radicals: example of avarol. Journal of Liposome Research, 2020, 30, 218-226.	3.3	11
48	Extremophilic Natrinema versiforme Against Pseudomonas aeruginosa Quorum Sensing and Biofilm. Frontiers in Microbiology, 2020, 11, 79.	3 <b>.</b> 5	11
49	Cyclic Dipeptides Produced by Marine Sponge-Associated Bacteria as Quorum Sensing Signals. Natural Product Communications, 2014, 9, 1934578X1400900.	0.5	10
50	Investigating on the Correlation Between Some Biological Activities of Marine Sponge-Associated Bacteria Extracts and Isolated Diketopiperazines. Current Microbiology, 2017, 74, 6-13.	2.2	10
51	Productivity and Nutritional Trait Improvements of Different Tomatoes Cultivated with Effective Microorganisms Technology. Agriculture (Switzerland), 2021, 11, 112.	3.1	10
52	The redox couple avarol/avarone in the fight with malignant gliomas: the case study of U-251 MG cells. Natural Product Research, 2018, 32, 616-620.	1.8	8
53	In vitro avarol does affect the growth of Candida sp Natural Product Research, 2016, 30, 1956-1960.	1.8	7
54	Comparative Correlation Between Chemical Composition and Cytotoxic Potential of the Coral-Associated Fungus Aspergillus sp. 2C1-EGY Against Human Colon Cancer Cells. Current Microbiology, 2017, 74, 1294-1300.	2.2	7

#	Article	IF	Citations
55	Chemistry of Tropical Eucheumatoids: Potential for Food and Feed Applications. Biomolecules, 2021, 11, 804.	4.0	7
56	Acetylcholinesterase inhibition activity of acetylated depsidones from <i>Lobaria pulmonaria </i> Natural Product Research, 2012, 26, 1634-1637.	1.8	6
57	Effects of Industrial Processes on Antioxidant Power and Polyphenols Profile in Cherry Tomato Cultivar. Journal of Medicinal Food, 2015, 18, 1173-1178.	1.5	6
58	Identification of N-Hexadecanoyl-L-homoserine lactone (C16-AHL) as signal molecule in halophilic bacterium Halomonas smyrnensis AAD6. Annals of Microbiology, 2016, 66, 1329-1333.	2.6	6
59	Research Progress and Hopeful Strategies of Application of Quorum Sensing in Food, Agriculture and Nanomedicine. Microorganisms, 2022, 10, 1192.	3.6	6
60	Antioxidant Activity of Diphenylpropionamide Derivatives: Synthesis, Biological Evaluation and Computational Analysis. Molecules, 2008, 13, 749-761.	3.8	5
61	Evaluation of heavy metals, cytotoxicity, and antioxidant activity of tomatoes grown in toxic muddy soils. Environmental Science and Pollution Research, 2015, 22, 5756-5761.	5.3	5
62	Antioxidant activity and bioactive compound contents before and after <i>in vitro</i> digestion of new tomato hybrids. Journal of the Science of Food and Agriculture, 2017, 97, 5241-5246.	3.5	5
63	Determination of flavorâ€potentiating compounds in different Italian tomato varieties. Journal of Food Biochemistry, 2021, 45, e13736.	2.9	5
64	Comparative Fatty Acid Profiling of Edible Fishes in Kuala Terengganu, Malaysia. Foods, 2021, 10, 2456.	4.3	5
65	The Mediterranean Sponge Dysidea avara as a 40 Year Inspiration of Marine Natural Product Chemists. Journal of Biodiversity & Endangered Species, 2014, 01, .	0.1	3
66	Fatty Acid Profile and In Vitro Anticancer Activity of Two Marine Sponge- Associated Bacteria. Current Bioactive Compounds, 2020, 16, 1273-1280.	0.5	3
67	Acylglucosyl isofucosterol from cell cultures of Lycopersicon esculentum. Phytochemistry, 1998, 48, 103-105.	2.9	2
68	New Peptide from a Bacterium Associated with Marine Sponge Ircinia muscarum., 2002,, 335-340.		2
69	Involvement of a Quorum Sensing Signal Molecule in the Extracellular Amylase Activity of the Thermophilic Anoxybacillus amylolyticus. Microorganisms, 2021, 9, 819.	3.6	1
70	Marine Sponge Sesterpenoids as Potent Apoptosis-Inducing Factors in Human Carcinoma Cell Lines. , 2015, , 439-479.		1
71	Exopolysaccharide-Producing Microorganisms from Extreme Areas: Chemistry and Application. Microorganisms for Sustainability, 2018, , 405-433.	0.7	1
72	Bioactive Polysaccharides from Tomato. , 2008, , 299-316.		0