
Per MedbÃ, e Thorsby

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6996130/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Prediagnostic serum 25â€hydroxyvitamin D and leptin in relation to melanomaâ€specific death and overall death. Pigment Cell and Melanoma Research, 2022, 35, 280-284.	3.3	0
2	Substantial early changes in bone and calcium metabolism among adult pharmacoresistant epilepsy patients on a modified Atkins diet. Epilepsia, 2022, 63, 880-891.	5.1	11
3	100 YEARS OF VITAMIN D: Combined hormonal contraceptives and vitamin D metabolism in adolescent girls. Endocrine Connections, 2022, 11, .	1.9	5
4	Endogenous anti-streptavidin antibodies causing erroneous laboratory results more common than anticipated. Scandinavian Journal of Clinical and Laboratory Investigation, 2021, 81, 92-103.	1.2	8
5	Effect of inulin-type fructans on appetite in patients with type 2 diabetes: a randomised controlled crossover trial. Journal of Nutritional Science, 2021, 10, e72.	1.9	5
6	High nocturnal sleep fragmentation is associated with low T lymphocyte P2Y11 protein levels in narcolepsy type 1. Sleep, 2021, 44, .	1.1	5
7	Evidence of impaired bone quality in men with type 1 diabetes: a cross-sectional study. Endocrine Connections, 2021, 10, 955-964.	1.9	15
8	Changes in maternal cortisol, cortisol binding globulin and cortisone levels following diagnosis of fetal anomaly. Psychoneuroendocrinology, 2021, 135, 105574.	2.7	0
9	Metabolomics to Diagnose Oxidative Stress in Perinatal Asphyxia: Towards a Non-Invasive Approach. Antioxidants, 2021, 10, 1753.	5.1	4
10	HLA and sleep parameter associations in post-H1N1 narcolepsy type 1 patients and first-degree relatives. Sleep, 2020, 43, .	1.1	10
11	Obesity and other medical comorbidities among NT1 patients after the Norwegian H1N1 influenza epidemic and vaccination campaign. Sleep, 2020, 43, .	1.1	7
12	Effects of modified Atkins diet on thyroid function in adult patients with pharmacoresistant epilepsy. Epilepsy and Behavior, 2020, 111, 107285.	1.7	7
13	Prediagnostic serum 25-hydroxyvitamin D and melanoma risk. Scientific Reports, 2020, 10, 20129.	3.3	3
14	Bone mineral density and vitamin D in paediatric intestinal failure patients receiving home parenteral nutrition. Clinical Nutrition ESPEN, 2020, 39, 234-241.	1.2	8
15	High prevalence of ADHD symptoms in unmedicated youths with post-H1N1 narcolepsy type 1. Sleep Medicine, 2020, 75, 171-180.	1.6	9
16	Vitamin D metabolites influence expression of genes concerning cellular viability and function in in insulin producing Î ² -cells (INS1E). Gene, 2020, 746, 144649.	2.2	5
17	Maternal serum retinol, 25(OH)D and 1,25(OH)2D concentrations during pregnancy and peak bone mass and trabecular bone score in adult offspring at 26-year follow-up. PLoS ONE, 2019, 14, e0222712.	2.5	13
18	New reference intervals for cortisol, cortisol binding globulin and free cortisol index in women using ethinyl estradiol. Scandinavian Journal of Clinical and Laboratory Investigation, 2019, 79, 314-319.	1.2	16

Per MedbÃ,e Thorsby

#	Article	IF	CITATIONS
19	Bone Turnover Markers After Standard and Distal Roux-en-Y Gastric Bypass: Results from a Randomized Controlled Trial. Obesity Surgery, 2019, 29, 2886-2895.	2.1	12
20	Effects of vitamin D supplementation on bone turnover markers and other bone-related substances in subjects with vitamin D deficiency. Bone, 2019, 124, 7-13.	2.9	20
21	Hypocretin-deficient narcolepsy patients have abnormal brain activation during humor processing. Sleep, 2019, 42, .	1.1	12
22	Vitamin D Increases Glucose Stimulated Insulin Secretion from Insulin Producing Beta Cells (INS1E). International Journal of Endocrinology and Metabolism, 2019, In Press, e74255.	1.0	8
23	The effect of an exercise program in pregnancy on vitamin D status among healthy, pregnant Norwegian women: a randomized controlled trial. BMC Pregnancy and Childbirth, 2019, 19, 76.	2.4	5
24	Smoking and other determinants of bone turnover. PLoS ONE, 2019, 14, e0225539.	2.5	15
25	The Short Cosyntropin Test Revisited: New Normal Reference Range Using LC-MS/MS. Journal of Clinical Endocrinology and Metabolism, 2018, 103, 1696-1703.	3.6	48
26	Individuals Fulfilling Criteria for Type 2 Diabetes Rather Than LADA Display Transient Signs of Autoimmunity Preceding Diagnosis With Possible Clinical Implications: The HUNT Study. Diabetes Care, 2018, 41, e161-e163.	8.6	6
27	Vitamin D supplementation does not improve CVD risk factors in vitamin D-insufficient subjects. Endocrine Connections, 2018, 7, 840-849.	1.9	24
28	Alterations in the vitamin D endocrine system during pregnancy: A longitudinal study of 855 healthy Norwegian women. PLoS ONE, 2018, 13, e0195041.	2.5	34
29	Widespread white matter changes in post-H1N1 patients with narcolepsy type 1 and first-degree relatives. Sleep, 2018, 41, .	1.1	21
30	Assay of steroids by liquid chromatography–tandem mass spectrometry in monitoring 21-hydroxylase deficiency. Endocrine Connections, 2018, 7, 1542-1550.	1.9	15
31	Longitudinal plasma metabolic profiles, infant feeding, and islet autoimmunity in the MIDIA study. Pediatric Diabetes, 2017, 18, 111-119.	2.9	12
32	Perioperative humoral stress response to laparoscopic versus open aortobifemoral bypass surgery. Scandinavian Journal of Clinical and Laboratory Investigation, 2017, 77, 83-92.	1.2	15
33	Bile acid profiles over 5 years after gastric bypass and duodenal switch: results from a randomized clinical trial. Surgery for Obesity and Related Diseases, 2017, 13, 1544-1553.	1.2	47
34	Long-term improvement after combined immunomodulation in early post-H1N1 vaccination narcolepsy. Neurology: Neuroimmunology and NeuroInflammation, 2017, 4, e389.	6.0	13
35	Weight-for-length, early weight-gain velocity and atopic dermatitis in infancy and at two years of age: a cohort study. BMC Pediatrics, 2017, 17, 141.	1.7	9
36	Establishment of a tear protein biomarker panel differentiating between Graves' disease with or without orbitopathy. PLoS ONE, 2017, 12, e0175274.	2.5	14

#	Article	IF	CITATIONS
37	Comparison of the acute-phase response after laparoscopic versus open aortobifemoral bypass surgery: a substudy of a randomized controlled trial. Vascular Health and Risk Management, 2016, Volume 12, 371-378.	2.3	12
38	Proteomic analysis of the INSâ€1E secretome identify novel vitamin Dâ€regulated proteins. Diabetes/Metabolism Research and Reviews, 2016, 32, 514-521.	4.0	7
39	Soluble Leptin Receptor and Risk of Gestational Diabetes in a Multiethnic Population: A Prospective Cohort Study. Journal of Clinical Endocrinology and Metabolism, 2016, 101, 4070-4075.	3.6	10
40	Effects of vitamin D binding protein phenotypes and vitamin D supplementation on serum total 25(OH)D and directly measured free 25(OH)D. European Journal of Endocrinology, 2016, 174, 445-452.	3.7	72
41	Insulinresistens – kroppens forsvar mot kaloriforgiftning?. Tidsskrift for Den Norske Laegeforening, 2016, 136, 1015-1017.	0.2	2
42	Vitamin D in Norwegian renal transplant recipients: A longitudinal study with repeated measurements in winter and summer. European Journal of Dermatology, 2015, 25, 234-239.	0.6	7
43	Discovery of novel vitamin Dâ€regulated proteins in INSâ€1 cells: a proteomic approach. Diabetes/Metabolism Research and Reviews, 2015, 31, 481-491.	4.0	6
44	Presence of anti-GAD in a non-diabetic population of adults; time dynamics and clinical influence: results from the HUNT study. BMJ Open Diabetes Research and Care, 2015, 3, e000076.	2.8	45
45	Single unit filter-aided method for fast proteomic analysis of tear fluid. Analytical Biochemistry, 2015, 480, 1-5.	2.4	59
46	Analysis of Glycated Albumin by On-Line Two-Dimensional Liquid Chromatography Mass Spectrometry. Journal of Liquid Chromatography and Related Technologies, 2015, 38, 20-28.	1.0	5
47	Tmem27 is upregulated by vitamin D in INS-1 cells and its serum concentrations are low in patients with autoimmune diabetes. Scandinavian Journal of Clinical and Laboratory Investigation, 2014, 74, 358-365.	1.2	6
48	Hvorfor får ikke alle type 2-diabetes?. Tidsskrift for Den Norske Laegeforening, 2014, 134, 2284-2286.	0.2	1
49	Differences in insulin sensitivity, lipid metabolism and inflammation between young adult Pakistani and Norwegian patients with type 2 diabetes: a cross sectional study. BMC Endocrine Disorders, 2013, 13, 49.	2.2	3
50	Gonadal function and parenthood 20 years after treatment for childhood lymphoma: A crossâ€sectional study. Pediatric Blood and Cancer, 2012, 59, 271-277.	1.5	77
51	Low serum vitamin D is associated with increased mortality in elderly men: MrOS Sweden. Osteoporosis International, 2012, 23, 991-999.	3.1	57
52	Depression and Insulin Resistance in Non-Diabetic Subjects: An Intervention Study with Insulin Clamp Technique. International Journal of Clinical Medicine, 2012, 03, 575-581.	0.2	5
53	Suggestive evidence of associations between liver X receptor β polymorphisms with type 2 diabetes mellitus and obesity in three cohort studies: HUNT2 (Norway), MONICA (France) and HELENA (Europe). BMC Medical Genetics, 2010, 11, 144.	2.1	25
54	Insulin-Stimulated Increase in Serum Leptin Levels Precedes and Correlates with Weight Gain during Insulin Therapy in Type 2 Diabetes. Endocrinology, 2009, 150, 3961-3961.	2.8	0

Per MedbÃ,e Thorsby

#	Article	IF	CITATIONS
55	Insulin-Stimulated Increase in Serum Leptin Levels Precedes and Correlates with Weight Gain during Insulin Therapy in Type 2 Diabetes. Journal of Clinical Endocrinology and Metabolism, 2009, 94, 2900-2906.	3.6	19
56	Comparison of genetic risk in three candidate genes (TCF7L2, PPARG, KCNJ11) with traditional risk factors for type 2 diabetes in a populationâ€based study – the HUNT study. Scandinavian Journal of Clinical and Laboratory Investigation, 2009, 69, 282-287.	1.2	27
57	Insulin-Stimulated Increase in Serum Leptin Levels Precedes and Correlates with Weight Gain during Insulin Therapy in Type 2 Diabetes. Endocrine Reviews, 2009, 30, 537-537.	20.1	0
58	Peroxisome proliferator-activated receptor-γ2 Pro12Ala polymorphism, cod liver oil and risk of type 1 diabetes. Pediatric Diabetes, 2008, 9, 40-45.	2.9	9
59	Blood glucose lowering by means of lifestyle intervention has different effects on adipokines as compared with insulin treatment in subjects with type 2 diabetes. Diabetologia, 2006, 49, 872-880.	6.3	39
60	The relation between size at birth and risk of type 1 diabetes is not influenced by adjustment for the insulin gene (-23HphI) polymorphism or HLA-DQ genotype. Diabetologia, 2006, 49, 2068-2073.	6.3	27
61	Insulin gene variable number of tandem repeats is associated with increased fat mass during adolescence in nonâ€obese girls. Scandinavian Journal of Clinical and Laboratory Investigation, 2005, 65, 163-168.	1.2	10
62	Heterogeneity of non-insulin-dependent diabetes expressed as variability in insulin sensitivity, β-cell function and cardiovascular risk profile. Diabetic Medicine, 2003, 20, 37-45.	2.3	26
63	Hepatocyte Nuclear Factor-1Î \pm Gene Mutations and Diabetes in Norway. Journal of Clinical Endocrinology and Metabolism, 2003, 88, 920-931.	3.6	82
64	Serum levels of advanced glycation end products are increased in patients with type 2 diabetes and coronary heart disease. Diabetes Care, 1999, 22, 1543-1548.	8.6	242
65	Phaeochromocytoma and hypoglycaemic fits: a case report. Endocrine Abstracts, 0, , .	0.0	0