

Carl-Otto Ottosen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6996313/carl-otto-ottosen-publications-by-citations.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86

papers

2,198

citations

27

h-index

44

g-index

90

ext. papers

2,893

ext. citations

4.2

avg, IF

5.35

L-index

#	Paper	IF	Citations
86	Wheat cultivars selected for high Fv /Fm under heat stress maintain high photosynthesis, total chlorophyll, stomatal conductance, transpiration and dry matter. <i>Physiologia Plantarum</i> , 2015 , 153, 284-308	4.6	158
85	Drought stress had a predominant effect over heat stress on three tomato cultivars subjected to combined stress. <i>BMC Plant Biology</i> , 2017 , 17, 24	5.3	149
84	Spectral Effects of Artificial Light on Plant Physiology and Secondary Metabolism: A Review. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2015 , 50, 1128-1135	2.4	148
83	Screening and validation of tomato genotypes under heat stress using Fv/Fm to reveal the physiological mechanism of heat tolerance. <i>Environmental and Experimental Botany</i> , 2015 , 118, 1-11	5.9	88
82	Spectral effects of supplementary lighting on the secondary metabolites in roses, chrysanthemums, and campanulas. <i>Journal of Plant Physiology</i> , 2014 , 171, 1491-9	3.6	82
81	Pore size regulates operating stomatal conductance, while stomatal densities drive the partitioning of conductance between leaf sides. <i>Annals of Botany</i> , 2015 , 115, 555-65	4.1	76
80	Predawn and high intensity application of supplemental blue light decreases the quantum yield of PSII and enhances the amount of phenolic acids, flavonoids, and pigments in <i>Lactuca sativa</i> . <i>Frontiers in Plant Science</i> , 2015 , 6, 19	6.2	73
79	Phenotyping of wheat cultivars for heat tolerance using chlorophyll a fluorescence. <i>Functional Plant Biology</i> , 2012 , 39, 936-947	2.7	69
78	Smaller stomata require less severe leaf drying to close: a case study in <i>Rosa hybrida</i> . <i>Journal of Plant Physiology</i> , 2013 , 170, 1309-16	3.6	61
77	Improving stomatal functioning at elevated growth air humidity: A review. <i>Journal of Plant Physiology</i> , 2016 , 207, 51-60	3.6	50
76	Threshold response of stomatal closing ability to leaf abscisic acid concentration during growth. <i>Journal of Experimental Botany</i> , 2014 , 65, 4361-70	7	49
75	3D Laser Triangulation for Plant Phenotyping in Challenging Environments. <i>Sensors</i> , 2015 , 15, 13533-47	3.8	48
74	The Alleviating Effect of Elevated CO ₂ on Heat Stress Susceptibility of Two Wheat (<i>Triticum aestivum</i> L.) Cultivars. <i>Journal of Agronomy and Crop Science</i> , 2013 , 199, 340-350	3.9	47
73	Physiological Response to Heat Stress During Seedling and Anthesis Stage in Tomato Genotypes Differing in Heat Tolerance. <i>Journal of Agronomy and Crop Science</i> , 2017 , 203, 68-80	3.9	46
72	Heat stress and recovery of photosystem II efficiency in wheat (<i>Triticum aestivum</i> L.) cultivars acclimated to different growth temperatures. <i>Environmental and Experimental Botany</i> , 2014 , 99, 1-8	5.9	45
71	QTLs and Potential Candidate Genes for Heat Stress Tolerance Identified from the Mapping Populations Specifically Segregating for / in Wheat. <i>Frontiers in Plant Science</i> , 2017 , 8, 1668	6.2	43
70	Foliar abscisic acid content underlies genotypic variation in stomatal responsiveness after growth at high relative air humidity. <i>Annals of Botany</i> , 2013 , 112, 1857-67	4.1	41

69	High temperature stress monitoring and detection using chlorophyll a fluorescence and infrared thermography in chrysanthemum (<i>Dendranthema grandiflora</i>). <i>Plant Physiology and Biochemistry</i> , 2013 , 67, 87-94	5.4	40
68	Effects of root restriction on the growth and physiology of cucumber plants. <i>Physiologia Plantarum</i> , 1999 , 105, 434-441	4.6	38
67	Phenotyping from lab to field - tomato lines screened for heat stress using F/F maintain high fruit yield during thermal stress in the field. <i>Functional Plant Biology</i> , 2018 , 46, 44-55	2.7	37
66	Physiological response of tomatoes at drought, heat and their combination followed by recovery. <i>Physiologia Plantarum</i> , 2019 , 165, 144-154	4.6	36
65	Phenotyping of faba beans (<i>Vicia faba</i> L.) under cold and heat stresses using chlorophyll fluorescence. <i>Euphytica</i> , 2018 , 214, 1	2.1	34
64	Genotypic response of detached leaves versus intact plants for chlorophyll fluorescence parameters under high temperature stress in wheat. <i>Journal of Plant Physiology</i> , 2014 , 171, 576-86	3.6	34
63	Spectral effects of LEDs on chlorophyll fluorescence and pigmentation in Phalaenopsis Vivien and Purple Star. <i>Physiologia Plantarum</i> , 2015 , 154, 314-27	4.6	33
62	Continuous light increases growth, daily carbon gain, antioxidants, and alters carbohydrate metabolism in a cultivated and a wild tomato species. <i>Frontiers in Plant Science</i> , 2015 , 6, 522	6.2	33
61	Physiological analysis and transcriptome sequencing reveal the effects of combined cold and drought on tomato leaf. <i>BMC Plant Biology</i> , 2019 , 19, 377	5.3	27
60	Effects of HPS and LED lighting on cucumber leaf photosynthesis, light quality penetration and temperature in the canopy, plant morphology and yield. <i>Agricultural and Food Science</i> , 2017 , 26,	2	27
59	Oxidative damage and antioxidant mechanism in tomatoes responding to drought and heat stress. <i>Acta Physiologiae Plantarum</i> , 2019 , 41, 1	2.6	26
58	Antitranspirant compounds alleviate the mild-desiccation-induced reduction of vase life in cut roses. <i>Postharvest Biology and Technology</i> , 2016 , 117, 110-117	6.2	25
57	Using the quantum yields of photosystem II and the rate of net photosynthesis to monitor high irradiance and temperature stress in chrysanthemum (<i>Dendranthema grandiflora</i>). <i>Plant Physiology and Biochemistry</i> , 2015 , 90, 14-22	5.4	23
56	Using artificial lighting based on electricity price without a negative impact on growth, visual quality or stomatal closing response in Passiflora. <i>Scientia Horticulturae</i> , 2020 , 267, 109354	4.1	23
55	Evaluation of temperature stress tolerance in cultivated and wild tomatoes using photosynthesis and chlorophyll fluorescence. <i>Horticulture Environment and Biotechnology</i> , 2018 , 59, 499-509	2	21
54	Cost-efficient light control for production of two campanula species. <i>Scientia Horticulturae</i> , 2011 , 129, 825-831	4.1	21
53	Automatic identification of crop and weed species with chlorophyll fluorescence induction curves. <i>Precision Agriculture</i> , 2011 , 12, 546-563	5.6	21
52	Stomatal anatomy and closing ability is affected by supplementary light intensity in rose (<i>Rosa hybrida</i> L.). <i>Zahradnictvi (Prague, Czech Republic: 1992)</i> , 2019 , 46, 81-89	1.1	20

51	Timing growth and development of <i>Campanula</i> by daily light integral and supplemental light level in a cost-efficient light control system. <i>Scientia Horticulturae</i> , 2012 , 143, 189-196	4.1	19
50	Chlorophyll fluorescence and carbohydrate concentration as field selection traits for heat tolerant chickpea genotypes. <i>Plant Physiology and Biochemistry</i> , 2019 , 141, 172-182	5.4	18
49	Interactive effects of elevated CO concentration and combined heat and drought stress on tomato photosynthesis. <i>BMC Plant Biology</i> , 2020 , 20, 260	5.3	18
48	A coupled model of leaf photosynthesis, stomatal conductance, and leaf energy balance for chrysanthemum (<i>Dendranthema grandiflora</i>). <i>Computers and Electronics in Agriculture</i> , 2016 , 123, 264-274	6.5	18
47	Unique miRNAs and their targets in tomato leaf responding to combined drought and heat stress. <i>BMC Plant Biology</i> , 2020 , 20, 107	5.3	17
46	Temperature Variation under Continuous Light Restores Tomato Leaf Photosynthesis and Maintains the Diurnal Pattern in Stomatal Conductance. <i>Frontiers in Plant Science</i> , 2017 , 8, 1602	6.2	17
45	Genotypic and phenotypic differences in fresh weight partitioning of cut rose stems: implications for water loss. <i>Acta Physiologiae Plantarum</i> , 2020 , 42, 1	2.6	16
44	Combined high light and heat stress induced complex response in tomato with better leaf cooling after heat priming. <i>Plant Physiology and Biochemistry</i> , 2020 , 151, 1-9	5.4	15
43	Effects of air humidity and K:Ca ratio on growth, morphology, flowering and keeping quality of pot roses. <i>Scientia Horticulturae</i> , 2001 , 90, 131-141	4.1	15
42	Growth of Chrysanthemum in Response to Supplemental Light Provided by Irregular Light Breaks during the Night. <i>Journal of the American Society for Horticultural Science</i> , 2011 , 136, 3-9	2.3	15
41	Differential effects of elevated air humidity on stomatal closing ability of <i>Kalanchoe blossfeldiana</i> between the C 3 and CAM states. <i>Environmental and Experimental Botany</i> , 2017 , 143, 115-124	5.9	14
40	Heat priming effects on anthesis heat stress in wheat cultivars (<i>Triticum aestivum</i> L.) with contrasting tolerance to heat stress. <i>Plant Physiology and Biochemistry</i> , 2018 , 132, 213-221	5.4	14
39	The Phenotyping Dilemma-The Challenges of a Diversified Phenotyping Community. <i>Frontiers in Plant Science</i> , 2019 , 10, 163	6.2	13
38	Daily temperature drop prevents inhibition of photosynthesis in tomato plants under continuous light. <i>Photosynthetica</i> , 2015 , 53, 389-394	2.2	13
37	Response to Phosphorus Availability during Vegetative and Reproductive Growth of Chrysanthemum: I. Whole-plant Carbon Dioxide Exchange. <i>Journal of the American Society for Horticultural Science</i> , 1998 , 123, 215-222	2.3	13
36	Allopolyploidization in Cucumis contributes to delayed leaf maturation with repression of redundant homoeologous genes. <i>Plant Journal</i> , 2018 , 94, 393-404	6.9	10
35	Canopy Photosynthesis and Time-of-day Application of Supplemental Light. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2009 , 44, 1284-1290	2.4	10
34	Spectral Composition of Light Affects Sensitivity to UV-B and Photoinhibition in Cucumber. <i>Frontiers in Plant Science</i> , 2020 , 11, 610011	6.2	10

33	Interspecific hybridization in Cucumis leads to the divergence of phenotypes in response to low light and extended photoperiods. <i>Frontiers in Plant Science</i> , 2015 , 6, 802	6.2	9
32	Effect of a Dynamic Climate on Energy Consumption and Production of Hibiscus rosa-sinensis L. in Greenhouses. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2006 , 41, 384-388	2.4	9
31	Whole-Genome Sequence of Synthesized Allopolyploids in Reveals Insights into the Genome Evolution of Allopolyploidization. <i>Advanced Science</i> , 2021 , 8, 2004222	13.6	9
30	Rapid adjustment in chrysanthemum carbohydrate turnover and growth activity to a change in time-of-day application of light and daylength. <i>Functional Plant Biology</i> , 2012 , 39, 639-649	2.7	8
29	DynaGrow [Multi-Objective Optimization for Energy Cost-efficient Control of Supplemental Light in Greenhouses 2016 ,		8
28	Investigating Combined Drought- and Heat Stress Effects in Wheat under Controlled Conditions by Dynamic Image-Based Phenotyping. <i>Agronomy</i> , 2021 , 11, 364	3.6	8
27	Effects of high temperature during anthesis and grain filling on physiological characteristics of winter wheat cultivars. <i>Journal of Agronomy and Crop Science</i> , 2021 , 207, 823-832	3.9	8
26	Evaluation of genotypic variation during leaf development in four Cucumis genotypes and their response to high light conditions. <i>Environmental and Experimental Botany</i> , 2016 , 124, 100-109	5.9	7
25	The effect of temperature on photosynthetic induction under fluctuating light in Chrysanthemum morifolium. <i>Acta Physiologiae Plantarum</i> , 2013 , 35, 1179-1188	2.6	7
24	Intermittent moisture supply induces drought priming responses in some heat-tolerant chickpea genotypes. <i>Crop Science</i> , 2020 , 60, 2527-2542	2.4	6
23	High Throughput Sequencing of circRNAs in Tomato Leaves Responding to Multiple Stresses of Drought and Heat. <i>Horticultural Plant Journal</i> , 2020 , 6, 34-38	4.3	6
22	Photoperiodic variations induce shifts in the leaf metabolic profile of Chrysanthemum morifolium. <i>Functional Plant Biology</i> , 2014 , 41, 1310-1322	2.7	6
21	Drought priming effects on alleviating the photosynthetic limitations of wheat cultivars (Triticum aestivum L.) with contrasting tolerance to abiotic stresses. <i>Journal of Agronomy and Crop Science</i> , 2020 , 206, 651-664	3.9	5
20	Recovery of tomato (Solanum lycopersicum L.) leaves from continuous light induced injury. <i>Journal of Plant Physiology</i> , 2015 , 185, 24-30	3.6	4
19	Simulation of leaf photosynthesis of C3 plants under fluctuating light and different temperatures. <i>Acta Physiologiae Plantarum</i> , 2012 , 34, 2319-2329	2.6	4
18	The effect of individual and combined drought and heat stress under elevated CO on physiological responses in spring wheat genotypes. <i>Plant Physiology and Biochemistry</i> , 2021 , 162, 301-314	5.4	4
17	Incorporating cultivar-specific stomatal traits into stomatal conductance models improves the estimation of evapotranspiration enhancing greenhouse climate management. <i>Biosystems Engineering</i> , 2021 , 208, 131-151	4.8	4
16	Pollination Ecology of Lonicercu periclymenum L. in NE.-Zealand, Denmark: Floral Development, Nectar Production and Insect Visits. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1986 , 178, 271-279	1.9	3

15	Growth Versus Net Photosynthesis in Clones of <i>Ficus benjamina</i> . <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1990 , 25, 956-957	2.4	3
14	Effect of temperature on plant growth and stress tolerant traits in rooibos in the Western Cape, South Africa. <i>Scientia Horticulturae</i> , 2020 , 263, 109137	4.1	3
13	The Alleviation of Photosynthetic Damage in Tomato under Drought and Cold Stress by High CO ₂ and Melatonin. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	3
12	Elevated CO ₂ Improves the Physiology but Not the Final Yield in Spring Wheat Genotypes Subjected to Heat and Drought Stress During Anthesis.. <i>Frontiers in Plant Science</i> , 2022 , 13, 824476	6.2	3
11	Genotype-dependent responses of chickpea to high temperature and moderately increased light. <i>Plant Physiology and Biochemistry</i> , 2020 , 154, 353-359	5.4	2
10	DynaGrow: Next Generation Software For Multi-Objective and Energy Cost-Efficient Control of Supplemental Light in Greenhouses. <i>Studies in Computational Intelligence</i> , 2019 , 25-44	0.8	2
9	Phenotyping to dissect the biostimulant action of a protein hydrolysate in tomato plants under combined abiotic stress.. <i>Plant Physiology and Biochemistry</i> , 2022 , 179, 32-43	5.4	2
8	Stress tolerant traits and root proliferation of <i>Aspalathus linearis</i> (Burm.f.) R. Dahlgren grown under differing moisture regimes and exposed to drought. <i>South African Journal of Botany</i> , 2020 , 131, 342-350	2.9	1
7	Male Bumblebees (<i>Bombus hortorum</i> L.) as Pollinators of <i>Lonicera periclymenum</i> L. in N.E.-Zealand, Denmark. <i>Flora: Morphology, Distribution, Functional Ecology of Plants</i> , 1987 , 179, 155-161	1.9	1
6	Inherent trait differences explain wheat cultivar responses to climate factor interactions: New insights for more robust crop modelling. <i>Global Change Biology</i> , 2020 , 26, 5965-5978	11.4	1
5	Effects of UV radiation on transcript and metabolite accumulation are dependent on monochromatic light background in cucumber. <i>Physiologia Plantarum</i> , 2021 , 173, 750-761	4.6	1
4	Elevated CO ₂ concentration increases photosynthetic sensitivity to nitrogen supply of sorghum in a genotype-dependent manner. <i>Plant Physiology and Biochemistry</i> , 2021 , 168, 202-210	5.4	0
3	Net Photosynthesis of <i>Schefflera arboricola</i> Hayata Clones at Different CO ₂ Concentration and Photosynthetic Flux Densities. <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 1994 , 44, 248-250	1.1	
2	Oxygen evolution in clones of <i>Ficus benjamina</i> L. grown in different environmental conditions. <i>Scientia Horticulturae</i> , 1991 , 48, 311-318	4.1	
1	Crop exposure to heat stress: responses in physiological, biochemical, and molecular levels 2022 , 43-57		