Geert E Smid

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6996858/publications.pdf

Version: 2024-02-01



CEEDT E SMID

#	Article	IF	CITATIONS
1	Rates of post-traumatic stress disorder in trauma-exposed children and adolescents: meta-analysis. British Journal of Psychiatry, 2014, 204, 335-340.	1.7	582
2	Mental health stigma and barriers to mental health care for first responders: A systematic review and meta-analysis. Journal of Psychiatric Research, 2017, 94, 218-229.	1.5	176
3	The efficacy of recommended treatments for veterans with PTSD: A metaregression analysis. Clinical Psychology Review, 2015, 40, 184-194.	6.0	171
4	Delayed Posttraumatic Stress Disorder. Journal of Clinical Psychiatry, 2009, 70, 1572-1582.	1.1	166
5	Acute grief after deaths due to COVID-19, natural causes and unnatural causes: An empirical comparison. Journal of Affective Disorders, 2021, 278, 54-56.	2.0	159
6	The prevalence of prolonged grief disorder in bereaved individuals following unnatural losses: Systematic review and meta regression analysis. Journal of Affective Disorders, 2020, 265, 146-156.	2.0	157
7	The obsessive compulsive spectrum in schizophrenia, a meta-analysis and meta-regression exploring prevalence rates. Schizophrenia Research, 2014, 152, 458-468.	1.1	153
8	The Traumatic Grief Inventory Self-Report Version (TGI-SR): Introduction and Preliminary Psychometric Evaluation. Journal of Loss and Trauma, 2017, 22, 196-212.	0.9	92
9	Trajectories of grief, depression, and posttraumatic stress in disasterâ€bereaved people. Depression and Anxiety, 2020, 37, 35-44.	2.0	83
10	The effectiveness of narrative exposure therapy: a review, meta-analysis and meta-regression analysis. Högre Utbildning, 2019, 10, 1550344.	1.4	80
11	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. Death Studies, 2019, 43, 351-364.	1.8	76
12	Prolonged grief and depression after unnatural loss: Latent class analyses and cognitive correlates. Psychiatry Research, 2016, 240, 358-363.	1.7	73
13	Symptoms of prolonged grief, post-traumatic stress, and depression after loss in a Dutch community sample: A latent class analysis. Psychiatry Research, 2017, 247, 276-281.	1.7	71
14	Late-Onset PTSD in Unaccompanied Refugee Minors: Exploring the Predictive Utility of Depression and Anxiety Symptoms. Journal of Clinical Child and Adolescent Psychology, 2011, 40, 742-755.	2.2	70
15	Cognitive–behavioral variables mediate the impact of violent loss on post-loss psychopathology Psychological Trauma: Theory, Research, Practice, and Policy, 2015, 7, 382-390.	1.4	67
16	Disturbed grief: prolonged grief disorder and persistent complex bereavement disorder. BMJ: British Medical Journal, 2017, 357, j2016.	2.4	67
17	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. HA¶gre Utbildning, 2017, 8, 1298311.	1.4	65
18	Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. Journal of Affective Disorders, 2018, 240, 79-87.	2.0	64

GEERT E SMID

#	Article	IF	CITATIONS
19	Ecological Grief as a Response to Environmental Change: A Mental Health Risk or Functional Response?. International Journal of Environmental Research and Public Health, 2021, 18, 734.	1.2	62
20	Stress sensitization following a disaster: a prospective study. Psychological Medicine, 2012, 42, 1675-1686.	2.7	61
21	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). Comprehensive Psychiatry, 2022, 112, 152281.	1.5	58
22	Symptomatology following loss and trauma: Latent class and network analyses of prolonged grief disorder, posttraumatic stress disorder, and depression in a treatmentâ€seeking traumaâ€exposed sample. Depression and Anxiety, 2020, 37, 26-34.	2.0	56
23	Concurrent and prospective associations of intolerance of uncertainty with symptoms of prolonged grief, posttraumatic stress, and depression after bereavement. Journal of Anxiety Disorders, 2016, 41, 65-72.	1.5	53
24	Brief Eclectic Psychotherapy for Traumatic Grief (BEP-TG): toward integrated treatment of symptoms related to traumatic loss. HA¶gre Utbildning, 2015, 6, 27324.	1.4	48
25	The importance of harmonising diagnostic criteria sets for pathological grief. British Journal of Psychiatry, 2021, 219, 473-476.	1.7	48
26	The role of stress sensitization in progression of posttraumatic distress following deployment. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1743-1754.	1.6	47
27	Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. Psychiatry Research, 2019, 273, 206-210.	1.7	40
28	Toward Cultural Assessment of Grief and Grief-Related Psychopathology. Psychiatric Services, 2018, 69, 1050-1052.	1.1	37
29	In search of links between social capital, mental health and sociotherapy: A longitudinal study in Rwanda. Social Science and Medicine, 2014, 121, 1-9.	1.8	35
30	The Effects of Traumatic and Multiple Loss on Psychopathology, Disability, and Quality of Life in Iraqi Asylum Seekers in the Netherlands. Journal of Nervous and Mental Disease, 2018, 206, 52-60.	0.5	32
31	Prolonged grief disorder in section II of DSM-5: a commentary. Högre Utbildning, 2020, 11, 1771008.	1.4	32
32	Cytokine production as a putative biological mechanism underlying stress sensitization in high combat exposed soldiers. Psychoneuroendocrinology, 2015, 51, 534-546.	1.3	31
33	Can a â€~̃second disaster' during and after the COVID-19 pandemic be mitigated?. Högre Utbildning, 2020, 11, 1815283.	1.4	30
34	Late-onset posttraumatic stress disorder following a disaster: A longitudinal study Psychological Trauma: Theory, Research, Practice, and Policy, 2012, 4, 312-322.	1.4	28
35	Do prolonged grief disorder symptoms predict post-traumatic stress disorder symptoms following bereavement? A cross-lagged analysis. Comprehensive Psychiatry, 2018, 80, 65-71.	1.5	28
36	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults. Journal of Nervous and Mental Disease, 2019, 207, 913-920.	0.5	25

GEERT E SMID

#	Article	IF	CITATIONS
37	Early indicators of problematic grief trajectories following bereavement. Högre Utbildning, 2017, 8, 1423825.	1.4	22
38	A framework of meaning attribution following loss. Högre Utbildning, 2020, 11, 1776563.	1.4	22
39	Traumatic loss: Mental health consequences and implications for treatment and prevention. Högre Utbildning, 2019, 10, 1591331.	1.4	21
40	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. Journal of Loss and Trauma, 2021, 26, 211-219.	0.9	21
41	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. Clinical Psychological Science, 2019, 7, 1330-1339.	2.4	20
42	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. Clinical Psychology and Psychotherapy, 2021, 28, 907-916.	1.4	19
43	Time course of symptoms in posttraumatic stress disorder with delayed expression: A systematic review. Acta Psychiatrica Scandinavica, 2022, 145, 116-131.	2.2	19
44	Ritual in Therapy for Prolonged Grief: A Scoping Review of Ritual Elements in Evidence-Informed Grief Interventions. Frontiers in Psychiatry, 2020, 11, 623835.	1.3	18
45	Responding to the new International Classification of Diseases-11 prolonged grief disorder during the COVID-19 pandemic: a new bereavement network and three-tiered model of care. Public Health, 2021, 191, 85-90.	1.4	17
46	Day patient treatment for traumatic grief: preliminary evaluation of a one-year treatment programme for patients with multiple and traumatic losses. HA¶gre Utbildning, 2017, 8, 1375335.	1.4	15
47	Loss of loved ones or home due to a disaster: Effects over time on distress in immigrant ethnic minorities. Transcultural Psychiatry, 2018, 55, 648-668.	0.9	15
48	Post-Migration Stressors and Their Association With Symptom Reduction and Non-Completion During Treatment for Traumatic Grief in Refugees. Frontiers in Psychiatry, 2020, 11, 407.	1.3	15
49	Expert medico-legal reports: The relationship between levels of consistency and judicial outcomes in asylum seekers in the Netherlands. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2019, 29, 36-46.	0.1	15
50	Online cognitive–behavioural therapy for traumatically bereaved people: study protocol for a randomised waitlist-controlled trial. BMJ Open, 2020, 10, e035050.	0.8	11
51	Predictors of Outcome and Residual Symptoms Following Traumaâ€Focused Psychotherapy in Police Officers With Posttraumatic Stress Disorder. Journal of Traumatic Stress, 2018, 31, 764-774.	1.0	10
52	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. HA¶gre Utbildning, 2017, 8, 1388710.	1.4	9
53	Brief Eclectic Psychotherapy for Moral Trauma (BEP-MT): treatment protocol description and a case study. H¶gre Utbildning, 2021, 12, 1929026.	1.4	9
54	Difficult to treat? a comparison of the effectiveness of treatment as usual in refugees and non-refugees. BJPsych Bulletin, 2015, 39, 182-186.	0.7	8

GEERT E SMID

#	Article	IF	CITATIONS
55	Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. Journal of Affective Disorders, 2021, 292, 234-241.	2.0	6
56	The UK National Homicide Therapeutic Service: A Retrospective Naturalistic Study Among 929 Bereaved Individuals. Frontiers in Psychiatry, 2020, 11, 878.	1.3	5
57	Feasibility of narrative exposure therapy in an outpatient day treatment programme for refugees: improvement in symptoms and global functioning. Högre Utbildning, 2020, 11, 1759983.	1.4	5
58	Wellbeing and clinical videoconferencing satisfaction among patients in psychotrauma treatment during the coronavirus pandemic: cross-sectional study. Högre Utbildning, 2021, 12, 1906021.	1.4	5
59	Performance of Complicated Grief Criteria. American Journal of Psychiatry, 2016, 173, 1149-1149.	4.0	4
60	Cognitive therapy and EMDR for reducing psychopathology in bereaved people after the MH17 plane crash: Findings from a randomized controlled trial Traumatology, 0, , .	1.6	4
61	Brief eclectic psychotherapy for PTSD., 2020, 139-161.		2
62	Neurobiological mechanisms underlying delayed expression of posttraumatic stress disorder: A scoping review. World Journal of Psychiatry, 2022, 12, 151-168.	1.3	2
63	"Only One Way Out―Partners' Experiences and Grief Related to the Death of Their Loved One by Suicide or Physician-Assisted Dying Due to a Mental Disorder. Frontiers in Psychiatry, 0, 13, .	1.3	2
64	"lf Only I Could Start All over…―A Case Study of Spiritual Care Provision to a Patient with a Psychiatric Disorder Requesting Physician-Assisted Dying in The Netherlands. Religions, 2021, 12, 672.	0.3	1
65	Editorial: Grief Disorders: Clinical, Cultural, and Epidemiological Aspects. Frontiers in Psychiatry, 2021, 12, 681523.	1.3	0
66	Culturally Sensitive Approaches to Finding Meaning in Traumatic Bereavement. , 2021, , 46-54.		0