

Geert E Smid

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6996858/publications.pdf>

Version: 2024-02-01

66
papers

3,446
citations

172207

29
h-index

155451

55
g-index

70
all docs

70
docs citations

70
times ranked

3378
citing authors

#	ARTICLE	IF	CITATIONS
1	Time course of symptoms in posttraumatic stress disorder with delayed expression: A systematic review. <i>Acta Psychiatrica Scandinavica</i> , 2022, 145, 116-131.	2.2	19
2	Valid measurement of DSM-5 persistent complex bereavement disorder and DSM-5-TR and ICD-11 prolonged grief disorder: The Traumatic Grief Inventory-Self Report Plus (TGI-SR+). <i>Comprehensive Psychiatry</i> , 2022, 112, 152281.	1.5	58
3	Neurobiological mechanisms underlying delayed expression of posttraumatic stress disorder: A scoping review. <i>World Journal of Psychiatry</i> , 2022, 12, 151-168.	1.3	2
4	The importance of harmonising diagnostic criteria sets for pathological grief. <i>British Journal of Psychiatry</i> , 2021, 219, 473-476.	1.7	48
5	Acute grief after deaths due to COVID-19, natural causes and unnatural causes: An empirical comparison. <i>Journal of Affective Disorders</i> , 2021, 278, 54-56.	2.0	159
6	Remotely Delivered Cognitive Behavior Therapy for Disturbed Grief During the COVID-19 Crisis: Challenges and Opportunities. <i>Journal of Loss and Trauma</i> , 2021, 26, 211-219.	0.9	21
7	Wellbeing and clinical videoconferencing satisfaction among patients in psychotrauma treatment during the coronavirus pandemic: cross-sectional study. <i>HÅrgre Utbildning</i> , 2021, 12, 1906021.	1.4	5
8	Brief Eclectic Psychotherapy for Moral Trauma (BEP-MT): treatment protocol description and a case study. <i>HÅrgre Utbildning</i> , 2021, 12, 1929026.	1.4	9
9	Ecological Grief as a Response to Environmental Change: A Mental Health Risk or Functional Response?. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 734.	1.2	62
10	Treatment gap in bereavement care: (Online) bereavement support needs and use after traumatic loss. <i>Clinical Psychology and Psychotherapy</i> , 2021, 28, 907-916.	1.4	19
11	Responding to the new International Classification of Diseases-11 prolonged grief disorder during the COVID-19 pandemic: a new bereavement network and three-tiered model of care. <i>Public Health</i> , 2021, 191, 85-90.	1.4	17
12	Editorial: Grief Disorders: Clinical, Cultural, and Epidemiological Aspects. <i>Frontiers in Psychiatry</i> , 2021, 12, 681523.	1.3	0
13	“œlf Only I Could Start All over” œA Case Study of Spiritual Care Provision to a Patient with a Psychiatric Disorder Requesting Physician-Assisted Dying in The Netherlands. <i>Religions</i> , 2021, 12, 672.	0.3	1
14	Culturally Sensitive Approaches to Finding Meaning in Traumatic Bereavement. , 2021, , 46-54.		0
15	Psychopathology in a treatment-seeking sample of homicidally bereaved individuals: Latent class analysis. <i>Journal of Affective Disorders</i> , 2021, 292, 234-241.	2.0	6
16	Trajectories of grief, depression, and posttraumatic stress in disasterœ bereaved people. <i>Depression and Anxiety</i> , 2020, 37, 35-44.	2.0	83
17	Symptomatology following loss and trauma: Latent class and network analyses of prolonged grief disorder, posttraumatic stress disorder, and depression in a treatmentœ seeking traumaœ exposed sample. <i>Depression and Anxiety</i> , 2020, 37, 26-34.	2.0	56
18	The UK National Homicide Therapeutic Service: A Retrospective Naturalistic Study Among 929 Bereaved Individuals. <i>Frontiers in Psychiatry</i> , 2020, 11, 878.	1.3	5

#	ARTICLE	IF	CITATIONS
19	Can a "second disaster"™ during and after the COVID-19 pandemic be mitigated?. HÅ¶gre Utbildning, 2020, 11, 1815283.	1.4	30
20	Online cognitive-behavioural therapy for traumatically bereaved people: study protocol for a randomised waitlist-controlled trial. BMJ Open, 2020, 10, e035050.	0.8	11
21	A framework of meaning attribution following loss. HÅ¶gre Utbildning, 2020, 11, 1776563.	1.4	22
22	Feasibility of narrative exposure therapy in an outpatient day treatment programme for refugees: improvement in symptoms and global functioning. HÅ¶gre Utbildning, 2020, 11, 1759983.	1.4	5
23	Prolonged grief disorder in section II of DSM-5: a commentary. HÅ¶gre Utbildning, 2020, 11, 1771008.	1.4	32
24	Post-Migration Stressors and Their Association With Symptom Reduction and Non-Completion During Treatment for Traumatic Grief in Refugees. Frontiers in Psychiatry, 2020, 11, 407.	1.3	15
25	The prevalence of prolonged grief disorder in bereaved individuals following unnatural losses: Systematic review and meta regression analysis. Journal of Affective Disorders, 2020, 265, 146-156.	2.0	157
26	Ritual in Therapy for Prolonged Grief: A Scoping Review of Ritual Elements in Evidence-Informed Grief Interventions. Frontiers in Psychiatry, 2020, 11, 623835.	1.3	18
27	Brief eclectic psychotherapy for PTSD.. , 2020, , 139-161.		2
28	Traumatic loss: Mental health consequences and implications for treatment and prevention. HÅ¶gre Utbildning, 2019, 10, 1591331.	1.4	21
29	Reciprocal Associations Among Symptom Levels of Disturbed Grief, Posttraumatic Stress, and Depression Following Traumatic Loss: A Four-Wave Cross-Lagged Study. Clinical Psychological Science, 2019, 7, 1330-1339.	2.4	20
30	The effectiveness of narrative exposure therapy: a review, meta-analysis and meta-regression analysis. HÅ¶gre Utbildning, 2019, 10, 1550344.	1.4	80
31	Patterns, Predictors, and Prognostic Validity of Persistent Complex Bereavement Disorder Symptoms in Recently Bereaved Adults. Journal of Nervous and Mental Disease, 2019, 207, 913-920.	0.5	25
32	Further validation of the Traumatic Grief Inventory-Self Report (TGI-SR): A measure of persistent complex bereavement disorder and prolonged grief disorder. Death Studies, 2019, 43, 351-364.	1.8	76
33	Further evaluation of the factor structure, prevalence, and concurrent validity of DSM-5 criteria for Persistent Complex Bereavement Disorder and ICD-11 criteria for Prolonged Grief Disorder. Psychiatry Research, 2019, 273, 206-210.	1.7	40
34	Expert medico-legal reports: The relationship between levels of consistency and judicial outcomes in asylum seekers in the Netherlands. Torture: Quarterly Journal on Rehabilitation of Torture Victims and Prevention of Torture, 2019, 29, 36-46.	0.1	15
35	Do prolonged grief disorder symptoms predict post-traumatic stress disorder symptoms following bereavement? A cross-lagged analysis. Comprehensive Psychiatry, 2018, 80, 65-71.	1.5	28
36	The Effects of Traumatic and Multiple Loss on Psychopathology, Disability, and Quality of Life in Iraqi Asylum Seekers in the Netherlands. Journal of Nervous and Mental Disease, 2018, 206, 52-60.	0.5	32

#	ARTICLE	IF	CITATIONS
37	Predictors of Outcome and Residual Symptoms Following Trauma-Focused Psychotherapy in Police Officers With Posttraumatic Stress Disorder. <i>Journal of Traumatic Stress</i> , 2018, 31, 764-774.	1.0	10
38	Toward Cultural Assessment of Grief and Grief-Related Psychopathology. <i>Psychiatric Services</i> , 2018, 69, 1050-1052.	1.1	37
39	Loss of loved ones or home due to a disaster: Effects over time on distress in immigrant ethnic minorities. <i>Transcultural Psychiatry</i> , 2018, 55, 648-668.	0.9	15
40	Evaluation of the factor structure, prevalence, and validity of disturbed grief in DSM-5 and ICD-11. <i>Journal of Affective Disorders</i> , 2018, 240, 79-87.	2.0	64
41	The Traumatic Grief Inventory Self-Report Version (TGI-SR): Introduction and Preliminary Psychometric Evaluation. <i>Journal of Loss and Trauma</i> , 2017, 22, 196-212.	0.9	92
42	Disturbed grief: prolonged grief disorder and persistent complex bereavement disorder. <i>BMJ: British Medical Journal</i> , 2017, 357, j2016.	2.4	67
43	Prolonged grief, depression, and posttraumatic stress in disaster-bereaved individuals: latent class analysis. <i>HÅrre Utbildning</i> , 2017, 8, 1298311.	1.4	65
44	Day patient treatment for traumatic grief: preliminary evaluation of a one-year treatment programme for patients with multiple and traumatic losses. <i>HÅrre Utbildning</i> , 2017, 8, 1375335.	1.4	15
45	Cognitive therapy and eye movement desensitization and reprocessing for reducing psychopathology among disaster-bereaved individuals: study protocol for a randomized controlled trial. <i>HÅrre Utbildning</i> , 2017, 8, 1388710.	1.4	9
46	Mental health stigma and barriers to mental health care for first responders: A systematic review and meta-analysis. <i>Journal of Psychiatric Research</i> , 2017, 94, 218-229.	1.5	176
47	Symptoms of prolonged grief, post-traumatic stress, and depression after loss in a Dutch community sample: A latent class analysis. <i>Psychiatry Research</i> , 2017, 247, 276-281.	1.7	71
48	Early indicators of problematic grief trajectories following bereavement. <i>HÅrre Utbildning</i> , 2017, 8, 1423825.	1.4	22
49	Prolonged grief and depression after unnatural loss: Latent class analyses and cognitive correlates. <i>Psychiatry Research</i> , 2016, 240, 358-363.	1.7	73
50	Performance of Complicated Grief Criteria. <i>American Journal of Psychiatry</i> , 2016, 173, 1149-1149.	4.0	4
51	Concurrent and prospective associations of intolerance of uncertainty with symptoms of prolonged grief, posttraumatic stress, and depression after bereavement. <i>Journal of Anxiety Disorders</i> , 2016, 41, 65-72.	1.5	53
52	Cognitive-behavioral variables mediate the impact of violent loss on post-loss psychopathology.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2015, 7, 382-390.	1.4	67
53	Difficult to treat? a comparison of the effectiveness of treatment as usual in refugees and non-refugees. <i>BJPsych Bulletin</i> , 2015, 39, 182-186.	0.7	8
54	Brief Eclectic Psychotherapy for Traumatic Grief (BEP-TG): toward integrated treatment of symptoms related to traumatic loss. <i>HÅrre Utbildning</i> , 2015, 6, 27324.	1.4	48

#	ARTICLE	IF	CITATIONS
55	Cytokine production as a putative biological mechanism underlying stress sensitization in high combat exposed soldiers. <i>Psychoneuroendocrinology</i> , 2015, 51, 534-546.	1.3	31
56	The efficacy of recommended treatments for veterans with PTSD: A metaregression analysis. <i>Clinical Psychology Review</i> , 2015, 40, 184-194.	6.0	171
57	The obsessive compulsive spectrum in schizophrenia, a meta-analysis and meta-regression exploring prevalence rates. <i>Schizophrenia Research</i> , 2014, 152, 458-468.	1.1	153
58	In search of links between social capital, mental health and sociotherapy: A longitudinal study in Rwanda. <i>Social Science and Medicine</i> , 2014, 121, 1-9.	1.8	35
59	Rates of post-traumatic stress disorder in trauma-exposed children and adolescents: meta-analysis. <i>British Journal of Psychiatry</i> , 2014, 204, 335-340.	1.7	582
60	The role of stress sensitization in progression of posttraumatic distress following deployment. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 1743-1754.	1.6	47
61	Late-onset posttraumatic stress disorder following a disaster: A longitudinal study.. <i>Psychological Trauma: Theory, Research, Practice, and Policy</i> , 2012, 4, 312-322.	1.4	28
62	Stress sensitization following a disaster: a prospective study. <i>Psychological Medicine</i> , 2012, 42, 1675-1686.	2.7	61
63	Late-Onset PTSD in Unaccompanied Refugee Minors: Exploring the Predictive Utility of Depression and Anxiety Symptoms. <i>Journal of Clinical Child and Adolescent Psychology</i> , 2011, 40, 742-755.	2.2	70
64	Delayed Posttraumatic Stress Disorder. <i>Journal of Clinical Psychiatry</i> , 2009, 70, 1572-1582.	1.1	166
65	Cognitive therapy and EMDR for reducing psychopathology in bereaved people after the MH17 plane crash: Findings from a randomized controlled trial.. <i>Traumatology</i> , 0, , .	1.6	4
66	â€œOnly One Way Outâ€•Partners' Experiences and Grief Related to the Death of Their Loved One by Suicide or Physician-Assisted Dying Due to a Mental Disorder. <i>Frontiers in Psychiatry</i> , 0, 13, .	1.3	2