

Elisabeth ErsvÄ|r

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6997530/publications.pdf>

Version: 2024-02-01

34
papers

808
citations

566801

15
h-index

552369

26
g-index

34
all docs

34
docs citations

34
times ranked

1153
citing authors

#	ARTICLE	IF	CITATIONS
1	Digital Game-Based Support for Learning the Phlebotomy Procedure in the Biomedical Laboratory Scientist Education. <i>Computers</i> , 2022, 11, 59.	2.1	1
2	IL-6 Responsiveness of CD4+ and CD8+ T Cells after Allogeneic Stem Cell Transplantation Differs between Patients and Is Associated with Previous Acute Graft versus Host Disease and Pretransplant Antithymocyte Globulin Therapy. <i>Journal of Clinical Medicine</i> , 2022, 11, 2530.	1.0	0
3	The Female Menstrual Cycles Effect on Strength and Power Parameters in High-Level Female Team Athletes. <i>Frontiers in Physiology</i> , 2021, 12, 600668.	1.3	13
4	Differential expansion of circulating human MDSC subsets in patients with cancer, infection and inflammation. , 2020, 8, e001223.		104
5	State-of-the-art and Future Directions for Using Augmented Reality Head Mounted Displays for First Aid Live Training. , 2020, , .		4
6	A Pilot Study of Circulating Monocyte Subsets in Patients Treated with Stem Cell Transplantation for High-Risk Hematological Malignancies. <i>Medicina (Lithuania)</i> , 2020, 56, 36.	0.8	4
7	Immunomodulatory Drugs Alter the Metabolism and the Extracellular Release of Soluble Mediators by Normal Monocytes. <i>Molecules</i> , 2020, 25, 367.	1.7	12
8	Games on Mobiles via Web or Virtual Reality Technologies: How to Support Learning for Biomedical Laboratory Science Education. <i>Information (Switzerland)</i> , 2020, 11, 195.	1.7	16
9	mStikk - A Mobile Application for Learning Phlebotomy. , 2019, , .		4
10	wStikk â€“ Web-based Phlebotomy Learning. , 2019, , .		0
11	Circulating monocyte subsets in multiple myeloma patients receiving autologous stem cell transplantation â€“ a study of the preconditioning status and the course until posttransplant reconstitution for a consecutive group of patients. <i>BMC Immunology</i> , 2019, 20, 39.	0.9	9
12	Myeloidâ€Derived Suppressor Cells in Hematologic Diseases: Promising Biomarkers and Treatment Targets. <i>HemaSphere</i> , 2019, 3, e168.	1.2	41
13	Power Production and Biochemical Markers of Metabolic Stress and Muscle Damage Following a Single Bout of Short-Sprint and Heavy Strength Exercise in Well-Trained Cyclists. <i>Frontiers in Physiology</i> , 2018, 9, 155.	1.3	4
14	Standardization of sampling and sample preparation for analysis of human monocyte subsets in peripheral blood. <i>Journal of Immunological Methods</i> , 2018, 461, 53-62.	0.6	17
15	Antileukaemic effect of <sc>PI</sc>3<sc>K</sc>â€m<sc>TOR</sc> inhibitors in acute myeloid leukaemiaâ€gene expression profiles reveal <sc>CDC</sc>25<sc>B</sc> expression as determinate of pharmacological effect. <i>British Journal of Haematology</i> , 2014, 164, 200-211.	1.2	34
16	The combination of valproic acid, all-trans retinoic acid and low-dose cytarabine as disease-stabilizing treatment in acute myeloid leukemia. <i>Clinical Epigenetics</i> , 2013, 5, 13.	1.8	45
17	Distinct single cell signal transduction signatures in leukocyte subsets stimulated with khat extract, amphetamine-like cathinone, cathine or norephedrine. <i>BMC Pharmacology & Toxicology</i> , 2013, 14, 35.	1.0	12
18	Expression profile of heat shock proteins in acute myeloid leukaemia patients reveals a distinct signature strongly associated with <i>FLT3</i> mutation status â€“ consequences and potentials for pharmacological intervention. <i>British Journal of Haematology</i> , 2012, 156, 468-480.	1.2	39

#	ARTICLE	IF	CITATIONS
19	Immunogenic apoptosis in human acute myeloid leukemia (AML): primary human AML cells expose calreticulin and release heat shock protein (HSP) 70 and HSP90 during apoptosis. <i>Oncology Reports</i> , 2011, 25, 1549-56.	1.2	33
20	Is there a scientific basis for a recommended standardization of collection and cryopreservation of peripheral blood stem cell grafts?. <i>Cytotherapy</i> , 2011, 13, 1013-1024.	0.3	13
21	Future perspectives: should Th17 cells be considered as a possible therapeutic target in acute myeloid leukemia patients receiving allogeneic stem cell transplantation?. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1669-1681.	2.0	19
22	The chemokine system in allogeneic stem-cell transplantation: a possible therapeutic target?. <i>Expert Review of Hematology</i> , 2011, 4, 563-576.	1.0	35
23	Combination of Intensive Chemotherapy and Anticancer Vaccines in the Treatment of Human Malignancies: The Hematological Experience. <i>Journal of Biomedicine and Biotechnology</i> , 2010, 2010, 1-15.	3.0	23
24	Minor diurnal and activity-induced variations in daytime peripheral blood platelet counts do not have any major impact on platelet yield by platelet apheresis. <i>Transfusion and Apheresis Science</i> , 2010, 43, 33-36.	0.5	2
25	Targeting the angiopoietin (Ang)/Tie-2 pathway in the crosstalk between acute myeloid leukaemia and endothelial cells: studies of Tie-2 blocking antibodies, exogenous Ang-2 and inhibition of constitutive agonistic Ang-1 release. <i>Expert Opinion on Investigational Drugs</i> , 2010, 19, 169-183.	1.9	36
26	The protein kinase C agonist PEP005 increases NF- κ B expression, induces differentiation and increases constitutive chemokine release by primary acute myeloid leukaemia cells. <i>British Journal of Haematology</i> , 2009, 145, 761-774.	1.2	26
27	Use of different DMSO concentrations for cryopreservation of autologous peripheral blood stem cell grafts does not have any major impact on levels of leukocyte-and platelet-derived soluble mediators. <i>Cytotherapy</i> , 2009, 11, 749-760.	0.3	26
28	In Vitro Induction of a Dendritic Cell Phenotype in Primary Human Acute Myelogenous Leukemia (AML) Blasts Alters the Chemokine Release Profile and Increases the Levels of T Cell Chemotactic CCL17 and CCL22. <i>Journal of Interferon and Cytokine Research</i> , 2008, 28, 297-310.	0.5	11
29	Circulating T cells derived from acute leukemia patients with severe therapy-induced cytopenia express a wide range of chemokine receptors. <i>Hematology</i> , 2008, 13, 329-332.	0.7	5
30	Circulating T cells in patients with untreated acute myelogenous leukemia are heterogeneous and can be activated through the CD3/TCR complex. <i>Hematology</i> , 2007, 12, 199-207.	0.7	14
31	The proteasome inhibitors bortezomib and PR-171 have antiproliferative and proapoptotic effects on primary human acute myeloid leukaemia cells. <i>British Journal of Haematology</i> , 2007, 136, 814-828.	1.2	115
32	T cells remaining after intensive chemotherapy for acute myelogenous leukemia show a broad cytokine release profile including high levels of interferon- γ that can be further increased by a novel protein kinase C agonist PEP005. <i>Cancer Immunology, Immunotherapy</i> , 2007, 56, 913-925.	2.0	25
33	Stress-induced in vitro apoptosis of native human acute myelogenous leukemia (AML) cells shows a wide variation between patients and is associated with low BCL-2:Bax ratio and low levels of heat shock protein 70 and 90. <i>Leukemia Research</i> , 2006, 30, 1531-1540.	0.4	53
34	In vitro effects of native human acute myelogenous leukemia blasts on fibroblasts and osteoblasts. <i>International Journal of Cancer</i> , 2004, 111, 858-867.	2.3	13