## Paolo Ferrari

## List of Publications by Citations

Source: https://exaly.com/author-pdf/6998193/paolo-ferrari-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

148 papers

6,122 citations

40 h-index

/3 g-index

154 ext. papers

7,816 ext. citations

6.5 avg, IF

5.51 L-index

#	Paper	IF	Citations
148	Mapping Neutralizing and Immunodominant Sites on the SARS-CoV-2 Spike Receptor-Binding Domain by Structure-Guided High-Resolution Serology. <i>Cell</i> , <b>2020</b> , 183, 1024-1042.e21	56.2	601
147	Circulating SARS-CoV-2 spike N439K variants maintain fitness while evading antibody-mediated immunity. <i>Cell</i> , <b>2021</b> , 184, 1171-1187.e20	56.2	331
146	Comparison of continuous and intermittent renal replacement therapy for acute renal failure. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 1630-7	4.3	274
145	Prophylactic hemodialysis after radiocontrast media in patients with renal insufficiency is potentially harmful. <i>American Journal of Medicine</i> , <b>2001</b> , 111, 692-8	2.4	210
144	Broadly neutralizing antibodies overcome SARS-CoV-2 Omicron antigenic shift <i>Nature</i> , <b>2021</b> ,	50.4	204
143	Altered insulin sensitivity, hyperinsulinemia, and dyslipidemia in individuals with a hypertensive parent. <i>American Journal of Medicine</i> , <b>1991</b> , 91, 589-96	2.4	185
142	Insulin, insulin sensitivity and hypertension. <i>Journal of Hypertension</i> , <b>1990</b> , 8, 491-500	1.9	129
141	Molecular basis of human salt sensitivity: the role of the 11beta-hydroxysteroid dehydrogenase type 2. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1999</b> , 84, 3745-9	5.6	122
140	A genetic defect resulting in mild low-renin hypertension. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1998</b> , 95, 10200-5	11.5	118
139	In vivo 11beta-HSD-2 activity: variability, salt-sensitivity, and effect of licorice. <i>Hypertension</i> , <b>2001</b> , 38, 1330-6	8.5	116
138	The role of 11Ehydroxysteroid dehydrogenase type 2 in human hypertension. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , <b>2010</b> , 1802, 1178-87	6.9	115
137	Heme oxygenase-1 attenuates ischemia/reperfusion-induced apoptosis and improves survival in rat renal allografts. <i>Kidney International</i> , <b>2003</b> , 63, 1564-73	9.9	106
136	Fatal cardiac arrhythmia after infusion of dimethyl sulfoxide-cryopreserved hematopoietic stem cells in a patient with severe primary cardiac amyloidosis and end-stage renal failure. <i>Annals of Hematology</i> , <b>2000</b> , 79, 523-6	3	103
135	Insulin sensitivity and body fat distribution in normotensive offspring of hypertensive parents. <i>Lancet, The,</i> <b>1993</b> , 341, 327-31	40	100
134	Serum iron markers are inadequate for guiding iron repletion in chronic kidney disease. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , <b>2011</b> , 6, 77-83	6.9	93
133	Central role of sodium in hypertension in diabetic subjects. <i>Diabetes Care</i> , <b>1991</b> , 14, 220-32	14.6	92
132	Additive antiproteinuric effect of combined ACE inhibition and angiotensin II receptor blockade. <i>Journal of Hypertension</i> , <b>2002</b> , 20, 125-30	1.9	89

131	Genetic polymorphisms of the renin-angiotensin-aldosterone system in end-stage renal disease. <i>Kidney International</i> , <b>2001</b> , 60, 46-54	9.9	86
130	Apparent mineralocorticoid excess: report of six new cases and extensive personal experience. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2006</b> , 17, 3176-84	12.7	8o
129	Broad betacoronavirus neutralization by a stem helix-specific human antibody. <i>Science</i> , <b>2021</b> , 373, 1109	-33.36	80
128	Effect of prolonged bicarbonate administration on plasma potassium in terminal renal failure. <i>Kidney International</i> , <b>1992</b> , 41, 369-74	9.9	77
127	Kidney paired donation: principles, protocols and programs. <i>Nephrology Dialysis Transplantation</i> , <b>2015</b> , 30, 1276-85	4.3	76
126	Active renin versus plasma renin activity to define aldosterone-to-renin ratio for primary aldosteronism. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 377-81	1.9	76
125	Role of the 11beta-hydroxysteroid dehydrogenase type 2 in blood pressure regulation. <i>Kidney International</i> , <b>2000</b> , 57, 1374-81	9.9	75
124	Reproducibility of insulin sensitivity measured by the minimal model method. <i>Diabetologia</i> , <b>1991</b> , 34, 527-30	10.3	61
123	The role of the 11beta-hydroxysteroid dehydrogenase type 2 in human hypertension. <i>Journal of Hypertension</i> , <b>2000</b> , 18, 241-8	1.9	59
122	Antihypertensive agents, serum lipoproteins and glucose metabolism. <i>American Journal of Cardiology</i> , <b>1991</b> , 67, 26B-35B	3	56
121	Association of plasminogen activator inhibitor-1 genotype with avascular osteonecrosis in steroid-treated renal allograft recipients. <i>Transplantation</i> , <b>2002</b> , 74, 1147-52	1.8	55
120	Effects of smoking on renal function in patients with type 1 and type 2 diabetes mellitus. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 2414-9	4.3	54
119	Hypoxia causes down-regulation of 11 beta-hydroxysteroid dehydrogenase type 2 by induction of Egr-1. <i>FASEB Journal</i> , <b>2003</b> , 17, 917-9	0.9	50
118	Point mutations abolish 11 beta-hydroxysteroid dehydrogenase type II activity in three families with the congenital syndrome of apparent mineralocorticoid excess. <i>Molecular and Cellular Endocrinology</i> , <b>1996</b> , 119, 21-4	4.4	49
117	A biallelic gene polymorphism of CYP11B2 predicts increased aldosterone to renin ratio in selected hypertensive patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 2495-500	5.6	46
116	Reasons for not intensifying antihypertensive treatment (RIAT): a primary care antihypertensive intervention study. <i>Journal of Hypertension</i> , <b>2004</b> , 22, 1221-9	1.9	46
115	Effect of donor-recipient age difference on graft function and survival in live-donor kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , <b>2011</b> , 26, 702-8	4.3	45
114	Oxoreductase and dehydrogenase activities of the human and rat 11beta-hydroxysteroid dehydrogenase type 2 enzyme. <i>Endocrinology</i> , <b>1997</b> , 138, 2948-52	4.8	45

113	Pre-transplant donor specific anti-HLA antibody is associated with antibody-mediated rejection, progressive graft dysfunction and patient death. <i>Transplant Immunology</i> , <b>2013</b> , 28, 148-53	1.7	44
112	Broadly neutralizing antibodies overcome SARS-CoV-2 Omicron antigenic shift. <i>Nature</i> ,	50.4	44
111	Abnormalities of insulin and lipid metabolism in Milan hypertensive rats. <i>American Journal of Hypertension</i> , <b>1991</b> , 4, 773-5	2.3	43
110	Cortisol and the renal handling of electrolytes: role in glucocorticoid-induced hypertension and bone disease. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 17, 575-89	6.5	41
109	Rat 11 beta-hydroxysteroid dehydrogenase type 2 enzyme is expressed at low levels in the placenta and is modulated by adrenal steroids in the kidney. <i>Molecular and Cellular Endocrinology</i> , <b>1996</b> , 120, 67-75	4.4	41
108	ABO-incompatible matching significantly enhances transplant rates in kidney paired donation. <i>Transplantation</i> , <b>2013</b> , 96, 821-6	1.8	40
107	Reasons for therapeutic inertia when managing hypertension in clinical practice in non-Western countries. <i>Journal of Human Hypertension</i> , <b>2009</b> , 23, 151-9	2.6	40
106	Dysregulation of atrial natriuretic factor in hypertension-prone man. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1990</b> , 71, 944-51	5.6	40
105	A mutation in the cofactor-binding domain of 11beta-hydroxysteroid dehydrogenase type 2 associated with mineralocorticoid hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 1247-52	5.6	39
104	Paired kidney donations to expand the living donor pool. <i>Journal of Nephrology</i> , <b>2009</b> , 22, 699-707	4.8	39
103	A New Polymorphic Restriction Site in the Human 11 Hydroxysteroid Dehydrogenase Type 2 Gene. Journal of Clinical Endocrinology and Metabolism, <b>1998</b> , 83, 1814-1814	5.6	38
102	Impaired protein stability of 11beta-hydroxysteroid dehydrogenase type 2: a novel mechanism of apparent mineralocorticoid excess. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2007</b> , 18, 1262-	· <del>16</del> ·7	37
101	Travel-related disseminated Penicillium marneffei infection in a renal transplant patient. <i>Transplant Infectious Disease</i> , <b>2012</b> , 14, 434-9	2.7	36
100	Results of a meta-analysis comparing the tolerability of lercanidipine and other dihydropyridine calcium channel blockers. <i>Clinical Therapeutics</i> , <b>2009</b> , 31, 1652-63	3.5	35
99	Angiotensin-converting enzyme inhibition but not angiotensin II receptor blockade regulates matrix metalloproteinase activity in patients with glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2003</b> , 14, 2861-72	12.7	35
98	Virtual crossmatch approach to maximize matching in paired kidney donation. <i>American Journal of Transplantation</i> , <b>2011</b> , 11, 272-8	8.7	33
97	Kidney transplantation in rats: an appraisal of surgical techniques and outcome. <i>Microsurgery</i> , <b>2003</b> , 23, 387-94	2.1	33
96	Clonal analysis of immunodominance and cross-reactivity of the CD4 T cell response to SARS-CoV-2. <i>Science</i> , <b>2021</b> , 372, 1336-1341	33.3	33

95	Antihypertensive therapy with Ca2+. Antagonist verapamil and/or ACE inhibitor enalapril in NIDDM patients. <i>Diabetes Care</i> , <b>1991</b> , 14, 911-4	14.6	32
94	Glycyrrhetinic acid decreases plasma potassium concentrations in patients with anuria. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 191-196	12.7	32
93	Prescribing angiotensin-converting enzyme inhibitors and angiotensin receptor blockers in chronic kidney disease. <i>Nephrology</i> , <b>2007</b> , 12, 81-9	2.2	31
92	Serum Lipoproteins During Treatment with Antihypertensive Drugs. <i>Journal of Cardiovascular Pharmacology</i> , <b>1993</b> , 22, 98-105	3.1	30
91	Role of the alpha-adducin genotype on renal disease progression. <i>Kidney International</i> , <b>2002</b> , 61, 1270-5	5 9.9	29
90	Lack of effect of long-term amlodipine on insulin sensitivity and plasma insulin in obese patients with essential hypertension. <i>European Journal of Clinical Pharmacology</i> , <b>1993</b> , 44, 457-62	2.8	29
89	A Mutation in the Cofactor-Binding Domain of 11\(\textit{B}\)Hydroxysteroid Dehydrogenase Type 2 Associated with Mineralocorticoid Hypertension. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 1247-1252	5.6	29
88	Risk assessment and seroprevalence of SARS-CoV-2 infection in healthcare workers of COVID-19 and non-COVID-19 hospitals in Southern Switzerland. <i>Lancet Regional Health - Europe, The</i> , <b>2021</b> , 1, 100	013	29
87	Comparison of computer tomographic volumetry versus nuclear split renal function to determine residual renal function after living kidney donation. <i>Acta Radiologica</i> , <b>2014</b> , 55, 753-60	2	28
86	Swiss Hypertension and Risk Factor Program (SHARP): cardiovascular risk factors management in patients with type 2 diabetes in Switzerland. <i>Blood Pressure</i> , <b>2005</b> , 14, 337-44	1.7	28
85	High transplant rates of highly sensitized recipients with virtual crossmatching in kidney paired donation. <i>Transplantation</i> , <b>2012</b> , 94, 744-9	1.8	27
84	Hip pain in renal transplant recipients: symptomatic gluteus minimus and gluteus medius tendon abnormality as an alternative MRI diagnosis to avascular necrosis. <i>American Journal of Roentgenology</i> , <b>2007</b> , 188, 515-9	5.4	27
83	CYP11B2-CYP11B1 haplotypes associated with decreased 11 beta-hydroxylase activity. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 1220-5	5.6	27
82	Paired kidney donations to expand the living donor pool: the Western Australian experience. <i>Medical Journal of Australia</i> , <b>2009</b> , 190, 700-3	4	26
81	Insulin sensitivity in normotensive subjects during angiotensin converting enzyme inhibition with fosinopril. <i>European Journal of Clinical Pharmacology</i> , <b>1992</b> , 42, 275-80	2.8	25
80	Four years of experience with the Australian kidney paired donation programme. <i>Nephrology</i> , <b>2015</b> , 20, 124-31	2.2	24
79	Predictors of perioperative blood transfusions in patients with chronic kidney disease undergoing elective knee and hip arthroplasty. <i>Nephrology</i> , <b>2014</b> , 19, 404-9	2.2	24
78	Providing Better-Matched Donors for HLA Mismatched Compatible Pairs Through Kidney Paired Donation. <i>Transplantation</i> , <b>2017</b> , 101, 642-648	1.8	23

77	Truncation of the N- and C-terminal regions of the human 11beta-hydroxysteroid dehydrogenase type 2 enzyme and effects on solubility and bidirectional enzyme activity. <i>Molecular and Cellular Endocrinology</i> , <b>1997</b> , 131, 173-82	4.4	23
76	The 11 beta-hydroxysteroid dehydrogenase type II enzyme: biochemical consequences of the congenital R337C mutation. <i>Steroids</i> , <b>1996</b> , 61, 197-200	2.8	23
75	Peri-operative third party red blood cell transfusion in renal transplantation and the risk of antibody-mediated rejection and graft loss. <i>Transplant Immunology</i> , <b>2013</b> , 29, 22-7	1.7	22
74	Optimizing Outcomes in Pediatric Renal Transplantation Through the Australian Paired Kidney Exchange Program. <i>American Journal of Transplantation</i> , <b>2017</b> , 17, 534-541	8.7	22
73	Pentoxifylline improves haemoglobin and interleukin-6 levels in chronic kidney disease. <i>Nephrology</i> , <b>2010</b> , 15, 344-9	2.2	22
72	Modulation of renal calcium handling by 11 beta-hydroxysteroid dehydrogenase type 2. <i>Journal of the American Society of Nephrology: JASN</i> , <b>2002</b> , 13, 2540-6	12.7	22
71	A randomized, placebo-controlled trial of pentoxifylline on erythropoiesis-stimulating agent hyporesponsiveness in anemic patients with CKD: the Handling Erythropoietin Resistance With Oxpentifylline (HERO) trial. <i>American Journal of Kidney Diseases</i> , <b>2015</b> , 65, 49-57	7.4	21
70	Serum phosphate is an important determinant of corrected serum calcium in end-stage kidney disease. <i>Nephrology</i> , <b>2009</b> , 14, 383-8	2.2	21
69	The inaccuracy of cystatin C and creatinine-based equations in predicting GFR in orthotopic liver transplant recipients. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 2926-30	4.3	20
68	Genetics of the mineralocorticoid system in primary hypertension. <i>Current Hypertension Reports</i> , <b>2002</b> , 4, 18-24	4.7	20
67	Long-term calcineurin inhibition and magnesium balance after renal transplantation. <i>Transplant International</i> , <b>2003</b> , 16, 76-81	3	20
66	Structural analysis of the 11beta-hydroxysteroid dehydrogenase type 2 gene in end-stage renal disease. <i>Kidney International</i> , <b>2000</b> , 58, 1413-9	9.9	20
65	Transnational validation of the Australian algorithm for virtual crossmatch allocation in kidney paired donation. <i>Human Immunology</i> , <b>2013</b> , 74, 500-5	2.3	18
64	Decline in native kidney function in liver transplant recipients is not associated with BK virus infection. <i>Liver Transplantation</i> , <b>2008</b> , 14, 1787-92	4.5	18
63	Endothelin-1 infusion inhibits plasma insulin responsiveness in normal men. <i>Journal of Hypertension</i> , <b>1998</b> , 16, 1279-84	1.9	18
62	A data-driven approach to identify risk profiles and protective drugs in COVID-19. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2021</b> , 118,	11.5	18
61	Oxoreductase and Dehydrogenase Activities of the Human and Rat 11EHydroxysteroid Dehydrogenase Type 2 Enzyme		17
60	Comparison of time on the deceased donor kidney waitlist versus time on the kidney paired donation registry in the Australian program. <i>Transplant International</i> , <b>2012</b> , 25, 1026-31	3	16

## (2003-2002)

59	Pharmacokinetic-pharmacodynamic modelling of magnesium plasma concentration and blood pressure in preeclamptic women. <i>Clinical Pharmacokinetics</i> , <b>2002</b> , 41, 1105-13	6.2	16	
58	Hypovolemia contributes to the pathogenesis of orthostatic hypotension in patients with diabetes mellitus. <i>American Journal of Medicine</i> , <b>1999</b> , 106, 50-8	2.4	16	
57	Unaltered insulin sensitivity during calcium channel blockade with amlodipine. <i>European Journal of Clinical Pharmacology</i> , <b>1991</b> , 41, 109-13	2.8	16	
56	Broadly neutralizing antibodies overcome SARS-CoV-2 Omicron antigenic shift. <b>2021</b> ,		16	
55	Waiting Time Between Failure of First Graft and Second Kidney Transplant and Graft and Patient Survival. <i>Transplantation</i> , <b>2016</b> , 100, 1767-75	1.8	16	
54	Outcomes of kidney paired donation transplants in relation to shipping and cold ischaemia time. <i>Transplant International</i> , <b>2016</b> , 29, 425-31	3	16	
53	Characterization of hepatic and cardiac iron deposition during standard treatment of anaemia in haemodialysis. <i>Nephrology</i> , <b>2017</b> , 22, 114-117	2.2	14	
52	Diagnosing and preventing iron overload. <i>Hemodialysis International</i> , <b>2017</b> , 21 Suppl 1, S58-S67	1.7	14	
51	Modeling the benefits and costs of integrating an acceptable HLA mismatch allocation model for highly sensitized patients. <i>Transplantation</i> , <b>2014</b> , 97, 769-74	1.8	14	
50	Salt-sensitivity of blood pressure and decreased 11beta-hydroxysteroid dehydrogenase type 2 activity after renal transplantation. <i>Transplantation</i> , <b>2002</b> , 74, 66-72	1.8	14	
49	The codon 213 of the 11beta-hydroxysteroid dehydrogenase type 2 gene is a hot spot for mutations in apparent mineralocorticoid excess. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1998</b> , 83, 4391-3	5.6	14	
48	Citrate anticoagulation using ACD solution A during long-term haemodialysis. <i>Nephrology</i> , <b>2011</b> , 16, 39	6 <u>-4</u> 92	13	
47	Low prevalence of nonconservative mutations of serum and glucocorticoid-regulated kinase (SGK1) gene in hypertensive and renal patients. <i>Nephrology Dialysis Transplantation</i> , <b>2004</b> , 19, 2499-504	4.3	13	
46	Recipient RAS gene variants and renal allograft function. <i>Transplantation</i> , <b>2002</b> , 73, 960-5	1.8	13	
45	A human antibody that broadly neutralizes betacoronaviruses protects against SARS-CoV-2 by blocking the fusion machinery		13	
44	Oxpentifylline versus placebo in the treatment of erythropoietin-resistant anaemia: a randomized controlled trial. <i>BMC Nephrology</i> , <b>2008</b> , 9, 8	2.7	12	
43	A novel mutation in the steroidogenic acute regulatory protein gene promoter leading to reduced promoter activity. <i>Journal of Molecular Endocrinology</i> , <b>2006</b> , 37, 71-80	4.5	12	
42	Combination treatment with an ET(A)-receptor blocker and an ACE inhibitor is not superior to the respective monotherapies in attenuating chronic transplant vasculopathy in different aorta allotransplantation rat models. <i>Nephrology Dialysis Transplantation</i> , <b>2003</b> , 18, 62-9	4.3	12	

41	Forms of mineralocorticoid hypertension. <i>Vitamins and Hormones</i> , <b>2003</b> , 66, 113-56	2.5	12
40	Juvenile hypertension, the role of genetically altered steroid metabolism. <i>Hormone Research in Paediatrics</i> , <b>2001</b> , 55, 213-23	3.3	12
39	Pharmacokinetics and safety of deferasirox in subjects with chronic kidney disease undergoing haemodialysis. <i>Nephrology</i> , <b>2013</b> , 18, 188-93	2.2	11
38	Estimation of glomerular filtration rate: does haemoglobin discriminate between ageing and true CKD?. <i>Nephrology Dialysis Transplantation</i> , <b>2009</b> , 24, 1828-33	4.3	11
37	Mutation analysis of CYP11B1 and CYP11B2 in patients with increased 18-hydroxycortisol production. <i>Molecular and Cellular Endocrinology</i> , <b>2004</b> , 214, 167-74	4.4	11
36	Permanently reduced plasma ionized magnesium among renal transplant recipients on cyclosporine. <i>Transplant International</i> , <b>1999</b> , 12, 244-9	3	11
35	Licorice: a sweet alternative to prevent hyperkalemia in dialysis patients?. <i>Kidney International</i> , <b>2009</b> , 76, 811-2	9.9	10
34	Association between serum hepcidin-25 and primary resistance to erythropoiesis-stimulating agents in chronic kidney disease: a secondary analysis of the HERO trial. <i>Nephrology</i> , <b>2017</b> , 22, 548-554	2.2	9
33	Salt-sensitive blood pressurean intermediate phenotype predisposing to diabetic nephropathy?. <i>Nephrology Dialysis Transplantation</i> , <b>2005</b> , 20, 2113-9	4.3	9
32	Reduced plasma cyclic GMP but normal renal responses to atrial natriuretic factor in pre-hypertension. <i>Blood Pressure</i> , <b>1996</b> , 5, 16-26	1.7	9
31	Postsynaptic alpha 1-blockade with terazosin does not modify insulin sensitivity in nonobese normotensive subjects. <i>Journal of Cardiovascular Pharmacology</i> , <b>1991</b> , 18, 106-10	3.1	9
30	Left ventricular structure and determinants in normotensive offspring of essential hypertensive parents. <i>Journal of Hypertension</i> , <b>1992</b> , 10, 1257-64	1.9	9
29	High prevalence of ascorbate deficiency in an Australian peritoneal dialysis population. <i>Nephrology</i> , <b>2008</b> , 13, 17-22	2.2	8
28	Kidney paired donation: a plea for a Swiss National Programme. Swiss Medical Weekly, <b>2015</b> , 145, w1408	83.1	8
27	Challenges of kidney paired donation transplants involving multiple donor and recipient surgeons across Australia. <i>ANZ Journal of Surgery</i> , <b>2018</b> , 88, 167-171	1	7
26	Atrial natriuretic factor after cardiac surgery with cardiopulmonary bypass in children. <i>Critical Care Medicine</i> , <b>1991</b> , 19, 1497-502	1.4	6
25	Enhanced blood pressure response to mineralocorticoid stimulation in normotensive members of hypertensive families. <i>Blood Pressure</i> , <b>1992</b> , 1, 86-91	1.7	5
24	The effect of pentoxifylline on oxidative stress in chronic kidney disease patients with erythropoiesis-stimulating agent hyporesponsiveness: Sub-study of the HERO trial. <i>Redox Report</i> , <b>2016</b> , 21, 14-23	5.9	5

23	Imprinted antibody responses against SARS-CoV-2 Omicron sublineages		5
22	Association between serum alkaline phosphatase and primary resistance to erythropoiesis stimulating agents in chronic kidney disease: a secondary analysis of the HERO trial. <i>Canadian Journal of Kidney Health and Disease</i> , <b>2015</b> , 2, 33	2.3	4
21	Swiss hypertension treatment programme with verapamil and/or enalapril in diabetic patients. <i>Drugs</i> , <b>1992</b> , 44 Suppl 1, 74-84	12.1	4
20	Pre- and postdonation kidney function in donors of a kidney paired donation with unique criteria for donor glomerular filtration rate - a longitudinal cohort analysis. <i>Transplant International</i> , <b>2019</b> , 32, 291-299	3	4
19	Crossing borders to facilitate live donor kidney transplantation: the Czech-Austrian kidney paired donation program - a retrospective study. <i>Transplant International</i> , <b>2020</b> , 33, 1199-1210	3	3
18	Nurturing the benefits of pre-emptive kidney transplantation. <i>Nephrology Dialysis Transplantation</i> , <b>2016</b> , 31, 681-2	4.3	3
17	Acute kidney injury due to decompression illness. CKJ: Clinical Kidney Journal, 2014, 7, 380-2	4.5	3
16	ACE2 engagement exposes the fusion peptide to pan-coronavirus neutralizing antibodies		3
15	Kidney Paired Donation and the "Valuable Consideration" Problem: The Experiences of Australia, Canada, and the United States. <i>Transplantation</i> , <b>2017</b> , 101, 1996-2002	1.8	2
14	Diagnostic Investigations in Inherited Endocrine Disorders of Sodium Regulation <b>2011</b> , 210-234		2
13	The distinction between Liddle syndrome and apparent mineralocorticoid excess. <i>Pediatric Nephrology</i> , <b>2003</b> , 18, 607-8; author reply 609	3.2	2
12	Poor neutralization and rapid decay of antibodies to SARS-CoV-2 variants in vaccinated dialysis patients <i>PLoS ONE</i> , <b>2022</b> , 17, e0263328	3.7	2
11	Defective neutralizing antibody response to SARS-CoV-2 in vaccinated dialysis patients		2
10	. Clinical Therapeutics, <b>2010</b> , 32, 397	3.5	1
9	Venlafaxine to treat severe hypotension. <i>Nephrology</i> , <b>2007</b> , 12, 622	2.2	1
8	Apparent Addison® disease following ileostomy. <i>Nephrology</i> , <b>2005</b> , 10, 537-8	2.2	1
7	Endothelin 1 type a receptor antagonism prevents vascular dysfunction and hypertension induced by 11beta-hydroxysteroid dehydrogenase inhibition: role of nitric oxide. <i>Circulation</i> , <b>2002</b> , 105, e126; author reply e126	16.7	1
6	Data and optimisation requirements for Kidney Exchange Programs. <i>Health Informatics Journal</i> , <b>2021</b> , 27, 14604582211009918	3	О

Early kidney allograft loss-Is there scope for improvement?. *Transplant International*, **2018**, 31, 864-866  $_{3}$ 

4	Response to Kute: Macilitators to national kidney paired donation program? <i>Transplant International</i> , <b>2013</b> , 26, e40-2	3
3	Assessment of reasons for not intensifying antihypertensive treatment in the Taiwanese population. <i>Journal of the Formosan Medical Association</i> , <b>2011</b> , 110, 768-74	3.2
2	The challenge of renal cystic disease and its association with hypertension, age and abnormal potassium handling. <i>Journal of Hypertension</i> , <b>2007</b> , 25, 1347-9	1.9
1	Prorenin cryoactivation as a possible cause of normal renin levels in patients with primary aldosteronism. <i>Journal of Hypertension</i> , <b>2005</b> , 23, 460	1.9