

Maria Ines B Bruno Tavares

List of Publications by Citations

Source: <https://exaly.com/author-pdf/6998560/maria-ines-b-bruno-tavares-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

188
papers

2,538
citations

27
h-index

38
g-index

195
ext. papers

2,885
ext. citations

3.5
avg, IF

5.06
L-index

#	Paper	IF	Citations
188	Polymer blends based on polyolefin elastomer and polypropylene. <i>Journal of Applied Polymer Science</i> , 1997 , 66, 2005-2014	2.9	122
187	Probiotic Minas Frescal cheese added with L. casei 01: Physicochemical and bioactivity characterization and effects on hematological/biochemical parameters of hypertensive overweighted women – A randomized double-blind pilot trial. <i>Journal of Functional Foods</i> , 2018 , 45, 435-443	5.1	87
186	Whey acerola-flavoured drink submitted Ohmic Heating: Bioactive compounds, antioxidant capacity, thermal behavior, water mobility, fatty acid profile and volatile compounds. <i>Food Chemistry</i> , 2018 , 263, 81-88	8.5	70
185	The xylooligosaccharide addition and sodium reduction in requeijão cremoso processed cheese. <i>Food Research International</i> , 2018 , 107, 137-147	7	58
184	Partial substitution of NaCl by KCl and addition of flavor enhancers on probiotic Prato cheese: A study covering manufacturing, ripening and storage time. <i>Food Chemistry</i> , 2018 , 248, 192-200	8.5	55
183	Ohmic Heating: A potential technology for sweet whey processing. <i>Food Research International</i> , 2018 , 106, 771-779	7	52
182	Impact behavior of sugarcane bagasse waste–EVA composites. <i>Polymer Testing</i> , 2001 , 20, 869-872	4.5	50
181	Ohmic heating for processing of whey-raspberry flavored beverage. <i>Food Chemistry</i> , 2019 , 297, 125018	8.5	45
180	NMR study of styrene-butadiene rubber (SBR) and TiO ₂ nanocomposites. <i>Polymer Testing</i> , 2009 , 28, 490-494	4.9	43
179	¹³ C-Detected ¹ H Spin Diffusion and ¹ H Relaxation Study of Multicomponent Polymer Blends. <i>Macromolecules</i> , 2000 , 33, 115-119	5.5	43
178	Processing chocolate milk drink by low-pressure cold plasma technology. <i>Food Chemistry</i> , 2019 , 278, 276-283	8.5	40
177	Guava-flavored whey beverage processed by cold plasma technology: Bioactive compounds, fatty acid profile and volatile compounds. <i>Food Chemistry</i> , 2019 , 279, 120-127	8.5	40
176	The cold storage of green bananas affects the starch degradation during ripening at higher temperature. <i>Carbohydrate Polymers</i> , 2013 , 96, 137-47	10.3	39
175	Influence of comonomer content and short branch length on the physical properties of metallocene propylene copolymers. <i>Polymer</i> , 2001 , 42, 9791-9799	3.9	36
174	Study of nylon 6 and poly(propylene oxide) blends by thermal measurements and carbon-13 NMR high resolution solid-state. <i>Journal of Applied Polymer Science</i> , 1995 , 55, 1165-1171	2.9	35
173	Preparation and characterization of composites based on polyhydroxybutyrate and waste powder from coconut fibers processing. <i>Polymer Engineering and Science</i> , 2010 , 50, 1466-1475	2.3	34
172	Chocolate milk drink processed by cold plasma technology: Physical characteristics, thermal behavior and microstructure. <i>LWT - Food Science and Technology</i> , 2019 , 102, 324-329	5.4	34

171	NMR study of plasticized PVC. <i>European Polymer Journal</i> , 1994 , 30, 1089-1095	5.2	32
170	Influence of Irradiation on poly(methyl methacrylate). <i>Journal of Applied Polymer Science</i> , 2002 , 85, 886-895	2.9	31
169	Possibilities for using ohmic heating in Minas Frescal cheese production. <i>Food Research International</i> , 2020 , 131, 109027	7	30
168	Development of hybrid nanocomposites based on PLLA and low-field NMR characterization. <i>Polymer Testing</i> , 2012 , 31, 267-275	4.5	30
167	Development and characterization of hybrid materials based on biodegradable PLA matrix, microcrystalline cellulose and organophilic silica. <i>Polimeros</i> , 2014 , 24, 561-566	1.6	30
166	Characterization of EPDM/atactic polypropylene blends by high-resolution solid-state NMR. <i>Journal of Applied Polymer Science</i> , 1996 , 60, 663-667	2.9	29
165	Surface-coated polycaprolactone nanoparticles with pharmaceutical application: Structural and molecular mobility evaluation by TD-NMR. <i>Polymer Testing</i> , 2017 , 60, 39-48	4.5	28
164	¹ H NMR relaxometry and X-ray study of PCL/nevirapine hybrids. <i>Polymer Testing</i> , 2013 , 32, 553-566	4.5	28
163	Polypropylene/clay nanocomposite structure probed by ¹ H NMR relaxometry. <i>Polymer Testing</i> , 2007 , 26, 1100-1102	4.5	28
162	Tensile behavior of irradiated recycled polyolefin plastics. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 899-909	2.9	27
161	Guava flavored whey-beverage processed by cold plasma: Physical characteristics, thermal behavior and microstructure. <i>Food Research International</i> , 2019 , 119, 564-570	7	27
160	Correlation between traditional techniques and TD-NMR to determine the morphology of PHB/PCL blends. <i>Polymer Testing</i> , 2017 , 58, 159-165	4.5	25
159	NMR studies of PVC molecular mobility. <i>Polymer Testing</i> , 1995 , 14, 273-278	4.5	25
158	Development of biopolymer/cellulose/silica nanostructured hybrid materials and their characterization by NMR relaxometry. <i>Polymer Testing</i> , 2015 , 47, 92-100	4.5	24
157	Inorganic-organic hybrids based on poly (εCaprolactone) and silica oxide and characterization by relaxometry applying low-field NMR. <i>Materials Research</i> , 2012 , 15, 825-832	1.5	24
156	Estudo do amido de farinhas comerciais comestíveis. <i>Polimeros</i> , 2012 , 22, 486-490	1.6	23
155	Evaluation of the Influence of Modified TiO ₂ Particles on Polypropylene Composites. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 5723-32	1.3	22
154	Ohmic heating for infant formula processing: Evaluating the effect of different voltage gradient. <i>Journal of Food Engineering</i> , 2020 , 280, 109989	6	22

153	Determination of the centesimal composition and characterization of flours from fruit seeds. <i>Food Chemistry</i> , 2014 , 151, 293-9	8.5	22
152	A molecular dynamic study of the starch obtained from the <i>Mangifera indica</i> Cv. Bourbon and Espada seeds by ¹³ C solid state NMR. <i>Carbohydrate Polymers</i> , 2003 , 53, 213-216	10.3	22
151	Poly(lactic acid) biocomposites with mango waste and organo-montmorillonite for packaging. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47512	2.9	21
150	Whey protein films added with galactooligosaccharide and xylooligosaccharide. <i>Food Hydrocolloids</i> , 2020 , 104, 105755	10.6	21
149	Solid state NMR study of poly(methyl methacrylate)/polyvinylpyrrolidone blends. <i>Polymer Bulletin</i> , 1998 , 41, 307-310	2.4	21
148	Influence of TiO ₂ nanoparticle on the thermal, morphological and molecular characteristics of PHB matrix. <i>Polymer Testing</i> , 2018 , 65, 156-162	4.5	20
147	A solid state NMR carbon-13 high resolution study of natural fiber from sugar cane and their composites with EVA. <i>Polymer Testing</i> , 2000 , 19, 251-259	4.5	19
146	Processing raspberry-flavored whey drink using ohmic heating: Physical, thermal and microstructural considerations. <i>Food Research International</i> , 2019 , 123, 20-26	7	18
145	Preparation of high-impact polystyrene nanocomposites with organoclay by melt intercalation and characterization by low-field nuclear magnetic resonance. <i>Chemical Engineering and Processing: Process Intensification</i> , 2014 , 77, 66-76	3.7	18
144	Molecular Dynamic Evaluation of starch-PLA blends nanocomposite with organoclay by proton NMR relaxometry. <i>Polymer Testing</i> , 2013 , 32, 1181-1185	4.5	18
143	Polymeric nanoparticles assembled with microfluidics for drug delivery across the blood-brain barrier. <i>European Physical Journal: Special Topics</i> , 2016 , 225, 779-795	2.3	17
142	Dynamic and structural evaluation of poly(3-hydroxybutyrate) layered nanocomposites. <i>Polymer Testing</i> , 2013 , 32, 165-174	4.5	17
141	Solid-state nuclear magnetic resonance of the PA6/PC, PA6/PPO, and PA6/PC/PPO blends. <i>Journal of Applied Polymer Science</i> , 1998 , 69, 129-133	2.9	17
140	Melatonin location in egg phosphatidylcholine liposomes: possible relation to its antioxidant mechanisms. <i>Journal of Pineal Research</i> , 2007 , 43, 276-82	10.4	17
139	Determination of herb authenticity by low-field NMR. <i>Food Chemistry</i> , 2013 , 136, 1272-6	8.5	16
138	The structure of polycaprolactone-clay nanocomposites investigated by ¹ H NMR relaxometry. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 7307-13	1.3	16
137	Carbon-13 high resolution solid state NMR study of natural fibres obtained from sugar cane without treatment and their composites with EVA. <i>Polymer Testing</i> , 1998 , 17, 147-152	4.5	16
136	¹³ C-NMR study of <i>Dipteryx Alata</i> Vogel starch. <i>Journal of Applied Polymer Science</i> , 2004 , 92, 2151-2154	2.9	16

135	13C solid-state NMR analysis of the DGEBA/TETA epoxy system. <i>Journal of Applied Polymer Science</i> , 2000 , 78, 2358-2362	2.9	16
134	Evaluation of Polyethylene/Organoclay Nanocomposites by Low-field Nuclear Relaxation. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2008 , 57, 1119-1123	3	15
133	Time optimization of ultraviolet-B zone pretreatment for improving wool fabrics properties. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 1469-1476	2.9	15
132	Compatibility of iPP/HOCP binary blends by OM, DSC, DMTA and 13C nuclear magnetic resonance. <i>Polymer Testing</i> , 1996 , 15, 53-68	4.5	15
131	Evaluation of PHB/Clay nanocomposite by spin-lattice relaxation time. <i>Materials Research</i> , 2008 , 11, 483-485	4.5	15
130	Differential scanning calorimetry coupled with machine learning technique: An effective approach to determine the milk authenticity. <i>Food Control</i> , 2021 , 121, 107585	6.2	15
129	Solid state NMR investigation of polypropylene/Brazilian clay blending process. <i>Polymer Testing</i> , 2005 , 24, 358-362	4.5	14
128	Characterization of EPDM/atactic polypropylene blends. <i>Polymer Testing</i> , 1995 , 14, 329-341	4.5	14
127	NMR relaxometry evaluation of nanostructured starch-PLA blends. <i>Polymer Testing</i> , 2015 , 45, 161-167	4.5	13
126	NMR evaluation of polystyrene nanocomposites degraded by repeated extrusion processing. <i>Polymer Degradation and Stability</i> , 2015 , 118, 178-187	4.7	13
125	Development and characterization of clay-polymer nanocomposite membranes containing sodium alendronate with osteogenic activity. <i>Applied Clay Science</i> , 2017 , 146, 475-486	5.2	13
124	NMR study of commercial poly(ethylene-co-vinyl acetate). <i>Polymer Testing</i> , 1998 , 17, 533-541	4.5	13
123	Low-field NMR study of Nylon 6/silica composites. <i>Polymer Testing</i> , 2007 , 26, 501-504	4.5	13
122	Investigation of PMMA/Polyoxide blends containing graft-copolymer compatibilizers by using NMR, SEM, and thermal analysis. <i>Journal of Applied Polymer Science</i> , 1996 , 61, 2245-2251	2.9	13
121	Conventional and Fast Field Cycling Relaxometry Study of the Molecular Dynamics in Polymer Nanocomposites for Use as Drug Delivery Systems. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 7539-7545	1.3	12
120	Caracterizaçã de nanocompõsitos de poliuretano/montmorilonita organofõca por RMN de baixo campo. <i>Polimeros</i> , 2012 , 22, 481-485	1.6	12
119	Effect of Wood Content on The Thermal Behavior and on The Molecular Dynamics of Wood/Plastic Composites. <i>Macromolecular Symposia</i> , 2007 , 258, 113-118	0.8	12
118	High-resolution solid-state NMR and SEM study of the interaction behavior of poly(ethylene-co-vinyl acetate)/poly(vinyl acetate) blends. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 116-124	2.9	12

117	NMR molecular dynamic study of high crystalline polymers. <i>Polymer Testing</i> , 2000 , 19, 899-904	4.5	12
116	Preparaçã e avaliaçã reacional de nanocompõsitos de PVP K-30 - montmorilonita (natural e organicamente modificada) por difraçã de raios X. <i>Polimeros</i> , 2008 , 18, 187-192	1.6	12
115	Evaluation of Intermolecular Interactions in the PHB/ZnO Nanostructured Materials. <i>Journal of Nanoscience and Nanotechnology</i> , 2016 , 16, 7606-7610	1.3	12
114	Preparation and characterization of polymer/layered silicate pharmaceutical nanobiomaterials using high clay load exfoliation processes. <i>Journal of Industrial and Engineering Chemistry</i> , 2014 , 20, 4094-4101	6.3	11
113	Development and properties evaluation of bio-based PLA/PLGA blend films reinforced with microcrystalline cellulose and organophilic silica. <i>Polymer Engineering and Science</i> , 2017 , 57, 464-472	2.3	11
112	NMR carbon-13 high resolution study of poly(ethylene-co-vinyl acetate). <i>Polymer Testing</i> , 1997 , 16, 193-198	4.5	11
111	Carbon-13 high resolution solid state NMR study of poly(vinyl chloride). <i>Polymer Testing</i> , 1997 , 16, 271-275	4.5	11
110	Nuclear magnetic resonance study of commercial poly(vinyl acetate). <i>Journal of Applied Polymer Science</i> , 1998 , 70, 2457-2461	2.9	11
109	Evaluation of enzymatic degradation based on the quantification of glucose in thermoplastic starch and its characterization by mechanical and morphological properties and NMR measurements. <i>Polymer Testing</i> , 2008 , 27, 827-834	4.5	11
108	High-resolution ¹³ C nuclear magnetic resonance study of heterogeneous amorphous polymers. <i>Journal of Applied Polymer Science</i> , 2003 , 87, 473-476	2.9	11
107	Carbon-13 NMR study of poly(alpha-methylstyrene). <i>Polymer Testing</i> , 2001 , 20, 379-382	4.5	11
106	Nanoradiopharmaceuticals for breast cancer imaging: development, characterization, and imaging in induced animals. <i>OncoTargets and Therapy</i> , 2016 , 9, 5847-5854	4.4	11
105	Proton NMR relaxometry as probe of gelatinization, plasticization and montmorillonite-loading effects on starch-based materials. <i>Carbohydrate Polymers</i> , 2018 , 182, 123-131	10.3	11
104	Solvent Effect on the Morphology of Lamellar Nanocomposites Based on HIPS. <i>Materials Research</i> , 2015 , 18, 191-195	1.5	10
103	High resolution NMR study of tropical fruit seed starches. <i>Journal of Applied Polymer Science</i> , 2007 , 105, 973-977	2.9	10
102	Time domain NMR evaluation of poly(vinyl alcohol) xerogels. <i>Polimeros</i> , 2016 , 26, 221-227	1.6	10
101	Application of solid-state NMR spectroscopy to evaluate cassava genotypes. <i>Journal of Food Composition and Analysis</i> , 2016 , 48, 88-94	4.1	9
100	Evaluation of Composites Miscibility by Low Field NMR. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2007 , 56, 1113-1118	3	9

99	The use of high resolution ¹³ C CP/MAS solid-state NMR spectroscopy in the investigation of chain mobility in PP/PIBR blends. <i>Polymer Testing</i> , 2002 , 21, 171-175	4.5	9
98	Carbon-13 nuclear magnetic resonance investigation of styrene/ethylstyrene copolymers. <i>Journal of Applied Polymer Science</i> , 2001 , 81, 261-266	2.9	9
97	Single-shot measurement of solids and liquids T values by a small-angle flip-flop pulse sequence. <i>Magnetic Resonance in Chemistry</i> , 2019 , 57, 395-403	2.1	9
96	Modification of coconut fibers with polyaniline for manufacture of pressure-sensitive devices. <i>Polymer Engineering and Science</i> , 2014 , 54, 2887-2895	2.3	8
95	Solid State NMR Evaluation of Natural Resin/Clay Nanocomposites. <i>Journal of Nano Research</i> , 2009 , 4, 117-126	1	8
94	Study of recycling and biodegradability of ethylene-co-vinyl acetate reject by thermal analysis. <i>Polymer Degradation and Stability</i> , 1997 , 57, 183-186	4.7	8
93	Carbon-13 NMR solid state study of polyvinylpyrrolidone/polyethylene oxide blends. <i>Polymer Testing</i> , 1998 , 17, 43-47	4.5	8
92	The use of spin-lattice relaxation time in the investigation of polystyrene/acrylic acid copolymerization. <i>Polymer Testing</i> , 2006 , 25, 246-248	4.5	8
91	Solid-state NMR and XPS studies of EVA/sugarcane composites. <i>Journal of Applied Polymer Science</i> , 2001 , 80, 2120-2122	2.9	8
90	Solid-state NMR study of natural rubber blended with EVA and EVA modified with mercaptoacetic acid. <i>Polymer Bulletin</i> , 1996 , 37, 215-220	2.4	8
89	Intercalação por Solução de Poliestireno de Alto Impacto em Montmorilonita Organofílica Obtenção e Caracterização. <i>Polimeros</i> , 2013 , 23, 644-648	1.6	8
88	Technological benefits of using inulin and xylooligosaccharide in dulce de leche. <i>Food Hydrocolloids</i> , 2021 , 110, 106158	10.6	8
87	Obtenção de nanocompósito de EVA/silica e caracterização por ressonância magnética nuclear no estado sólido. <i>Polimeros</i> , 2011 , 21, 98-102	1.6	7
86	Preparation and Characterization of PVC/Natural Filler Composites. <i>Macromolecular Symposia</i> , 2011 , 299-300, 227-233	0.8	7
85	Molecular Dynamics of Poly(Ethylene Terephthalate)/Muscovite Mica Composite by Low-Field NMR. <i>International Journal of Polymer Analysis and Characterization</i> , 2008 , 13, 180-189	1.7	7
84	Thermal and low-field NMR study on poly(vinylidene fluoride) and their physical mixtures with poly(methyl methacrylate). <i>Polymer Engineering and Science</i> , 2008 , 48, 1901-1909	2.3	7
83	NMR and X-Ray Studies of Starches Derived from Tropical Fruit Seed Gelatinization Process. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2007 , 56, 1135-1143	3	7
82	The Use of Low Field NMR and Thermal Analysis to the Wood Polymer Composite Study. <i>Macromolecular Symposia</i> , 2007 , 258, 108-112	0.8	7

81	13C NMR Molecular dynamic investigation of tropical wood Angelin Pedra (<i>Hymenolobium paetrum</i>). <i>Polymer</i> , 2004 , 45, 1217-1222	3.9	7
80	High-resolution carbon-13 nuclear magnetic resonance study of natural resins. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 1848-1854	2.9	7
79	Carbon-13 high-resolution solid state NMR study of polybutadiene. <i>Polymer Testing</i> , 1996 , 15, 485-490	4.5	7
78	The Use of Solid State NMR to Evaluate the Carbohydrates in Commercial Coffee Granules. <i>Food and Nutrition Sciences (Print)</i> , 2011 , 02, 350-355	0.4	7
77	PHB nanostructured: Production and characterization by NMR relaxometry. <i>Polymer Testing</i> , 2016 , 49, 57-65	4.5	6
76	Carbon-13 NMR high-resolution study at solid of polyamide 6/PPO blends containing compatibilizer-block copolymer and polycarbonate. <i>Journal of Applied Polymer Science</i> , 1997 , 64, 1635-1640	2.0	6
75	Natural Weathering Evaluation of LDPE-Mango Starch Blends by Mechanical Properties and High Field NMR. <i>Macromolecular Symposia</i> , 2006 , 245-246, 166-169	0.8	6
74	Role and relevance of polarity and hindrance of vinyl monomers in graft copolymerization onto potato starch. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 896-899	2.9	6
73	The influence of physical treatment in the polystyrene pentads microstructure determination by NMR. <i>Polymer Testing</i> , 2005 , 24, 604-606	4.5	6
72	Solid-state carbon-13 NMR study of material composites based on sugarcane bagasse and thermoplastics polymers. <i>Journal of Applied Polymer Science</i> , 2001 , 82, 2150-2154	2.9	6
71	Blend compatibility study by solid-state 13C nuclear magnetic resonance. <i>Polymer Testing</i> , 2000 , 19, 399-404	4.9	6
70	Investigaçã da influêcia do processamento na dinâmica molecular de nanocompõsitos de policarbonato e argila organofílica obtidos via intercalaçã por fusã. <i>Polimeros</i> , 2012 , 22, 436-439	1.6	6
69	Evaluation of thermal properties of zirconiumâPHB composites. <i>Journal of Thermal Analysis and Calorimetry</i> , 2021 , 143, 165-172	4.1	6
68	The effect of modified cellulose particles on morphology and properties ethylene vinyl acetate copolymer. <i>Polymer Testing</i> , 2018 , 68, 333-339	4.5	5
67	Solid-state NMR to evaluate the molecular changes in the mango starch after 8 years of storage. <i>Journal of Applied Polymer Science</i> , 2012 , 126, E123-E126	2.9	5
66	The effect of the Nb2O5 dispersion on ethylene vinyl acetate to obtain ethylene vinyl acetate/Nb2O5 nanostructured materials. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 4427-32	1.3	5
65	Preparaçã de argila modificada com cloreto de cetilpiridíneo e avaliaçã da interaçã desta com o PVC. <i>Polimeros</i> , 2010 , 20, 231-235	1.6	5
64	Characterization of pp/regenerated tire-rubber blends using proton spin-lattice relaxation time. <i>Polymer Testing</i> , 2009 , 28, 53-56	4.5	5

63	The Use of Solid State NMR to Evaluate EVA/Silica FILMS. <i>Journal of Nano Research</i> , 2012 , 18-19, 219-226	5
62	Solid state carbon-13 NMR study of structural polymeric industrial reject. <i>Polymer Testing</i> , 1998 , 17, 289-295	5
61	Regeneration of Vulcanized Compounds Based on Butadiene-Styrene Copolymer. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2007 , 56, 565-578	3 5
60	High-resolution carbon nuclear magnetic resonance study of styrene/β-methylstyrene/acrylonitrile terpolymers. <i>Journal of Applied Polymer Science</i> , 2003 , 88, 1004-1009	2.9 5
59	Solution and solid state nuclear magnetic resonance investigation of poly(methylmethacrylate)/poly(ethylene oxide) blends. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 2955-2958	2.9 5
58	Natural abundance 15n solid-state nmr study of nylon-6 in blends. <i>Journal of Applied Polymer Science</i> , 2003 , 90, 3872-3875	2.9 5
57	13C NMR study of peach oil. <i>Journal of the Science of Food and Agriculture</i> , 2005 , 85, 2269-2272	4.3 5
56	Solid-state NMR and morphological studies of poly(ethylene-co-vinyl acetate)/poly(vinyl acetate) blends. <i>Journal of Applied Polymer Science</i> , 1999 , 74, 2990-2996	2.9 5
55	Evaluation of the influence of nanoparticles shapes on the formation of poly(lactic acid) nanocomposites obtained employing the solution method. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 4508-13	1.3 4
54	The characterization of high-density polyethylene/organoclay nanocomposites. <i>Jom</i> , 2009 , 61, 38-41	2.1 4
53	Characterization and Properties of Hydrophilic Cellulose Acetate Propionate Derivative. <i>Journal of Polymers and the Environment</i> , 2010 , 18, 661-667	4.5 4
52	NMR Assignment of Carbonyl and Olefinic Regions of Amescla Resin. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2008 , 57, 594-606	3 4
51	Avaliaçã de derivados polimífcos intercalados em montmorilonita organofíca na preparaçã de novos materiais de uso farmacúico. <i>Polimeros</i> , 2008 , 18, 222-229	1.6 4
50	Solid State NMR Study of Couma utilis Seeds. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2007 , 56, 365-370	3 4
49	NMR study of poly(vinylpyrrolidone)/poly(ethylene oxide) blends. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 2820-2823	2.9 4
48	Solid State NMR Study of Natural Fibres. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2001 , 49, 231-236	3 4
47	Mobility study of amorphous polymers by high-resolution NMR at solid-state. <i>Polymer Bulletin</i> , 1995 , 35, 165-168	2.4 4
46	Interactions between PVC and solvents by longitudinal nuclear relaxation times. <i>Polymer Bulletin</i> , 1993 , 30, 677-684	2.4 4

45	Benefits of thermosonication in orange juice whey drink processing. <i>Innovative Food Science and Emerging Technologies</i> , 2022 , 75, 102876	6.8	4
44	The use of relaxometry to evaluate the aging process in hybrid HIPS nanocomposites. <i>Polymer Testing</i> , 2015 , 48, 115-119	4.5	3
43	The Application of NMR Techniques to the Study of Polysaccharides from Pulp and Latex of Sorva. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2007 , 56, 115-125	3	3
42	A high-resolution solid-state NMR investigation of molecular mobility of poly(methyl methacrylate)/poly(vinyl pyrrolidone)/poly(ethylene oxide) ternary blends. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 1492-1495	2.9	3
41	Solution and solid-state NMR investigation of poly(methyl methacrylate)/poly(vinyl pyrrolidone) blends. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 372-377	2.9	3
40	Carbon-13 solution and solid-state NMR investigation of alpha-methylstyrene-co-acrylonitrile. <i>Journal of Applied Polymer Science</i> , 2002 , 84, 138-143	2.9	3
39	Evaluation of the diethylene glycol bis(allyl carbonate)/acrylic acid copolymer behavior by solid-state ¹³ C-NMR. <i>Journal of Applied Polymer Science</i> , 2005 , 96, 740-745	2.9	3
38	Caracterizaçã de diferentes amostras de mandioca por espectroscopia de ressonãcia magnãtica nuclear. <i>Polimeros</i> , 2011 , 21, 131-136	1.6	3
37	Extract of curcuminoids loaded on polycaprolactone and pluronic nanoparticles: chemical and structural properties. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 1141-1156	3.3	3
36	Synergistic effect between hybrid nanoparticles of TiO ₂ and Nb ₂ O ₅ in the nanostructured materials based on eva matrix. <i>Polymer Testing</i> , 2018 , 70, 111-116	4.5	3
35	Spectroscopic evidence of successful in situ insertion of sol-gel silica in a poly(3-hydroxybutyrate) matrix. <i>Journal of Thermoplastic Composite Materials</i> , 2020 , 089270572093593	1.9	2
34	Nuclear magnetic resonance as a powerful tool for evaluation of intermolecular interaction: Correlation with rheological measurements of recycled nanocomposite. <i>Polymer Testing</i> , 2017 , 63, 417-428	4.5	2
33	Mesophase formation investigation in pitches by NMR relaxometry. <i>Journal of the Brazilian Chemical Society</i> , 2007 , 18,	1.5	2
32	NMR Molecular Dynamic and Thermal Analysis Studies of Amescla Resin. <i>International Journal of Polymeric Materials and Polymeric Biomaterials</i> , 2007 , 56, 1119-1125	3	2
31	Solid-state ¹³ C-NMR and study of the subproducts obtained from corn industry. <i>Journal of Applied Polymer Science</i> , 2002 , 84, 1680-1685	2.9	2
30	Solid-state nuclear magnetic resonance study of polyurethane/natural fibers composites. <i>Journal of Applied Polymer Science</i> , 2002 , 85, 1465-1468	2.9	2
29	Carbon-13 NMR high resolution and thermogravimetric study of CNSL/EVA blends compatibility. <i>Polymer Testing</i> , 1996 , 15, 437-441	4.5	2
28	In vivo functional and health benefits of a prebiotic soursop whey beverage processed by high-intensity ultrasound: Study with healthy Wistar rats.. <i>Food Chemistry</i> , 2022 , 380, 132193	8.5	2

27	Desenvolvimento de Nanocompósitos Base de Amido de Batata. <i>Polimeros</i> , 2013 , 23, 771-777	1.6	2
26	Effect of adding TiO ₂ to ethylene vinyl acetate copolymer on the latter's thermal properties and crystallinity.. <i>Quimica Nova</i> , 2014 , 37,	1.6	2
25	Obtention of higher refractive index and transparent polymeric nanocomposite systems with small amounts of fillers for lenses application. <i>Journal of Composite Materials</i> , 2021 , 55, 675-686	2.7	2
24	Polymer Nanocomposites 2017 ,		1
23	Solid State NMR 2017 ,		1
22	Caracterizaçã de fibras de bananeira e de coco por ressonância magnética nuclear de alta resoluçã no estado sãido. <i>Polimeros</i> , 2012 , 22, 460-466	1.6	1
21	The use of multinuclear solid-state NMR to evaluate polystyrene/silica composites. <i>Journal of Nanoparticle Research</i> , 2012 , 14, 1	2.3	1
20	Caracterizaçã dos constituintes polimficos da <i>Maytenus ilicifolia</i> por relaxaçã nuclear de ¹ H por RMN no estado sãido. <i>Polimeros</i> , 2011 , 21, 416-420	1.6	1
19	Study of Bone Repair in Rat Dental Socket after Implantation of Porous Granules of Beta-Tricalcium Phosphate (βTCP) and Magnesium-Substituted Beta-Tricalcium Phosphate (βTCMP). <i>Key Engineering Materials</i> , 2011 , 493-494, 263-268	0.4	1
18	Biodegradability of polysaccharide/EVA reject blends by high resolution NMR and mechanical property. <i>Polymer Degradation and Stability</i> , 1998 , 61, 253-257	4.7	1
17	Preparation and solid-state nuclear magnetic resonance characterization a styrene/butadiene/acrylonitrile (ABS)/poly(vinyl chloride) (PVC)/gypsum ternary system. <i>Journal of Applied Polymer Science</i> , 2003 , 88, 293-296	2.9	1
16	The evaluation of polyisobutylene/paraffin blend miscibility by nuclear relaxation. <i>Polymer Testing</i> , 2005 , 24, 406-409	4.5	1
15	Mobility study of amorphous polymers by high-resolution NMR at solid-state. <i>Polymer Bulletin</i> , 1996 , 36, 209-212	2.4	1
14	Nutritional, rheological and sensory properties of butter processed with different mixtures of cow and sheep milk cream. <i>Food Bioscience</i> , 2022 , 46, 101564	4.9	1
13	Estudo do processo de intercalaçã via soluçã PVP-bentonita: a avaliaçã da influêcia do tempo reacional, da proporçã de polímero-argila e da massa molar mēdia. <i>Polimeros</i> , 2010 , 20, 275-279	1.6	1
12	Crystallization behavior of zinc oxide/poly(lactic acid) nanocomposites. <i>Journal of Thermal Analysis and Calorimetry</i> , 2020 , 146, 1483	4.1	1
11	Morphological and structural evaluation of nanoparticles loaded with tea tree oil for the therapeutic treatment of HPV. <i>Polymer Bulletin</i> , 1	2.4	1
10	Effect of modified microcrystalline cellulose on poly(3-hydroxybutyrate) molecular dynamics by proton relaxometry. <i>Polymers and Polymer Composites</i> , 2021 , 29, 553-560	0.8	1

9	Selective localization of nanohydroxyapatite in poly(3-hydroxybutyrate)/polycaprolactone blends composites and its effects on crystallization and molecular dynamics. <i>Journal of Materials Science</i> , 2021 , 56, 3692-3712	4.3	1
8	Polymer blends based on polyolefin elastomer and polypropylene 1997 , 66, 2005		1
7	Study of C-H?O Bond of Organic&thororganic Hybrids Based on Polyhydroxybutyrate and Oxides Obtained Via an In Situ Sol&sol Route. <i>Polymer Engineering and Science</i> , 2020 , 60, 673-681	2.3	0
6	In vitro characterization of a biocompatible composite based on poly(3-hydroxybutyrate)/hydroxyapatite nanoparticles as a potential scaffold for tissue engineering.. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2022 , 128, 105138	4.1	0
5	Characterization of Flaxseed Oil for Nuclear Magnetic Resonance and Its Encapsulation. <i>Materials Sciences and Applications</i> , 2022 , 13, 279-299	0.3	0
4	Positive effects of thermosonication in Jamun fruit dairy dessert processing. <i>Ultrasonics Sonochemistry</i> , 2022 , 86, 106040	8.9	0
3	Full-factorial design for statistical planning of attritor milling parameters and evaluation of effects on particle size and structure of sodium-montmorillonite. <i>Engineering Research Express</i> , 2020 , 2, 015050	0.9	
2	The Use of Low-Field Solid-State NMR Relaxation to Study the Latex Extracted from Brosimum Parinarioides. <i>Macromolecular Symposia</i> , 2011 , 299-300, 254-256	0.8	
1	Sustainable routes and green synthesis for nanomaterials and nanocomposites production 2021 , 637-650		