
Mette A R Kuijpers

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/699861/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Evidence supporting the use of cone-beam computed tomography in orthodontics. Journal of the American Dental Association, 2012, 143, 241-252.	0.7	94
2	Three-dimensional Imaging Methods for Quantitative Analysis of Facial Soft Tissues and Skeletal Morphology in Patients with Orofacial Clefts: A Systematic Review. PLoS ONE, 2014, 9, e93442.	1.1	79
3	Dental Arch Relationships following Palatoplasty for Cleft Lip and Palate Repair. Journal of Dental Research, 2012, 91, 47-51.	2.5	39
4	Incidental findings on cone beam computed tomography scans in cleft lip and palate patients. Clinical Oral Investigations, 2014, 18, 1237-1244.	1.4	38
5	Regional facial asymmetries in unilateral orofacial clefts. European Journal of Orthodontics, 2015, 37, 636-642.	1.1	31
6	Nasolabial symmetry and esthetics in cleft lip and palate: analysis of 3D facial images. Clinical Oral Investigations, 2015, 19, 1833-1842.	1.4	31
7	Rating nasolabial appearance on three-dimensional images in cleft lip and palate: a comparison with standard photographs. European Journal of Orthodontics, 2016, 38, 197-201.	1.1	31
8	Steiner cephalometric analysis: predicted and actual treatment outcome compared. Orthodontics and Craniofacial Research, 2006, 9, 77-83.	1.2	24
9	The use of cone-beam computed tomography for orthodontic purposes. Seminars in Orthodontics, 2013, 19, 196-203.	0.8	23
10	Novel <i><scp>BCOR</scp></i> mutations in patients with oculofaciocardiodental (OFCD) syndrome. Clinical Genetics, 2014, 85, 194-197.	1.0	21
11	Secular trend of dental development in Dutch children. American Journal of Physical Anthropology, 2014, 155, 91-98.	2.1	20
12	The association between hypodontia and dental development. Clinical Oral Investigations, 2016, 20, 1347-1354.	1.4	20
13	Anterior tooth wear and retention type until 5 years after orthodontic treatment. Acta Odontologica Scandinavica, 2009, 67, 176-181.	0.9	15
14	Craniofacial characteristics of children with mild hypodontia. American Journal of Orthodontics and Dentofacial Orthopedics, 2016, 150, 611-619.	0.8	15
15	Dentition Patterns in Different Unilateral Cleft Lip Subphenotypes. Journal of Dental Research, 2017, 96, 1482-1489.	2.5	12
16	Three-dimensional facial development of children with unilateral cleft lip and palate during the first year of life in comparison with normative average faces. PeerJ, 2019, 7, e7302.	0.9	12
17	Width and elevation of the palatal shelves in unoperated unilateral and bilateral cleft lip and palate patients in the permanent dentition. Journal of Anatomy, 2012, 220, 263-270.	0.9	11
18	Uniform 3D meshes to establish normative facial averages of healthy infants during the first year of life. PLoS ONE, 2019, 14, e0217267.	1.1	11

METTE A R KUIJPERS

#	Article	IF	CITATIONS
19	Morphological variability in unrepaired bilateral clefts with and without cleft palate evaluated with geometric morphometrics. Journal of Anatomy, 2020, 236, 425-433.	0.9	11
20	Rating dental arch relationships and palatal morphology with the EUROCRAN index on three different formats of dental casts in children with unilateral cleft lip and palate. Clinical Oral Investigations, 2016, 20, 943-950.	1.4	9
21	Pattern of Morphological Variability in Unrepaired Unilateral Clefts With and Without Cleft Palate May Suggest Intrinsic Growth Deficiency. Frontiers in Cell and Developmental Biology, 2020, 8, 587859.	1.8	7
22	Myogenic capacity of muscle progenitor cells from head and limb muscles. European Journal of Oral Sciences, 2012, 120, 38-45.	0.7	6
23	Reduced masticatory function is related to lower satellite cell numbers in masseter muscle. European Journal of Orthodontics, 2014, 36, 262-267.	1.1	6
24	Three-camera setup to record simultaneously standardized high-definition video for smile analysis. American Journal of Orthodontics and Dentofacial Orthopedics, 2017, 152, 711-716.	0.8	6
25	Class II Division 1 malocclusion treatment with extraction of maxillary first molars: Evaluation of treatment and postâ€treatment changes by the PAR Index. Orthodontics and Craniofacial Research, 2021, 24, 102-110.	1.2	6
26	Evaluation of the anterior mandibular donor site one year after secondary reconstruction of an alveolar cleft: 3-dimensional analysis using cone-beam computed tomography. British Journal of Oral and Maxillofacial Surgery, 2015, 53, 719-724.	0.4	5
27	The Effect of Antisialogogues in Dentistry. Journal of the American Dental Association, 2010, 141, 954-965.	0.7	3
28	Long-term follow-up of mandibular dental arch changes in patients with complete non-syndromic unilateral cleft lip, alveolus, and palate. PeerJ, 2021, 9, e12643.	0.9	1