

# Eugenio De Miguel

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/69993/publications.pdf>

Version: 2024-02-01

86  
papers

2,471  
citations

257450  
24  
h-index

214800  
47  
g-index

98  
all docs

98  
docs citations

98  
times ranked

2284  
citing authors

#	ARTICLE	IF	CITATIONS
1	Validity of enthesis ultrasound assessment in spondyloarthropathy. <i>Annals of the Rheumatic Diseases</i> , 2009, 68, 169-174.	0.9	292
2	High prevalence of ultrasonographic synovitis and enthesopathy in patients with psoriasis without psoriatic arthritis: a prospective case-control study. <i>Rheumatology</i> , 2011, 50, 1838-1848.	1.9	180
3	Diagnosis of gout in patients with asymptomatic hyperuricaemia: a pilot ultrasound study: Table 1. <i>Annals of the Rheumatic Diseases</i> , 2012, 71, 157-158.	0.9	163
4	Definitions and reliability assessment of elementary ultrasound lesions in giant cell arteritis: a study from the OMERACT Large Vessel Vasculitis Ultrasound Working Group. <i>RMD Open</i> , 2018, 4, e000598.	3.8	155
5	Superiority of SDAI over DAS-28 in assessment of remission in rheumatoid arthritis patients using power Doppler ultrasonography as a gold standard. <i>Rheumatology</i> , 2010, 49, 683-690.	1.9	131
6	Diagnostic accuracy of enthesis ultrasound in the diagnosis of early spondyloarthritis. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 434-439.	0.9	95
7	Gout. Imaging of gout: findings and utility. <i>Arthritis Research and Therapy</i> , 2009, 11, 232.	3.5	92
8	Differential effects of gastrin-releasing peptide, neuropeptide Y, somatostatin and vasoactive intestinal peptide on interleukin-1 $\beta$ , interleukin-6 and tumor necrosis factor- $\alpha$ production by whole blood cells from healthy young and old subjects. <i>Journal of Neuroimmunology</i> , 1996, 71, 25-30.	2.3	88
9	Do patients with axial spondyloarthritis with radiographic sacroiliitis fulfil both the modified New York criteria and the ASAS axial spondyloarthritis criteria? Results from eight cohorts. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 1545-1549.	0.9	71
10	Increased plasma levels of homocysteine and other thiol compounds in rheumatoid arthritis women. <i>Clinical Biochemistry</i> , 1999, 32, 65-70.	1.9	67
11	Atherosclerosis as a potential pitfall in the diagnosis of giant cell arteritis. <i>Rheumatology</i> , 2018, 57, 318-321.	1.9	60
12	Effect of calcitonin gene-related peptide, neuropeptide Y, substance P, and vasoactive intestinal peptide on interleukin-1 $\beta$ , interleukin-6 and tumor necrosis factor-alpha production by peripheral whole blood cells from rheumatoid arthritis and osteoarthritis patients. <i>Regulatory Peptides</i> , 2003, 115, 19-24.	1.9	55
13	Uric acid excretion in healthy subjects: a nomogram to assess the mechanisms underlying purine metabolic disorders. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 512-518.	3.4	46
14	Practice of ultrasound-guided arthrocentesis and joint injection, including training and implementation, in Europe: results of a survey of experts and scientific societies. <i>Rheumatology</i> , 2012, 51, 184-190.	1.9	45
15	Tendon involvement in patients with gout: an ultrasound study of prevalence. <i>Clinical Rheumatology</i> , 2016, 35, 2039-2044.	2.2	44
16	Non-inferiority of dose reduction versus standard dosing of TNF-inhibitors in axial spondyloarthritis. <i>Arthritis Research and Therapy</i> , 2019, 21, 11.	3.5	42
17	An Audit of the Variability of Diagnosis and Management of Gout in the Rheumatology Setting. <i>Journal of Clinical Rheumatology</i> , 2011, 17, 349-355.	0.9	41
18	False positives in the ultrasound diagnosis of giant cell arteritis: some diseases can also show the halo sign. <i>Rheumatology</i> , 2020, 59, 2443-2447.	1.9	41

#	ARTICLE	IF	CITATIONS
19	Enthesis inflammation in recurrent acute anterior uveitis without spondylarthritis. <i>Arthritis and Rheumatism</i> , 2009, 60, 1985-1990.	6.7	40
20	A model for the development and implementation of a national plan for the optimal management of early spondyloarthritis: the Esperanza Program. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 827-830.	0.9	37
21	The utility and sensitivity of colour Doppler ultrasound in monitoring changes in giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2012, 30, S34-8.	0.8	32
22	Decreased Frequencies of Circulating Follicular Helper T Cell Counterparts and Plasmablasts in Ankylosing Spondylitis Patients NaÃve for TNF Blockers. <i>PLoS ONE</i> , 2014, 9, e107086.	2.5	26
23	Improvement in Diagnosis and Treat-to-Target Management of Hyperuricemia in Gout: Results from the GEMA-2 Transversal Study on Practice. <i>Rheumatology and Therapy</i> , 2018, 5, 243-253.	2.3	25
24	La ecografÃa en reumatologÃa: dÃnde estamos y hacia dÃnde nos dirigimos. <i>ReumatologÃa ClÃnica</i> , 2014, 10, 6-9.	0.5	24
25	Recomendaciones de la Sociedad EspaÃ±ola de ReumatologÃa sobre el uso de terapias biolÃgicas en espondiloartritis axial. <i>ReumatologÃa ClÃnica</i> , 2018, 14, 320-333.	0.5	24
26	Ultrasound sensitivity to changes in gout: a longitudinal study after two years of treatment. <i>Clinical and Experimental Rheumatology</i> , 2017, 35, 746-751.	0.8	24
27	Similarities and differences between patients fulfilling axial and peripheral ASAS criteria for spondyloarthritis: Results from the Esperanza Cohort. <i>Seminars in Arthritis and Rheumatism</i> , 2016, 45, 400-403.	3.4	23
28	Disease Activity As a Major Determinant of Quality of Life and Physical Function in Patients With Early Axial Spondyloarthritis. <i>Arthritis Care and Research</i> , 2017, 69, 150-155.	3.4	22
29	Consensus-based semi-quantitative ultrasound scoring system for gout lesions: Results of an OMERACT Delphi process and web-reliability exercise. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 644-649.	3.4	22
30	After treat-to-target: can a targeted ultrasound initiative improve RA outcomes?. <i>Postgraduate Medical Journal</i> , 2012, 88, 482-486.	1.8	19
31	Can we use enthesis ultrasound as an outcome measure of disease activity in spondyloarthritis? A study at the Achilles level. <i>Rheumatology</i> , 2015, 54, 1557-1562.	1.9	19
32	Uric Acid Metabolism in Patients with Primary Gout and the Metabolic Syndrome. <i>Nucleosides, Nucleotides and Nucleic Acids</i> , 2010, 29, 330-334.	1.1	18
33	Enthesis erosion in spondyloarthritis is not a persistent structural lesion. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 2008-2010.	0.9	18
34	Positive ultrasound halo sign of temporal arteries due to amyloidosis. <i>Rheumatology</i> , 2019, 58, 2067-2069.	1.9	18
35	Purine metabolism in women with primary gout. <i>American Journal of Medicine</i> , 1994, 97, 332-338.	1.5	16
36	Development of semiquantitative ultrasound scoring system to assess cartilage in rheumatoid arthritis. <i>Rheumatology</i> , 2019, 58, 1802-1811.	1.9	16

#	ARTICLE	IF	CITATIONS
37	Three-dimensional Volumetric Ultrasound: A Valid Method for Blinded Assessment of Response to Therapy in Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2013, 40, 253-260.	2.0	14
38	Reliability of OMERACT ultrasound elementary lesions in gout: results from a multicenter exercise. <i>Rheumatology International</i> , 2019, 39, 707-713.	3.0	14
39	SituaciÃ³n de la ecografÃa en la reumatologÃa espaÃ±ola 2012. <i>ReumatologÃa ClÃnica</i> , 2012, 8, 310-314.	0.5	12
40	Reduction but not disappearance of Doppler signal after two years of treatment for gout. Do we need a more intensive treatment?. <i>Clinical and Experimental Rheumatology</i> , 2015, 33, 385-90.	0.8	12
41	Ultrasound in Rheumatology: Where Are We and Where Are We Going?. <i>ReumatologÃa ClÃnica (English)</i> Tj ETQq1 J.0.784314 rgBT / Ov		
42	Evaluation of dose reduction versus standard dosing for maintenance of remission in patients with spondyloarthritis and clinical remission with anti-TNF (REDES-TNF): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 370.	1.6	11
43	Increased frequency of circulating CD19+CD24hiCD38hi B cells with regulatory capacity in patients with Ankylosing spondylitis (AS) naïve for biological agents. <i>PLoS ONE</i> , 2017, 12, e0180726.	2.5	11
44	Enthesis lesions are associated with X-ray progression in psoriatic arthritis. <i>International Journal of Rheumatic Diseases</i> , 2021, 24, 828-833.	1.9	11
45	Healthcare-related impact of gout in hospitalized patients in Spain. <i>Scientific Reports</i> , 2021, 11, 13287.	3.3	11
46	Efficacy and safety of secukinumab in patients with spondyloarthritis and enthesitis at the Achilles tendon: results from a phase 3b trial. <i>Rheumatology</i> , 2022, 61, 2856-2866.	1.9	11
47	Utilidad de la ecografÃa en la evaluaciÃ³n de las entesis perifÃ©ricas en las espondiloartritis. <i>ReumatologÃa ClÃnica</i> , 2014, 10, 113-119.	0.5	10
48	Desarrollo de un cuadro de actuaciÃ³n para la evaluaciÃ³n de pacientes con espondiloartritis axial y artritis psoriÃ¡tica en la prÃ¡ctica diaria: proyecto ONLY TOOLS. <i>ReumatologÃa ClÃnica</i> , 2018, 14, 155-159.	0.5	10
49	Peritenon Extensor Tendon Inflammation in Psoriatic Arthritis Is an Enthesitis-related Lesion. <i>Journal of Rheumatology</i> , 2019, 46, 1295-1298.	2.0	10
50	Role of the CCR5/Î”32CCR5 polymorphism in biopsy-proven giant cell arteritis. <i>Human Immunology</i> , 2011, 72, 458-461.	2.4	9
51	Recomendaciones para la prescripciÃ³n de ejercicio fÃ­sico en pacientes con espondiloartritis. <i>ReumatologÃa ClÃnica</i> , 2019, 15, 77-83.	0.5	9
52	Definition of Remission and Disease Activity Assessment in Psoriatic Arthritis: Evidence and Expert-Based Recommendations. <i>ReumatologÃa ClÃnica</i> , 2021, 17, 343-350.	0.5	9
53	Diagnostic validity of Doppler ultrasound in giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2017, 35 Suppl 103, 123-127.	0.8	9
54	Achilles tendon enthesitis evaluated by MRI assessments in patients with axial spondyloarthritis and psoriatic arthritis: a report of the methodology of the ACHILLES trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 767.	1.9	8

#	ARTICLE	IF	CITATIONS
55	A reduced 12-joint ultrasound examination predicts lack of X-ray progression better than clinical remission criteria in patients with rheumatoid arthritis. <i>Rheumatology International</i> , 2017, 37, 1347-1356.	3.0	7
56	Tocilizumab in refractory Caucasian Takayasu's arteritis: a multicenter study of 54 patients and literature review. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021, 13, 1759720X2110209.	2.7	7
57	Prevalence and characteristics associated with dactylitis in patients with early spondyloarthritis: results from the ESPeranza cohort. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 879-883.	0.8	7
58	What is metacarpophalangeal joint swelling in psoriatic arthritis? Ultrasound findings and reliability assessment. <i>Clinical and Experimental Rheumatology</i> , 2018, 36, 896-899.	0.8	7
59	Situation of Spanish Echography in Spanish Rheumatology 2012. <i>Reumatología Clínica (English) Tj ETQq1 1 0.784314 rgBT_0.3</i> /Overlock		
60	Quality-of-care standards for early arthritis clinics. <i>Rheumatology International</i> , 2013, 33, 2459-2472.	3.0	6
61	Usefulness of Ultrasonography in the Assessment of Peripheral Enthesitis in Spondyloarthritis. <i>Reumatología Clínica (English Edition)</i> , 2014, 10, 113-119.	0.3	6
62	Spondyloarthritis features forecasting the presence of HLA-B27 or sacroiliitis on magnetic resonance imaging in patients with suspected axial spondyloarthritis: results from a cross-sectional study in the ESPeranza Cohort. <i>Arthritis Research and Therapy</i> , 2015, 17, 265.	3.5	6
63	Updating the use of the Madrid Sonographic Enthesis Index (MASEI): a systematic review of the literature. <i>Rheumatology</i> , 2020, 59, 1031-1040.	1.9	6
64	Sustained low disease activity measured by ASDAS slow radiographic spinal progression in axial spondyloarthritis patients treated with TNF-inhibitors: data from REGISPRONERBIO. <i>Arthritis Research and Therapy</i> , 2022, 24, 30.	3.5	6
65	McArdle's disease and gout. <i>Muscle and Nerve</i> , 1992, 15, 822-828.	2.2	5
66	Absence of SLC22A12/URAT1 Gene Mutations in Patients with Primary Gout. <i>Journal of Rheumatology</i> , 2012, 39, 1901-1901.	2.0	5
67	Teaching enthesis ultrasound: experience of an ultrasound training workshop. <i>Rheumatology International</i> , 2012, 32, 4047-4052.	3.0	5
68	Color Doppler and spectral Doppler ultrasound detection of active sacroiliitis in spondyloarthritis compared to physical examination as gold standard. <i>Rheumatology International</i> , 2017, 37, 2043-2047.	3.0	5
69	Validity of the EULAR recommendations on the use of ultrasound in the diagnosis of giant cell arteritis. <i>RMD Open</i> , 2022, 8, e002120.	3.8	5
70	A Nonsynonymous Functional Variant of the ITGAM Gene Is Not Involved in Biopsy-proven Giant Cell Arteritis. <i>Journal of Rheumatology</i> , 2011, 38, 2598-2601.	2.0	4
71	Consenso ASAS en nomenclatura en español para las espondiloartritis. <i>Reumatología Clínica</i> , 2020, 16, 333-338.	0.5	4
72	No radiographic sacroiliitis progression was observed in patients with early spondyloarthritis at 6 years: results of the Esperanza multicentric prospective cohort. <i>RMD Open</i> , 2020, 6, e001345.	3.8	4

#	ARTICLE	IF	CITATIONS
73	Prevalence and significance of ischemic cerebrovascular events in giant cell arteritis. <i>Medicina Clínica</i> , 2021, 157, 53-57.	0.6	4
74	Recommendations by the Spanish Society of Rheumatology on the Use of Biological Therapies in Axial Spondyloarthritis. <i>Reumatología Clínica</i> (English Edition), 2018, 14, 320-333.	0.3	3
75	Uso de fármacos inmunomoduladores en una consulta de uveítis. <i>Reumatología Clínica</i> , 2019, 15, 271-276.	0.5	3
76	New perspectives in enthesis ultrasound: validation of enthesis fibrocartilage. <i>International Journal of Clinical Rheumatology</i> , 2011, 6, 11-14.	0.3	2
77	The EJES-3D tool for personalized prescription of exercise in axial spondyloarthritis through multimedia animations: pilot study. <i>Rheumatology International</i> , 2018, 38, 1277-1284.	3.0	2
78	Respuesta a: Estudio comparativo de la ecografía Doppler frente a la biopsia de arteria temporal en el diagnóstico de la arteritis de células gigantes. <i>Reumatología Clínica</i> , 2020, 16, 510-511.	0.5	2
79	Interobserver reliability of Masei index validation by a multicenter collaborative group of rheumatologists. <i>Rheumatology International</i> , 2020, , 1.	3.0	2
80	Unilateral diffuse alveolar hemorrhage in granulomatosis with polyangiitis. <i>Clinical Rheumatology</i> , 2019, 38, 2951-2952.	2.2	1
81	Soft Tissue Rheumatism. , 2010, , 219-235.		1
82	Differences between familial and sporadic early spondyloarthritis: results from the ESPERANZA cohort. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 575-80.	0.8	1
83	Disease control in patients with ankylosing spondylitis in real clinical practice in Spain: Results of the MIDAS study. <i>Reumatología Clínica</i> , 2022, , .	0.5	1
84	AB0636...INFLUENCE OF CARDIOVASCULAR RISK FACTORS ON NAILFOLD VIDEOCAPILLAROSCOPY IN THE STUDY OF CONNECTIVE TISSUE DISEASES. , 2019, , .	0	
85	OP0031...ARE THE MODIFIED NEW YORK AND ASAS AXIAL SPONDYLOARTHROSIS CRITERIA INTERCHANGEABLE IN THE CLASSIFICATION OF SPONDYLOARTHRITIS PATIENTS WITH RADIOGRAPHIC SACROILIITIS: COMPARISON IN 8 COHORTS?., 2019, , .	0	
86	Disease control in patients with psoriatic arthritis in real clinical practice in Spain: MiDAS study. <i>Reumatología Clínica</i> , 2022, , .	0.5	0