

Josep M Chimenos

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7001070/josep-m-chimeno-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

108
papers

3,319
citations

32
h-index

54
g-index

111
ext. papers

3,764
ext. citations

6
avg, IF

5.25
L-index

#	Paper	IF	Citations
108	Effect of Temperature and Humidity on the Synthesis of Alkali-Activated Binders Based on Bottom Ash from Municipal Waste Incineration. <i>Sustainability</i> , 2022 , 14, 1848	3.6	0
107	Weathered bottom ash from municipal solid waste incineration: Alkaline activation for sustainable binders. <i>Construction and Building Materials</i> , 2022 , 327, 126983	6.7	1
106	Potential of anaerobic co-fermentation in wastewater treatments plants: A review.. <i>Science of the Total Environment</i> , 2021 , 152498	10.2	0
105	Opportunities and Barriers for Valorizing Waste Incineration Bottom Ash: Iberian Countries as a Case Study. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9690	2.6	2
104	Alkali-Activated Binders Using Bottom Ash from Waste-to-Energy Plants and Aluminium Recycling Waste. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3840	2.6	7
103	Water treatment sludge as precursor in non-dehydroxylated kaolin-based alkali-activated cements. <i>Applied Clay Science</i> , 2021 , 204, 106032	5.2	7
102	Preliminary Study of New Sustainable, Alkali-Activated Cements Using the Residual Fraction of the Glass Cullet Recycling as Precursor. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 3528	2.6	
101	Fabrication of sustainable magnesium phosphate cement micromortar using design of experiments statistical modelling: Valorization of ceramic-stone-porcelain containing waste as filler. <i>Ceramics International</i> , 2021 , 47, 10905-10917	5.1	2
100	Nitrogen recovery from pig slurry by struvite precipitation using a low-cost magnesium oxide. <i>Science of the Total Environment</i> , 2021 , 768, 144284	10.2	6
99	Valorisation of water treatment sludge for lightweight aggregate production. <i>Construction and Building Materials</i> , 2021 , 269, 121335	6.7	6
98	Alkali-activated binders based on the coarse fraction of municipal solid waste incineration bottom ash. <i>Boletin De La Sociedad Espanola De Ceramica Y Vidrio</i> , 2021 ,	1.9	3
97	Environmental potential assessment of MSWI bottom ash-based alkali-activated binders. <i>Journal of Hazardous Materials</i> , 2021 , 416, 125828	12.8	3
96	Experimental comparison of the effect of temperature on the vibrational and morphological properties of NixCo3-xO4 nanostructures. <i>Materials Letters</i> , 2021 , 303, 130477	3.3	0
95	Municipal Solid Waste Incineration Bottom Ash as Sole Precursor in the Alkali-Activated Binder Formulation. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 4129	2.6	14
94	Analysis of embodied energy and product lifespan: the potential embodied power sustainability indicator. <i>Clean Technologies and Environmental Policy</i> , 2020 , 22, 1055-1068	4.3	2
93	Legal situation and current practice of waste incineration bottom ash utilisation in Europe. <i>Waste Management</i> , 2020 , 102, 868-883	8.6	66
92	Stabilization Study of a Contaminated Soil with Metal(loid)s Adding Different Low-Grade MgO Degrees. <i>Sustainability</i> , 2020 , 12, 7340	3.6	2

91	Granular Material Development Applied in an Experimental Section for Civil Engineering Purposes. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 6782	2.6	4
90	Municipal solid waste incineration bottom ash as alkali-activated cement precursor depending on particle size. <i>Journal of Cleaner Production</i> , 2020 , 242, 118443	10.3	26
89	Characterisation and partition of valuable metals from WEEE in weathered municipal solid waste incineration bottom ash, with a view to recovering. <i>Journal of Cleaner Production</i> , 2019 , 218, 61-68	10.3	18
88	Rapid sintering of weathered municipal solid waste incinerator bottom ash and rice husk for lightweight aggregate manufacturing and product properties. <i>Journal of Cleaner Production</i> , 2019 , 232, 713-721	10.3	32
87	Alkali-Activated Cements for TES Materials in Buildings—Envelops Formulated With Glass Cullet Recycling Waste and Microencapsulated Phase Change Materials. <i>Materials</i> , 2019 , 12,	3.5	5
86	Crushed Autoclaved Aerated Concrete (CAAC), a Potential Reactive Filter Medium for Enhancing Phosphorus Removal in Nature-Based Solutions—Preliminary Batch Studies. <i>Water (Switzerland)</i> , 2019 , 11, 1442	3	3
85	Influence of MSWI bottom ash used as unbound granular material on the corrosion behaviour of reinforced concrete. <i>Journal of Material Cycles and Waste Management</i> , 2017 , 19, 124-133	3.4	2
84	Material characterization of the MSWI bottom ash as a function of particle size. Effects of glass recycling over time. <i>Science of the Total Environment</i> , 2017 , 581-582, 897-905	10.2	39
83	Magnesium phosphate cements formulated with low grade magnesium oxide incorporating phase change materials for thermal energy storage. <i>Construction and Building Materials</i> , 2017 , 155, 209-216	6.7	16
82	Use of municipal solid waste incineration bottom ash and crop by-product for producing lightweight aggregate. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 251, 012126	0.4	8
81	APC fly ashes stabilized with Portland cement for further development of road sub-base aggregates. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 251, 012124	0.4	1
80	APC Fly Ash Recycling: Development of a Granular Material from Laboratory to a Pilot Scale. <i>Waste and Biomass Valorization</i> , 2017 , 8, 1409-1419	3.2	7
79	Geopolymers based on the valorization of Municipal Solid Waste Incineration residues. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 251, 012125	0.4	5
78	Physical, thermal and mechanical study of MPC formulated with LG-MgO incorporating Phase Change Materials as admixture. <i>IOP Conference Series: Materials Science and Engineering</i> , 2017 , 251, 012024	0.4	2
77	Comparison of Microencapsulated Phase Change Materials Prepared at Laboratory Containing the Same Core and Different Shell Material. <i>Applied Sciences (Switzerland)</i> , 2017 , 7, 723	2.6	14
76	MSWI bottom ash for thermal energy storage: An innovative and sustainable approach for its reutilization. <i>Renewable Energy</i> , 2016 , 99, 431-436	8.1	9
75	Magnesium phosphate cement formulated with low grade magnesium oxide with controlled porosity and low thermal conductivity as a function of admixture. <i>Ceramics International</i> , 2016 , 42, 15049-15056	5.1	12
74	The role of additives on anaerobic digestion: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2016 , 58, 1486-1499	16.2	337

73	Preliminary study of the mechanical and hygrothermal properties of hemp-magnesium phosphate cements. <i>Construction and Building Materials</i> , 2016 , 105, 62-68	6.7	39
72	Flue Gas Desulfurization. <i>Advances in Chemical and Materials Engineering Book Series</i> , 2016 , 337-377	0.2	1
71	The effect of magnesium as activator and inhibitor of anaerobic digestion. <i>Waste Management</i> , 2016 , 56, 137-42	8.6	15
70	Epsomite as flame retardant treatment for wood: Preliminary study. <i>Construction and Building Materials</i> , 2016 , 126, 936-942	6.7	14
69	Desulfurization Performance of MgO Byproducts as a Function of Particle Size. <i>Energy & Fuels</i> , 2016 , 30, 2328-2335	4.1	6
68	Thermogravimetric study of a Phase Change Slurry: Effect of variable conditions. <i>Applied Thermal Engineering</i> , 2016 , 107, 329-338	5.8	2
67	Reagent use efficiency with removal of nitrogen from pig slurry via struvite: A study on magnesium oxide and related by-products. <i>Water Research</i> , 2015 , 84, 286-94	12.5	40
66	Feasibility of coupling anaerobic digestion and struvite precipitation in the same reactor: Evaluation of different magnesium sources. <i>Chemical Engineering Journal</i> , 2015 , 270, 542-548	14.7	51
65	Low-grade magnesium oxide by-products for environmental solutions: Characterization and geochemical performance. <i>Journal of Geochemical Exploration</i> , 2015 , 152, 134-144	3.8	17
64	Elastic modulus of a chemically bonded phosphate ceramic formulated with low-grade magnesium oxide determined by Nanoindentation. <i>Ceramics International</i> , 2015 , 41, 12137-12146	5.1	18
63	Synergistic effect of the parameters affecting wet flue gas desulfurization using magnesium oxides by-products. <i>Chemical Engineering Journal</i> , 2015 , 262, 268-277	14.7	26
62	Reutilization of MgO Byproducts from the Calcination of Natural Magnesite in Dry Desulfurization: A Closed-Loop Process. <i>Energy & Fuels</i> , 2015 , 29, 3845-3854	4.1	7
61	Magnesium Phosphate Cements formulated with a low-grade MgO by-product: Physico-mechanical and durability aspects. <i>Construction and Building Materials</i> , 2015 , 91, 150-157	6.7	55
60	Transposition of wet flue gas desulfurization using MgO by-products: From laboratory discontinuous batch reactor to pilot scrubber. <i>Fuel Processing Technology</i> , 2015 , 138, 30-36	7.2	10
59	Biogas upgrading using MSWI bottom ash: An integrated municipal solid waste management. <i>Renewable Energy</i> , 2015 , 80, 184-189	8.1	34
58	Wet flue gas desulfurization using alkaline agents. <i>Reviews in Chemical Engineering</i> , 2015 , 31,	5	12
57	Materials Selection for Superheater Tubes in Municipal Solid Waste Incineration Plants. <i>Journal of Materials Engineering and Performance</i> , 2014 , 23, 3207-3214	1.6	9
56	The effect of temperature on mechanical properties of oxide scales formed on a carbon steel in a simulated municipal solid waste incineration environment. <i>Surface and Coatings Technology</i> , 2014 , 238, 51-57	4.4	7

55	Pilot-scale road subbase made with granular material formulated with MSWI bottom ash and stabilized APC fly ash: environmental impact assessment. <i>Journal of Hazardous Materials</i> , 2014 , 266, 132-140	12.8	43
54	Reutilization of low-grade magnesium oxides for flue gas desulfurization during calcination of natural magnesite: A closed-loop process. <i>Chemical Engineering Journal</i> , 2014 , 254, 63-72	14.7	19
53	Improving anaerobic digestion of pig manure by adding in the same reactor a stabilizing agent formulated with low-grade magnesium oxide. <i>Biomass and Bioenergy</i> , 2014 , 67, 243-251	5.3	37
52	Use of weathered and fresh bottom ash mix layers as a subbase in road constructions: environmental behavior enhancement by means of a retaining barrier. <i>Chemosphere</i> , 2014 , 117, 402-9	8.4	34
51	IGCC fly ash valorisation. Optimisation of Ge and Ga recovery for an industrial application. <i>Fuel Processing Technology</i> , 2014 , 124, 222-227	7.2	30
50	Review of the use of phase change materials (PCMs) in buildings with reinforced concrete structures. <i>Materiales De Construccion</i> , 2014 , 64, e031	1.8	15
49	Development and characterization of new shape-stabilized phase change material (PCM) Polymer including electrical arc furnace dust (EAFD), for acoustic and thermal comfort in buildings. <i>Energy and Buildings</i> , 2013 , 61, 210-214	7	39
48	Depth-sensing indentation applied to polymers: A comparison between standard methods of analysis in relation to the nature of the materials. <i>European Polymer Journal</i> , 2013 , 49, 4047-4053	5.2	28
47	Aggregate material formulated with MSWI bottom ash and APC fly ash for use as secondary building material. <i>Waste Management</i> , 2013 , 33, 621-7	8.6	93
46	Arsenic and antimony removal by oxidative aqueous leaching of IGCC fly ash during germanium extraction. <i>Fuel</i> , 2013 , 112, 450-458	7.1	10
45	Hydration of a low-grade magnesium oxide. Lab-scale study. <i>Journal of Chemical Technology and Biotechnology</i> , 2012 , 87, 1702-1708	3.5	18
44	Interaction between low-grade magnesium oxide and boric acid in chemically bonded phosphate ceramics formulation. <i>Ceramics International</i> , 2012 , 38, 2483-2493	5.1	41
43	Trace metal partitioning in caustic calcined magnesia produced from natural magnesite. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2012 , 47, 93-100	2.3	3
42	Improvement of passive fire protection in a gypsum panel by adding inorganic fillers: Experiment and theory. <i>Applied Thermal Engineering</i> , 2011 , 31, 3971-3978	5.8	16
41	Novel fire-protecting mortars formulated with magnesium by-products. <i>Cement and Concrete Research</i> , 2011 , 41, 191-196	10.3	27
40	Influence of the Electric Arc Furnace Dust in the physical and mechanical properties of EVA/Polyethylene/Butene blends. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 4437-4444	5.3	10
39	Thermal study of low-grade magnesium hydroxide used as fire retardant and in passive fire protection. <i>Thermochimica Acta</i> , 2011 , 515, 43-50	2.9	32
38	A possible recycling method for high grade steels EAFD in polymer composites. <i>Journal of Hazardous Materials</i> , 2009 , 171, 1139-44	12.8	14

37	Combined use of MSWI bottom ash and fly ash as aggregate in concrete formulation: environmental and mechanical considerations. <i>Journal of Hazardous Materials</i> , 2009 , 169, 643-50	12.8	148
36	Characterization of poly(ethylene-co-vinyl acetate) (EVA) filled with low grade magnesium hydroxide. <i>Polymer Degradation and Stability</i> , 2009 , 94, 57-60	4.7	36
35	Comparative Study of Magnesium By-Products and Vermiculite Formulations to Obtain Fire Resistant Mortars. <i>Materials Science Forum</i> , 2008 , 587-588, 898-902	0.4	6
34	Cementos quínicos formulados con subproductos de lixido de magnesio. <i>Boletin De La Sociedad Espanola De Ceramica Y Vidrio</i> , 2008 , 47, 293-297	1.9	7
33	Effects of milling on the thermal stability of synthetic hydromagnesite. <i>Materials Research Bulletin</i> , 2007 , 42, 1010-1018	5.1	23
32	Thermal stability and flame retardancy of LDPE/EVA blends filled with synthetic hydromagnesite/aluminium hydroxide/montmorillonite and magnesium hydroxide/aluminium hydroxide/montmorillonite mixtures. <i>Polymer Degradation and Stability</i> , 2007 , 92, 1082-1087	4.7	105
31	Ion flotation of germanium from fly ash aqueous leachates. <i>Chemical Engineering Journal</i> , 2006 , 118, 69-75	14.7	62
30	Optimization of phosphate removal in anodizing aluminium wastewater. <i>Water Research</i> , 2006 , 40, 137-43.5	4.5	25
29	Permeable Reactive Barriers for the Removal of Heavy Metals: Lab-Scale Experiments with Low-Grade Magnesium Oxide. <i>Ground Water Monitoring and Remediation</i> , 2006 , 26, 142-152	1.4	23
28	Synthetic hydromagnesite as flame retardant. Evaluation of the flame behaviour in a polyethylene matrix. <i>Polymer Degradation and Stability</i> , 2006 , 91, 989-994	4.7	102
27	Change of mechanical properties during short-term natural weathering of MSWI bottom ash. <i>Environmental Science & Technology</i> , 2005 , 39, 7725-30	10.3	31
26	Speciation of major and selected trace elements in IGCC fly ash. <i>Fuel</i> , 2005 , 84, 1364-1371	7.1	54
25	Ge extraction from gasification fly ash. <i>Fuel</i> , 2005 , 84, 1384-1392	7.1	73
24	Optimizing the APC residue washing process to minimize the release of chloride and heavy metals. <i>Waste Management</i> , 2005 , 25, 686-93	8.6	61
23	Preparation of Ultra-Fine CuO: Comparison of Polymer Gel Methods and Conventional Precipitation Processes. <i>Journal of Sol-Gel Science and Technology</i> , 2005 , 36, 11-17	2.3	6
22	Synthetic Hydromagnesite as Flame Retardant. A Study of the Stearic Coating Process. <i>Macromolecular Symposia</i> , 2005 , 221, 165-174	0.8	22
21	Using the recyclability index of materials as a tool for design for disassembly. <i>Ecological Economics</i> , 2004 , 50, 195-200	5.6	53
20	Low-grade MgO used to stabilize heavy metals in highly contaminated soils. <i>Chemosphere</i> , 2004 , 56, 481-91	9.1	70

19	Copper and CuNi Alloys Substrates for HTS Coated Conductor Applications Protected from Oxidation. <i>Materials Science Forum</i> , 2003 , 426-432, 3511-3516	0.4	19
18	Short-term natural weathering of MSWI bottom ash as a function of particle size. <i>Waste Management</i> , 2003 , 23, 887-95	8.6	92
17	Removal of ammonium and phosphates from wastewater resulting from the process of cochineal extraction using MgO-containing by-product. <i>Water Research</i> , 2003 , 37, 1601-7	12.5	134
16	Stabilization of Electrical Arc Furnace Dust with Low-Grade MgO Prior to Landfill. <i>Journal of Environmental Engineering, ASCE</i> , 2003 , 129, 275-279	2	28
15	Problems in the Diagnosis of Contact Dermatitis by Tattooing. <i>Exogenous Dermatology</i> , 2002 , 1, 307-312		3
14	A proposal for quantifying the recyclability of materials. <i>Resources, Conservation and Recycling</i> , 2002 , 37, 39-53	11.9	62
13	Short-term natural weathering of MSWI bottom ash. <i>Journal of Hazardous Materials</i> , 2000 , 79, 287-99	12.8	100
12	Gold cyanidation with potassium persulfate in the presence of a thallium (I) salt. <i>Hydrometallurgy</i> , 2000 , 54, 185-193	4	7
11	Procedure to Obtain Hydromagnesite from a MgO-Containing Residue. Kinetic Study. <i>Industrial & Engineering Chemistry Research</i> , 2000 , 39, 3653-3658	3.9	33
10	Kinetic study of carbonation of MgO slurries. <i>Hydrometallurgy</i> , 1999 , 53, 155-167	4	40
9	Characterization of the bottom ash in municipal solid waste incinerator. <i>Journal of Hazardous Materials</i> , 1999 , 64, 211-222	12.8	238
8	Gold cyanidation using hydrogen peroxide. <i>Hydrometallurgy</i> , 1999 , 52, 21-35	4	22
7	Electrochemistry of conventional gold cyanidation. <i>Electrochimica Acta</i> , 1999 , 44, 2625-2632	6.7	21
6	Melt growth and superconducting properties of textured Ag-YBa/sub 2/Cu/sub 3/O/sub 7/ conductors. <i>IEEE Transactions on Applied Superconductivity</i> , 1999 , 9, 1483-1486	1.8	8
5	Formation and stability of HgCaO ₂ , a competing phase in the synthesis of Hg _{1-x} RexBa ₂ Ca ₂ Cu ₃ O _{8+δ} superconductor. <i>Physica C: Superconductivity and Its Applications</i> , 1998 , 306, 34-46	1.3	44
4	Kinetics of the reaction of gold cyanidation in the presence of a thallium(I) salt. <i>Hydrometallurgy</i> , 1997 , 44, 269-286	4	19
3	Kinetic study of silver chloride dissolution in complexating media. <i>Hydrometallurgy</i> , 1996 , 40, 153-167	4	5
2	Relations between the size distribution of a gold particle system and the leaching curve in cyanide solutions. <i>Hydrometallurgy</i> , 1994 , 36, 187-199	4	1

1 Assessment of Solid Wastes and By-Products as Solid Particle Materials for Concentrated Solar Power Plants. *Solar Rrl*,2100884

7.1