

Diletta Di Mitri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7001687/publications.pdf>

Version: 2024-02-01

20
papers

3,514
citations

471509

17
h-index

752698

20
g-index

20
all docs

20
docs citations

20
times ranked

6685
citing authors

#	ARTICLE	IF	CITATIONS
1	Expression of ectonucleotidase CD39 by Foxp3+ Treg cells: hydrolysis of extracellular ATP and immune suppression. <i>Blood</i> , 2007, 110, 1225-1232.	1.4	1,074
2	Neutrophil diversity and plasticity in tumour progression and therapy. <i>Nature Reviews Cancer</i> , 2020, 20, 485-503.	28.4	548
3	Enhancing Chemotherapy Efficacy in Pten -Deficient Prostate Tumors by Activating the Senescence-Associated Antitumor Immunity. <i>Cell Reports</i> , 2014, 9, 75-89.	6.4	313
4	Tumour-infiltrating Gr-1+ myeloid cells antagonize senescence in cancer. <i>Nature</i> , 2014, 515, 134-137.	27.8	284
5	IL-23 secreted by myeloid cells drives castration-resistant prostate cancer. <i>Nature</i> , 2018, 559, 363-369.	27.8	258
6	Reversible Senescence in Human CD4+CD45RA+CD27 ^{hi} Memory T Cells. <i>Journal of Immunology</i> , 2011, 187, 2093-2100.	0.8	193
7	Compartmentalized activities of the pyruvate dehydrogenase complex sustain lipogenesis in prostate cancer. <i>Nature Genetics</i> , 2018, 50, 219-228.	21.4	139
8	CD49d provides access to "untouched" human Foxp3+ Treg free of contaminating effector cells. <i>Blood</i> , 2009, 113, 827-836.	1.4	132
9	Re-education of Tumor-Associated Macrophages by CXCR2 Blockade Drives Senescence and Tumor Inhibition in Advanced Prostate Cancer. <i>Cell Reports</i> , 2019, 28, 2156-2168.e5.	6.4	129
10	Cytomegalovirus infection induces the accumulation of short-lived, multifunctional CD4 ⁺ CD45RA ⁺ CD27 ^{hi} T cells: the potential involvement of interleukin-7 in this process. <i>Immunology</i> , 2011, 132, 326-339.	4.4	85
11	Non-Cell-Autonomous Regulation of Cellular Senescence in Cancer. <i>Trends in Cell Biology</i> , 2016, 26, 215-226.	7.9	71
12	T Regulatory Cells Are Markers of Disease Activity in Multiple Sclerosis Patients. <i>PLoS ONE</i> , 2011, 6, e21386.	2.5	64
13	Lipid-loaded tumor-associated macrophages sustain tumor growth and invasiveness in prostate cancer. <i>Journal of Experimental Medicine</i> , 2022, 219, .	8.5	53
14	Molecular Pathways: Targeting Tumor-Infiltrating Myeloid-Derived Suppressor Cells for Cancer Therapy. <i>Clinical Cancer Research</i> , 2015, 21, 3108-3112.	7.0	39
15	A chemogenomic screening identifies CK2 as a target for pro-senescence therapy in PTEN-deficient tumours. <i>Nature Communications</i> , 2015, 6, 7227.	12.8	37
16	CD28 ligation in the absence of TCR stimulation up-regulates IL-17A and pro-inflammatory cytokines in relapsing-remitting multiple sclerosis T lymphocytes. <i>Immunology Letters</i> , 2014, 158, 134-142.	2.5	36
17	The p38 mitogen-activated protein kinase cascade modulates T helper type 17 differentiation and functionality in multiple sclerosis. <i>Immunology</i> , 2015, 146, 251-263.	4.4	24
18	Enhancing chemotherapy efficacy by reprogramming the senescence-associated secretory phenotype of prostate tumors. <i>OncImmunology</i> , 2015, 4, e994380.	4.6	21

#	ARTICLE	IF	CITATIONS
19	Efficacy of a Nanocochleate-Encapsulated 3,5-Diaryl-s-Triazole Derivative in a Murine Model of Graft-Versus-Host Disease. <i>Transplantation</i> , 2008, 86, 171-175.	1.0	7
20	Tumor-infiltrating myeloid cells drive senescence evasion and chemoresistance in tumors. <i>Oncolmmunology</i> , 2015, 4, e988473.	4.6	7