

Naoya Fujita

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7004309/naoya-fujita-publications-by-citations.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

120
papers

8,922
citations

56
h-index

93
g-index

123
ext. papers

9,742
ext. citations

7
avg, IF

5.78
L-index

#	Paper	IF	Citations
120	The ALK inhibitor ceritinib overcomes crizotinib resistance in non-small cell lung cancer. <i>Cancer Discovery</i> , 2014 , 4, 662-673	24.4	591
119	Molecular targeting therapy of cancer: drug resistance, apoptosis and survival signal. <i>Cancer Science</i> , 2003 , 94, 15-21	6.9	411
118	Rap1 translates chemokine signals to integrin activation, cell polarization, and motility across vascular endothelium under flow. <i>Journal of Cell Biology</i> , 2003 , 161, 417-27	7.3	306
117	Domain mapping studies reveal that the M domain of hsp90 serves as a molecular scaffold to regulate Akt-dependent phosphorylation of endothelial nitric oxide synthase and NO release. <i>Circulation Research</i> , 2002 , 90, 866-73	15.7	286
116	Akt-dependent phosphorylation of p27Kip1 promotes binding to 14-3-3 and cytoplasmic localization. <i>Journal of Biological Chemistry</i> , 2002 , 277, 28706-13	5.4	259
115	Two novel ALK mutations mediate acquired resistance to the next-generation ALK inhibitor alectinib. <i>Clinical Cancer Research</i> , 2014 , 20, 5686-96	12.9	227
114	Molecular identification of Aggrus/T1alpha as a platelet aggregation-inducing factor expressed in colorectal tumors. <i>Journal of Biological Chemistry</i> , 2003 , 278, 51599-605	5.4	222
113	Pim kinases promote cell cycle progression by phosphorylating and down-regulating p27Kip1 at the transcriptional and posttranscriptional levels. <i>Cancer Research</i> , 2008 , 68, 5076-85	10.1	217
112	Interference with PDK1-Akt survival signaling pathway by UCN-01 (7-hydroxystaurosporine). <i>Oncogene</i> , 2002 , 21, 1727-38	9.2	198
111	Brigatinib combined with anti-EGFR antibody overcomes osimertinib resistance in EGFR-mutated non-small-cell lung cancer. <i>Nature Communications</i> , 2017 , 8, 14768	17.4	197
110	Caspase-mediated cleavage of p21Waf1/Cip1 converts cancer cells from growth arrest to undergoing apoptosis. <i>Oncogene</i> , 1999 , 18, 1131-8	9.2	190
109	Enhanced expression of Aggrus (T1alpha/podoplanin), a platelet-aggregation-inducing factor in lung squamous cell carcinoma. <i>Tumor Biology</i> , 2005 , 26, 195-200	2.9	185
108	Involvement of Hsp90 in signaling and stability of 3-phosphoinositide-dependent kinase-1. <i>Journal of Biological Chemistry</i> , 2002 , 277, 10346-53	5.4	167
107	The platelet aggregation-inducing factor aggrus/podoplanin promotes pulmonary metastasis. <i>American Journal of Pathology</i> , 2007 , 170, 1337-47	5.8	165
106	Cytotoxic activity of tivantinib (ARQ 197) is not due solely to c-MET inhibition. <i>Cancer Research</i> , 2013 , 73, 3087-96	10.1	164
105	Acceleration of apoptotic cell death after the cleavage of Bcl-XL protein by caspase-3-like proteases. <i>Oncogene</i> , 1998 , 17, 1295-304	9.2	152
104	Phosphorylation of p27Kip1 at threonine 198 by p90 ribosomal protein S6 kinases promotes its binding to 14-3-3 and cytoplasmic localization. <i>Journal of Biological Chemistry</i> , 2003 , 278, 49254-60	5.4	149

103	Cabozantinib overcomes crizotinib resistance in ROS1 fusion-positive cancer. <i>Clinical Cancer Research</i> , 2015 , 21, 166-74	12.9	145
102	Ceramide and reactive oxygen species generated by H ₂ O ₂ induce caspase-3-independent degradation of Akt/protein kinase B. <i>Journal of Biological Chemistry</i> , 2002 , 277, 42943-52	5.4	143
101	Platelets promote tumor growth and metastasis via direct interaction between Aggrus/podoplanin and CLEC-2. <i>PLoS ONE</i> , 2013 , 8, e73609	3.7	141
100	Aggrus: a diagnostic marker that distinguishes seminoma from embryonal carcinoma in testicular germ cell tumors. <i>Oncogene</i> , 2004 , 23, 8552-6	9.2	136
99	Binding and phosphorylation of par-4 by akt is essential for cancer cell survival. <i>Molecular Cell</i> , 2005 , 20, 33-44	17.6	131
98	Akt/protein kinase B-dependent phosphorylation and inactivation of WEE1Hu promote cell cycle progression at G ₂ /M transition. <i>Molecular and Cellular Biology</i> , 2005 , 25, 5725-37	4.8	123
97	Podoplanin expression in primary central nervous system germ cell tumors: a useful histological marker for the diagnosis of germinoma. <i>Acta Neuropathologica</i> , 2006 , 111, 563-6	14.3	113
96	Secreted PD-L1 variants mediate resistance to PD-L1 blockade therapy in non-small cell lung cancer. <i>Journal of Experimental Medicine</i> , 2019 , 216, 982-1000	16.6	105
95	Fak/Src signaling in human intestinal epithelial cell survival and anoikis: differentiation state-specific uncoupling with the PI3-K/Akt-1 and MEK/Erk pathways. <i>Journal of Cellular Physiology</i> , 2007 , 212, 717-28	7	105
94	P-glycoprotein Mediates Ceritinib Resistance in Anaplastic Lymphoma Kinase-rearranged Non-small Cell Lung Cancer. <i>EBioMedicine</i> , 2016 , 3, 54-66	8.8	97
93	Involvement of the lysophosphatidic acid-generating enzyme autotaxin in lymphocyte-endothelial cell interactions. <i>American Journal of Pathology</i> , 2008 , 173, 1566-76	5.8	92
92	Involvement of 3-phosphoinositide-dependent protein kinase-1 in the MEK/MAPK signal transduction pathway. <i>Journal of Biological Chemistry</i> , 2004 , 279, 33759-67	5.4	86
91	Topotecan inhibits VEGF- and bFGF-induced vascular endothelial cell migration via downregulation of the PI3K-Akt signaling pathway. <i>International Journal of Cancer</i> , 2002 , 98, 36-41	7.5	85
90	Cleavage and inactivation of antiapoptotic Akt/PKB by caspases during apoptosis. <i>Journal of Cellular Physiology</i> , 2000 , 182, 290-6	7	85
89	Centrosomal Aki1 and cohesin function in separase-regulated centriole disengagement. <i>Journal of Cell Biology</i> , 2009 , 187, 607-14	7.3	82
88	Functional sialylated O-glycan to platelet aggregation on Aggrus (T1alpha/Podoplanin) molecules expressed in Chinese hamster ovary cells. <i>Journal of Biological Chemistry</i> , 2004 , 279, 38838-43	5.4	81
87	Involvement of mitochondrial aggregation in arsenic trioxide (As ₂ O ₃)-induced apoptosis in human glioblastoma cells. <i>Cancer Science</i> , 2005 , 96, 825-33	6.9	79
86	Regulation of kinase activity of 3-phosphoinositide-dependent protein kinase-1 by binding to 14-3-3. <i>Journal of Biological Chemistry</i> , 2002 , 277, 39360-7	5.4	77

85	The cleavage of Akt/protein kinase B by death receptor signaling is an important event in detachment-induced apoptosis. <i>Journal of Biological Chemistry</i> , 2001 , 276, 34702-7	5.4	77
84	Interplay between arginine methylation and ubiquitylation regulates KLF4-mediated genome stability and carcinogenesis. <i>Nature Communications</i> , 2015 , 6, 8419	17.4	74
83	3-Phosphoinositide-dependent protein kinase-1-mediated I κ B kinase beta (I κ B) phosphorylation activates NF- κ B signaling. <i>Journal of Biological Chemistry</i> , 2005 , 280, 40965-73	5.4	74
82	Cleavage and inactivation of antiapoptotic Akt/PKB by caspases during apoptosis. <i>Journal of Cellular Physiology</i> , 2000 , 182, 290	7	74
81	NH2-terminal BH4 domain of Bcl-2 is functional for heterodimerization with Bax and inhibition of apoptosis. <i>Journal of Biological Chemistry</i> , 1999 , 274, 20415-20	5.4	71
80	Involvement of Bcl-2 cleavage in the acceleration of VP-16-induced U937 cell apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 246, 484-8	3.4	69
79	Mitochondrial aggregation precedes cytochrome c release from mitochondria during apoptosis. <i>Oncogene</i> , 2003 , 22, 5579-85	9.2	68
78	Critical involvement of the phosphatidylinositol 3-kinase/Akt pathway in anchorage-independent growth and hematogeneous intrahepatic metastasis of liver cancer. <i>Cancer Research</i> , 2002 , 62, 2971-5	10.1	68
77	Transforming growth factor-beta induces expression of receptor activator of NF- κ B ligand in vascular endothelial cells derived from bone. <i>Journal of Biological Chemistry</i> , 2002 , 277, 26217-24	5.4	67
76	B1 integrin/Fak/Src signaling in intestinal epithelial crypt cell survival: integration of complex regulatory mechanisms. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2008 , 13, 531-42	5.4	66
75	The new-generation selective ROS1/NTRK inhibitor DS-6051b overcomes crizotinib resistant ROS1-G2032R mutation in preclinical models. <i>Nature Communications</i> , 2019 , 10, 3604	17.4	65
74	Human intestinal epithelial cell survival and anoikis. Differentiation state-distinct regulation and roles of protein kinase B/Akt isoforms. <i>Journal of Biological Chemistry</i> , 2004 , 279, 44113-22	5.4	64
73	Platelet aggregation in the formation of tumor metastasis. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2008 , 84, 189-98	4	63
72	Dofequidar fumarate sensitizes cancer stem-like side population cells to chemotherapeutic drugs by inhibiting ABCG2/BCRP-mediated drug export. <i>Cancer Science</i> , 2009 , 100, 2060-8	6.9	62
71	Insulin-stimulated interaction with 14-3-3 promotes cytoplasmic localization of lipin-1 in adipocytes. <i>Journal of Biological Chemistry</i> , 2010 , 285, 3857-3864	5.4	61
70	Prediction of ALK mutations mediating ALK-TKIs resistance and drug re-purposing to overcome the resistance. <i>EBioMedicine</i> , 2019 , 41, 105-119	8.8	60
69	Mechanisms of Resistance to NTRK Inhibitors and Therapeutic Strategies in NTRK1-Rearranged Cancers. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 2130-2143	6.1	60
68	A critical role of platelet TGF- β release in podoplanin-mediated tumour invasion and metastasis. <i>Scientific Reports</i> , 2017 , 7, 42186	4.9	59

67	Platelets promote osteosarcoma cell growth through activation of the platelet-derived growth factor receptor-Akt signaling axis. <i>Cancer Science</i> , 2014 , 105, 983-8	6.9	59
66	PRMT5, a novel TRAIL receptor-binding protein, inhibits TRAIL-induced apoptosis via nuclear factor-kappaB activation. <i>Molecular Cancer Research</i> , 2009 , 7, 557-69	6.6	57
65	Tetraspanin family member CD9 inhibits Aggrus/podoplanin-induced platelet aggregation and suppresses pulmonary metastasis. <i>Blood</i> , 2008 , 112, 1730-9	2.2	56
64	Intestinal epithelial cancer cell anoikis resistance: EGFR-mediated sustained activation of Src overrides Fak-dependent signaling to MEK/Erk and/or PI3-K/Akt-1. <i>Journal of Cellular Biochemistry</i> , 2009 , 107, 639-54	4.7	54
63	Targeting a novel domain in podoplanin for inhibiting platelet-mediated tumor metastasis. <i>Oncotarget</i> , 2016 , 7, 3934-46	3.3	54
62	AP-1-Dependent miR-21 expression contributes to chemoresistance in cancer stem cell-like SP cells. <i>Oncology Research</i> , 2010 , 19, 23-33	4.8	53
61	Casein kinase 2-interacting protein-1, a novel Akt pleckstrin homology domain-interacting protein, down-regulates PI3K/Akt signaling and suppresses tumor growth in vivo. <i>Cancer Research</i> , 2007 , 67, 9666-76	10.1	53
60	Involvement of FKHR-dependent TRADD expression in chemotherapeutic drug-induced apoptosis. <i>Molecular and Cellular Biology</i> , 2002 , 22, 8695-708	4.8	53
59	Mutations as a Potential Biomarker for Sensitivity to Tankyrase Inhibitors in Colorectal Cancer. <i>Molecular Cancer Therapeutics</i> , 2017 , 16, 752-762	6.1	52
58	Cryo-EM structures reveal distinct mechanisms of inhibition of the human multidrug transporter ABCB1. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 26245-26253	11.5	50
57	Freud-1/Aki1, a novel PDK1-interacting protein, functions as a scaffold to activate the PDK1/Akt pathway in epidermal growth factor signaling. <i>Molecular and Cellular Biology</i> , 2008 , 28, 5996-6009	4.8	49
56	Human intestinal epithelial crypt cell survival and death: Complex modulations of Bcl-2 homologs by Fak, PI3-K/Akt-1, MEK/Erk, and p38 signaling pathways. <i>Journal of Cellular Physiology</i> , 2004 , 198, 209-22	7.2	49
55	Basic fibroblast growth factor induces cyclooxygenase-2 expression in endothelial cells derived from bone. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 254, 259-63	3.4	49
54	Tivantinib (ARQ 197) exhibits antitumor activity by directly interacting with tubulin and overcomes ABC transporter-mediated drug resistance. <i>Molecular Cancer Therapeutics</i> , 2014 , 13, 2978-90	6.1	46
53	Production of interleukin-11 in bone-derived endothelial cells and its role in the formation of osteolytic bone metastasis. <i>Oncogene</i> , 1998 , 16, 693-703	9.2	46
52	Suppression of interleukin-11-mediated bone resorption by cyclooxygenases inhibitors. <i>Journal of Cellular Physiology</i> , 1998 , 175, 247-54	7	45
51	Differentiation of lymphatic endothelial cells from embryonic stem cells on OP9 stromal cells. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2006 , 26, 2070-6	9.4	44
50	Prevention of hematogenous metastasis by neutralizing mice and its chimeric anti-Aggrus/podoplanin antibodies. <i>Cancer Science</i> , 2011 , 102, 2051-7	6.9	43

49	Stimulation of interleukin-11 production from osteoblast-like cells by transforming growth factor-beta and tumor cell factors. <i>International Journal of Cancer</i> , 1997 , 71, 422-8	7.5	43
48	CXCL13 is an arrest chemokine for B cells in high endothelial venules. <i>Blood</i> , 2005 , 106, 2613-8	2.2	43
47	The impact of Aggrus/podoplanin on platelet aggregation and tumour metastasis. <i>Journal of Biochemistry</i> , 2012 , 152, 407-13	3.1	41
46	Platelet-activating factor podoplanin: from discovery to drug development. <i>Cancer and Metastasis Reviews</i> , 2017 , 36, 225-234	9.6	40
45	p27Kip1 localization depends on the tumor suppressor protein tuberlin. <i>Human Molecular Genetics</i> , 2007 , 16, 1541-56	5.6	40
44	p21Waf1/Cip1 acts in synergy with bcl-2 to confer multidrug resistance in a camptothecin-selected human lung-cancer cell line. <i>International Journal of Cancer</i> , 1999 , 83, 790-7	7.5	35
43	Expression of Aggrus/podoplanin in bladder cancer and its role in pulmonary metastasis. <i>International Journal of Cancer</i> , 2014 , 134, 2605-14	7.5	34
42	The novel metastasis promoter Merm1/Wbscr22 enhances tumor cell survival in the vasculature by suppressing Zac1/p53-dependent apoptosis. <i>Cancer Research</i> , 2011 , 71, 1146-55	10.1	33
41	Stabilization of integrin-linked kinase by binding to Hsp90. <i>Biochemical and Biophysical Research Communications</i> , 2005 , 331, 1061-8	3.4	32
40	H-31 human breast cancer cells stimulate type I collagenase production in osteoblast-like cells and induce bone resorption. <i>Clinical and Experimental Metastasis</i> , 1995 , 13, 287-95	4.7	30
39	Podoplanin enhances lung cancer cell growth in vivo by inducing platelet aggregation. <i>Scientific Reports</i> , 2017 , 7, 4059	4.9	26
38	Two populations of Thy1-positive mesenchymal cells regulate in vitro maturation of hepatic progenitor cells. <i>American Journal of Physiology - Renal Physiology</i> , 2007 , 292, G526-34	5.1	26
37	Cell-permeable carboxyl-terminal p27(Kip1) peptide exhibits anti-tumor activity by inhibiting Pim-1 kinase. <i>Journal of Biological Chemistry</i> , 2011 , 286, 2681-8	5.4	24
36	TUSC4/NPRL2, a novel PDK1-interacting protein, inhibits PDK1 tyrosine phosphorylation and its downstream signaling. <i>Cancer Science</i> , 2008 , 99, 1827-34	6.9	24
35	Survival-signaling pathway as a promising target for cancer chemotherapy. <i>Cancer Chemotherapy and Pharmacology</i> , 2003 , 52 Suppl 1, S24-8	3.5	24
34	Modulation of Wnt signaling by the nuclear localization of cellular FLIP-L. <i>Journal of Cell Science</i> , 2010 , 123, 23-8	5.3	22
33	Control of apoptosis and growth of malignant T lymphoma cells by lymph node stromal cells. <i>Experimental Cell Research</i> , 1993 , 207, 271-6	4.2	21
32	Drug resistance mechanisms in Japanese anaplastic lymphoma kinase-positive non-small cell lung cancer and the clinical responses based on the resistant mechanisms. <i>Cancer Science</i> , 2020 , 111, 932-939	6.9	20

31	A novel anti-Thy-1 (CD90) monoclonal antibody induces apoptosis in mouse malignant T-lymphoma cells in spite of inducing bcl-2 expression. <i>International Journal of Cancer</i> , 1996 , 66, 544-50	7.5	18
30	Aggregation of Thy-1 glycoprotein induces thymocyte apoptosis through activation of CPP32-like proteases. <i>Experimental Cell Research</i> , 1997 , 232, 400-6	4.2	17
29	Targeting the Golgi apparatus to overcome acquired resistance of non-small cell lung cancer cells to EGFR tyrosine kinase inhibitors. <i>Oncotarget</i> , 2018 , 9, 1641-1655	3.3	16
28	Biomarker discovery by integrated joint non-negative matrix factorization and pathway signature analyses. <i>Scientific Reports</i> , 2018 , 8, 9743	4.9	15
27	Identification of Mutation Accumulation as Resistance Mechanism Emerging in First-Line Osimertinib Treatment. <i>Journal of Thoracic Oncology</i> , 2018 , 13, 915-925	8.9	15
26	Clonal endothelial cells produce humoral factors that inhibit osteoclast-like cell formation in vitro. <i>Endocrine Journal</i> , 2002 , 49, 439-47	2.9	14
25	A novel anti-platelet monoclonal antibody induces mouse platelet aggregation through an Fc receptor-independent mechanism. <i>Biochemical and Biophysical Research Communications</i> , 1998 , 242, 250-5	3.4	14
24	Gilteritinib overcomes lorlatinib resistance in ALK-rearranged cancer. <i>Nature Communications</i> , 2021 , 12, 1261	17.4	14
23	Reconstitution of caspase-3 confers low glucose-enhanced tumor necrosis factor-related apoptosis-inducing ligand cytotoxicity and Akt cleavage. <i>Clinical Cancer Research</i> , 2004 , 10, 1894-900	12.9	13
22	In vivo veritas: Bcl-2 and Bcl-X(L) mediate tumor cell resistance to chemotherapy. <i>Drug Resistance Updates</i> , 2000 , 3, 149-154	23.2	13
21	Akt Kinase-Interacting Protein 1 Signals through CREB to Drive Diffuse Malignant Mesothelioma. <i>Cancer Research</i> , 2015 , 75, 4188-97	10.1	12
20	Overcoming resistance by ALK compound mutation (I1171S + G1269A) after sequential treatment of multiple ALK inhibitors in non-small cell lung cancer. <i>Thoracic Cancer</i> , 2020 , 11, 581-587	3.2	11
19	Suppression of Aggrus/podoplanin-induced platelet aggregation and pulmonary metastasis by a single-chain antibody variable region fragment. <i>Cancer Medicine</i> , 2014 , 3, 1595-604	4.8	11
18	Podoplanin promotes progression of malignant pleural mesothelioma by regulating motility and focus formation. <i>Cancer Science</i> , 2017 , 108, 696-703	6.9	9
17	Expression of Akt kinase-interacting protein 1, a scaffold protein of the PI3K/PDK1/Akt pathway, in pancreatic cancer. <i>Pancreas</i> , 2014 , 43, 1093-100	2.6	9
16	TKI-addicted ROS1-rearranged cells are destined to survival or death by the intensity of ROS1 kinase activity. <i>Scientific Reports</i> , 2017 , 7, 5519	4.9	7
15	Successive phosphorylation of p27(KIP1) protein at serine-10 and C terminus crucially controls its potency to inactivate Cdk2. <i>Journal of Biological Chemistry</i> , 2012 , 287, 21757-64	5.4	7
14	Interleukin-1 alpha induced cyclooxygenase-2 expression in bone-derived endothelial cells. <i>Journal of Cellular Physiology</i> , 1999 , 179, 226-32	7	6

13	Microsecond-timescale MD simulation of EGFR minor mutation predicts the structural flexibility of EGFR kinase core that reflects EGFR inhibitor sensitivity. <i>Npj Precision Oncology</i> , 2021 , 5, 32	9.8	6
12	Mitotic phosphorylation of Aki1 at Ser208 by cyclin B1-Cdk1 complex. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 393, 872-6	3.4	5
11	Monitoring epidermal growth factor receptor C797S mutation in Japanese non-small cell lung cancer patients with serial cell-free DNA evaluation using digital droplet PCR. <i>Cancer Science</i> , 2021 , 112, 2371-2380	6.9	5
10	A safety study of newly generated anti-podoplanin-neutralizing antibody in cynomolgus monkey (). <i>Oncotarget</i> , 2018 , 9, 33322-33336	3.3	4
9	A transmembrane glycoprotein, gp38, is a novel marker for immature hepatic progenitor cells in fetal mouse livers. <i>In Vitro Cellular and Developmental Biology - Animal</i> , 2011 , 47, 45-53	2.6	3
8	Novel knock-in mouse model for the evaluation of the therapeutic efficacy and toxicity of human podoplanin-targeting agents. <i>Cancer Science</i> , 2021 , 112, 2299-2313	6.9	3
7	3D culture system containing gellan gum restores oncogene dependence in ROS1 rearrangements non-small cell lung cancer. <i>Biochemical and Biophysical Research Communications</i> , 2018 , 501, 527-533	3.4	3
6	Efficacy of EGFR tyrosine kinase inhibitors in patients having EGFR-activating mutations with or without BIM polymorphisms. <i>Cancer Chemotherapy and Pharmacology</i> , 2020 , 86, 517-525	3.5	2
5	Platelet-derived lysophosphatidic acid mediated LPAR1 activation as a therapeutic target for osteosarcoma metastasis. <i>Oncogene</i> , 2021 , 40, 5548-5558	9.2	2
4	Adhesion of pancreatic cancer cells in a liver-microvasculature mimicking coculture correlates with their propensity to form liver-specific metastasis in vivo. <i>BioMed Research International</i> , 2014 , 2014, 2413-2421	3.7	1
3	Soluble PD-L1 through alternative polyadenylation works as a decoy in lung cancer immunotherapy. <i>JCI Insight</i> , 2021 ,	9.9	1
2	GSK3 inhibition circumvents and overcomes acquired lorlatinib resistance in ALK-rearranged non-small-cell lung cancer.. <i>Npj Precision Oncology</i> , 2022 , 6, 16	9.8	1
1	The Role of Interleukin-11 in the Formation of Bone Metastases 2001 , 67-78		