Tzu-Chieh Chou

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7005346/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Simultaneous determination of eight β-adrenergic agonists in human urine by an isotope dilution-online clean-up system coupled with liquid chromatography-tandem mass spectrometry. Chemosphere, 2022, 301, 134778.	8.2	9
2	Combined LDL and VLDL Electronegativity Correlates with Coronary Heart Disease Risk in Asymptomatic Individuals. Journal of Clinical Medicine, 2019, 8, 1193.	2.4	10
3	Syncope and Collapse Are Associated with an Increased Risk of Cardiovascular Disease and Mortality in Patients Undergoing Dialysis. International Journal of Environmental Research and Public Health, 2018, 15, 2082.	2.6	0
4	Risk, Severity, and Predictors of Obstructive Sleep Apnea in Hemodialysis and Peritoneal Dialysis Patients. International Journal of Environmental Research and Public Health, 2018, 15, 2377.	2.6	11
5	Intensive Periodontal Treatment Reduces Risks of Hospitalization for Cardiovascular Disease and All-Cause Mortality in the Hemodialysis Population. Journal of Clinical Medicine, 2018, 7, 344.	2.4	11
6	The association between continuous positive airway pressure therapy and liver disease development in obstructive sleep apnea/hypopnea syndrome patients: a nationwide population-based cohort study in Taiwan. Sleep and Breathing, 2017, 21, 461-467.	1.7	19
7	Chromium-induced skin damage among Taiwanese cement workers. Toxicology and Industrial Health, 2016, 32, 1745-1751.	1.4	11
8	Obstructive sleep apnea is associated with liver disease: a population-based cohort study. Sleep Medicine, 2015, 16, 955-960.	1.6	27
9	The Association between Obstructive Sleep Apnea and Metabolic Markers and Lipid Profiles. PLoS ONE, 2015, 10, e0130279.	2.5	30
10	Predictors for Progression of Sleep Disordered Breathing among Public Transport Drivers: A 3-Year Follow-Up Study. Journal of Clinical Sleep Medicine, 2015, 11, 419-425.	2.6	10
11	Low-Density Lipoprotein Electronegativity Is a Novel Cardiometabolic Risk Factor. PLoS ONE, 2014, 9, e107340.	2.5	23
12	Increased risk of cardiovascular events in patients with herpes zoster: A populationâ€based study. Journal of Medical Virology, 2014, 86, 772-777.	5.0	17
13	International guidelines for the <i>in vivo</i> assessment of skin properties in nonâ€elinical settings: Part 2. transepidermal water loss and skin hydration. Skin Research and Technology, 2013, 19, 265-278.	1.6	177
14	International guidelines for the in vivo assessment of skin properties in non linical settings: part 1. pH. Skin Research and Technology, 2013, 19, 59-68.	1.6	50
15	Varicella Vaccination Alters the Chronological Trends of Herpes Zoster and Varicella. PLoS ONE, 2013, 8, e77709.	2.5	51
16	Occupational hand dermatitis among cement workers in Taiwan. Journal of the Formosan Medical Association, 2011, 110, 775-779.	1.7	36
17	Assessment of airborne and dermal exposure to 2â€ethoxyethyl acetate in an occupational environment. American Journal of Industrial Medicine, 2009, 52, 654-661.	2.1	3
18	The Cardiovascular Disease Indices of Sleep-Disordered Breathing among Professional Drivers. Epidemiology, 2009, 20, S190.	2.7	0

Тzu-Сніен Снои

#	Article	IF	CITATIONS
19	Effect of hand dermatitis on the total body burden of chromium after ferrous sulfate application in cement among cement workers. Contact Dermatitis, 2008, 59, 151-156.	1.4	19
20	The total body burden of chromium associated with skin disease and smoking among cement workers. Science of the Total Environment, 2008, 391, 76-81.	8.0	22
21	Risk for hypertension in workers exposed to carbon disulfide in the viscose rayon industry. American Journal of Industrial Medicine, 2007, 50, 22-27.	2.1	11
22	Alterations in health examination items and skin symptoms from exposure to ultra-low humidity. International Archives of Occupational and Environmental Health, 2007, 80, 290-297.	2.3	9
23	Electrocardiographic Abnormality for Workers Exposed to Carbon Disulfide at a Viscose Rayon Plant. Journal of Occupational and Environmental Medicine, 2006, 48, 394-399.	1.7	3
24	Transepidermal water loss and skin capacitance alterations among workers in an ultra-low humidity environment. Archives of Dermatological Research, 2005, 296, 489-495.	1.9	32
25	Narrow-Band UVB Treatment of Vitiligo in Chinese. Journal of Dermatology, 2005, 32, 793-800.	1.2	36
26	Topical exposure to carbon disulfide induces epidermal permeability alterations in physiological and pathological changes. Toxicology Letters, 2005, 158, 225-236.	0.8	19
27	Combined exposure to carbon disulfide and sulfuric acid simultaneously increases the risk of hand dermatitis in rayon industry. Journal of Exposure Science and Environmental Epidemiology, 2004, 14, 551-557.	3.9	4
28	The effect of personal factors on the relationship between carbon disulfide exposure and urinary 2-thiothiazolidine-4-carboxylic acid levels in rayon manufacturing workers. Science of the Total Environment, 2004, 322, 51-62.	8.0	11
29	Effect of Occupational Exposure to Rayon Manufacturing Chemicals on Skin Barrier to Evaporative Water Loss. Journal of Occupational Health, 2004, 46, 410-417.	2.1	12
30	Accumulation of urinary 2-thiothiazolidine-4-carboxylic acid (TTCA) among workers occupationally exposed to carbon disulfide for 1 week. Science of the Total Environment, 2003, 308, 37-47.	8.0	10
31	Elevated Triglyceride and Decreased High Density Lipoprotein Level in Carbon Disulfide Workers in Taiwan. Journal of Occupational and Environmental Medicine, 2003, 45, 73-78.	1.7	14
32	Hearing loss in workers exposed to carbon disulfide and noise Environmental Health Perspectives, 2003, 111, 1620-1624.	6.0	29
33	Biological monitoring of carbon disulphide: kinetics of urinary 2-thiothiazolidine-4-carboxylic acid (TTCA) in exposed workers. Toxicology and Industrial Health, 2002, 18, 1-14.	1.4	12