

Ibrahim Haldun Muderrisoglu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7006116/ibrahim-haldun-muderrisoglu-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

294
papers

4,260
citations

33
h-index

52
g-index

388
ext. papers

4,752
ext. citations

2.6
avg. IF

5.08
L-index

#	Paper	IF	Citations
294	A new and simple parameter for diagnosis pulmonary edema: Expiratory air humidity.. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2022 , 52, 165-169	2.6	0
293	Role of myocardial strain and rotation for predicting prosthetic aortic valve stenosis. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 1	2.5	
292	Determinants of reverse dipping blood pressure in normotensive, non-diabetic population with an office measurement below 130/85mmHg. <i>Clinical and Experimental Hypertension</i> , 2021 , 43, 647-652	2.2	
291	Aortic arch calcification: a novel parameter for prediction of masked hypertension. <i>Blood Pressure Monitoring</i> , 2021 , 26, 257-262	1.3	1
290	Heart rate variability and heart rate turbulence in patients with vasovagal syncope. <i>Kardiologiya</i> , 2021 , 61, 54-59	1.5	
289	Risk factors for left atrial appendage thrombus. <i>Acta Cardiologica</i> , 2020 , 75, 355-359	0.9	1
288	THE CHANGE OF FRONTAL QRS-T ANGLE AFTER RENAL TRANSPLANTATION IN DIALYSIS PATIENTS. <i>Transplantation</i> , 2020 , 104, S449-S449	1.8	
287	Admission Tpe interval predicts reperfusion success in STEMI patients treated with fibrinolytic agents. <i>Türk Kardiyoloji Dernegi Arsivi</i> , 2020 , 48, 49-57	0.3	1
286	The Effect of Renal Transplantation on Cardiac Functions. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2020 , 31, 1051-1056	0.6	1
285	Relation of Preoperative and Postoperative Echocardiographic Parameters With Rejection and Mortality in Liver Transplant Patients. <i>Experimental and Clinical Transplantation</i> , 2020 , 18, 210-214	0.8	2
284	Evaluation of hs-CRP and sLOX-1 Levels in Moderate-to-High Risk Acute Coronary Syndromes. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2020 , 20, 96-103	2.2	1
283	Visual impact assessment of the Istanbul Land-wall. <i>Indoor and Built Environment</i> , 2020 , 29, 1359-1373	1.8	5
282	Left atrial mechanics for secondary prevention from embolic stroke of undetermined source. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 ,	4.1	7
281	Longitudinal Strain and Strain Rate for Estimating Left Ventricular Filling Pressure in Heart Transplant Recipients. <i>American Journal of Cardiology</i> , 2020 , 137, 63-70	3	1
280	Relationship between primary open angle glaucoma and blood pressure. <i>Acta Cardiologica</i> , 2020 , 75, 54-58	0.9	4
279	Platelet Membrane EGlutamyl Transferase-Specific Activity and the Clinical Course of Acute Coronary Syndrome. <i>Angiology</i> , 2019 , 70, 166-173	2.1	4
278	T1 Mapping by Cardiac Magnetic Resonance and Multidimensional Speckle-Tracking Strain by Echocardiography for the Detection of Acute Cellular Rejection in Cardiac Allograft Recipients. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 1601-1614	8.4	17

277	T1 Mapping for Cardiac Allograft Rejection. <i>JACC: Cardiovascular Imaging</i> , 2019 , 12, 947-948	8.4	0
276	Parathyroid Hormone and Ischemic Cerebrovascular Event. <i>Endocrine, Metabolic and Immune Disorders - Drug Targets</i> , 2019 , 19, 1134-1140	2.2	1
275	Adequacy of infective endocarditis prophylaxis before dental procedures among solid organ transplant recipients. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2019 , 30, 764-768	0.6	1
274	MELD-XI score predicts in-hospital mortality independent of simplified pulmonary embolism severity index among patients with intermediate-to-high risk acute pulmonary thromboembolism. <i>Tuberkuloz Ve Toraks</i> , 2019 , 67, 169-178	0.8	2
273	Pulmonary Artery Distensibility is Worsened in Obstructive Sleep Apnea Syndrome. <i>Acta Cardiologica Sinica</i> , 2019 , 35, 501-507	1.1	2
272	Subclinical myocardial dysfunction in liver transplant candidates determined using speckle tracking imaging. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2019 , 47, 638-645	0.3	
271	The Novel CHADS-VASC-FSH Score is Predictive of Severe Coronary Artery Disease on Coronary Angiography in Patients with Atrial Fibrillation and Unstable Symptoms. <i>Eurasian Journal of Medicine</i> , 2019 , 51, 165-171	1.3	2
270	Preoperative Cardiac Risk Assessment in Renal Transplant Recipients: A Single-Center Experience. <i>Experimental and Clinical Transplantation</i> , 2019 , 17, 478-482	0.8	
269	Assessment of vascular inflammation and subclinical nephropathy in exaggerated blood pressure response to exercise test. <i>Blood Pressure Monitoring</i> , 2019 , 24, 114-119	1.3	4
268	Assessment of epicardial fat and carotid intima media thickness in gestational hypertension. <i>Journal of Obstetrics and Gynaecology Research</i> , 2018 , 44, 1072-1079	1.9	5
267	Plasma osteopontin concentration is elevated in patients with coronary bare metal stent restenosis. <i>Acta Cardiologica</i> , 2018 , 73, 69-74	0.9	1
266	Impact of weight loss on epicardial fat and carotid intima media thickness after laparoscopic sleeve gastrectomy: A prospective study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2018 , 28, 501-509	4.5	23
265	Investigation of the relationship between asthma and subclinical atherosclerosis by carotid/femoral intima media and epicardial fat thickness measurement. <i>Journal of Asthma</i> , 2018 , 55, 50-56	1.9	8
264	Assessment of Atrial Fibrillation and Ventricular Arrhythmia Risk after Bariatric Surgery by P Wave/QT Interval Dispersion. <i>Obesity Surgery</i> , 2018 , 28, 932-938	3.7	18
263	Is there a relationship between resistin levels and left ventricular end-diastolic pressure?. <i>Anatolian Journal of Cardiology</i> , 2018 , 19, 267-272	0.8	2
262	Successful treatment of massive pulmonary embolism with reteplase. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2018 , 46, 143-146	0.3	
261	Assessment of Atrial Fibrillation and Ventricular Arrhythmia Risk after Transplantation in Patients with End Stage Renal Disease by P Wave/QT Interval Dispersion, Tp-e Interval, Tp-e/QT Interval Ratio. <i>Transplantation</i> , 2018 , 102, S349	1.8	
260	Head to Head Comparison of Speckle Tracking Strain Echocardiography with Invasive Hemodynamic Assessment for the Detection of Acute Cellular Rejection in Cardiac Allograft Recipients. <i>Transplantation</i> , 2018 , 102, S118	1.8	

259	Effects of Carvedilol Compared to Nebivolol on Insulin Resistance and Lipid Profile in Patients With Essential Hypertension. <i>Journal of Cardiovascular Pharmacology and Therapeutics</i> , 2017 , 22, 65-70	2.6	10
258	Morning blood pressure surge is associated with carotid intima-media thickness in prehypertensive patients. <i>Blood Pressure Monitoring</i> , 2017 , 22, 131-136	1.3	13
257	Assessment of epicardial adipose tissue and carotid/femoral intima media thickness in insulin resistance. <i>Journal of Cardiology</i> , 2017 , 69, 843-850	3	16
256	Relation between serum sodium levels and clinical outcomes in Turkish patients hospitalized for heart failure: a multi-center retrospective observational study. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 2-7	0.8	5
255	The effect of high-dose steroid treatment used for the treatment of acute demyelinating diseases on endothelial and cardiac functions. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 392-397	0.8	5
254	Epicardial Adipose Tissue Thickness and Carotid Intima-Media Thickness in Hemodialysis Patients. <i>Acta Cardiologica Sinica</i> , 2017 , 33, 266-272	1.1	9
253	Are oxidative stress markers helpful for diagnosing the disease and determining its complexity or extent in patients with stable coronary artery disease?. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 599-605	0.3	3
252	Treatment-associated change in apelin concentration in patients with hypertension and its relationship with left ventricular diastolic function. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 125-131	0.8	4
251	Comparison of application of 2013 ACC/AHA guideline and 2011 European Society of Cardiology guideline for the management of dyslipidemias for primary prevention in a Turkish cohort. <i>Anatolian Journal of Cardiology</i> , 2017 , 17, 92-96	0.8	
250	Case Image: Acquired pseudoaneurysm of the sinus of Valsalva. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2017 , 45, 574	0.3	
249	Three-Dimensional Right Ventricular Strain Versus Volume Quantification in Heart Transplant Recipients in Relation to Pulmonary Artery Pressure. <i>Experimental and Clinical Transplantation</i> , 2017 , 15, 231-235	0.8	1
248	Preoperative Cardiac Risk Assessment in Patients Undergoing Liver Transplant Due to Hepatocellular Carcinoma: Should It Be Different?. <i>Experimental and Clinical Transplantation</i> , 2017 , 15, 65-68	0.8	2
247	Who is Guilty of Subclinical Atherosclerosis in Prediabetes? Chicken or Egg Causality Paradox Between Insulin Resistance and Epicardial Fat. <i>Angiology</i> , 2016 , 67, 972	2.1	1
246	Assessing the effects of long-term recreational activities on landscape changes in Abant Natural Park, Turkey. <i>Journal of Forestry Research</i> , 2016 , 27, 453-461	2	8
245	Determinants of New-Onset Atrial Fibrillation in Patients Receiving CRT: Mechanistic Insights From Speckle Tracking Imaging. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 99-111	8.4	16
244	Which is responsible for cardiac autonomic dysfunction in non-diabetic patients with metabolic syndrome: Prediabetes or the syndrome itself?. <i>Diabetes and Metabolic Syndrome: Clinical Research and Reviews</i> , 2016 , 10, S13-20	8.9	6
243	Demographics, Management Strategies, and Problems in ST-Elevation Myocardial Infarction from the Standpoint of Emergency Medicine Specialists: A Survey-Based Study from Seven Geographical Regions of Turkey. <i>PLoS ONE</i> , 2016 , 11, e0164819	3.7	1
242	Cardiac autonomic nervous dysfunction detected by both heart rate variability and heart rate turbulence in prediabetic patients with isolated impaired fasting glucose. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 762-769	0.8	6

241	Piezogenic Pedal Papules with Mitral Valve Prolapse. <i>Indian Journal of Dermatology</i> , 2016 , 61, 234	0.9	7
240	Inappropriate shock and battery switching to "End of Life" in a patient with biventricular ICD during magnetic resonance imaging. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2016 , 44, 79-81		1
239	Serum cystatin C and neutrophil gelatinase-associated lipocalin in predicting the severity of coronary artery disease in diabetic patients. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 756-761	0.8	1
238	Coronary artery disease detected by coronary computed tomography angiography is associated with red cell distribution width. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2016 , 44, 570-574	0.3	2
237	Severe hypocalcemia and hypercalciuria due to contrast medium in the course of acute myocardial infarction. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 543-5	0.8	1
236	Notes on patient compensation system suggestion. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 217-8	0.8	
235	Renal artery stenting of chronic kidney disease patient with resistant hypertension. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 894-895	0.8	
234	The Influence of On-pump Versus Off-pump Surgery on Short- and Medium-term Postoperative Coronary Flow Reserve After Coronary Artery Bypass Grafting. <i>Heart Lung and Circulation</i> , 2016 , 25, 1232-1239 ¹	1.8	1
233	Assessment of Subclinical Atherosclerosis by Carotid Intima-Media Thickness and Epicardial Adipose Tissue Thickness in Prediabetes. <i>Angiology</i> , 2016 , 67, 961-969	2.1	15
232	Assessment of mental workload and academic motivation in medical students. <i>JPMA the Journal of the Pakistan Medical Association</i> , 2016 , 66, 574-8	0.4	4
231	A novel oral anticoagulant, dabigatran, in acute renal infarction. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 158-9		3
230	Comparison of Carvedilol and Metoprolol for Preventing Contrast-Induced Nephropathy after Coronary Angiography. <i>CardioRenal Medicine</i> , 2015 , 5, 199-207	2.8	3
229	Effects of Paclitaxel and Carboplatin combination on mechanical myocardial and microvascular functions: a transthoracic Doppler echocardiography and two-dimensional strain imaging study. <i>Echocardiography</i> , 2015 , 32, 238-47	1.5	7
228	Hematological parameters can predict the extent of coronary artery disease in patients with end-stage renal disease. <i>International Urology and Nephrology</i> , 2015 , 47, 1719-25	2.3	11
227	Arrhythmogenic evidence for epicardial adipose tissue: heart rate variability and turbulence are influenced by epicardial fat thickness. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015 , 38, 99-106	1.6	41
226	Association between serum total antioxidant status and coronary microvascular function in idiopathic dilated cardiomyopathy. <i>Herz</i> , 2015 , 40, 487-94	2.6	2
225	An Unusual Presentation of Allergic Reactions: Kounis Syndrome. <i>Hong Kong Journal of Emergency Medicine</i> , 2015 , 22, 371-375	0.4	0
224	Effects of three month nasal continuous positive airway pressure treatment on electrocardiographic, echocardiographic and overnight polysomnographic parameters in newly diagnosed moderate/severe obstructive sleep apnea patients. <i>International Heart Journal</i> , 2015 , 56, 94-9	1.8	6

223	Diabetes and cardiac autonomic neuropathy: Clinical manifestations, cardiovascular consequences, diagnosis and treatment. <i>World Journal of Diabetes</i> , 2015 , 6, 80-91	4.7	91
222	Coronary anatomy, anatomic variations and anomalies: a retrospective coronary angiography study. <i>Singapore Medical Journal</i> , 2015 , 56, 339-45	1.9	14
221	Author@ reply. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 509-10	0.8	
220	The effect of raloxifene on left ventricular hypertrophy in postmenopausal women: A prospective, randomized, and controlled study. <i>Anatolian Journal of Cardiology</i> , 2015 , 15, 480-4	0.8	4
219	2015 , 13,		2
218	The Effects of Niacin on Inflammation in Patients with Non-ST Elevated Acute Coronary Syndrome. <i>Acta Cardiologica Sinica</i> , 2015 , 31, 120-6	1.1	5
217	Chronic aortic dissection and recoarctation as a late complication of aortic coarctation surgery. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015 , 43, 752		
216	Predictive Value of Hematologic Parameters for Detecting Asymptomatic Graft Rejection After Heart Transplant: Preliminary Results. <i>Experimental and Clinical Transplantation</i> , 2015 , 13 Suppl 3, 146-8 ^{0.8}		
215	Implantation of a cardiac resynchronization therapy-defibrillator device in a patient with persistent left superior vena cava. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2015 , 43, 368-71		3
214	Increased morning blood pressure surge and coronary microvascular dysfunction in patient with early stage hypertension. <i>Journal of the American Society of Hypertension</i> , 2014 , 8, 652-9		15
213	Epicardial adipose tissue thickness and plasma homocysteine in patients with metabolic syndrome and normal coronary arteries. <i>Diabetology and Metabolic Syndrome</i> , 2014 , 6, 62	5.6	8
212	The effects of a low international normalized ratio on thromboembolic and bleeding complications in patients with mechanical mitral valve replacement. <i>Journal of Cardiothoracic Surgery</i> , 2014 , 9, 79	1.6	5
211	Does gestational diabetes history increase epicardial fat and carotid intima media thickness?. <i>Echocardiography</i> , 2014 , 31, 1182-7	1.5	12
210	A clinical dilemma about a new oral anticoagulant treatment. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 748-9		
209	Interrelation of RDW and coronary flow reserve in patient with idiopathic dilated cardiomyopathy. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 342-8		2
208	Follow-up of heart transplant recipients with serial echocardiographic coronary flow reserve and dobutamine stress echocardiography to detect cardiac allograft vasculopathy. <i>Journal of the American Society of Echocardiography</i> , 2014 , 27, 531-9	5.8	26
207	The prevalence and course of pulmonary hypertension and right ventricular dysfunction in patients undergoing orthotopic heart transplantation. <i>Transplantation Proceedings</i> , 2013 , 45, 3538-41	1.1	5
206	The prevalence and types of cardiovascular disease in patients with end-stage renal disease undergoing renal transplantation. <i>Transplantation Proceedings</i> , 2013 , 45, 3478-80	1.1	7

205	Evaluation of circulation disorder in coronary slow flow by fundus fluorescein angiography. <i>American Journal of Cardiology</i> , 2013 , 111, 1552-6	3	8
204	Efficacy of allopurinol pretreatment for prevention of contrast-induced nephropathy: a randomized controlled trial. <i>International Journal of Cardiology</i> , 2013 , 167, 1396-9	3.2	40
203	Flow in the left anterior descending coronary artery in patients with migraine headache. <i>American Journal of Cardiology</i> , 2013 , 112, 1540-4	3	13
202	Right ventricular function is a determinant of long-term survival after cardiac resynchronization therapy. <i>Journal of the American Society of Echocardiography</i> , 2013 , 26, 706-13	5.8	29
201	Evaluation of left ventricular diastolic function by tissue Doppler imaging in patients with newly diagnosed and untreated primary generalized epilepsy. <i>Seizure: the Journal of the British Epilepsy Association</i> , 2013 , 22, 537-41	3.2	12
200	Coronary Microvascular function, Peripheral Endothelial Function and Carotid IMT in beta-thalassemia minor. <i>Thrombosis Research</i> , 2013 , 131, e247-52	8.2	7
199	The effect of aspirin on mean platelet volume in patients with paroxysmal atrial fibrillation. <i>Platelets</i> , 2013 , 24, 263-6	3.6	19
198	QRS duration overweighs the LBBB morphology to predict response to cardiac resynchronization therapy. <i>European Heart Journal</i> , 2013 , 34, P252-P252	9.5	
197	Radial strain amplitude at the lead localization region is important for the outcome from cardiac resynchronization therapy irrespective of ischemic etiology. <i>European Heart Journal</i> , 2013 , 34, P5717-P5717	9.5	
196	Strain is more accurate than visual estimation of scar by echocardiography to guide lead positioning for long-term outcome from cardiac resynchronization therapy. <i>European Heart Journal</i> , 2013 , 34, P1129-P1129	9.5	
195	Teleconsultation of coronary angiograms using smartphones and an audio/video conferencing application. <i>Technology and Health Care</i> , 2013 , 21, 407-14	1.1	13
194	Mild carbon monoxide poisoning impairs left ventricular diastolic function. <i>Indian Journal of Critical Care Medicine</i> , 2013 , 17, 148-53	1.3	7
193	An acute coronary syndrome patient: is this atherosclerosis?. <i>Anatolian Journal of Cardiology</i> , 2013 , 13, 600-2		
192	Association between serum α -glutamyltransferase levels and coronary microvascular function. <i>Coronary Artery Disease</i> , 2013 , 24, 201-8	1.4	6
191	Impaired coronary microvascular function and its association with disease duration and inflammation in patients with psoriasis. <i>Echocardiography</i> , 2013 , 30, 912-8	1.5	9
190	Effect of masked, white-coat, and sustained hypertension on coronary flow reserve and peripheral endothelial functions. <i>Clinical and Experimental Hypertension</i> , 2013 , 35, 183-91	2.2	8
189	Use of alpha-lipoic acid in prevention of contrast-induced nephropathy in diabetic patients. <i>Renal Failure</i> , 2013 , 35, 748-53	2.9	11
188	Left ventricular torsion is important for long-term outcome from cardiac resynchronization therapy. <i>European Heart Journal</i> , 2013 , 34, P1511-P1511	9.5	

187	Hyperhomocysteinemia in a young woman presenting with acute myocardial infarction: Case report. <i>Interventional Medicine & Applied Science</i> , 2013 , 5, 39-42	0.7	5
186	Evaluation of blood rheology in patients with coronary slow flow or non-obstructive coronary artery disease. <i>Clinical Hemorheology and Microcirculation</i> , 2013 , 53, 317-26	2.5	10
185	Light cigarette smoking and vascular function. <i>Acta Cardiologica</i> , 2013 , 68, 255-61	0.9	15
184	Effect of family history of type-2 diabetes on coronary flow reserve and its relationship with insulin resistance: an observational study. <i>Anatolian Journal of Cardiology</i> , 2013 , 13, 48-56		
183	Management of myocardial infarction related to in situ thrombosis. <i>Anatolian Journal of Cardiology</i> , 2013 , 13, 178-80		
182	Association of epicardial adipose tissue thickness by echocardiography and hypertension. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013 , 41, 115-22		22
181	Case Images: Pulsus paradoxus due to left ventricular collapse with localized pericardial effusion. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2013 , 41, 91		
180	Effect of obstructive sleep apnea on heart rate, heart rate recovery and QTc and P-wave dispersion in newly diagnosed untreated patients. <i>American Journal of the Medical Sciences</i> , 2012 , 344, 180-5	2.2	22
179	Coronary microvascular function in patients with isolated systolic and combined systolic/diastolic hypertension. <i>Journal of Clinical Hypertension</i> , 2012 , 14, 871-6	2.3	5
178	Autonomic neural control of the cardiovascular system in patients with Behçet disease in the absence of neurological involvement. <i>Clinical Rheumatology</i> , 2012 , 31, 1499-504	3.9	3
177	Association between serum total antioxidant status and coronary microvascular functions in patients with SLE. <i>Echocardiography</i> , 2012 , 29, 1218-23	1.5	23
176	Interpretation of electrocardiogram images sent through the mobile phone multimedia messaging service. <i>Telemedicine Journal and E-Health</i> , 2012 , 18, 126-31	5.9	11
175	The role of mean platelet volume in predicting thrombotic events. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 631-4	5.9	45
174	Acute myocardial infarction and subacute stent thrombosis associated with cabazitaxel: a case report. <i>International Journal of Clinical Pharmacy</i> , 2012 , 34, 418-21	2.3	1
173	Relation of serum parathyroid hormone level to severity of heart failure. <i>American Journal of Cardiology</i> , 2012 , 109, 252-6	3	36
172	C-reactive protein and nitric oxide level in patients with white coat hypertension. <i>Blood Pressure</i> , 2012 , 21, 281-5	1.7	8
171	THE EFFECT OF SEASONAL CHANGE OF PLANTS COMPOSITIONS ON VISUAL PERCEPTION / SEZONINIO AUGALIJOS SUDŪIŲ POKYDŲ TĀKA VIZUALIAM SUVOKIMUI. <i>Journal of Environmental Engineering and Landscape Management</i> , 2012 , 20, 195-205	1.1	12
170	A rare cardiac malformation in a patient presenting with transient ischemic attack: isolated left ventricular diverticulum. <i>Balkan Medical Journal</i> , 2012 , 29, 458-9	1.5	

169	Sirolimus-Versus Zotarolimus-Eluting Stents in Acute Coronary Syndromes With C Type Left Anterior Descending Artery Lesions: A Three-Year Clinical Follow-Up. <i>Cardiology Research</i> , 2012 , 3, 116-122 ¹⁸		
168	Hyperacute anterior myocardial infarction in a patient with dextrocardia and situs inversus. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2012 , 40, 165-7		
167	Two-year outcome of Turkish patients treated with Zotarolimus versus Paclitaxel eluting stents in an unselected population with coronary artery disease in the real world: a prospective non-randomized registry in southern Turkey. <i>International Journal of Medical Sciences</i> , 2011 , 8, 68-73	3.7	2
166	Renal transplant improves pulmonary hypertension in patients with end stage renal disease. <i>Multidisciplinary Respiratory Medicine</i> , 2011 , 6, 155-60	3	10
165	Association between serum gamma-glutamyltransferase activity and carotid intima-media thickness. <i>Angiology</i> , 2011 , 62, 107-10	2.1	20
164	Obstructive sleep apnoea and its association with left ventricular function and aortic root parameters in newly diagnosed, untreated patients: a prospective study. <i>Journal of International Medical Research</i> , 2011 , 39, 2228-38	1.4	12
163	Clinical outcome of B2/C type isolated proximal LAD disease treated with drug-eluting stents. <i>Anatolian Journal of Cardiology</i> , 2011 , 11, 648-9		
162	Pravastatin therapy fails to suppress post-PCI inflammatory response measured by serum neopterin and CRP levels. <i>Anatolian Journal of Cardiology</i> , 2011 , 11, 207-12		1
161	Normal coronary artery patient presenting with left ventricular aneurysm. <i>Case Reports in Medicine</i> , 2011 , 2011, 183050	0.7	4
160	Is there any relationship between coronary artery disease and postprandial triglyceride levels?. <i>Anatolian Journal of Cardiology</i> , 2011 , 11, 201-6		3
159	Kawasaki disease: giant aneurysm with a large thrombus of the left coronary artery. <i>Clinics and Practice</i> , 2011 , 1, e23	2.4	2
158	Increased serum gamma-glutamyltransferase activity in patients with metabolic syndrome. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2011 , 39, 122-8		15
157	Interventricular septal rupture after myocardial infarction despite early percutaneous coronary intervention. <i>Clinics and Practice</i> , 2011 , 1, e63	2.4	
156	A fatal combination in a young lady: Long QT syndrome and coronary artery anomaly. <i>Clinics and Practice</i> , 2011 , 1, e85	2.4	
155	A severe coarctation of aorta in a 52-year-old male: a case report. <i>International Journal of Medical Sciences</i> , 2010 , 7, 340-1	3.7	6
154	Efficacy of sirolimus-eluting stents compared with paclitaxel-eluting stents in an unselected population with coronary artery disease: 24-month outcomes of patients in a prospective non-randomized registry in Southern Turkey. <i>International Journal of Medical Sciences</i> , 2010 , 7, 191-6	3.7	2
153	Myocardial perfusion SPECT and dobutamine stress tissue Doppler imaging in evaluation of patients with stable angina pectoris. <i>Anatolian Journal of Cardiology</i> , 2010 , 10, 334-9		
152	Oral fluvastatin reduces the severity of peritoneal adhesions in rats. <i>Acta Chirurgica Belgica</i> , 2010 , 110, 66-70	0.9	9

151	Prevention of contrast-induced impairment of renal function by short-term or long-term statin therapy in patients undergoing elective coronary angiography. <i>Blood Coagulation and Fibrinolysis</i> , 2010 , 21, 750-7	1	37
150	The clinical significance of aspirin resistance in patients with chest pain. <i>Clinical Cardiology</i> , 2010 , 33, E1-7	3.3	5
149	Gabapentin therapy improves heart rate variability in diabetic patients with peripheral neuropathy. <i>Journal of Diabetes and Its Complications</i> , 2010 , 24, 229-33	3.2	13
148	Glycoprotein IIIa gene polymorphism and coronary artery disease. <i>Acta Cardiologica</i> , 2010 , 65, 225-30	0.9	2
147	Association of serum adiponectin levels and coronary flow reserve in women with normal coronary angiography. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2009 , 16, 290-6		16
146	Left ventricular function in patients with polycystic ovary syndrome: a Doppler echocardiographic study. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2009 , 117, 165-9	2.3	9
145	Predictors of functional outcome in first-ever ischemic stroke: a special interest to ischemic subtypes, comorbidity and age. <i>NeuroRehabilitation</i> , 2009 , 24, 321-6	2	24
144	Effect of right ventricular pacing lead on left ventricular dyssynchrony in patients receiving cardiac resynchronization therapy. <i>American Journal of Cardiology</i> , 2009 , 103, 695-700	3	7
143	Acute effects of smoking light cigarettes on coronary microvascular functions. <i>Clinical Cardiology</i> , 2009 , 32, 210-4	3.3	9
142	Systolic pulmonary artery pressure and echocardiographic measurements in patients with euthyroid Hashimoto's thyroiditis. <i>Journal of Endocrinological Investigation</i> , 2009 , 32, 530-2	5.2	11
141	Pulmonary hypertension in patients with end-stage renal disease undergoing renal transplantation. <i>Transplantation Proceedings</i> , 2009 , 41, 2753-6	1.1	57
140	Epicardial adipose tissue thickness by echocardiography is a marker for the presence and severity of coronary artery disease. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2009 , 19, 211-7	4.5	166
139	A rare presentation of primary spontaneous coronary dissection: left ventricular apical thrombus associated with ischemic cerebrovascular event. <i>International Journal of Cardiology</i> , 2009 , 134, e53-5	3.2	3
138	Takotsubo cardiomyopathy may be associated with cardiac geometric features as observed in hypertensive heart disease. <i>International Journal of Cardiology</i> , 2009 , 135, 251-2	3.2	15
137	Right ventricular contractile reserve in mitral stenosis: implications on hemodynamic burden and clinical outcome. <i>International Journal of Cardiology</i> , 2009 , 135, 193-201	3.2	17
136	Evaluation of coronary microvascular function in patients with end-stage renal disease, and renal allograft recipients. <i>Atherosclerosis</i> , 2009 , 202, 498-504	3.1	13
135	Relation between epicardial fat thickness and coronary flow reserve in women with chest pain and angiographically normal coronary arteries. <i>Atherosclerosis</i> , 2009 , 204, 580-5	3.1	109
134	Tissue Doppler study of the right ventricle with a multisegmental approach: comparison with cardiac magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 361-8	5.8	40

133	The clinical importance of laboratory-defined aspirin resistance in patients presenting with non-ST elevation acute coronary syndromes. <i>Blood Coagulation and Fibrinolysis</i> , 2009 , 20, 427-32	1	4
132	Serum levels of C-reactive protein and uric acid in patients with cardiac syndrome X. <i>Acta Cardiologica</i> , 2009 , 64, 207-11	0.9	7
131	Decreased coronary flow reserve in obese women. <i>Turk Kardiyoloji Dernegi Arsivi</i> , 2009 , 37, 391-6		7
130	The validity and reliability of the Turkish version of the MacNew Heart Disease Questionnaire in patients with angina. <i>Journal of Evaluation in Clinical Practice</i> , 2008 , 14, 209-13	2.5	14
129	Effect of mechanical dyssynchrony and cardiac resynchronization therapy on left ventricular rotational mechanics. <i>American Journal of Cardiology</i> , 2008 , 101, 1163-9	3	70
128	Raloxifene has favourable effects on metabolic parameters but has no effect on left ventricular function in postmenopausal women. <i>Pharmacological Research</i> , 2008 , 57, 364-8	10.2	7
127	Short- and long-term effect of simvastatin therapy on the heterogeneity of cardiac repolarization in diabetic patients. <i>Pharmacological Research</i> , 2008 , 57, 393-7	10.2	16
126	Rheumatic mitral valve stenosis is associated with impaired flow-mediated dilatation. <i>International Journal of Cardiology</i> , 2008 , 125, 410-2	3.2	2
125	Cardiovascular prognostic value of vascular involvement in Behcet's disease. <i>International Journal of Cardiology</i> , 2008 , 125, 428-30	3.2	20
124	Comparison of the efficacy of metoprolol and carvedilol for preventing atrial fibrillation after coronary bypass surgery. <i>International Journal of Cardiology</i> , 2008 , 126, 108-13	3.2	53
123	Exercise-induced ST-segment elevation in leads aVR and V1 for the prediction of left main disease. <i>International Journal of Cardiology</i> , 2008 , 128, 240-3	3.2	17
122	Altered autonomic neural control of the cardiovascular system in patients with polycystic ovary syndrome. <i>International Journal of Cardiology</i> , 2008 , 130, 49-55	3.2	38
121	Dobutamine stress echocardiography in the assessment of cardiac allograft vasculopathy in asymptomatic recipients. <i>Transplantation Proceedings</i> , 2008 , 40, 267-70	1.1	5
120	Lipid profiles of patients with a transplanted heart before and after the operation. <i>Transplantation Proceedings</i> , 2008 , 40, 263-6	1.1	3
119	Incidence of aspirin resistance and its relationship with cardiovascular risk factors and graft function in renal transplant recipients. <i>Transplantation Proceedings</i> , 2008 , 40, 3485-8	1.1	6
118	Impaired coronary microvascular and left ventricular diastolic functions in patients with ankylosing spondylitis. <i>Atherosclerosis</i> , 2008 , 196, 306-312	3.1	88
117	Coronary flow reserve is impaired in patients with aortic valve calcification. <i>Atherosclerosis</i> , 2008 , 197, 846-52	3.1	12
116	Mitral annular calcification associated with impaired coronary microvascular function. <i>Atherosclerosis</i> , 2008 , 198, 115-21	3.1	9

115	Impaired coronary microvascular function and increased intima-media thickness in rheumatoid arthritis. <i>Atherosclerosis</i> , 2008 , 198, 332-7	3.1	59
114	Higher serum gamma-glutamyltransferase levels are independently associated with impaired coronary microvascular function in patients with dilated cardiomyopathy. <i>Atherosclerosis</i> , 2008 , 201, 163-7	3.1	4
113	Impaired coronary flow reserve in patients with metabolic syndrome. <i>Atherosclerosis</i> , 2008 , 201, 112-6	3.1	42
112	Mean platelet volume is elevated during paroxysmal atrial fibrillation: a marker of increased platelet activation?. <i>Blood Coagulation and Fibrinolysis</i> , 2008 , 19, 411-4	1	39
111	Coronary lesion type, location, and characteristics of acute ST elevation myocardial infarction in young adults under 35 years of age. <i>Coronary Artery Disease</i> , 2008 , 19, 345-7	1.4	30
110	Short-term effects of fluvastatin therapy on plasma interleukin-10 levels in patients with chronic heart failure. <i>Coronary Artery Disease</i> , 2008 , 19, 513-9	1.4	7
109	Serum gamma-glutamyl transferase activity: new high-risk criteria in acute coronary syndrome patients?. <i>Coronary Artery Disease</i> , 2008 , 19, 489-95	1.4	22
108	Value of peri-procedural B-type natriuretic peptide levels in predicting cardiac events after elective percutaneous coronary intervention. <i>Acta Cardiologica</i> , 2008 , 63, 47-52	0.9	5
107	The effects of prior calcium channel blocker therapy on creatine kinase-MB levels after percutaneous coronary interventions. <i>Vascular Health and Risk Management</i> , 2008 , 4, 1417-22	4.4	1
106	Echocardiographic features of patients with paroxysmal atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2008 , 24, 159-63	2.5	2
105	Effects of persistent platelet reactivity despite aspirin therapy on cardiac troponin I and creatine kinase-MB levels after elective percutaneous coronary interventions. <i>Journal of Thrombosis and Thrombolysis</i> , 2008 , 25, 239-46	5.1	5
104	Adenosine-induced ventricular arrhythmias in patients with supraventricular tachycardias. <i>Annals of Noninvasive Electrocardiology</i> , 2008 , 13, 386-90	1.5	12
103	Echocardiographic diagnosis of left ventricular-right atrial communication (Gerbode-type defect) in an adult with chronic renal failure: a case report. <i>European Journal of Echocardiography</i> , 2008 , 9, 314-5		5
102	Smoking mentholated cigarettes impairs coronary microvascular function as severely as does smoking regular cigarettes. <i>Acta Cardiologica</i> , 2008 , 63, 135-40	0.9	9
101	Prevalence and predictors of arrhythmia in end stage renal disease patients on hemodialysis. <i>Renal Failure</i> , 2007 , 29, 331-9	2.9	31
100	Patients with Behçet disease carry a higher risk for microvascular involvement in active disease period. <i>Annals of Medicine</i> , 2007 , 39, 154-9	1.5	9
99	Noninvasive estimation of right ventricular filling pressure by ratio of early tricuspid inflow to annular diastolic velocity in patients with and without recent cardiac surgery. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 982-8	5.8	69
98	Coronary and systemic stent embolization during percutaneous coronary interventions: a single center experience. <i>International Heart Journal</i> , 2007 , 48, 129-36	1.8	22

97	Correlation between QTc interval and clinical severity of subarachnoid hemorrhage depends on the QTc formula used. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2007 , 30, 1482-6	1.6	8
96	Value of preoperative echocardiography in the prediction of postoperative atrial fibrillation following isolated coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2007 , 100, 1383-6	3	22
95	Comparison of C-reactive protein levels in patients who do and do not develop atrial fibrillation during electrophysiologic study. <i>American Journal of Cardiology</i> , 2007 , 100, 1552-5	3	14
94	Coronary flow reserve is impaired in subclinical hypothyroidism. <i>Clinical Cardiology</i> , 2007 , 30, 562-6	3.3	24
93	Effects of atorvastatin on coronary flow reserve in patients with slow coronary flow. <i>Clinical Cardiology</i> , 2007 , 30, 475-9	3.3	60
92	Does pravastatin therapy affect cardiac enzyme levels after percutaneous coronary intervention?. <i>Advances in Therapy</i> , 2007 , 24, 493-504	4.1	15
91	Endothelial functions are more severely impaired during active disease period in patients with Behcet's disease. <i>Clinical Rheumatology</i> , 2007 , 26, 1074-8	3.9	16
90	Effects of normal blood pressure, prehypertension and hypertension on left ventricular diastolic function and aortic elastic properties. <i>Blood Pressure</i> , 2007 , 16, 114-21	1.7	29
89	Association between serum uric acid levels and coronary flow reserve in hypertensive patients without concomitant risk factors. <i>Blood Pressure</i> , 2007 , 16, 254-61	1.7	4
88	Nebivolol improves coronary flow reserve in patients with idiopathic dilated cardiomyopathy. <i>Heart</i> , 2007 , 93, 319-24	5.1	30
87	Elevated serum uric acid levels impair coronary microvascular function in patients with idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2007 , 9, 466-8	12.3	18
86	Light cigarette smoking impairs coronary microvascular functions as severely as smoking regular cigarettes. <i>Heart</i> , 2007 , 93, 1274-7	5.1	15
85	Intima-media thickness in patients with rheumatic mitral stenosis. <i>Angiology</i> , 2007 , 58, 614-9	2.1	1
84	Effects of normal blood pressure, prehypertension, and hypertension on coronary microvascular function. <i>Circulation</i> , 2007 , 115, 593-9	16.7	112
83	Assessment of biochemical aspirin resistance at rest and immediately after exercise testing. <i>Blood Coagulation and Fibrinolysis</i> , 2007 , 18, 9-13	1	2
82	Recombinant human-activated protein C inhibits cardiomyocyte apoptosis in a rat model of myocardial ischemia-reperfusion. <i>Coronary Artery Disease</i> , 2007 , 18, 61-6	1.4	22
81	Association between serum gamma-glutamyltransferase levels and coronary microvascular function in hypertensive patients. <i>Journal of Hypertension</i> , 2007 , 25, 2497-503	1.9	9
80	C-reactive protein levels increase after exercise testing in patients with increased platelet reactivity. <i>Coronary Artery Disease</i> , 2007 , 18, 437-42	1.4	3

79	Coronary flow reserve is impaired in patients with slow coronary flow. <i>Atherosclerosis</i> , 2007 , 191, 168-74	3.1	51
78	Serum gamma-glutamyl transferase activity: a new marker for stent restenosis?. <i>Atherosclerosis</i> , 2007 , 195, 348-53	3.1	20
77	Impaired coronary microvascular function in familial Mediterranean fever. <i>Atherosclerosis</i> , 2007 , 195, e161-7	3.1	50
76	Low serum bilirubin concentrations are associated with impaired aortic elastic properties, but not impaired left ventricular diastolic function. <i>International Journal of Clinical Practice</i> , 2007 , 61, 218-24	2.9	11
75	Brain natriuretic peptide levels and cardiac functional capacity in patients with dyspnea and isolated diastolic dysfunction. <i>International Heart Journal</i> , 2007 , 48, 97-106	1.8	6
74	Is it possible to increase the diagnostic value of exercise electrocardiography by post-exercise B-type natriuretic peptide levels?. <i>Acta Cardiologica</i> , 2007 , 62, 39-45	0.9	
73	Visual perception of tree forms. <i>Building and Environment</i> , 2006 , 41, 796-806	6.5	14
72	Value of prolonged QRS duration as a predictor of low cardiac output syndrome in patients with impaired left ventricular systolic function who undergo isolated coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2006 , 98, 1357-62	3	13
71	Effects of metoprolol therapy on cardiac troponin-I levels after elective percutaneous coronary interventions. <i>European Heart Journal</i> , 2006 , 27, 547-52	9.5	7
70	Do young women with polycystic ovary syndrome show early evidence of preclinical coronary artery disease?. <i>Human Reproduction</i> , 2006 , 21, 930-5	5.7	22
69	Digital panoramic radiography: a reliable method to diagnose carotid artery atheromas?. <i>Dentomaxillofacial Radiology</i> , 2006 , 35, 266-70	3.9	35
68	Fasting hypertriglyceridaemia increases carotid intima-media thickness and impairs coronary microvascular functions in non-obese middle aged women but not in men. <i>Heart</i> , 2006 , 92, 259-60	5.1	7
67	Cardiac enzymes, renal failure and renal transplantation. <i>Clinical Medicine and Research</i> , 2006 , 4, 79-84	1.4	14
66	Coronary flow reserve is preserved in white-coat hypertension. <i>Heart</i> , 2006 , 92, 1109-12	5.1	5
65	Different effects of atenolol and nebivolol on coronary flow reserve. <i>Heart</i> , 2006 , 92, 1690-1	5.1	18
64	Comparison of the non-invasive methods estimating dry weight in hemodialysis patients. <i>Renal Failure</i> , 2006 , 28, 217-22	2.9	9
63	Low serum bilirubin levels are independently and inversely related to impaired flow-mediated vasodilation and increased carotid intima-media thickness in both men and women. <i>Atherosclerosis</i> , 2006 , 184, 431-7	3.1	132
62	Impaired coronary microvascular functions in patients with Behçet disease. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 586-7	15.1	12

61	Simvastatin improves the attenuated heart rate recovery of type 2 diabetics. <i>Pharmacological Research</i> , 2006 , 54, 442-6	10.2	9
60	Frequency of atrial fibrillation and factors related to its development in dialysis patients. <i>International Journal of Cardiology</i> , 2006 , 106, 47-51	3.2	67
59	Effects of immunosuppressive drugs on serum lipid levels in renal transplant recipients. <i>Transplantation Proceedings</i> , 2006 , 38, 502-5	1.1	10
58	Evaluation of the potential role of echocardiography in the detection of allograft rejection in heart transplant recipients. <i>Transplantation Proceedings</i> , 2006 , 38, 636-8	1.1	12
57	Our experience in cardiac transplantation in Baskent University. <i>Transplantation Proceedings</i> , 2006 , 38, 633-5	1.1	2
56	Coronary flow reserve and coronary microvascular functions are strongly related to serum uric acid concentrations in healthy adults. <i>Coronary Artery Disease</i> , 2006 , 17, 7-14	1.4	17
55	Aortic elastic properties and left ventricular diastolic function in white-coat hypertensive individuals. <i>Blood Pressure Monitoring</i> , 2006 , 11, 191-8	1.3	14
54	Slow coronary flow is associated with carotid artery dilatation. <i>Tohoku Journal of Experimental Medicine</i> , 2006 , 209, 41-8	2.4	9
53	Do women with polycystic ovary syndrome really have predisposition to atherosclerosis?. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2006 , 46, 164-7	1.7	2
52	Interrelationship between noninvasive predictors of atherosclerosis: transthoracic coronary flow reserve, flow-mediated dilation, carotid intima-media thickness, aortic stiffness, aortic distensibility, elastic modulus, and brachial artery diameter. <i>Echocardiography</i> , 2006 , 23, 835-42	1.5	49
51	Metformin therapy improves coronary microvascular function in patients with polycystic ovary syndrome and insulin resistance. <i>Clinical Endocrinology</i> , 2006 , 65, 75-80	3.4	25
50	Effect of dobutamine stress on basal septal tissue dynamics in hypertensive patients with basal septal hypertrophy. <i>Journal of Human Hypertension</i> , 2006 , 20, 628-30	2.6	26
49	The influence of circadian blood pressure changes on aortic distensibility and left ventricular diastolic function in hypertensive individuals. <i>International Journal of Cardiovascular Imaging</i> , 2006 , 22, 157-65	2.5	18
48	Cor triatriatum dexter in two adult patients. <i>International Journal of Cardiovascular Imaging</i> , 2006 , 22, 383-7	2.5	10
47	Beta blocker effects on plasma homocysteine levels in patients with hypertension. <i>Atherosclerosis</i> , 2005 , 181, 399-402	3.1	13
46	Coronary flow reserve in dipper and non-dipper hypertensive patients. <i>Blood Pressure</i> , 2005 , 14, 345-52	1.7	12
45	Effects of a single, 24-hour, low-dose intravenous dobutamine infusion on left ventricular myocardial performance index in congestive heart failure: A prospective, nonrandomized study. <i>Current Therapeutic Research</i> , 2005 , 66, 35-44	2.4	
44	High serum bilirubin concentrations preserve coronary flow reserve and coronary microvascular functions. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2005 , 25, 2289-94	9.4	60

43	The influence of post-exercise cardiac changes on thallium-gated myocardial perfusion scintigraphy findings in normal subjects. <i>Nuclear Medicine Communications</i> , 2005 , 26, 109-14	1.6	8
42	The effects of prior beta-blocker therapy on serum C-reactive protein levels after percutaneous coronary intervention. <i>Clinical Cardiology</i> , 2005 , 28, 243-6	3.3	11
41	Effectiveness of triple-site triggered atrial pacing for prevention of atrial fibrillation after coronary artery bypass graft surgery. <i>Clinical Cardiology</i> , 2005 , 28, 479-82	3.3	7
40	Relationship of serum uric acid to measures of endothelial function and atherosclerosis in healthy adults. <i>International Journal of Clinical Practice</i> , 2005 , 59, 1276-82	2.9	108
39	Typical ECG changes unmasked by ajmaline in a patient with Brugada syndrome and left bundle branch block. <i>Annals of Noninvasive Electrocardiology</i> , 2005 , 10, 378-81	1.5	2
38	Comparison of carotid intima-media thickness in patients with stable angina pectoris versus patients with acute coronary syndrome. <i>American Journal of Cardiology</i> , 2005 , 96, 643-4	3	13
37	An unusual location and causation of coronary artery aneurysm and its surgical treatment—A case report. <i>International Journal of Angiology</i> , 2005 , 14, 253-255	1.1	
36	Doppler tissue imaging of the heart in secondary amyloidosis. <i>Advances in Therapy</i> , 2005 , 22, 433-42	4.1	1
35	Helicobacter pylori seroprevalence in patients with coronary artery disease. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 2071-4	4	12
34	Giant left atrial appendage aneurysm: the third ventricle!. <i>International Journal of Cardiovascular Imaging</i> , 2005 , 21, 225-30	2.5	15
33	Decreased heart rate recovery in patients with heart failure: effect of fluvastatin therapy. <i>International Heart Journal</i> , 2005 , 46, 845-54	1.8	11
32	Statin Therapy Helps to Control Blood Pressure Levels in Hypertensive Dyslipidemic Patients. <i>Renal Failure</i> , 2005 , 27, 297-303	2.9	9
31	Impaired coronary flow reserve in hemodialysis patients: a transthoracic Doppler echocardiographic study. <i>Nephron Clinical Practice</i> , 2005 , 101, c200-6		52
30	Images in cardiovascular medicine. Coronary arteriovenous fistula causing significant left-to-right shunt. <i>Circulation</i> , 2004 , 109, 1904	16.7	
29	The effect of dobutamine stress on left ventricular outflow tract gradients in hypertensive patients with basal septal hypertrophy. <i>Angiology</i> , 2004 , 55, 295-301	2.1	25
28	Implantation of submammary implantable cardioverter defibrillators. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2004 , 27, 779-82	1.6	14
27	An unusual case of right ventricular outflow tract tachycardia. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2004 , 10, 261-4	2.4	
26	Serum levels of cardiac enzymes before and after renal transplantation. <i>Clinical Cardiology</i> , 2004 , 27, 559-62	3.3	10

25	Effects of hemodialysis on myocardial performance index. <i>Advances in Therapy</i> , 2004 , 21, 96-106	4.1	8
24	Cor triatriatum dexter, atrial septal defect, and Ebstein@ anomaly in an adult given a diagnosis by transthoracic and transesophageal echocardiography: a case report. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 780-2	5.8	22
23	Characteristics of coronary heart disease in renal transplant recipients. <i>Transplantation Proceedings</i> , 2004 , 36, 152-5	1.1	4
22	Comparison of the effects of tibolone and estrogen replacement therapy on echocardiographic basic cardiac functions in post-menopausal women: a randomized placebo controlled study. <i>Maturitas</i> , 2004 , 48, 354-9	5	8
21	Comparison of intermittent with continuous simvastatin treatment in hypercholesterolemic patients with end stage renal failure. <i>International Heart Journal</i> , 2004 , 45, 959-68		6
20	Silent coronary artery disease in patients with type 2 diabetes mellitus. <i>Acta Diabetologica</i> , 2003 , 40, 176-80	3.9	23
19	Effects of a beta-blocker and spironolactone on plasma homocysteine levels. <i>International Journal of Cardiology</i> , 2003 , 88, 119-20	3.2	4
18	Effects of a beta blocker and spironolactone on plasma homocysteine levels. <i>International Journal of Cardiology</i> , 2003 , 91, 259-60	3.2	6
17	Do variable age-related secondary factors affect ventricular geometry in hypertrophic cardiomyopathy?. <i>Advances in Therapy</i> , 2002 , 19, 253-7	4.1	1
16	Pulmonary venous flows reflect changes in left atrial hemodynamics during mitral balloon valvotomy. <i>Angiology</i> , 2002 , 53, 323-7	2.1	2
15	Is Doppler tissue velocity during early left ventricular filling preload independent?. <i>British Heart Journal</i> , 2002 , 87, 336-9		57
14	Carbon coating of stents has no effect on inflammatory response to primary stent deployment. <i>Angiology</i> , 2002 , 53, 563-8	2.1	9
13	. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2002 , 9, 207-214		4
12	Myocardial revascularization in renal transplant patients. <i>Transplantation Proceedings</i> , 2002 , 34, 2124-5	1.1	
11	Effects of spironolactone on heart rate variability and left ventricular systolic function in severe ischemic heart failure. <i>American Journal of Cardiology</i> , 2000 , 86, 649-53	3	40
10	Treatment of hypertension with perindopril reduces plasma atrial natriuretic peptide levels, left ventricular mass, and improves echocardiographic parameters of diastolic function. <i>Clinical Cardiology</i> , 2000 , 23, 437-41	3.3	18
9	Are myocardial functional abnormalities biventricular in nonalcoholic cirrhotics with or without ascites?. <i>American Journal of Gastroenterology</i> , 2000 , 95, 846-8	0.7	2
8	Loss of nocturnal decline of blood pressure in patients with nasal polyposis. <i>Blood Pressure</i> , 1999 , 8, 165-71		8

7	Effect of trimetazidine on late potentials after acute myocardial infarction. <i>Cardiovascular Drugs and Therapy</i> , 1999 , 13, 145-9	3.9	6
6	Ambulatory blood pressure monitoring in potential renal transplant donors. <i>Transplantation Proceedings</i> , 1999 , 31, 3369-70	1.1	2
5	Diastolic dysfunction increases the frequency of ventricular arrhythmia in hemodialysis patients. <i>Nephron</i> , 1999 , 82, 185-7	3.3	7
4	Acetate hemodialysis does not increase the frequency of arrhythmia in hemodialysis patients. <i>Artificial Organs</i> , 1998 , 22, 781-4	2.6	7
3	The effects of hormone replacement therapy on echocardiographic basic cardiac functions in postmenopausal women. <i>Human Reproduction</i> , 1998 , 13, 2399-401	5.7	19
2	QT interval lengthening during haemodialysis: is there a potential risk for torsade de pointes?. <i>Nephrology Dialysis Transplantation</i> , 1997 , 12, 365	4.3	3
1	Quality of life in patients with rate responsive pacemakers: a randomized, cross-over study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1991 , 14, 800-6	1.6	41