

Alfred Penfornis

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7006176/alfred-penfornis-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

131
papers

3,737
citations

34
h-index

58
g-index

181
ext. papers

4,315
ext. citations

4.2
avg. IF

4.59
L-index

#	Paper	IF	Citations
131	Cost-Effectiveness Evaluation of a Remote Monitoring Programme Including Lifestyle Education Software in Type 2 Diabetes: Results of the Educ@dom Study.. <i>Diabetes Therapy</i> , 2022 , 13, 693	3.6	0
130	Post-healing follow-up study of patients in remission for diabetic foot ulcers Pied-REM study.. <i>PLoS ONE</i> , 2022 , 17, e0268242	3.7	
129	Place de la t ^l surveillance : donn ^e s personnelles, donn ^e s de l'exp ^e rience ETAPES et perspectives. <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 578-584	0.1	
128	Short course corticosteroid treatment and closed-loop insulin delivery system: the experience of the DBLG1 pre-launch. <i>Diabetes and Metabolism</i> , 2021 , 48, 101294	5.4	0
127	T ^l surveillance et diab ^e . Prise de position de la Soci ^e t ^e francophone du diab ^e (SFD). En collaboration avec la Soci ^e t ^e fran ^e aise d'endocrinologie et diab ^e tiologie p ^e diatrique (SFEDP), le Conseil national professionnel d'endocrinologie, diab ^e tiologie et nutrition (CNPEDN), la F ^e d ^e ration fran ^e aise des diab ^e tiques (FFD) et l'Association aux jeunes diab ^e tiques (AJD). <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 437-443	0.1	0
126	Diab ^e te induit par l'elapelisib : ^ propos d'un cas. <i>Medecine Des Maladies Metaboliques</i> , 2021 , 15, 398-401	0.1	1
125	Impact of a Remote Monitoring Programme Including Lifestyle Education Software in Type 2 Diabetes: Results of the Educ@dom Randomised Multicentre Study. <i>Diabetes Therapy</i> , 2021 , 12, 2059-2075	3.6	1
124	Practical implementation of automated closed-loop insulin delivery: A French position statement. <i>Diabetes and Metabolism</i> , 2021 , 47, 101206	5.4	4
123	Diabeloop DBLG1 Closed-Loop System Enables Patients With Type 1 Diabetes to Significantly Improve Their Glycemic Control in Real-Life Situations Without Serious Adverse Events: 6-Month Follow-up. <i>Diabetes Care</i> , 2021 , 44, 844-846	14.6	15
122	Ten-year outcomes of islet transplantation in patients with type 1 diabetes: Data from the Swiss-French GRAGIL network. <i>American Journal of Transplantation</i> , 2021 , 21, 3725-3733	8.7	0
121	Comment on Gaudill ^e et al. Effects of remote care of patients with poorly controlled type 1 diabetes included in an experimental telemonitoring programme [Diabetes Metab 2021 Apr 13; 101251]. <i>Diabetes and Metabolism</i> , 2021 , 47, 101264	5.4	1
120	COVID-19 pandemic lockdown in young people with type 1 diabetes: Positive results of an unprecedented challenge for patients through telemedicine and change in use of continuous glucose monitoring. <i>Primary Care Diabetes</i> , 2021 , 15, 884-886	2.4	1
119	OPADIA Study: Is a Patient Questionnaire Useful for Enhancing Physician-Patient Shared Decision Making on Physical Activity Micro-objectives in Diabetes?. <i>Advances in Therapy</i> , 2020 , 37, 2317-2336	4.1	0
118	DIABEO System Combining a Mobile App Software With and Without Telemonitoring Versus Standard Care: A Randomized Controlled Trial in Diabetes Patients Poorly Controlled with a Basal-Bolus Insulin Regimen. <i>Diabetes Technology and Therapeutics</i> , 2020 , 22, 904-911	8.1	11
117	T ^l pied Study: A Single-Centre Trial in Diabetic Subjects Comparing Total Duration of Hospitalization Over a 1-Year Period Required for Complete Healing of a Foot Ulcer Using Telemedicine Management and a Referral Nurse Versus the Standard Care Pathway. <i>Diabetes Therapy</i> , 2020 , 11, 1119-1127	3.6	
116	Rapid glycemic regulation in poorly controlled patients living with diabetes, a new associated factor in the pathophysiology of Charcot's acute neuroarthropathy. <i>PLoS ONE</i> , 2020 , 15, e0233168	3.7	2
115	Etude qualitative sur l'utilisation d'un outil d'aide ^ la prise de d ^e cision partag ^e pour le choix du traitement m ^e dicamenteux du diab ^e te de type 2 : quels enseignements?. <i>Medecine Des Maladies Metaboliques</i> , 2020 , 14, 176-181	0.1	0

114	Real-world outcomes of treatment with insulin glargine 300 U/mL versus standard-of-care in people with uncontrolled type 2 diabetes mellitus. <i>Current Medical Research and Opinion</i> , 2020 , 36, 571-581	2.5	6
113	Alarmes de seuil de glucose des dispositifs de surveillance du glucose interstitiel : consensus sur leurs avantages et inconvénients à travers un panel Delphi. <i>Medecine Des Maladies Metaboliques</i> , 2020 , 14, 608-616	0.1	
112	Mise en place de l'insulinothérapie rapie automatisée en boucle fermée : position d'experts français. <i>Medecine Des Maladies Metaboliques</i> , 2020 , 14, S1-S40	0.1	0
111	Efficacy of the Diabeloop closed-loop system to improve glycaemic control in patients with type 1 diabetes exposed to gastronomic dinners or to sustained physical exercise. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 324-334	6.7	21
110	Rapid glycaemic regulation in poorly controlled patients living with diabetes, a new associated factor in the pathophysiology of Charcot's acute neuroarthropathy 2020 , 15, e0233168		
109	Rapid glycaemic regulation in poorly controlled patients living with diabetes, a new associated factor in the pathophysiology of Charcot's acute neuroarthropathy 2020 , 15, e0233168		
108	Rapid glycaemic regulation in poorly controlled patients living with diabetes, a new associated factor in the pathophysiology of Charcot's acute neuroarthropathy 2020 , 15, e0233168		
107	Rapid glycaemic regulation in poorly controlled patients living with diabetes, a new associated factor in the pathophysiology of Charcot's acute neuroarthropathy 2020 , 15, e0233168		
106	Multifocal (tarsus and knee) activation of neuroarthropathy following rapid glycaemic correction. <i>Journal of Diabetes and Its Complications</i> , 2019 , 33, 107438	3.2	3
105	First case of insulin neuritis after islet transplantation. <i>Acta Diabetologica</i> , 2019 , 56, 713-715	3.9	1
104	Efficacy of two telemonitoring systems to improve glycaemic control during basal insulin initiation in patients with type 2 diabetes: The TeleDiab-2 randomized controlled trial. <i>Diabetes, Obesity and Metabolism</i> , 2019 , 21, 2327-2332	6.7	11
103	Closed-loop insulin delivery in adults with type 1 diabetes in real-life conditions: a 12-week multicentre, open-label randomised controlled crossover trial. <i>The Lancet Digital Health</i> , 2019 , 1, e17-e25	14.4	79
102	Remote Monitoring of Diabetes: A Cloud-Connected Digital System for Individuals With Diabetes and Their Health Care Providers. <i>Journal of Diabetes Science and Technology</i> , 2019 , 13, 1161-1168	4.1	13
101	Prise de position de la Société Francophone du Diabète (SFD) : évaluation du rapport bénéfices-risques des inhibiteurs de SGLT2. <i>Medecine Des Maladies Metaboliques</i> , 2019 , 13, 195-209	0.1	4
100	Prise de position de la Société Francophone du Diabète (SFD) sur la prise en charge médicamenteuse de l'hyperglycémie du patient diabétique de type 2 2019 . <i>Medecine Des Maladies Metaboliques</i> , 2019 , 13, 711-732	0.1	12
99	Adherence to antihyperglycaemic medications and glucagon-like peptide 1-receptor agonists in type 2 diabetes: clinical consequences and strategies for improvement. <i>Patient Preference and Adherence</i> , 2018 , 12, 707-719	2.4	37
98	DIABEO App Software and Telemedicine Versus Usual Follow-Up in the Treatment of Diabetic Patients: Protocol for the TELESAGE Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2018 , 7, e66	2	11
97	Quel scénario pour le déploiement de l'insulinothérapie rapie automatisée en boucle fermée ?. <i>Medecine Des Maladies Metaboliques</i> , 2018 , 12, 663-669	0.1	

96	Practical implementation, education and interpretation guidelines for continuous glucose monitoring: A French position statement. <i>Diabetes and Metabolism</i> , 2018 , 44, 61-72	5.4	38
95	Efficacy and Safety of Dapagliflozin in Patients With Inadequately Controlled Type 1 Diabetes: The DEPICT-1 52-Week Study. <i>Diabetes Care</i> , 2018 , 41, 2552-2559	14.6	109
94	Islet transplantation versus insulin therapy in patients with type 1 diabetes with severe hypoglycaemia or poorly controlled glycaemia after kidney transplantation (TRIMECO): a multicentre, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2018 , 6, 527-537	18.1	83
93	Effectiveness and Persistence of Liraglutide Treatment Among Patients with Type 2 Diabetes Treated in Primary Care and Specialist Settings: A Subgroup Analysis From the EVIDENCE Study, a Prospective, 2-Year Follow-up, Observational, Post-Marketing Study. <i>Advances in Therapy</i> , 2017 , 34, 674-685	4.1	8
92	The Use of Saxagliptin in People with Type 2 Diabetes in France: The Diapazon Epidemiological Study. <i>Diabetes Therapy</i> , 2017 , 8, 1147-1162	3.6	2
91	An Effective Intervention for Diabetic Lipohypertrophy: Results of a Randomized, Controlled, Prospective Multicenter Study in France. <i>Diabetes Technology and Therapeutics</i> , 2017 , 19, 623-632	8.1	26
90	Gastrointestinal Peptides During Chronic Gastric Electrical Stimulation in Patients With Intractable Vomiting. <i>Neuromodulation</i> , 2017 , 20, 774-782	3.1	7
89	Efficacy and safety of dapagliflozin in patients with inadequately controlled type 1 diabetes (DEPICT-1): 24 week results from a multicentre, double-blind, phase 3, randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2017 , 5, 864-876	18.1	174
88	Efficacité et taux de maintenance du liraglutide chez les patients diabétiques de type 2 en pratique clinique courante en France Étude EVIDENCE : Une étude observationnelle, prospective, post-commercialisation, avec un suivi de 2 ans. <i>Medicine Des Maladies Metaboliques</i> , 2016 , 10, 341-347	0.1	1
87	Improvement of Insulin Injection Technique: Examination of Current Issues and Recommendations. <i>The Diabetes Educator</i> , 2016 , 42, 379-94	2.5	39
86	Breaking Barriers to Effective Type 2 Diabetes Management: Findings from the use of the OPTIMA [®] Questionnaire in Clinical Practice. <i>Advances in Therapy</i> , 2016 , 33, 1033-48	4.1	3
85	Modalités de la mise sous insuline du patient diabétique de type 2 en médecine générale, en France (étude EDITH). <i>Medicine Des Maladies Metaboliques</i> , 2016 , 10, 659-665	0.1	
84	Five-Year Metabolic, Functional, and Safety Results of Patients With Type 1 Diabetes Transplanted With Allogenic Islets Within the Swiss-French GRAGIL Network. <i>Diabetes Care</i> , 2015 , 38, 1714-22	14.6	82
83	Indication, organization, practical implementation and interpretation guidelines for retrospective CGM recording: A French position statement. <i>Diabetes and Metabolism</i> , 2015 , 41, 498-508	5.4	19
82	Predicting factors of hypoglycaemia in elderly type 2 diabetes patients: Contributions of the GERODIAB study. <i>Diabetes and Metabolism</i> , 2015 , 41, 301-303	5.4	8
81	Insulin-based strategies to prevent hypoglycaemia during and after exercise in adult patients with type 1 diabetes on pump therapy: the DIABRASPORT randomized study. <i>Diabetes, Obesity and Metabolism</i> , 2015 , 17, 1150-7	6.7	54
80	Programme L&Vous : premiers enseignements de l'Observatoire National de l'Utilisation, en vie réelle, de l'insuline Basale par les patients diabétiques de Type 2. <i>Medicine Des Maladies Metaboliques</i> , 2015 , 9, 579-588	0.1	3
79	Potential glycemic overtreatment in patients ≥5 years with type 2 diabetes mellitus and renal disease: experience from the observational OREDIA study. <i>Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy</i> , 2015 , 8, 303-13	3.4	5

78	Effectiveness and Persistence with Liraglutide Among Patients with Type 2 Diabetes in Routine Clinical Practice--EVIDENCE: A Prospective, 2-Year Follow-Up, Observational, Post-Marketing Study. <i>Advances in Therapy</i> , 2015 , 32, 838-53	4.1	29
77	Neuropathie induite par la thérapie chez les patients diabétiques : ne pas traiter trop vite !. <i>Medecine Des Maladies Metaboliques</i> , 2015 , 9, 677-679	0.1	
76	Telemedicine and type 1 diabetes: is technology per se sufficient to improve glycaemic control?. <i>Diabetes and Metabolism</i> , 2014 , 40, 61-66	5.4	39
75	Preliminary evaluation of a new semi-closed-loop insulin therapy system over the prandial period in adult patients with type 1 diabetes: the WP6.0 Diabeloop study. <i>Journal of Diabetes Science and Technology</i> , 2014 , 8, 1177-84	4.1	17
74	Programme « L&Vous » : élaboration d'une charte de bonne utilisation de l'insuline basale chez le patient diabétique de type 2. <i>Medecine Des Maladies Metaboliques</i> , 2014 , 8, 408-414	0.1	4
73	Comparative Assessment of Lixisenatide, Exenatide, and Liraglutide Pen Devices: A Pilot User-Based Study. <i>Journal of Diabetes Science and Technology</i> , 2014 , 8, 123-131	4.1	12
72	Les besoins des jeunes adultes ayant un diabète de type 1 d'un point de vue qualitatif : à propos d'une recherche qualitative. <i>Medecine Des Maladies Metaboliques</i> , 2014 , 8, 430-436	0.1	
71	Autoimmune disorders and quadrivalent human papillomavirus vaccination of young female subjects. <i>Journal of Internal Medicine</i> , 2014 , 275, 398-408	10.8	101
70	Impact of anti-insulin antibodies on islet transplantation outcome: data from the GRAGIL Network. <i>Transplantation</i> , 2014 , 98, 475-82	1.8	0
69	How are patients with type 2 diabetes and renal disease monitored and managed? Insights from the observational OREDIA study. <i>Vascular Health and Risk Management</i> , 2014 , 10, 341-52	4.4	21
68	Accuracy of a new patch pump based on a microelectromechanical system (MEMS) compared to other commercially available insulin pumps: results of the first in vitro and in vivo studies. <i>Journal of Diabetes Science and Technology</i> , 2014 , 8, 1133-41	4.1	31
67	Agonistes du récepteur du GLP-1 en une injection hebdomadaire : quelles perspectives pour le patient diabétique de type 2 ? <i>Medecine Des Maladies Metaboliques</i> , 2014 , 8, 612-622	0.1	
66	Effect of Type 2 Diabetes Disease Stage on Liraglutide Response in Clinical Practice: Data from the EVIDENCE ² Study. <i>Canadian Journal of Diabetes</i> , 2013 , 37, S40-S41	2.1	48
65	Higher risk of death among MEN1 patients with mutations in the JunD interacting domain: a Groupe d'étude des Tumeurs Endocrines (GTE) cohort study. <i>Human Molecular Genetics</i> , 2013 , 22, 1940-8	5.6	68
64	Chronic hyperinsulinemia does not increase the production rate of high-density lipoprotein apolipoprotein AI: evidence from a kinetic study in patients with insulinoma. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2013 , 33, 2460-5	9.4	4
63	Effectiveness and tolerability of second-line therapy with vildagliptin vs. other oral agents in type 2 diabetes: a real-life worldwide observational study (EDGE). <i>International Journal of Clinical Practice</i> , 2013 , 67, 947-56	2.9	47
62	Pituitary function and glucose tolerance in a family with a PAX6 mutation. <i>Annales D'Endocrinologie</i> , 2012 , 73, 510-4	1.7	8
61	LDL-cholesterol target values and actual values in patients with type 2 diabetes (T2D) uncontrolled on oral antidiabetic monotherapy: the lipid results of the French ESCALADE survey. <i>Annales D'Endocrinologie</i> , 2012 , 73, 503-9	1.7	

60	Insulinothérapie fonctionnelle : un modèle d'approche éducative pour les patients ayant un diabète de type 1. <i>Medecine Des Maladies Metaboliques</i> , 2012 , 6, 469-476	0.1	4
59	Insulin therapy for diabetes mellitus: treatment regimens and associated costs. <i>Diabetes and Metabolism</i> , 2012 , 38, 156-63	5.4	20
58	Quality of care of patients with type 1 diabetes: population-based results in a French region. <i>Diabetes and Metabolism</i> , 2012 , 38, 436-43	5.4	2
57	Real-life comparison of DPP4-inhibitors with conventional oral antidiabetics as add-on therapy to metformin in elderly patients with type 2 diabetes: the HYPOCRAS study. <i>Diabetes and Metabolism</i> , 2012 , 38, 550-7	5.4	18
56	Intravenous infusion of donor apoptotic leukocytes before transplantation delays allogeneic islet graft rejection through regulatory T cells. <i>Diabetes and Metabolism</i> , 2012 , 38, 531-7	5.4	11
55	Comparison of stepwise addition of prandial insulin to a basal-bolus regimen when basal insulin is insufficient for glycaemic control in type 2 diabetes: results of the OSIRIS study. <i>Diabetes and Metabolism</i> , 2012 , 38, 507-14	5.4	23
54	Magnetic resonance imaging versus endoscopic ultrasonography for the detection of pancreatic tumours in multiple endocrine neoplasia type 1. <i>Digestive and Liver Disease</i> , 2012 , 44, 228-34	3.3	45
53	Quelle place pour le traitement par pompe à insuline externe dans le diabète de type 2 ? <i>Medecine Des Maladies Metaboliques</i> , 2012 , 6, 429-433	0.1	
52	Assessment of patient-led or physician-driven continuous glucose monitoring in patients with poorly controlled type 1 diabetes using basal-bolus insulin regimens: a 1-year multicenter study. <i>Diabetes Care</i> , 2012 , 35, 965-71	14.6	69
51	Cyclin-dependent kinase inhibitor 1B (CDKN1B) gene variants in AIP mutation-negative familial isolated pituitary adenoma kindreds. <i>Endocrine-Related Cancer</i> , 2012 , 19, 233-41	5.7	61
50	Medication adherence in type 2 diabetes: the ENTRED study 2007, a French Population-Based Study. <i>PLoS ONE</i> , 2012 , 7, e32412	3.7	140
49	Current insulin therapy in patients with type 2 diabetes: results of the ADHOC survey in France. <i>Diabetes and Metabolism</i> , 2011 , 37, 440-5	5.4	21
48	GLP-1 receptor agonists today. <i>Diabetes Research and Clinical Practice</i> , 2011 , 93, 317-27	7.4	17
47	The potential role of glucagon-like peptide-1 or its analogues in enhancing glycaemic control in critically ill adult patients. <i>Diabetes, Obesity and Metabolism</i> , 2011 , 13, 118-29	6.7	9
46	Assessment of adrenal function in cirrhotic patients using concentration of serum-free and salivary cortisol. <i>Liver International</i> , 2011 , 31, 425-33	7.9	44
45	Performance of a new reusable insulin pen. <i>Diabetes Technology and Therapeutics</i> , 2011 , 13, 373-9	8.1	12
44	Endogenous chronic hyperinsulinemia does not increase the production rate of VLDL apolipoprotein B: proof from a kinetic study in patients with insulinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 2163-70	5.6	11
43	The Diabeo software enabling individualized insulin dose adjustments combined with telemedicine support improves HbA1c in poorly controlled type 1 diabetic patients: a 6-month, randomized, open-label, parallel-group, multicenter trial (TeleDiab 1 Study). <i>Diabetes Care</i> , 2011 , 34, 533-9	14.6	209

42	Impact of the number of infusions on 2-year results of islet-after-kidney transplantation in the GRAGIL network. <i>Transplantation</i> , 2011 , 92, 1031-8	1.8	23
41	Efficacy and safety of an insulin infusion protocol during and after cardiac surgery. <i>Diabetes and Metabolism</i> , 2010 , 36, 71-8	5.4	17
40	Feasibility of screening for silent myocardial ischaemia according to the ALFEDIAM-SFC 2004 Guidelines in a population of diabetic patients. <i>Diabetes and Metabolism</i> , 2010 , 36, 286-92	5.4	3
39	Assessing adrenal function in cirrhotic patients: is there a reliable test?. <i>Gastroenterologie Clinique Et Biologique</i> , 2009 , 33, 584-8		8
38	Quality of life after islet transplantation: data from the GRAGIL 1 and 2 trials. <i>Diabetic Medicine</i> , 2009 , 26, 617-21	3.5	52
37	Glycaemic dysregulation in nondiabetic patients after major lower limb prosthetic surgery. <i>Diabetes and Metabolism</i> , 2009 , 35, 43-8	5.4	14
36	Unit transversale pour l'éducation des patients (UTEP) au CHU de Besançon: A transversal therapeutic education unit (UTEP), University Hospital, Besançon, France. <i>Medecine Des Maladies Metaboliques</i> , 2009 , 3, 412-415	0.1	1
35	Specific phenotype associated with diabetes mellitus secondary to chronic hepatitis C infection. <i>Diabetic Medicine</i> , 2008 , 25, 1237-40	3.5	7
34	Auto-évaluation des pratiques professionnelles (EPP) en diabétologie. <i>Medecine Des Maladies Metaboliques</i> , 2008 , 2, 313-320	0.1	
33	Dose accuracy comparison between SoloSTAR and FlexPen at three different dose levels. <i>Diabetes Technology and Therapeutics</i> , 2008 , 10, 359-62	8.1	16
32	Endocrine pancreatic tumors in von Hippel-Lindau disease: clinical, histological, and genetic features. <i>Pancreas</i> , 2008 , 37, 85-93	2.6	65
31	Aryl hydrocarbon receptor-interacting protein gene mutations in familial isolated pituitary adenomas: analysis in 73 families. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 1891-6	5.6	243
30	Impact of renal dysfunction and glucometabolic status on one month mortality after acute myocardial infarction. <i>Acute Cardiac Care</i> , 2007 , 9, 34-42		4
29	Expectations and strategies regarding islet transplantation: metabolic data from the GRAGIL 2 trial. <i>Transplantation</i> , 2007 , 84, 89-96	1.8	59
28	Three new PAX6 mutations including one causing an unusual ophthalmic phenotype associated with neurodevelopmental abnormalities. <i>Molecular Vision</i> , 2007 , 13, 511-23	2.3	46
27	IL-6 promoter polymorphism -174 is associated with new-onset diabetes after transplantation. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2333-40	12.7	51
26	Immunosuppressive drug-induced diabetes. <i>Diabetes and Metabolism</i> , 2006 , 32, 539-46	5.4	97
25	Predictive value of admission hyperglycaemia on mortality in patients with acute myocardial infarction. <i>Diabetic Medicine</i> , 2006 , 23, 1370-6	3.5	30

24	Logistics and transplant coordination activity in the GRAGIL Swiss-French multicenter network of islet transplantation. <i>Transplantation</i> , 2005 , 79, 1200-5	1.8	56
23	Cost analysis of human islet transplantation for the treatment of type 1 diabetes in the Swiss-French Consortium GRAGIL. <i>Diabetes Care</i> , 2004 , 27, 895-900	14.6	56
22	Influence of islet transportation on pancreatic islet allotransplantation in type 1 diabetic patients within the Swiss-French GRAGIL network. <i>Transplantation</i> , 2004 , 77, 1301-4	1.8	29
21	Impaired processing and presentation by MHC class II proteins in human diabetic cells. <i>Journal of Immunology</i> , 2003 , 170, 620-7	5.3	12
20	Polymorphisms of the TAP1 and TAP2 genes in human alveolar echinococcosis. <i>International Journal of Immunogenetics</i> , 2003 , 30, 133-9		29
19	Polymorphisms of human TAP2 detected by denaturing gradient gel electrophoresis. <i>Human Immunology</i> , 2003 , 64, 156-67	2.3	4
18	TAP1 and TAP2 gene polymorphism in rheumatoid arthritis in a population in eastern France. <i>International Journal of Immunogenetics</i> , 2002 , 29, 241-9		18
17	Reduction of blood glucose variability in type 1 diabetic patients treated by pancreatic islet transplantation: interest of continuous glucose monitoring. <i>Diabetes Care</i> , 2002 , 25, 2256-62	14.6	79
16	Use of a topoisomerase I inhibitor (irinotecan, CPT-11) in metastatic adrenocortical carcinoma. <i>Annals of Oncology</i> , 2002 , 13, 1806-9	10.3	22
15	Analysis of TAP2 polymorphisms in Finnish individuals with type I diabetes. <i>Human Immunology</i> , 2002 , 63, 61-70	2.3	11
14	Natural history, prognosis, and management of transplantation-induced diabetes mellitus. <i>Diabetes and Metabolism</i> , 2002 , 28, 166-75	5.4	31
13	Use of dobutamine stress echocardiography in detecting silent myocardial ischaemia in asymptomatic diabetic patients: a comparison with thallium scintigraphy and exercise testing. <i>Diabetic Medicine</i> , 2001 , 18, 900-5	3.5	36
12	Impact of monitoring plasma 1,1-dichlorodiphenildichloroethane (o,p'DDD) levels on the treatment of patients with adrenocortical carcinoma. <i>Cancer</i> , 2001 , 92, 1385-92	6.4	187
11	Human islet transplantation network for the treatment of Type I diabetes: first data from the Swiss-French GRAGIL consortium (1999-2000). Groupe de Recherche Rhin Rhône Alpes Genève pour la transplantation d'îlots de Langerhans. <i>Diabetologia</i> , 2001 , 44, 859-64	10.3	84
10	Evaluation of plasma insulin-like growth factor binding protein-2 as a marker for adrenocortical tumors. <i>European Journal of Endocrinology</i> , 2001 , 144, 29-36	6.5	34
9	Bayesian analysis of case control polygenic etiology studies with missing data. <i>Biostatistics</i> , 2001 , 2, 309-327		37
8	Initiating insulin treatment in insulin-requiring type 2 diabetic patients: comparative efficiency and cost of outpatient and inpatient management. INNOV Study Group. <i>Diabetes and Metabolism</i> , 1998 , 24, 137-42	5.4	5
7	Evaluation of TAP1 polymorphisms with insulin dependent diabetes mellitus in Finnish diabetic patients. The Childhood Diabetes in Finland (DiMe) Study Group. <i>Human Immunology</i> , 1997 , 53, 159-66	2.3	19

- 6 Human TAP1 polymorphisms detected by denaturing gradient gel electrophoresis. *Tissue Antigens*, **1997**, 49, 421-6 14
- 5 Screening of the TAP1 gene by denaturing gradient gel electrophoresis in insulin-dependent diabetes mellitus: detection and comparison of new polymorphisms between patients and controls. *Tissue Antigens*, **1997**, 50, 576-85 11
- 4 Grafted immunoisolated human benign insulinoma reduces the incidence of diabetes in young NOD mice without abolishing the auto-immunity. *International Journal of Artificial Organs*, **1997**, 20, 637-43 1.9
- 3 Langerhans islet preparation in cell transplantation. *Transfusion Science*, **1997**, 18, 235-41
- 2 The use of low glycaemic index foods improves metabolic control of diabetic patients over five weeks. *Diabetic Medicine*, **1992**, 9, 444-50 3.5 176
- 1 Bioartificial pancreas in autoimmune nonobese diabetic mice. *ASAIO Transactions*, **1988**, 34, 247-9 10