

Hui-liang Li

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7006444/publications.pdf>

Version: 2024-02-01

139
papers

3,181
citations

147726

31
h-index

214721

47
g-index

149
all docs

149
docs citations

149
times ranked

3487
citing authors

#	ARTICLE	IF	CITATIONS
1	Liquidambaric acid inhibits Wnt/ β -catenin signaling and colon cancer via targeting TNF receptor-associated factor 2. <i>Cell Reports</i> , 2022, 38, 110319.	2.9	20
2	Coumarin-monoterpenes from <i>Gerbera anandria</i> (Linn.) Sch.-Bip and their neuroprotective activity. <i>Biorganic Chemistry</i> , 2022, 124, 105826.	2.0	5
3	Vlasoulides A-D, four new C30 dimeric sesquiterpenes exhibiting potential inhibition of MCF-7 cells from <i>Vladimiria souliei</i> . <i>FÄ-toterapÄ-Äç</i> , 2022, 161, 105234.	1.1	3
4	Terahertz Spectroscopy for Accurate Identification of <i>Panax quinquefolium</i> Basing on Nonconjugated 24(R)-Pseudoginsenoside F ₁₁ . <i>Plant Phenomics</i> , 2021, 2021, 6793457.	2.5	11
5	3,4-Secocycloartane Triterpenoids from the Cones of <i>Pseudolarix amabilis</i> . <i>Natural Products and Bioprospecting</i> , 2021, 11, 119-126.	2.0	3
6	Discovery of naturally occurring inhibitors against SARS-CoV-2 3CLpro from <i>Ginkgo biloba</i> leaves via large-scale screening. <i>FÄ-toterapÄ-Äç</i> , 2021, 152, 104909.	1.1	48
7	Vlasoulides A and B, a pair of neuroprotective C ₃₂ dimeric sesquiterpenes with a hexacyclic 5/7/5/5/5/7 carbon skeleton from the roots of <i>Vladimiria souliei</i> . <i>RSC Advances</i> , 2021, 11, 6159-6162.	1.7	5
8	Lineariifolanioids M-O, three rare sesquiterpene lactone dimers inhibiting NO production from <i>Inula lineariifolia</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 141, 104454.	1.1	8
9	Triterpenoids from <i>Ainsliaea latifolia</i> and Their Cyclooxygenase-2 (COX-2) Inhibitory Activities. <i>Natural Products and Bioprospecting</i> , 2020, 10, 13-21.	2.0	1
10	A new bilobalide isomer and two cis-coumaroylated flavonol glycosides from <i>Ginkgo biloba</i> leaves. <i>FÄ-toterapÄ-Äç</i> , 2020, 142, 104516.	1.1	15
11	Triterpenoid saponins from the roots of <i>Psammosilene tunicoides</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 144, 104596.	1.1	9
12	Five new C17/C15 sesquiterpene lactone dimers from <i>Carpesium abrotanoides</i> . <i>FÄ-toterapÄ-Äç</i> , 2020, 145, 104630.	1.1	10
13	Nitidine chloride exerts anti-inflammatory action by targeting Topoisomerase I and enhancing IL-10 production. <i>Pharmacological Research</i> , 2019, 148, 104368.	3.1	25
14	Identification of <i>Carpesium cernuum</i> extract as a tumor migration inhibitor based on its biological response profiling in breast cancer cells. <i>Phytomedicine</i> , 2019, 64, 153072.	2.3	9
15	One new sesquiterpene and one new iridoid derivative from <i>Valeriana amurensis</i> . <i>Phytochemistry Letters</i> , 2019, 32, 6-9.	0.6	23
16	Hybrid multidimensional data acquisition and data processing strategy for comprehensive characterization of known, unknown and isomeric compounds from the compound Dan Zhi Tablet by UPLC-TWIMS-QTOFMS. <i>RSC Advances</i> , 2019, 9, 8714-8727.	1.7	19
17	Metabolite profiling of traditional Chinese medicine formula Dan Zhi Tablet: An integrated strategy based on UPLC-QTOF/MS combined with multivariate statistical analysis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019, 164, 70-85.	1.4	44
18	New chromane and chromene meroterpenoids from flowers of <i>Rhododendron rubiginosum</i> Franch. var. <i>rubiginosum</i> . <i>FÄ-toterapÄ-Äç</i> , 2018, 127, 396-401.	1.1	21

#	ARTICLE	IF	CITATIONS
19	Five rare C ₃₂ sesquiterpene lactone dimers with anti-inflammation activity from <i>Vladimiria souliei</i> . <i>FÅ-toterap</i> , 2018, 125, 117-122.	1.1	20
20	Veratramine modulates AP-1-dependent gene transcription by directly binding to programmable DNA. <i>Nucleic Acids Research</i> , 2018, 46, 546-557.	6.5	17
21	Vlasoulamine A, a Neuroprotective [3.2.2]Cyclazine Sesquiterpene Lactone Dimer from the Roots of <i>Vladimiria souliei</i> . <i>Organic Letters</i> , 2018, 20, 7567-7570.	2.4	27
22	Podocarpane trinorditerpenes from <i>Celastrus angulatus</i> and their biological activities. <i>FÅ-toterap</i> , 2018, 130, 156-162.	1.1	1
23	Five rare dimeric sesquiterpenes exhibiting potential neuroprotection activity from <i>Vladimiria souliei</i> . <i>FÅ-toterap</i> , 2018, 128, 192-197.	1.1	11
24	Biflavones from <i>Ginkgo biloba</i> as novel pancreatic lipase inhibitors: Inhibition potentials and mechanism. <i>International Journal of Biological Macromolecules</i> , 2018, 118, 2216-2223.	3.6	75
25	Vlasouliolides A-D, four rare C ₁₇ /C ₁₅ sesquiterpene lactone dimers with potential anti-inflammatory activity from <i>Vladimiria souliei</i> . <i>Scientific Reports</i> , 2017, 7, 43837.	1.6	16
26	Chemical Constituents of <i>Dysosma versipellis</i> . <i>Chemistry of Natural Compounds</i> , 2017, 53, 151-153.	0.2	2
27	Prenylated phenylpropanoids with unprecedented skeletons from <i>Illicium burmanicum</i> . <i>RSC Advances</i> , 2017, 7, 10849-10854.	1.7	6
28	Chlorajaponols A-F, sesquiterpenoids from <i>Chloranthus japonicus</i> and their in vitro anti-inflammatory and anti-tumor activities. <i>FÅ-toterap</i> , 2017, 119, 90-99.	1.1	28
29	Cytotoxic isovaleryl sucrose esters from <i>Ainsliaea yunnanensis</i> : reduction of mitochondrial membrane potential and increase of reactive oxygen species levels in A549 cells. <i>RSC Advances</i> , 2017, 7, 20865-20873.	1.7	11
30	Two new sesquiterpenoids and a new lindenane sesquiterpenoid dimer from <i>Chloranthus japonicus</i> . <i>Phytochemistry Letters</i> , 2017, 20, 133-138.	0.6	15
31	Bruceine D inhibits hepatocellular carcinoma growth by targeting β^2 -catenin/jagged1 pathways. <i>Cancer Letters</i> , 2017, 403, 195-205.	3.2	34
32	Total sesquiterpene lactones prepared from <i>Inula helenium</i> L. has potentials in prevention and therapy of rheumatoid arthritis. <i>Journal of Ethnopharmacology</i> , 2017, 196, 39-46.	2.0	35
33	A Natural CCR2 Antagonist Relieves Tumor-associated Macrophage-mediated Immunosuppression to Produce a Therapeutic Effect for Liver Cancer. <i>EBioMedicine</i> , 2017, 22, 58-67.	2.7	115
34	Identification of 11(13)-dehydroivaxillin as a potent therapeutic agent against non-Hodgkin's lymphoma. <i>Cell Death and Disease</i> , 2017, 8, e3050-e3050.	2.7	14
35	Three new sesquiterpene lactone dimers from <i>Carpesium faberi</i> . <i>Phytochemistry Letters</i> , 2016, 16, 277-282.	0.6	7
36	Chemical Constituents from <i>Campylotropis hirtella</i> . <i>Planta Medica</i> , 2016, 82, 734-741.	0.7	7

#	ARTICLE	IF	CITATIONS
37	Isolation, Structure Elucidation, and Absolute Configuration of Highly Oxygenated Germacranolides from <i>Carpesium cernuum</i> . <i>Journal of Natural Products</i> , 2016, 79, 2479-2486.	1.5	19
38	Two new cyclic bisbibenzyl derivatives from <i>Hebertus dicranus</i> . <i>Chinese Journal of Natural Medicines</i> , 2016, 14, 457-461.	0.7	1
39	Chemical constituents of <i>Narcissus tazetta</i> var. <i>chinensis</i> and their antioxidant activities. <i>F&A-toterap&A-Ã¢</i> , 2016, 113, 110-116.	1.1	14
40	A permeation cup method for screening packaging materials for fragrance preservation in Chinese medicine. <i>Analytical Methods</i> , 2016, 8, 7387-7395.	1.3	3
41	Lineariifolians Lâ€“L, four rare sesquiterpene lactone dimers inhibiting NO production from <i>Inula lineariifolia</i> . <i>RSC Advances</i> , 2016, 6, 103296-103298.	1.7	9
42	<i>Gleditsia</i> species: An ethnomedical, phytochemical and pharmacological review. <i>Journal of Ethnopharmacology</i> , 2016, 178, 155-171.	2.0	58
43	New norlignans and flavonoids of <i>Dysosma versipellis</i> . <i>Phytochemistry Letters</i> , 2016, 16, 75-81.	0.6	9
44	Inhibition of HL-60 cell growth via cell cycle arrest and apoptosis induction by a cycloartaneâ€“labdane heterodimer from <i>Pseudolarix amabilis</i> . <i>Organic and Biomolecular Chemistry</i> , 2016, 14, 2618-2624.	1.5	9
45	Three new sesquiterpene lactone dimers from <i>Carpesium macrocephalum</i> . <i>F&A-toterap&A-Ã¢</i> , 2016, 110, 72-76.	1.1	11
46	Mass spectrometric profiling of valepotriates possessing various acyloxy groups from <i>Valeriana jatamansi</i> . <i>Journal of Mass Spectrometry</i> , 2015, 50, 1294-1304.	0.7	7
47	Structure determination of two unusual C25 steroids with bicyclo[4.4.1]A/B rings from <i>Penicillium decumbens</i> by NMR spectroscopy. <i>Magnetic Resonance in Chemistry</i> , 2015, 53, 223-226.	1.1	9
48	The genus <i>Carpesium</i> : A review of its ethnopharmacology, phytochemistry and pharmacology. <i>Journal of Ethnopharmacology</i> , 2015, 163, 173-191.	2.0	66
49	Valeriadimers Aâ€“C, three sesquiterpenoid dimers from <i>valeriana officinalis</i> var. <i>latifolia</i> . <i>RSC Advances</i> , 2015, 5, 5913-5916.	1.7	6
50	Eight Pairs of Epimeric Triterpenoids Involving a Characteristic Spiro-E/F Ring from <i>Abies faxoniana</i> . <i>Journal of Natural Products</i> , 2015, 78, 50-60.	1.5	16
51	Chemical Constituents of <i>Celastrus angulatus</i> . <i>Chemistry of Natural Compounds</i> , 2015, 51, 148-151.	0.2	5
52	Cytotoxic 2,4-linked sesquiterpene lactone dimers from <i>Carpesium faberi</i> exhibiting NF-Î²B inhibitory activity. <i>RSC Advances</i> , 2015, 5, 55285-55289.	1.7	20
53	Three decomposition products of valepotriates from <i>Valeriana jatamansi</i> and their cytotoxic activity. <i>Journal of Asian Natural Products Research</i> , 2015, 17, 455-461.	0.7	17
54	Isolation, identification, and bioactivity of microbial metabolites of cyclopamine and its congeners. <i>Phytochemistry Letters</i> , 2015, 12, 203-208.	0.6	1

#	ARTICLE	IF	CITATIONS
55	Four new isomeric sesquiterpene lactone dimers from <i>Carpesium faberi</i> . <i>Tetrahedron Letters</i> , 2015, 56, 6381-6384.	0.7	21
56	Diterpenoid lanceolatin G from <i>Cephalotaxus lanceolata</i> and their anti-inflammatory and anti-tumor activities. <i>RSC Advances</i> , 2015, 5, 4126-4134.	1.7	26
57	Biotransformation of Oleaside A by <i>Cunninghamella echinulata</i> . <i>Helvetica Chimica Acta</i> , 2014, 97, 290-297.	1.0	1
58	Carpedilactones D, Four New Isomeric Sesquiterpene Lactone Dimers with Potent Cytotoxicity from <i>Carpesium faberi</i> . <i>Organic Letters</i> , 2014, 16, 4216-4219.	2.4	50
59	Merrilliadione a Rare Isopropyl (13 β) β -abeo-9,11 β -seco-Abietane Diterpene from <i>Illicium merrillianum</i> . <i>European Journal of Organic Chemistry</i> , 2014, 2014, 4753-4758.	1.2	8
60	Neomerane-type sesquiterpenoids from <i>Valeriana officinalis</i> var. <i>latifolia</i> . <i>Tetrahedron</i> , 2014, 70, 962-966.	1.0	15
61	A new macrocyclic lactone and a new quinoflavan from <i>Celastrus hindsii</i> . <i>Phytochemistry Letters</i> , 2014, 7, 169-172.	0.6	10
62	Water soluble chemical constituents of <i>Valeriana officinalis</i> Linn. var. <i>latifolia</i> Miq.. <i>Academic Journal of Second Military Medical University</i> , 2014, 35, 161.	0.0	7
63	Two novel innovanoside dimers from <i>Daphne aurantiaca</i> and a concise total synthesis of diinnovanoside A. <i>Chemical Communications</i> , 2013, 49, 6968.	2.2	12
64	Two New Sesquiterpenes from <i>Euonymus alatus</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 85-92.	1.0	10
65	A new sesquiterpene coupled with phenolic units and a new shikimic acid derivative from the Malaysia liverwort <i>Conoscyphus Trapezioides</i> . <i>Biochemical Systematics and Ecology</i> , 2013, 46, 69-72.	0.6	1
66	Pseudolarenone, an unusual nortriterpenoid lactone with a fused 5/11/5/6/5 ring system featuring an unprecedented bicyclo[8.2.1]tridecane core from <i>Pseudolarix amabilis</i> . <i>Chemical Communications</i> , 2013, 49, 1187.	2.2	13
67	Chemical constituents of <i>Euonymus alatus</i> . <i>Chemistry of Natural Compounds</i> , 2013, 49, 340-342.	0.2	9
68	Biotransformation of Jervine by <i>Cunninghamella echinulata</i> . <i>Helvetica Chimica Acta</i> , 2013, 96, 1072-1077.	1.0	3
69	Characterization of chlorinated valepotriates from <i>Valeriana jatamansi</i> . <i>Phytochemistry</i> , 2013, 85, 185-193.	1.4	53
70	Carboline Alkaloids from <i>Psammosilene tunicoides</i> and Their Cytotoxic Activities. <i>Planta Medica</i> , 2012, 78, 625-629.	0.7	14
71	Acylated Iridoids from the Roots of <i>Valeriana officinalis</i> var. <i>latifolia</i> . <i>Planta Medica</i> , 2012, 78, 1645-1650.	0.7	9
72	Pseudolaridimers A and B, Hetero-Cycloartane-Labdane Diels-Alder Adducts from the Cone of <i>Pseudolarix amabilis</i> . <i>Organic Letters</i> , 2012, 14, 5432-5435.	2.4	21

#	ARTICLE	IF	CITATIONS
73	Incarvilleatone, a New Cyclohexylethanoid Dimer from <i>Incarvillea younghusbandii</i> and Its Inhibition against Nitric Oxide (NO) Release. <i>Organic Letters</i> , 2012, 14, 1954-1957.	2.4	35
74	Incarviatone A, a structurally unique natural product hybrid with a new carbon skeleton from <i>Incarvillea delavayi</i> , and its absolute configuration via calculated electronic circular dichroic spectra. <i>RSC Advances</i> , 2012, 2, 4175.	1.7	17
75	Two New Cycloheptapeptides from <i>Psammosilene tunicoides</i> . <i>Helvetica Chimica Acta</i> , 2012, 95, 929-934.	1.0	3
76	Molecular characterization, recombinant expression in <i>Escherichia coli</i> and biological activity of (S)-Tetrahydroberberine oxidase from <i>Corydalis saxicola</i> Bunt. <i>Molecular Biology Reports</i> , 2012, 39, 3319-3326.	1.0	6
77	New Sesquiterpenoids from <i>Ainsliaea macrocephala</i> and Their Nitric Oxide Inhibitory Activity. <i>Planta Medica</i> , 2011, 77, 1545-1550.	0.7	23
78	Hepatoprotective effects and mechanisms of dehydrocavidine in rats with carbon tetrachloride-induced hepatic fibrosis. <i>Journal of Ethnopharmacology</i> , 2011, 138, 76-84.	2.0	22
79	A new furostanol saponin from <i>Asparagus cochinchinensis</i> . <i>Archives of Pharmacal Research</i> , 2011, 34, 1587-1591.	2.7	28
80	Investigations on Inhibitors of Hedgehog Signal Pathway: A Quantitative Structure-Activity Relationship Study. <i>International Journal of Molecular Sciences</i> , 2011, 12, 3018-3033.	1.8	5
81	Antitumor and antiplatelet activity of alkaloids from <i>Veratrum dahuricum</i> . <i>Phytotherapy Research</i> , 2010, 24, 821-826.	2.8	32
82	Chemical constituents from <i>Incarvillea delavayi</i> . <i>Chemistry of Natural Compounds</i> , 2010, 46, 305-307.	0.2	10
83	Three New Monoterpene Alkaloids and a New Caffeic Acid Ester from <i>Incarvillea mairei</i> var. <i>multifoliolata</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 718-723.	1.0	5
84	A Unique Indolo[1,7]naphthyridine Alkaloid from <i>Incarvillea mairei</i> var. <i>grandiflora</i> (<i>Wehrh.</i>) <i>Grierson</i> . <i>Helvetica Chimica Acta</i> , 2010, 93, 2393-2396.	1.0	24
85	Antifungal Cyclic Peptides from <i>Psammosilene tunicoides</i> . <i>Journal of Natural Products</i> , 2010, 73, 1987-1992.	1.5	39
86	Revision of the Structures of 1,5-Dihydroxy-3,8-epoxyvalechlorine, Volvaltrate B, and Valeriotetrate C from <i>Valeriana jatamansi</i> and <i>V. officinalis</i> . <i>Journal of Natural Products</i> , 2010, 73, 1723-1726.	1.5	45
87	Iridoids and Lignans from <i>Valeriana jatamansi</i> . <i>Journal of Natural Products</i> , 2010, 73, 632-638.	1.5	106
88	<i>cis</i> -Clerodane Diterpenoids from the Liverwort <i>Gottschelia schizopleura</i> and their Cytotoxic Activity. <i>Planta Medica</i> , 2009, 75, 1597-1601.	0.7	13
89	Three New Compounds from <i>Incarvillea delavayi</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 768-773.	1.0	4
90	Two New Alkaloids from <i>Incarvillea sinensis</i> . <i>Helvetica Chimica Acta</i> , 2009, 92, 1558-1561.	1.0	4

#	ARTICLE	IF	CITATIONS
91	Chemical Constituents of <i>Crinum asiaticum</i> L. var. <i>sinicum</i> Baker and Their Cytotoxic Activities. <i>Chemistry and Biodiversity</i> , 2009, 6, 1751-1757.	1.0	58
92	A new stilbene glycoside from the n-butanol fraction of <i>Veratrum dahuricum</i> . <i>Chemistry of Natural Compounds</i> , 2009, 45, 325-329.	0.2	9
93	Two new acorane sesquiterpenes from <i>Illicium henryi</i> . <i>Archives of Pharmacal Research</i> , 2009, 32, 1233-1236.	2.7	16
94	Qualitative and quantitative determination of the major coumarins in Zushima by high performance liquid chromatography with diode array detector and mass spectrometry. <i>Journal of Chromatography A</i> , 2009, 1216, 2111-2117.	1.8	37
95	LC-MS-MS Method for the Determination of Protoveratrine A in Rat Plasma. <i>Chromatographia</i> , 2009, 69, 523-529.	0.7	6
96	Acylation of Iridoids with Cytotoxicity from <i>Valeriana</i> and <i>jatamansi</i> . <i>Journal of Natural Products</i> , 2009, 72, 650-655.	1.5	103
97	Two new flavanone glycosides from <i>Veratrum nigrum</i> L.. <i>Natural Product Research</i> , 2009, 23, 122-126.	1.0	4
98	Anti-inflammatory constituents from the stems of <i>Daphne genkwa</i> . <i>Academic Journal of Second Military Medical University</i> , 2009, 28, 1221-1226.	0.0	0
99	Steroidal alkaloids from <i>Veratrum dahuricum</i> . <i>Chemistry of Natural Compounds</i> , 2008, 44, 407-408.	0.2	2
100	Composition of supercritical fluid extracts of some <i>Xanthium</i> species from China. <i>Chemistry of Natural Compounds</i> , 2008, 44, 814-816.	0.2	6
101	A new ferulic acid ester and other constituents from <i>Dracocephalum peregrinum</i> . <i>Archives of Pharmacal Research</i> , 2008, 31, 1325-1329.	2.7	18
102	Antitumor activity of extracts and compounds from the rhizomes of <i>Veratrum dahuricum</i> . <i>Phytotherapy Research</i> , 2008, 22, 1093-1096.	2.8	33
103	Two New Steroidal Alkaloids from <i>Veratrum nigrum</i> L.. <i>Helvetica Chimica Acta</i> , 2008, 91, 244-248.	1.0	10
104	Biotransformation of Vermitaline by <i>Cunninghamella echinulata</i> . <i>Helvetica Chimica Acta</i> , 2008, 91, 819-824.	1.0	9
105	Correlation between the genetic diversity and variation of total phenolic acids contents in <i>Fructus Xanthii</i> from different populations in China. <i>Biomedical Chromatography</i> , 2008, 22, 478-486.	0.8	21
106	Alkaloids from <i>Corydalis saxicola</i> and Their Anti-Hepatitis B Virus Activity. <i>Chemistry and Biodiversity</i> , 2008, 5, 777-783.	1.0	66
107	Simultaneous analysis of flavonoids from <i>Hypericum japonicum</i> Thunb.ex Murray (Hypericaceae) by HPLC-DAD-ESI/MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2008, 46, 342-348.	1.4	37
108	Simultaneous Determination of Six Steroidal Alkaloids of <i>Veratrum dahuricum</i> by HPLC-ELSD and HPLC-MSn. <i>Chromatographia</i> , 2008, 67, 15-21.	0.7	10

#	ARTICLE	IF	CITATIONS
109	Steroidal alkaloids from <i>Veratrum schindleri</i> and <i>Veratrum maackii</i> . <i>Biochemical Systematics and Ecology</i> , 2008, 36, 430-433.	0.6	2
110	A new aurone and other phenolic constituents from <i>Veratrum schindleri</i> Loes. f.. <i>Biochemical Systematics and Ecology</i> , 2008, 36, 590-592.	0.6	18
111	Protective effects of dehydrocavidine on carbon tetrachloride-induced acute hepatotoxicity in rats. <i>Journal of Ethnopharmacology</i> , 2008, 117, 300-308.	2.0	61
112	Ainsliadimer A, A New Sesquiterpene Lactone Dimer with an Unusual Carbon Skeleton from <i>Ainsliaea macrocephala</i> . <i>Organic Letters</i> , 2008, 10, 2397-2400.	2.4	69
113	Flavonoids from <i>Daphne giraldii</i> Nitsche. <i>Natural Product Research</i> , 2008, 22, 1355-1358.	1.0	14
114	Three new flavanols from <i>Daphne giraldii</i> . <i>Journal of Asian Natural Products Research</i> , 2008, 10, 547-550.	0.7	7
115	Two New Bis-coumarin Glycosides from <i>Daphne giraldii</i> NITSCHE. <i>Chemical and Pharmaceutical Bulletin</i> , 2008, 56, 589-591.	0.6	21
116	Quantitative LC/MS/MS method and in vivo pharmacokinetic studies of vitexin rhamnoside, a bioactive constituent on cardiovascular system from hawthorn. <i>Biomedical Chromatography</i> , 2007, 21, 422-429.	0.8	31
117	Quantitative LC/MS/MS method and pharmacokinetic studies of columbin, an anti-inflammation furanoditerpen isolated from <i>Radix Tinosporae</i> . <i>Biomedical Chromatography</i> , 2007, 21, 642-648.	0.8	13
118	Four New Germine Esters from <i>Veratrum dahuricum</i> . <i>Helvetica Chimica Acta</i> , 2007, 90, 769-775.	1.0	13
119	Three New Alkaloids from the Traditional Chinese Medicine ChanSu. <i>Helvetica Chimica Acta</i> , 2007, 90, 2427-2431.	1.0	7
120	Quantitative determination of the anticancer agent tubeimoside I in rat plasma by liquid chromatography coupled with mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 845, 84-89.	1.2	23
121	Rapid identification of C21 steroidal saponins in <i>Cynanchum versicolor</i> Bunge by electrospray ionization multi-stage tandem mass spectrometry and liquid chromatography/tandem mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 279-285.	0.7	28
122	Characterization and identification of steroidal alkaloids in the Chinese herb <i>Veratrum nigrum</i> L. by high-performance liquid chromatography/electrospray ionization with multi-stage mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2007, 21, 869-879.	0.7	34
123	Comparative analysis of the chemical profile of wild and cultivated populations of <i>Corydalis saxicola</i> by high-performance liquid chromatography. <i>Phytochemical Analysis</i> , 2007, 18, 393-400.	1.2	9
124	MECHANISMS UNDERLYING VASORELAXANT ACTION OF ASTRAGALOSIDE IV IN ISOLATED RAT AORTIC RINGS. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007, 34, 387-392.	0.9	34
125	A new bisxanthone from <i>Hypericum japonicum</i> . <i>FÄ-toterapÄ-c</i> , 2007, 78, 74-75.	1.1	9
126	Tetrahydroprotoberberine alkaloids from <i>Corydalis saxicola</i> . <i>Chemistry of Natural Compounds</i> , 2007, 43, 173-175.	0.2	8

#	ARTICLE	IF	CITATIONS
127	Flavonoids from rhizomes of <i>Veratrum dahuricum</i> . <i>Chemistry of Natural Compounds</i> , 2007, 43, 696-697.	0.2	8
128	Preclinical pharmacokinetics and tissue distribution of a natural cardioprotective agent astragaloside IV in rats and dogs. <i>Life Sciences</i> , 2006, 79, 808-815.	2.0	93
129	Bioavailability and pharmacokinetics of four active alkaloids of traditional Chinese medicine Yanhuanglian in rats following intravenous and oral administration. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006, 41, 1342-1346.	1.4	28
130	Simultaneous determination of four active alkaloids from a traditional Chinese medicine <i>Corydalis saxicola</i> Bunting. (Yanhuanglian) in plasma and urine samples by LC-MS/MS. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2006, 831, 140-146.	1.2	37
131	New thiazinediones and other components from <i>Xanthium strumarium</i> . <i>Chemistry of Natural Compounds</i> , 2006, 42, 567-570.	0.2	53
132	A new thiazinedione from <i>Xanthium strumarium</i> . <i>Fä-toterapÄ-c</i> , 2006, 77, 245-246.	1.1	38
133	Benzophenanthridine Alkaloids from <i>Zanthoxylum nitidum</i> (Roxb.) DC, and Their Analgesic and Anti-Inflammatory Activities. <i>Chemistry and Biodiversity</i> , 2006, 3, 990-995.	1.0	106
134	Astragaloside IV Dilates Aortic Vessels from Normal and Spontaneously Hypertensive Rats through Endothelium-Dependent and Endothelium-Independent Ways. <i>Planta Medica</i> , 2006, 72, 621-626.	0.7	50
135	Astragaloside IV from <i>Astragalus membranaceus</i> Shows Cardioprotection during Myocardial Ischemia in vivo and in vitro. <i>Planta Medica</i> , 2006, 72, 4-8.	0.7	138
136	Phenolic acids in <i>Fructus Xanthii</i> and determination of contents of total phenolic acids in different species and populations of <i>Xanthium</i> in China. <i>Zhong Xi Yi Jie He Xue Bao</i> , 2006, 4, 194-198.	0.7	15
137	Quantitative determination of Astragaloside IV, a natural product with cardioprotective activity, in plasma, urine and other biological samples by HPLC coupled with tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2005, 822, 170-177.	1.2	50
138	A new flavan from <i>Daphne odora</i> var. <i>atrocaulis</i> . <i>Fä-toterapÄ-c</i> , 2004, 75, 799-800.	1.1	13
139	New sesquiterpenoids from <i>Ainsliaea macrocephala</i> and their nitric oxide inhibitory activity. <i>Planta Medica</i> , 0, 78, .	0.7	0