
## Katherine D Crew

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7006912/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Diagnosis of Leptomeningeal Metastasis in Women With Breast Cancer Through Identification of Tumor Cells in Cerebrospinal Fluid Using the CNSideâ,,¢ Assay. Clinical Breast Cancer, 2022, 22, e457-e462.	2.4	6
2	The Impact of Breast Cancer Treatment Delays on Survival Among South African Women. Oncologist, 2022, 27, e233-e243.	3.7	2
3	Abstract P4-11-16: Feasibility and patient satisfaction with a smartphone application to improve medication adherence among patients with breast cancer. Cancer Research, 2022, 82, P4-11-16-P4-11-16.	0.9	0
4	Abstract P4-11-33: Continuous glucose monitoring and hyperglycemia during chemotherapy for early-stage breast cancer. Cancer Research, 2022, 82, P4-11-33-P4-11-33.	0.9	0
5	Abstract P3-02-04: Prediction of breast cancer response to neoadjuvant chemotherapy in different biological breast cancer subtypes using diffuse optical tomography. Cancer Research, 2022, 82, P3-02-04-P3-02-04.	0.9	0
6	Abstract P1-17-02: ZN-c5, an oral selective estrogen receptor degrader (SERD), in women with advanced estrogen receptor-positive (ER+)/human epidermal growth factor receptor 2 negative (HER2-) breast cancer. Cancer Research, 2022, 82, P1-17-02-P1-17-02.	0.9	5
7	Abstract P4-11-04: A randomized adaptive sequential selection trial of cryotherapy, compression therapy, and placebo to prevent taxane inducted peripheral neuropathy in patients with breast cancer. Cancer Research, 2022, 82, P4-11-04-P4-11-04.	0.9	1
8	Impact of <scp>HIV</scp> infection on survival among women with stage <scp>lâ€III</scp> breast cancer: Results from the South African breast cancer and <scp>HIV</scp> outcomes study. International Journal of Cancer, 2022, 151, 209-221.	5.1	8
9	Strategies to Identify and Recruit Women at High Risk for Breast Cancer to a Randomized Controlled Trial of Web-based Decision Support Tools. Cancer Prevention Research, 2022, , OF1-OF8.	1.5	1
10	Use of a convolutional neural network-based mammographic evaluation to predict breast cancer recurrence among women with hormone receptor-positive operable breast cancer. Breast Cancer Research and Treatment, 2022, , .	2.5	2
11	A randomized presurgical trial of alternative dosing of exemestane in postmenopausal women with early-stage ER-positive breast cancer Journal of Clinical Oncology, 2022, 40, 519-519.	1.6	3
12	Evaluation of a pharmacist-led video consultation to identify drug interactions among patients initiating oral anticancer drugs Journal of Clinical Oncology, 2022, 40, 1592-1592.	1.6	0
13	Financial distress, health literacy, numeracy, and treatment receipt by race/ethnicity amongst breast cancer survivors Journal of Clinical Oncology, 2022, 40, e18554-e18554.	1.6	Ο
14	A randomized, phase II trial of fulvestrant or exemestane with or without ribociclib after progression on anti-estrogen therapy plus cyclin-dependent kinase 4/6 inhibition (CDK 4/6i) in patients (pts) with unresectable or hormone receptor–positive (HR+), HER2-negative metastatic breast cancer (MBC): MAINTAIN trial Journal of Clinical Oncology, 2022, 40, LBA1004-LBA1004.	1.6	48
15	Better Together: Clinical and Genomic Data to Inform Shared Decision Making. Journal of Clinical Oncology, 2021, 39, 545-547.	1.6	1
16	Changes in Diffuse Optical Tomography Images During Early Stages of Neoadjuvant Chemotherapy Correlate with Tumor Response in Different Breast Cancer Subtypes. Clinical Cancer Research, 2021, 27, 1949-1957.	7.0	5
17	Patient Knowledge and Expectations About Return of Genomic Results in a Biomarker-Driven Master Protocol Trial (SWOG S1400GEN). JCO Oncology Practice, 2021, 17, e1821-e1829.	2.9	4
18	Phase II study of propranolol feasibility with neoadjuvant chemotherapy in patients with newly diagnosed breast cancer. Breast Cancer Research and Treatment, 2021, 188, 427-432.	2.5	12

#	Article	IF	CITATIONS
19	Use of a novel convolutional neural network-based mammographic evaluation to assess response to adjuvant endocrine therapy in women with early-stage breast cancer Journal of Clinical Oncology, 2021, 39, 530-530.	1.6	0
20	Penetrance of Breast Cancer Susceptibility Genes from the eMERGE III Network. JNCI Cancer Spectrum, 2021, 5, pkab044.	2.9	14
21	Preferences for Updates on General Research Results: A Survey of Participants in Genomic Research from Two Institutions. Journal of Personalized Medicine, 2021, 11, 399.	2.5	3
22	The impact of HIV infection on overall survival among women with stage IV breast cancer in South Africa Journal of Clinical Oncology, 2021, 39, 6559-6559.	1.6	0
23	Long-term results from a randomized blinded sham- and waitlist-controlled trial of acupuncture for joint symptoms related to aromatase inhibitors in early stage breast cancer (S1200) Journal of Clinical Oncology, 2021, 39, 12018-12018.	1.6	2
24	Impact of HIV infection on overall survival among women with stage IV breast cancer in South Africa. Breast Cancer Research and Treatment, 2021, 189, 285-296.	2.5	4
25	Abstract 645: Network-based assessment of HDAC6 activity is highly predictive of pre-clinical and clinical responses to the HDAC6 inhibitor ricolinostat. , 2021, , .		0
26	Diffuse optical tomography breast imaging measurements are modifiable with pre-surgical targeted and endocrine therapies among women with early stage breast cancer. Breast Cancer Research and Treatment, 2021, 189, 297-304.	2.5	2
27	Generalizability of Polygenic Risk Scores for Breast Cancer Among Women With European, African, and Latinx Ancestry. JAMA Network Open, 2021, 4, e2119084.	5.9	31
28	Alternative dosing of exemestane in postmenopausal women with ER-positive breast cancer. Design and methods of a randomized presurgical trial. Contemporary Clinical Trials, 2021, 107, 106498.	1.8	2
29	Integration of germline multigene panel testing into breast and gynecologic oncology clinics Journal of Clinical Oncology, 2021, 39, 164-164.	1.6	0
30	Effects of neoadjuvant chemotherapy on the contralateral non-tumor-bearing breast assessed by diffuse optical tomography. Breast Cancer Research, 2021, 23, 16.	5.0	2
31	Perceptions of Racially and Ethnically Diverse Women at High Risk of Breast Cancer Regarding the Use of a Web-Based Decision Aid for Chemoprevention: Qualitative Study Nested Within a Randomized Controlled Trial. Journal of Medical Internet Research, 2021, 23, e23839.	4.3	3
32	Association Between Genetic Testing for Hereditary Breast Cancer and Contralateral Prophylactic Mastectomy Among Multiethnic Women Diagnosed With Early-Stage Breast Cancer. JCO Oncology Practice, 2021, , OP2100322.	2.9	2
33	Predictors of Pain Reduction in Trials of Interventions for Aromatase Inhibitor–Associated Musculoskeletal Symptoms. JNCI Cancer Spectrum, 2021, 5, pkab087.	2.9	2
34	Extraction of Electronic Health Record Data using Fast Healthcare Interoperability Resources for Automated Breast Cancer Risk Assessment AMIA Annual Symposium proceedings, 2021, 2021, 843-852.	0.2	1
35	Phase 1 Study of Erlotinib and Metformin in Metastatic Triple-Negative Breast Cancer. Clinical Breast Cancer, 2020, 20, 80-86.	2.4	22
36	Association between nonadherence to cardiovascular risk factor medications after breast cancer diagnosis and incidence of cardiac events. Cancer, 2020, 126, 1541-1549.	4.1	12

#	Article	IF	CITATIONS
37	Prospective Study Evaluating Changes in Bone Quality in Premenopausal Women With Breast Cancer Undergoing Adjuvant Chemotherapy. Clinical Breast Cancer, 2020, 20, e327-e333.	2.4	5
38	Characteristics and outcomes of patients with breast cancer diagnosed with SARS-Cov-2 infection at an academic center in New York City. Breast Cancer Research and Treatment, 2020, 182, 239-242.	2.5	43
39	Treatment Patterns for Chronic Comorbid Conditions in Patients With Cancer Using a Large-Scale Observational Data Network. JCO Clinical Cancer Informatics, 2020, 4, 171-183.	2.1	14
40	Mental Illness and BRCA1/2 Genetic Testing Intention Among Multiethnic Women Undergoing Screening Mammography. Oncology Nursing Forum, 2020, 47, E13-E24.	1.2	4
41	Trastuzumab-induced cardiotoxicity and hypertension among racially and ethnically diverse patients with HER2-positive early-stage breast cancer Journal of Clinical Oncology, 2020, 38, e24092-e24092.	1.6	2
42	Diagnosis of leptomeningeal metastasis (LM) through identification of circulating tumor cells (CTCs) in cerebrospinal fluid (CSF) Journal of Clinical Oncology, 2020, 38, 3567-3567.	1.6	0
43	Effect of mammography screening frequency on false-positive biopsy rates and detection of local recurrence among breast cancer survivors Journal of Clinical Oncology, 2020, 38, 7016-7016.	1.6	Ο
44	The COVID-19 pandemic impact on breast cancer care delivery at an academic center in New York City Journal of Clinical Oncology, 2020, 38, 88-88.	1.6	0
45	Study protocol: Randomized controlled trial of web-based decision support tools for high-risk women and healthcare providers to increase breast cancer chemoprevention. Contemporary Clinical Trials Communications, 2019, 16, 100433.	1.1	9
46	Harmonizing Clinical Sequencing and Interpretation for the eMERGE III Network. American Journal of Human Genetics, 2019, 105, 588-605.	6.2	99
47	Randomized Double-Blind Placebo-Controlled Biomarker Modulation Study of Vitamin D Supplementation in Premenopausal Women at High Risk for Breast Cancer (SWOG S0812). Cancer Prevention Research, 2019, 12, 481-490.	1.5	14
48	Uptake of genetic testing for germline BRCA1/2 pathogenic variants in a predominantly Hispanic population. Cancer Genetics, 2019, 235-236, 72-76.	0.4	18
49	Association between body mass index and response to duloxetine for aromatase inhibitorâ€associated musculoskeletal symptoms in SWOG S1202. Cancer, 2019, 125, 2123-2129.	4.1	18
50	Evaluation of the cost and effectiveness of diverse recruitment methods for a genetic screening study. Genetics in Medicine, 2019, 21, 2371-2380.	2.4	10
51	Identifying Women at High Risk for Breast Cancer Using Data From the Electronic Health Record Compared With Self-Report. JCO Clinical Cancer Informatics, 2019, 3, 1-8.	2.1	16
52	Neoadjuvant Chemotherapy Use for Nonmetastatic Breast Cancer at Five Public South African Hospitals and Impact on Time to Initial Cancer Therapy. Oncologist, 2019, 24, 933-944.	3.7	12
53	<i>BRCA1/2</i> and multigene panel testing among metastatic breast, pancreas, prostate, and ovarian cancer patients Journal of Clinical Oncology, 2019, 37, e13160-e13160.	1.6	0
54	A standardized workflow to improve the consent process among patients initiating an oral anticancer drug Journal of Clinical Oncology, 2019, 37, 259-259.	1.6	12

#	Article	IF	CITATIONS
55	Dynamic Diffuse Optical Tomography for Monitoring Neoadjuvant Chemotherapy in Patients with Breast Cancer. Radiology, 2018, 287, 778-786.	7.3	39
56	Factors Associated with False Positive Results on Screening Mammography in a Population of Predominantly Hispanic Women. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 446-453.	2.5	17
57	Two-Year Trends of Taxane-Induced Neuropathy in Women Enrolled in a Randomized Trial of Acetyl-L-Carnitine (SWOG S0715). Journal of the National Cancer Institute, 2018, 110, 669-676.	6.3	55
58	Pilot study of decision support tools on breast cancer chemoprevention for high-risk women and healthcare providers in the primary care setting. BMC Medical Informatics and Decision Making, 2018, 18, 134.	3.0	25
59	Understanding Factors Associated with Uptake of <b><i> BRCA1/2</i></b> Genetic Testing <b><i></i></b> among Orthodox Jewish Women in the USA Using a Mixed-Methods Approach. Public Health Genomics, 2018, 21, 186-196.	1.0	4
60	Acupuncture for Aromatase Inhibitor–Related Joint Pain Among Breast Cancer Patients. JAMA - Journal of the American Medical Association, 2018, 320, 2270.	7.4	9
61	Study protocol: a cluster randomized controlled trial of web-based decision support tools for increasing BRCA1/2 genetic counseling referral in primary care. BMC Health Services Research, 2018, 18, 633.	2.2	10
62	Omega-3 fatty acid use for obese breast cancer patients with aromatase inhibitor-related arthralgia (SWOG S0927). Breast Cancer Research and Treatment, 2018, 172, 603-610.	2.5	37
63	Neoadjuvant chemotherapy among patients treated for nonmetastatic breast cancer in a population with a high HIV prevalence in Johannesburg, South Africa. Cancer Management and Research, 2018, Volume 10, 279-286.	1.9	9
64	Effect of Acupuncture vs Sham Acupuncture or Waitlist Control on Joint Pain Related to Aromatase Inhibitors Among Women With Early-Stage Breast Cancer. JAMA - Journal of the American Medical Association, 2018, 320, 167.	7.4	202
65	Phase IB trial of ACY-1215 (Ricolinostat) combined with nab-paclitaxel in metastatic breast cancer Journal of Clinical Oncology, 2018, 36, 1058-1058.	1.6	1
66	Randomized double-blind placebo-controlled biomarker modulation study of vitamin d in premenopausal women at high risk for breast cancer (SWOG S0812) Journal of Clinical Oncology, 2018, 36, 1550-1550.	1.6	0
67	Omega-3 fatty acid use for obese breast cancer patients with aromatase inhibitor-related arthralgia (SWOG S0927) Journal of Clinical Oncology, 2018, 36, 10000-10000.	1.6	Ο
68	The Challenges of Screening Mammography in Racial/Ethnic Minority Populations in the United States: A mini-review and observations from a predominantly Hispanic community. Journal of Cancer Treatment & Diagnosis, 2018, 2, 16-20.	0.9	2
69	An Applied Framework in Support of Shared Decision Making about Genetic Testing. AMIA Annual Symposium proceedings, 2018, 2018, 961-969.	0.2	4
70	Automatic Genetic Risk Assessment Calculation Using Breast Cancer Family History Data from the EHR compared to Self-Report. AMIA Annual Symposium proceedings, 2018, 2018, 970-978.	0.2	5
71	Barriers to Recruitment and Adherence in a Randomized Controlled Diet and Exercise Weight Loss Intervention Among Minority Breast Cancer Survivors. Journal of Immigrant and Minority Health, 2017, 19, 120-129.	1.6	36
72	Diffuse optical tomography changes correlate with residual cancer burden after neoadjuvant chemotherapy in breast cancer patients. Breast Cancer Research and Treatment, 2017, 162, 533-540.	2.5	15

#	Article	IF	CITATIONS
73	Chemoprevention Uptake among Women with Atypical Hyperplasia and Lobular and Ductal Carcinoma <i>In Situ</i> . Cancer Prevention Research, 2017, 10, 434-441.	1.5	35
74	Population-Based Study of Attitudes toward <i>BRCA</i> Genetic Testing among Orthodox Jewish Women. Breast Journal, 2017, 23, 333-337.	1.0	13
75	How do we increase uptake of tamoxifen and other anti-estrogens for breast cancer prevention?. Npj Breast Cancer, 2017, 3, 20.	5.2	33
76	The Impact of Mental Illness on Uptake of Genetic Counseling for Hereditary Breast Cancer and Ovarian Cancer in a Multiethnic Cohort of Breast Cancer Patients. Breast Journal, 2017, 23, 519-524.	1.0	6
77	What Factors Influence Decision-Making about Breast Cancer Chemoprevention among High-Risk Women?. Cancer Prevention Research, 2017, 10, 609-611.	1.5	6
78	South African Breast Cancer and HIV Outcomes Study: Methods and Baseline Assessment. Journal of Global Oncology, 2017, 3, 114-124.	0.5	32
79	Decision support for family history intake to determine eligibility for BRCA testing among multiethnic women Journal of Clinical Oncology, 2017, 35, 1586-1586.	1.6	3
80	A randomized phase II trial of fulvestrant with or without ribociclib after progression on aromatase inhibition plus cyclin-dependent kinase 4/6 inhibition in patients with unresectable or metastatic hormone receptor positive, HER2 negative breast cancer Journal of Clinical Oncology, 2017, 35, TPS1112-TPS1112.	1.6	4
81	Breast conservation surgery versus total mastectomy among women with localized breast cancer in Soweto, South Africa. PLoS ONE, 2017, 12, e0182125.	2.5	12
82	Differences in global toxicity burden among patients and care providers during initial chemotherapy for breast cancer Journal of Clinical Oncology, 2017, 35, e21649-e21649.	1.6	0
83	Two-year trends of taxane-induced neuropathy in women enrolled in a randomized trial of acetyl-l-carnitine (SWOG S0715) Journal of Clinical Oncology, 2017, 35, 10093-10093.	1.6	0
84	Introducing a Comprehensive Informatics Framework to Promote Breast Cancer Risk Assessment and Chemoprevention in the Primary Care Setting. AMIA Summits on Translational Science Proceedings, 2017, 2017, 58-67.	0.4	4
85	Randomized sham-controlled pilot trial of weekly electro-acupuncture for the prevention of taxane-induced peripheral neuropathy in women with early stage breast cancer. Breast Cancer Research and Treatment, 2016, 156, 453-464.	2.5	89
86	Survivorship care plans and adherence to lifestyle recommendations among breast cancer survivors. Journal of Cancer Survivorship, 2016, 10, 956-963.	2.9	41
87	Long-term Diet and Biomarker Changes after a Short-term Intervention among Hispanic Breast Cancer Survivors: The <i>¡Cocinar Para Su Salud!</i> Randomized Controlled Trial. Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 1491-1502.	2.5	33
88	Frequency of actionable somatic alterations with genomic profiling: the Columbia University experience Journal of Clinical Oncology, 2016, 34, e23132-e23132.	1.6	0
89	Comparison of physicians, nurses' and patients' assessment of overall symptom burden Journal of Clinical Oncology, 2016, 34, e18123-e18123.	1.6	0
90	Randomized trial of medroxyprogesterone acetate for prevention of endometrial pathology from adjuvant tamoxifen for breast cancer: SWOG S9630 Journal of Clinical Oncology, 2016, 34, 547-547.	1.6	0

#	Article	IF	CITATIONS
91	Usability Testing of a Web-Based Decision Aid for Breast Cancer Risk Assessment Among Multi-Ethnic Women. AMIA Annual Symposium proceedings, 2016, 2016, 411-420.	0.2	12
92	Interaction between polyunsaturated fatty acids and genetic variants in relation to breast cancer incidence. , 2016, 1, .		1
93	Breast Cancer Chemoprevention among High-risk Women and those with Ductal Carcinoma In Situ. Breast Journal, 2015, 21, 377-386.	1.0	34
94	Identifying Predictors of Taxane-Induced Peripheral Neuropathy Using Mass Spectrometry-Based Proteomics Technology. PLoS ONE, 2015, 10, e0145816.	2.5	28
95	Randomized Multicenter Placebo-Controlled Trial of Omega-3 Fatty Acids for the Control of Aromatase Inhibitor–Induced Musculoskeletal Pain: SWOG S0927. Journal of Clinical Oncology, 2015, 33, 1910-1917.	1.6	83
96	Dietary Modifications, Weight Loss, and Changes in Metabolic Markers Affect Global DNA Methylation in Hispanic, African American, and Afro-Caribbean Breast Cancer Survivors,. Journal of Nutrition, 2015, 145, 783-790.	2.9	59
97	Methods to Standardize a Multicenter Acupuncture Trial Protocol to Reduce Aromatase Inhibitor-related Joint Symptoms in Breast Cancer Patients. JAMS Journal of Acupuncture and Meridian Studies, 2015, 8, 152-158.	0.7	10
98	Genetic polymorphisms in DNA repair and oxidative stress pathways may modify the association between body size and postmenopausal breast cancer. Annals of Epidemiology, 2015, 25, 263-269.	1.9	8
99	Vitamin D and Reduction of Breast Cancer Risk. Current Breast Cancer Reports, 2015, 7, 90-97.	1.0	Ο
100	Vitamin D-related gene polymorphisms, plasma 25-hydroxyvitamin D, and breast cancer risk. Cancer Causes and Control, 2015, 26, 187-203.	1.8	60
101	Addressing Barriers to Uptake of Breast Cancer Chemoprevention for Patients and Providers. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2015, , e50-e58.	3.8	21
102	Why Breast Cancer Risk by the Numbers Is Not Enough: Evaluation of a Decision Aid in Multi-Ethnic, Low-Numerate Women. Journal of Medical Internet Research, 2015, 17, e165.	4.3	32
103	Identifying predictors of taxane-induced peripheral neuropathy using shotgun proteomics technology Journal of Clinical Oncology, 2015, 33, 9607-9607.	1.6	Ο
104	Randomized sham controlled pilot trial of weekly electro-acupuncture for the prevention of taxane-induced peripheral neuropathy Journal of Clinical Oncology, 2015, 33, e20738-e20738.	1.6	0
105	Barriers and Facilitators to Patient-Provider Communication When Discussing Breast Cancer Risk to Aid in the Development of Decision Support Tools. AMIA Annual Symposium proceedings, 2015, 2015, 1352-60.	0.2	15
106	Changes in mammographic density over time in breast cancer cases and women at high risk for breast cancer. International Journal of Cancer, 2014, 135, 1740-1744.	5.1	39
107	Mammographic density and serum 25-hydroxyvitamin D levels. Nutrition and Metabolism, 2014, 11, 18.	3.0	12
108	Presurgical evaluation of the AKT inhibitor MK-2206 in patients with operable invasive breast cancer Journal of Clinical Oncology, 2014, 32, 2613-2613.	1.6	3

#	Article	IF	CITATIONS
109	Omega-3 fatty acids for aromatase inhibitor–induced musculoskeletal symptoms in women with early-stage breast cancer (SWOG S0927) Journal of Clinical Oncology, 2014, 32, 9532-9532.	1.6	2
110	A multicenter phase II study of docosahexaenoic acid (DHA) in patients (pts) with a history of breast cancer (BC), premalignant lesions, or benign breast disease Journal of Clinical Oncology, 2014, 32, TPS1615-TPS1615.	1.6	2
111	Correlation between risk benefit index and uptake of breast cancer chemoprevention Journal of Clinical Oncology, 2014, 32, 1568-1568.	1.6	0
112	Phase I/II trial of ruxolitinib in combination with trastuzumab in metastatic HER2-positive breast cancer Journal of Clinical Oncology, 2014, 32, TPS666-TPS666.	1.6	0
113	Biomarker Endpoints for Early-Phase Cancer-Prevention Studies. Current Breast Cancer Reports, 2013, 5, 194-201.	1.0	1
114	Vitamin D: Are We Ready to Supplement for Breast Cancer Prevention and Treatment?. ISRN Oncology, 2013, 2013, 1-22.	2.1	19
115	Ethnic differences in tumor proliferation in women with early-stage breast cancer Journal of Clinical Oncology, 2013, 31, 560-560.	1.6	0
116	Prevention of Bone Loss by Zoledronic Acid in Premenopausal Women Undergoing Adjuvant Chemotherapy Persist up to One Year following Discontinuing Treatment. Journal of Clinical Endocrinology and Metabolism, 2010, 95, 559-566.	3.6	47
117	Reply to R.T. Chlebowski. Journal of Clinical Oncology, 2009, 27, e74-e74.	1.6	0
118	Association between Plasma 25-Hydroxyvitamin D and Breast Cancer Risk. Cancer Prevention Research, 2009, 2, 598-604.	1.5	114
119	High Prevalence of Vitamin D Deficiency Despite Supplementation in Premenopausal Women With Breast Cancer Undergoing Adjuvant Chemotherapy. Journal of Clinical Oncology, 2009, 27, 2151-2156.	1.6	139
120	Zoledronic Acid Prevents Bone Loss in Premenopausal Women Undergoing Adjuvant Chemotherapy for Early-Stage Breast Cancer. Journal of Clinical Oncology, 2008, 26, 4739-4745.	1.6	135
121	Racial Disparities in Treatment and Survival of Male Breast Cancer. Journal of Clinical Oncology, 2007, 25, 1089-1098.	1.6	66
122	Genetic polymorphisms in the apoptosis-associated genes FAS and FASL and breast cancer risk. Carcinogenesis, 2007, 28, 2548-2551.	2.8	49
123	Prevalence of Joint Symptoms in Postmenopausal Women Taking Aromatase Inhibitors for Early-Stage Breast Cancer. Journal of Clinical Oncology, 2007, 25, 3877-3883.	1.6	415
124	Polymorphisms in Nucleotide Excision Repair Genes, Polycyclic Aromatic Hydrocarbon-DNA Adducts, and Breast Cancer Risk. Cancer Epidemiology Biomarkers and Prevention, 2007, 16, 2033-2041.	2.5	78
125	Pilot study of acupuncture for the treatment of joint symptoms related to adjuvant aromatase inhibitor therapy in postmenopausal breast cancer patients. Journal of Cancer Survivorship, 2007, 1, 283-291.	2.9	74
126	Aspirin and NSAIDs: effects in breast and ovarian cancers. Current Opinion in Obstetrics and Gynecology, 2006, 18, 71-75.	2.0	12

#	Article	IF	CITATIONS
127	Long natural history of recurrent granulosa cell tumor of the ovary 23 years after initial diagnosis: a case report and review of the literature. Gynecologic Oncology, 2005, 96, 235-240.	1.4	43
128	Epidemiology of upper gastrointestinal malignancies. Seminars in Oncology, 2004, 31, 450-464.	2.2	296