

Adriana Karina Chavez-Rueda

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7007237/adriana-karina-chavez-rueda-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

39
papers

1,420
citations

17
h-index

37
g-index

41
ext. papers

1,601
ext. citations

4.1
avg, IF

3.99
L-index

#	Paper	IF	Citations
39	Prolactin Increases the Frequency of Follicular T Helper Cells with Enhanced IL21 Secretion and OX40 Expression in Lupus-Prone MRL/lpr Mice. <i>Journal of Immunology Research</i> , 2021 , 2021, 6630715	4.5	0
38	Effect of Interleukin-17 in the Activation of Monocyte Subsets in Patients with ST-Segment Elevation Myocardial Infarction. <i>Journal of Immunology Research</i> , 2020 , 2020, 5692829	4.5	5
37	Role of interleukin-17 in acute myocardial infarction. <i>Molecular Immunology</i> , 2019 , 107, 71-78	4.3	18
36	CD38 protein deficiency induces autoimmune characteristics and its activation enhances IL-10 production by regulatory B cells. <i>Scandinavian Journal of Immunology</i> , 2018 , 87, e12664	3.4	16
35	In vivo anti-arthritic and antioxidant effects from the standardized ethanolic extract of <i>Moussonia deppeana</i> . <i>Revista Brasileira De Farmacognosia</i> , 2018 , 28, 198-206	2	6
34	Addition of C3d-P28 adjuvant to a rabies DNA vaccine encoding the G5 linear epitope enhances the humoral immune response and confers protection. <i>Vaccine</i> , 2018 , 36, 292-298	4.1	8
33	IL-17-differentiated macrophages secrete pro-inflammatory cytokines in response to oxidized low-density lipoprotein. <i>Lipids in Health and Disease</i> , 2017 , 16, 196	4.4	23
32	Type III Interferons in Systemic Lupus Erythematosus: Association Between Interferon β , Disease Activity, and Anti-Ro/SSA Antibodies. <i>Journal of Clinical Rheumatology</i> , 2017 , 23, 368-375	1.1	17
31	Effect of Native and Minimally Modified Low-density Lipoprotein on the Activation of Monocyte Subsets. <i>Archives of Medical Research</i> , 2017 , 48, 432-440	6.6	1
30	Beneficial Effects of Enteral Docosahexaenoic Acid on the Markers of Inflammation and Clinical Outcomes of Neonates Undergoing Cardiovascular Surgery: An Intervention Study. <i>Annals of Nutrition and Metabolism</i> , 2016 , 69, 15-23	4.5	6
29	Prolactin Rescues Immature B-Cells from Apoptosis Induced by B-Cell Receptor Cross-Linking. <i>Journal of Immunology Research</i> , 2016 , 2016, 3219017	4.5	5
28	Function of Treg Cells Decreased in Patients With Systemic Lupus Erythematosus Due To the Effect of Prolactin. <i>Medicine (United States)</i> , 2016 , 95, e2384	1.8	19
27	Differential Expression of O-Glycans in CD4(+) T Lymphocytes from Patients with Systemic Lupus Erythematosus. <i>Tohoku Journal of Experimental Medicine</i> , 2016 , 240, 79-89	2.4	3
26	Bone Marrow Mesenchymal Stromal Cells from Clinical Scale Culture: In Vitro Evaluation of Their Differentiation, Hematopoietic Support, and Immunosuppressive Capacities. <i>Stem Cells and Development</i> , 2016 , 25, 1299-310	4.4	7
25	<i>Helicobacter pylori</i> CagA Suppresses Apoptosis through Activation of AKT in a Nontransformed Epithelial Cell Model of Glandular Acini Formation. <i>BioMed Research International</i> , 2015 , 2015, 761501	3	6
24	Human mesenchymal stromal cells from adult and neonatal sources: a comparative in vitro analysis of their immunosuppressive properties against T cells. <i>Stem Cells and Development</i> , 2014 , 23, 1217-32	4.4	65
23	Clinical outcome in patients with acute coronary syndrome and outward remodeling is associated with a predominant inflammatory response. <i>BMC Research Notes</i> , 2014 , 7, 669	2.3	3

22	Innate immune system cells in atherosclerosis. <i>Archives of Medical Research</i> , 2014 , 45, 1-14	6.6	82
21	The role of TLR2, TLR4 and CD36 in macrophage activation and foam cell formation in response to oxLDL in humans. <i>Human Immunology</i> , 2014 , 75, 322-9	2.3	81
20	Prolactin levels correlate with abnormal B cell maturation in MRL and MRL/lpr mouse models of systemic lupus erythematosus-like disease. <i>Clinical and Developmental Immunology</i> , 2013 , 2013, 287469		23
19	Increased levels of prolactin receptor expression correlate with the early onset of lupus symptoms and increased numbers of transitional-1 B cells after prolactin treatment. <i>BMC Immunology</i> , 2012 , 13, 11	3.7	17
18	Peripheral blood lymphocytes from low-grade squamous intraepithelial lesions patients recognize vaccine antigens in the presence of activated dendritic cells, and produced high levels of CD8 + IFN γ T cells and low levels of IL-2 when induced to proliferate. <i>Infectious Agents and Cancer</i> , 2012 , 7, 12	3.5	6
17	Prolactin down-regulates CD4+CD25hiCD127low/- regulatory T cell function in humans. <i>Journal of Molecular Endocrinology</i> , 2012 , 48, 77-85	4.5	18
16	Intranasal anti-rabies DNA immunization promotes a Th1-related cytokine stimulation associated with plasmid survival time. <i>Archives of Medical Research</i> , 2011 , 42, 563-71	6.6	8
15	Prolactin promoter polymorphism (-1149 G/T) is associated with anti-DNA antibodies in Mexican patients with systemic lupus erythematosus. <i>Immunological Investigations</i> , 2011 , 40, 614-26	2.9	8
14	Activation of TLR2 and TLR4 by minimally modified low-density lipoprotein in human macrophages and monocytes triggers the inflammatory response. <i>Human Immunology</i> , 2010 , 71, 737-44	2.3	63
13	The activation of CD14, TLR4, and TLR2 by mmLDL induces IL-1 β , IL-6, and IL-10 secretion in human monocytes and macrophages. <i>Lipids in Health and Disease</i> , 2010 , 9, 117	4.4	54
12	Selective targeting of B cells with agonistic anti-CD40 is an efficacious strategy for the generation of induced regulatory T2-like B cells and for the suppression of lupus in MRL/lpr mice. <i>Journal of Immunology</i> , 2009 , 182, 3492-3502	5.3	236
11	Effect of prolactin on lymphocyte activation from systemic lupus erythematosus patients. <i>Annals of the New York Academy of Sciences</i> , 2007 , 1108, 157-65	6.5	12
10	Novel suppressive function of transitional 2 B cells in experimental arthritis. <i>Journal of Immunology</i> , 2007 , 178, 7868-78	5.3	436
9	Relation of antimyocardium antibodies to mortality in patients with acute myocardial infarction. <i>Archives of Medical Research</i> , 2006 , 37, 517-21	6.6	1
8	Identification of prolactin as a novel immunomodulator on the expression of co-stimulatory molecules and cytokine secretions on T and B human lymphocytes. <i>Clinical Immunology</i> , 2005 , 116, 182-91		43
7	Development of a diagnostic test for <i>Entamoeba histolytica</i> using idiotype expression in human. <i>Journal of Immunological Methods</i> , 2002 , 262, 29-40	2.5	3
6	Biologic activity and plasma clearance of prolactin-IgG complex in patients with systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2001 , 44, 866-75		35
5	Analysis of anti-prolactin autoantibodies in systemic lupus erythematosus. <i>Lupus</i> , 2001 , 10, 757-61	2.6	17

4	Anti-prolactin autoantibodies in paediatric systemic lupus erythematosus patients. <i>Lupus</i> , 2001 , 10, 803-8.6	15
3	Detection of macroprolactinemia with the polyethylene glycol precipitation test in systemic lupus erythematosus patients with hyperprolactinemia. <i>Lupus</i> , 2001 , 10, 340-5	2.6 17
2	Persistence of Macroprolactinemia Due to Antiprolactin Autoantibody before, during, and after Pregnancy in a Woman with Systemic Lupus Erythematosus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 2619-2624	5.6 12
1	Diagnostic tests using idiotype expression in amebiasis. <i>Archives of Medical Research</i> , 2000 , 31, S25-7	6.6 1