

Gord James Fishell

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7008714/publications.pdf>

Version: 2024-02-01

178
papers

28,389
citations

5896

81
h-index

6471

157
g-index

250
all docs

250
docs citations

250
times ranked

23029
citing authors

#	ARTICLE	IF	CITATIONS
1	Single-cell delineation of lineage and genetic identity in the mouse brain. <i>Nature</i> , 2022, 601, 404-409.	27.8	93
2	Basic science under threat: Lessons from the Skirball Institute. <i>Cell</i> , 2022, 185, 755-758.	28.9	0
3	A versatile viral toolkit for functional discovery in the nervous system. <i>Cell Reports Methods</i> , 2022, , 100225.	2.9	6
4	In SARS-CoV-2, astrocytes are in it for the long haul. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	13
5	Alternating sources of perisomatic inhibition during behavior. <i>Neuron</i> , 2021, 109, 997-1012.e9.	8.1	67
6	FoxG1 regulates the formation of cortical GABAergic circuit during an early postnatal critical period resulting in autism spectrum disorder-like phenotypes. <i>Nature Communications</i> , 2021, 12, 3773.	12.8	30
7	A transient postnatal quiescent period precedes emergence of mature cortical dynamics. <i>ELife</i> , 2021, 10, .	6.0	11
8	GABA-receptive microglia selectively sculpt developing inhibitory circuits. <i>Cell</i> , 2021, 184, 4048-4063.e32.	28.9	142
9	Postnatal Sox6 Regulates Synaptic Function of Cortical Parvalbumin-Expressing Neurons. <i>Journal of Neuroscience</i> , 2021, 41, 8876-8886.	3.6	10
10	Bottom-up inputs are required for establishment of top-down connectivity onto cortical layer 1 neurogliaform cells. <i>Neuron</i> , 2021, 109, 3473-3485.e5.	8.1	30
11	Genetic and epigenetic coordination of cortical interneuron development. <i>Nature</i> , 2021, 597, 693-697.	27.8	56
12	The organization and development of cortical interneuron presynaptic circuits are area specific. <i>Cell Reports</i> , 2021, 37, 109993.	6.4	25
13	Interneuron Types as Attractors and Controllers. <i>Annual Review of Neuroscience</i> , 2020, 43, 1-30.	10.7	127
14	Innovations present in the primate interneuron repertoire. <i>Nature</i> , 2020, 586, 262-269.	27.8	206
15	Viral manipulation of functionally distinct interneurons in mice, non-human primates and humans. <i>Nature Neuroscience</i> , 2020, 23, 1629-1636.	14.8	133
16	A community-based transcriptomics classification and nomenclature of neocortical cell types. <i>Nature Neuroscience</i> , 2020, 23, 1456-1468.	14.8	183
17	Neuronal Inactivity Co-opts LTP Machinery to Drive Potassium Channel Splicing and Homeostatic Spike Widening. <i>Cell</i> , 2020, 181, 1547-1565.e15.	28.9	44
18	Mining the jewels of the cortexâ€™s crowning mystery. <i>Current Opinion in Neurobiology</i> , 2020, 63, 154-161.	4.2	22

#	ARTICLE	IF	CITATIONS
19	The generation of cortical interneurons. , 2020, , 461-479.		3
20	Dysfunction of cortical GABAergic neurons leads to sensory hyper-reactivity in a Shank3 mouse model of ASD. Nature Neuroscience, 2020, 23, 520-532.	14.8	115
21	Paradoxical network excitation by glutamate release from VGlut3+ GABAergic interneurons. ELife, 2020, 9, .	6.0	25
22	Hippocampal inputs engage CCK+ interneurons to mediate endocannabinoid-modulated feed-forward inhibition in the prefrontal cortex. ELife, 2020, 9, .	6.0	19
23	Cellular birthdate predicts laminar and regional cholinergic projection topography in the forebrain. ELife, 2020, 9, .	6.0	20
24	Preserving Inhibition during Developmental Hearing Loss Rescues Auditory Learning and Perception. Journal of Neuroscience, 2019, 39, 8347-8361.	3.6	26
25	Interneurons: Learning on the Job. Neuron, 2019, 102, 905-907.	8.1	1
26	Four Unique Interneuron Populations Reside in Neocortical Layer 1. Journal of Neuroscience, 2019, 39, 125-139.	3.6	131
27	Activity of Prefrontal Neurons Predict Future Choices during Gambling. Neuron, 2019, 101, 152-164.e7.	8.1	26
28	Hierarchical genetic interactions between FOXG1 and LHX2 regulate the formation of the cortical hem in the developing telencephalon. Development (Cambridge), 2018, 145, .	2.5	42
29	Developmental diversification of cortical inhibitory interneurons. Nature, 2018, 555, 457-462.	27.8	393
30	Activity Regulates Cell Death within Cortical Interneurons through a Calcineurin-Dependent Mechanism. Cell Reports, 2018, 22, 1695-1709.	6.4	80
31	Rbfox1 Mediates Cell-type-Specific Splicing in Cortical Interneurons. Neuron, 2018, 100, 846-859.e7.	8.1	92
32	Layer I Interneurons Sharpen Sensory Maps during Neonatal Development. Neuron, 2018, 99, 98-116.e7.	8.1	72
33	Developing neurons are innately inclined to learn on the job. Nature, 2018, 560, 39-40.	27.8	3
34	GABAergic Neurons in Ferret Visual Cortex Participate in Functionally Specific Networks. Neuron, 2017, 93, 1058-1065.e4.	8.1	71
35	FGF-Dependent, Context-Driven Role for FRS Adapters in the Early Telencephalon. Journal of Neuroscience, 2017, 37, 5690-5698.	3.6	10
36	Genetic and activity-dependent mechanisms underlying interneuron diversity. Nature Reviews Neuroscience, 2017, 18, 299-309.	10.2	248

#	ARTICLE	IF	CITATIONS
37	Heterotopic Transplantations Reveal Environmental Influences on Interneuron Diversity and Maturation. <i>Cell Reports</i> , 2017, 21, 721-731.	6.4	25
38	Addendum: A viral strategy for targeting and manipulating interneurons across vertebrate species. <i>Nature Neuroscience</i> , 2017, 20, 1033-1033.	14.8	5
39	Cortical interneuron specification: the juncture of genes, time and geometry. <i>Current Opinion in Neurobiology</i> , 2017, 42, 17-24.	4.2	102
40	What is memory? The present state of the engram. <i>BMC Biology</i> , 2016, 14, 40.	3.8	277
41	Lineage Is a Poor Predictor of Interneuron Positioning within the Forebrain. <i>Neuron</i> , 2016, 92, 45-51.	8.1	25
42	Human brains teach us a surprising lesson. <i>Science</i> , 2016, 354, 38-39.	12.6	1
43	A viral strategy for targeting and manipulating interneurons across vertebrate species. <i>Nature Neuroscience</i> , 2016, 19, 1743-1749.	14.8	396
44	Unifying Views of Autism Spectrum Disorders: A Consideration of Autoregulatory Feedback Loops. <i>Neuron</i> , 2016, 89, 1131-1156.	8.1	159
45	Early Somatostatin Interneuron Connectivity Mediates the Maturation of Deep Layer Cortical Circuits. <i>Neuron</i> , 2016, 89, 521-535.	8.1	154
46	Apical versus Basal Neurogenesis Directs Cortical Interneuron Subclass Fate. <i>Cell Reports</i> , 2015, 13, 1090-1095.	6.4	78
47	Sensory inputs control the integration of neurogliaform interneurons into cortical circuits. <i>Nature Neuroscience</i> , 2015, 18, 393-401.	14.8	98
48	Inhibition of Gli1 mobilizes endogenous neural stem cells for remyelination. <i>Nature</i> , 2015, 526, 448-452.	27.8	135
49	Clonally Related Forebrain Interneurons Disperse Broadly across Both Functional Areas and Structural Boundaries. <i>Neuron</i> , 2015, 87, 989-998.	8.1	99
50	<i>Prox1</i> Regulates the Subtype-Specific Development of Caudal Ganglionic Eminence-Derived GABAergic Cortical Interneurons. <i>Journal of Neuroscience</i> , 2015, 35, 12869-12889.	3.6	104
51	miRNAs are Essential for the Survival and Maturation of Cortical Interneurons. <i>Cerebral Cortex</i> , 2015, 25, 1842-1857.	2.9	23
52	Astrocyte activation is suppressed in both normal and injured brain by FGF signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, E2987-95.	7.1	118
53	Reverse Pharmacogenetic Modulation of the Nucleus Accumbens Reduces Ethanol Consumption in a Limited Access Paradigm. <i>Neuropsychopharmacology</i> , 2014, 39, 283-290.	5.4	53
54	A developmental cell-type switch in cortical interneurons leads to a selective defect in cortical oscillations. <i>Nature Communications</i> , 2014, 5, 5333.	12.8	41

#	ARTICLE	IF	CITATIONS
55	Continuous Postnatal Neurogenesis Contributes to Formation of the Olfactory Bulb Neural Circuits and Flexible Olfactory Associative Learning. Journal of Neuroscience, 2014, 34, 5788-5799.	3.6	101
56	Cntnap4 differentially contributes to GABAergic and dopaminergic synaptic transmission. Nature, 2014, 511, 236-240.	27.8	158
57	Inhibition: synapses, neurons and circuits. Current Opinion in Neurobiology, 2014, 26, v-vii.	4.2	7
58	Interneuron cell types are fit to function. Nature, 2014, 505, 318-326.	27.8	919
59	Subtype-selective Electroporation of Cortical Interneurons. Journal of Visualized Experiments, 2014, , e51518.	0.3	8
60	Oxytocin enhances hippocampal spike transmission by modulating fast-spiking interneurons. Nature, 2013, 500, 458-462.	27.8	297
61	The Neuron Identity Problem: Form Meets Function. Neuron, 2013, 80, 602-612.	8.1	86
62	A disinhibitory circuit mediates motor integration in the somatosensory cortex. Nature Neuroscience, 2013, 16, 1662-1670.	14.8	638
63	A Modular Gain-of-Function Approach to Generate Cortical Interneuron Subtypes from ES Cells. Neuron, 2013, 80, 1145-1158.	8.1	40
64	Directed Migration of Cortical Interneurons Depends on the Cell-Autonomous Action of Sip1. Neuron, 2013, 77, 70-82.	8.1	112
65	A Foot in the Door: How the Chromatin Modifier Brg1 and Pax6 Jointly Potentiate Adult Neurogenesis. Cell Stem Cell, 2013, 13, 373-374.	11.1	1
66	New insights into the classification and nomenclature of cortical GABAergic interneurons. Nature Reviews Neuroscience, 2013, 14, 202-216.	10.2	707
67	Ca ^v 2.1 ablation in cortical interneurons selectively impairs fast-spiking basket cells and causes generalized seizures. Annals of Neurology, 2013, 74, 209-222.	5.3	95
68	After the deluge. Nature, 2013, 496, 421-422.	27.8	4
69	Specification of GABAergic Neocortical Interneurons. , 2013, , 89-126.		8
70	Satb1 Is an Activity-Modulated Transcription Factor Required for the Terminal Differentiation and Connectivity of Medial Ganglionic Eminence-Derived Cortical Interneurons. Journal of Neuroscience, 2012, 32, 17690-17705.	3.6	122
71	Dynamic Changes in Interneuron Morphophysiological Properties Mark the Maturation of Hippocampal Network Activity. Journal of Neuroscience, 2012, 32, 6688-6698.	3.6	32
72	Dynamic FoxG1 Expression Coordinates the Integration of Multipolar Pyramidal Neuron Precursors into the Cortical Plate. Neuron, 2012, 74, 1045-1058.	8.1	126

#	ARTICLE	IF	CITATIONS
73	The origin of neocortical nitric oxide synthase-expressing inhibitory neurons. <i>Frontiers in Neural Circuits</i> , 2012, 6, 44.	2.8	34
74	Tanycytes of the hypothalamic median eminence form a diet-responsive neurogenic niche. <i>Nature Neuroscience</i> , 2012, 15, 700-702.	14.8	413
75	Mechanisms of Inhibition within the Telencephalon: "Where the Wild Things Are" Annual Review of Neuroscience, 2011, 34, 535-567.	10.7	205
76	Division-Coupled Astrocytic Differentiation and Age-Related Depletion of Neural Stem Cells in the Adult Hippocampus. <i>Cell Stem Cell</i> , 2011, 8, 566-579.	11.1	768
77	Pioneer GABA Cells Comprise a Subpopulation of Hub Neurons in the Developing Hippocampus. <i>Neuron</i> , 2011, 71, 695-709.	8.1	133
78	A Resource of Cre Driver Lines for Genetic Targeting of GABAergic Neurons in Cerebral Cortex. <i>Neuron</i> , 2011, 71, 995-1013.	8.1	1,659
79	A Resource of Cre Driver Lines for Genetic Targeting of GABAergic Neurons in Cerebral Cortex. <i>Neuron</i> , 2011, 72, 1091.	8.1	21
80	Neuronal activity is required for the development of specific cortical interneuron subtypes. <i>Nature</i> , 2011, 472, 351-355.	27.8	234
81	Introduction to the Special Issue on Cortical Interneurons. <i>Developmental Neurobiology</i> , 2011, 71, 1-1.	3.0	0
82	Three groups of interneurons account for nearly 100% of neocortical GABAergic neurons. <i>Developmental Neurobiology</i> , 2011, 71, 45-61.	3.0	1,151
83	Neural circuits look forward. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 16137-16138.	7.1	1
84	GABAergic Interneuron Lineages Selectively Sort into Specific Cortical Layers during Early Postnatal Development. <i>Cerebral Cortex</i> , 2011, 21, 845-852.	2.9	179
85	Sonic hedgehog expressing and responding cells generate neuronal diversity in the medial amygdala. <i>Neural Development</i> , 2010, 5, 14.	2.4	52
86	A silver lining to stroke: does ischemia generate new cortical interneurons?. <i>Nature Neuroscience</i> , 2010, 13, 145-146.	14.8	8
87	Common Origins of Hippocampal Ivy and Nitric Oxide Synthase Expressing Neurogliaform Cells. <i>Journal of Neuroscience</i> , 2010, 30, 2165-2176.	3.6	153
88	The Largest Group of Superficial Neocortical GABAergic Interneurons Expresses Ionotropic Serotonin Receptors. <i>Journal of Neuroscience</i> , 2010, 30, 16796-16808.	3.6	511
89	Genetic Fate Mapping Reveals That the Caudal Ganglionic Eminence Produces a Large and Diverse Population of Superficial Cortical Interneurons. <i>Journal of Neuroscience</i> , 2010, 30, 1582-1594.	3.6	478
90	Sonic hedgehog functions through dynamic changes in temporal competence in the developing forebrain. <i>Current Opinion in Genetics and Development</i> , 2010, 20, 391-399.	3.3	97

#	ARTICLE	IF	CITATIONS
91	Inhibition as a Transplant-Mediated Therapy: A New Paradigm for Treating Parkinson's?. Cell Stem Cell, 2010, 6, 184-185.	11.1	1
92	Characterization of Nkx6-2-Derived Neocortical Interneuron Lineages. Cerebral Cortex, 2009, 19, i1-i10.	2.9	263
93	<i>Emx1</i> -Lineage Progenitors Differentially Contribute to Neural Diversity in the Striatum and Amygdala. Journal of Neuroscience, 2009, 29, 15933-15946.	3.6	68
94	The Cell-Intrinsic Requirement of Sox6 for Cortical Interneuron Development. Neuron, 2009, 63, 466-481.	8.1	194
95	Chapter 3 The Developmental Integration of Cortical Interneurons into a Functional Network. Current Topics in Developmental Biology, 2009, 87, 81-118.	2.2	191
96	Math1: Waiting to Inhale. Neuron, 2009, 64, 293-295.	8.1	1
97	Choices in neuroscience careers. Nature Reviews Neuroscience, 2008, 9, 401-405.	10.2	0
98	Petilla terminology: nomenclature of features of GABAergic interneurons of the cerebral cortex. Nature Reviews Neuroscience, 2008, 9, 557-568.	10.2	1,314
99	The genetics of early telencephalon patterning: some assembly required. Nature Reviews Neuroscience, 2008, 9, 678-685.	10.2	323
100	Medulloblastoma Can Be Initiated by Deletion of Patched in Lineage-Restricted Progenitors or Stem Cells. Cancer Cell, 2008, 14, 135-145.	16.8	606
101	Pyramidal Neurons Grow Up and Change Their Mind. Neuron, 2008, 57, 333-338.	8.1	51
102	The Requirement of Nkx2-1 in the Temporal Specification of Cortical Interneuron Subtypes. Neuron, 2008, 59, 722-732.	8.1	304
103	Cortex Shatters the Glass Ceiling. Cell Stem Cell, 2008, 3, 472-474.	11.1	9
104	Genetic approaches identify adult pituitary stem cells. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 6332-6337.	7.1	176
105	Gene Expression in Cortical Interneuron Precursors is Prescient of their Mature Function. Cerebral Cortex, 2008, 18, 2306-2317.	2.9	120
106	The Distinct Temporal Origins of Olfactory Bulb Interneuron Subtypes. Journal of Neuroscience, 2008, 28, 3966-3975.	3.6	244
107	Mosaic Removal of Hedgehog Signaling in the Adult SVZ Reveals That the Residual Wild-Type Stem Cells Have a Limited Capacity for Self-Renewal. Journal of Neuroscience, 2007, 27, 14248-14259.	3.6	149
108	Physiologically Distinct Temporal Cohorts of Cortical Interneurons Arise from Telencephalic <i>Olig2</i> -Expressing Precursors. Journal of Neuroscience, 2007, 27, 7786-7798.	3.6	356

#	ARTICLE	IF	CITATIONS
109	Hedgehog Signaling in the Subventricular Zone Is Required for Both the Maintenance of Stem Cells and the Migration of Newborn Neurons. <i>Journal of Neuroscience</i> , 2007, 27, 5936-5947.	3.6	141
110	The Role of <i>Foxg1</i> and Dorsal Midline Signaling in the Generation of Cajal-Retzius Subtypes. <i>Journal of Neuroscience</i> , 2007, 27, 11103-11111.	3.6	121
111	Perspectives on the developmental origins of cortical interneuron diversity. <i>Novartis Foundation Symposium</i> , 2007, 288, 21-35; discussion 35-44, 96-8.	1.1	21
112	Functional genomics of early cortex patterning. <i>Genome Biology</i> , 2006, 7, 202.	9.6	7
113	Building Bridges to the Cortex. <i>Cell</i> , 2006, 125, 24-27.	28.9	14
114	Letter to the Editor. <i>Developmental Neuroscience</i> , 2006, 28, 517-517.	2.0	2
115	Adult cortical neurogenesis: nuanced, negligible or nonexistent?. <i>Nature Neuroscience</i> , 2006, 9, 1086-1088.	14.8	10
116	Morphogen to mitogen: the multiple roles of hedgehog signalling in vertebrate neural development. <i>Nature Reviews Neuroscience</i> , 2006, 7, 772-783.	10.2	375
117	Directing neuron-specific transgene expression in the mouse CNS. <i>Current Opinion in Neurobiology</i> , 2006, 16, 577-584.	4.2	46
118	Loss of Notch Activity in the Developing Central Nervous System Leads to Increased Cell Death. <i>Developmental Neuroscience</i> , 2006, 28, 49-57.	2.0	59
119	Removal of Pax6 Partially Rescues the Loss of Ventral Structures in Shh Null Mice. <i>Cerebral Cortex</i> , 2006, 16, i96-i102.	2.9	24
120	Cell Migration along the Lateral Cortical Stream to the Developing Basal Telencephalic Limbic System. <i>Journal of Neuroscience</i> , 2006, 26, 11562-11574.	3.6	87
121	Cerebellum- and forebrain-derived stem cells possess intrinsic regional character. <i>Development (Cambridge)</i> , 2005, 132, 4497-4508.	2.5	116
122	Notch signaling coordinates the patterning of striatal compartments. <i>Development (Cambridge)</i> , 2005, 132, 4247-4258.	2.5	77
123	Brain lipid-binding protein is a direct target of Notch signaling in radial glial cells. <i>Genes and Development</i> , 2005, 19, 1028-1033.	5.9	196
124	Cortical Development: New Concepts. <i>Neuron</i> , 2005, 46, 361-362.	8.1	17
125	Math1 Is Expressed in Temporally Discrete Pools of Cerebellar Rhombic-Lip Neural Progenitors. <i>Neuron</i> , 2005, 48, 17-24.	8.1	523
126	The Temporal and Spatial Origins of Cortical Interneurons Predict Their Physiological Subtype. <i>Neuron</i> , 2005, 48, 591-604.	8.1	505

#	ARTICLE	IF	CITATIONS
127	<i>Foxg1</i> Suppresses Early Cortical Cell Fate. Science, 2004, 303, 56-59.	12.6	339
128	Fibroblast Growth Factor Receptor Signaling Promotes Radial Glial Identity and Interacts with Notch1 Signaling in Telencephalic Progenitors. Journal of Neuroscience, 2004, 24, 9497-9506.	3.6	164
129	Temporal requirement for hedgehog signaling in ventral telencephalic patterning. Development (Cambridge), 2004, 131, 5031-5040.	2.5	146
130	Neural Stem Cells: Progenitors or Panacea?. Developmental Neuroscience, 2004, 26, 82-92.	2.0	11
131	Developmental regulation of EVF-1, a novel non-coding RNA transcribed upstream of the mouse Dlx6 gene. Gene Expression Patterns, 2004, 4, 407-412.	0.8	49
132	Radial Glia Serve as Neuronal Progenitors in All Regions of the Central Nervous System. Neuron, 2004, 41, 881-890.	8.1	707
133	Neurons from radial glia: the consequences of asymmetric inheritance. Current Opinion in Neurobiology, 2003, 13, 34-41.	4.2	211
134	Sonic Hedgehog Is Required for Progenitor Cell Maintenance in Telencephalic Stem Cell Niches. Neuron, 2003, 39, 937-950.	8.1	651
135	Sonic Hedgehog Is Required for Progenitor Cell Maintenance in Telencephalic Stem Cell Niches. Neuron, 2003, 40, 189-190.	8.1	9
136	Combinatorial function of the homeodomain proteins Nkx2.1 and Gsh2 in ventral telencephalic patterning. Development (Cambridge), 2003, 130, 4895-4906.	2.5	110
137	Dlx2 Progenitor Migration in Wild Type and Nkx2.1 Mutant Telencephalon. Cerebral Cortex, 2003, 13, 895-903.	2.9	44
138	Hedgehog patterns midbrain ARCHitecture. Trends in Neurosciences, 2002, 25, 10-11.	8.6	18
139	The caudal ganglionic eminence is a source of distinct cortical and subcortical cell populations. Nature Neuroscience, 2002, 5, 1279-1287.	14.8	511
140	Parsing the prosencephalon. Nature Reviews Neuroscience, 2002, 3, 943-951.	10.2	167
141	The Role of Notch in Promoting Glial and Neural Stem Cell Fates. Annual Review of Neuroscience, 2002, 25, 471-490.	10.7	542
142	Dorsoventral patterning is established in the telencephalon of mutants lacking both Gli3 and Hedgehog signaling. Development (Cambridge), 2002, 129, 4963-4974.	2.5	235
143	Dorsoventral patterning is established in the telencephalon of mutants lacking both Gli3 and Hedgehog signaling. Development (Cambridge), 2002, 129, 4963-74.	2.5	96
144	Calcium-Dependent Adhesion Is Necessary for the Maintenance of Prosomeres. Developmental Biology, 2001, 233, 80-94.	2.0	11

#	ARTICLE	IF	CITATIONS
145	An Acylatable Residue of Hedgehog Is Differentially Required in Drosophila and Mouse Limb Development. <i>Developmental Biology</i> , 2001, 233, 122-136.	2.0	98
146	Radial Glial Cell Line C6-R Integrates Preferentially in Adult White Matter and Facilitates Migration of Coimplanted Neurons in Vivo. <i>Experimental Neurology</i> , 2001, 168, 310-322.	4.1	13
147	Telencephalic Neural Progenitors Appear To Be Restricted to Regional and Glial Fates before the Onset of Neurogenesis. <i>Journal of Neuroscience</i> , 2001, 21, 6772-6781.	3.6	120
148	Telencephalic cells take a tangent: non-radial migration in the mammalian forebrain. <i>Nature Neuroscience</i> , 2001, 4, 1177-1182.	14.8	280
149	N-terminal fatty-acylation of sonic hedgehog enhances the induction of rodent ventral forebrain neurons. <i>Development (Cambridge)</i> , 2001, 128, 2351-2363.	2.5	107
150	In utero fate mapping reveals distinct migratory pathways and fates of neurons born in the mammalian basal forebrain. <i>Development (Cambridge)</i> , 2001, 128, 3759-3771.	2.5	626
151	Radial Glial Identity Is Promoted by Notch1 Signaling in the Murine Forebrain. <i>Neuron</i> , 2000, 26, 395-404.	8.1	674
152	A method for rapid gain-of-function studies in the mouse embryonic nervous system. <i>Nature Neuroscience</i> , 1999, 2, 812-819.	14.8	173
153	BMPs: time to murder and create?. <i>Nature Neuroscience</i> , 1999, 2, 301-303.	14.8	7
154	Cooperation of intrinsic and extrinsic signals in the elaboration of regional identity in the posterior cerebral cortex. <i>Current Biology</i> , 1998, 8, 459-463.	3.9	70
155	Telencephalic progenitors maintain anteroposterior identities cell autonomously. <i>Current Biology</i> , 1998, 8, 987-S2.	3.9	39
156	Transplantation as a tool to study progenitors within the vertebrate nervous system. <i>Journal of Neurobiology</i> , 1998, 36, 152-161.	3.6	51
157	Generation of a radial-like glial cell line. , 1998, 37, 291-304.		21
158	Transplantation as a tool to study progenitors within the vertebrate nervous system. <i>Journal of Neurobiology</i> , 1998, 36, 152-161.	3.6	3
159	Postnatal mouse subventricular zone neuronal precursors can migrate and differentiate within multiple levels of the developing neuraxis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 14832-14836.	7.1	98
160	Regionalization in the mammalian telencephalon. <i>Current Opinion in Neurobiology</i> , 1997, 7, 62-69.	4.2	40
161	A Short-Range Signal Restricts Cell Movement between Telencephalic Proliferative Zones. <i>Journal of Neuroscience</i> , 1997, 17, 9194-9203.	3.6	29
162	Disruption of the MacMARCKS gene prevents cranial neural tube closure and results in anencephaly.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 6275-6279.	7.1	90

#	ARTICLE	IF	CITATIONS
163	Pattern Formation in the Mammalian Forebrain: Striatal Patch and Matrix Neurons Intermix Prior to Compartment Formation. <i>European Journal of Neuroscience</i> , 1995, 7, 1210-1219.	2.6	38
164	Tracking fluorescently labeled neurons in developing brain. <i>FASEB Journal</i> , 1995, 9, 324-334.	0.5	16
165	Dispersion of neural progenitors within the germinal zones of the forebrain. <i>Nature</i> , 1993, 362, 636-638.	27.8	272
166	Embryonic lesions of the substantia nigra prevent the patchy expression of opiate receptors, but not the segregation of patch and matrix compartment neurons, in the developing rat striatum. <i>Developmental Brain Research</i> , 1992, 66, 141-145.	1.7	27
167	Pattern formation in the striatum: Neurons with early projections to the substantia nigra survive the cell death period. <i>Journal of Comparative Neurology</i> , 1991, 312, 33-42.	1.6	67
168	The Development of Striatal Compartmentalization: The Role of Mitotic and Postmitotic Events. <i>Advances in Behavioral Biology</i> , 1991, , 13-20.	0.2	5
169	Neuronal lineages in chimeric mouse forebrain are segregated between compartments and in the rostrocaudal and radial planes. <i>Developmental Biology</i> , 1990, 141, 70-83.	2.0	46
170	Pattern formation in the striatum: developmental changes in the distribution of striatonigral projections. <i>Developmental Brain Research</i> , 1989, 45, 239-255.	1.7	39
171	The development of laterality in the forebrain projections of midline thalamic cell groups in the rat. <i>Developmental Brain Research</i> , 1987, 35, 275-282.	1.7	17
172	Neuronal birthdate underlies the development of striatal compartments. <i>Brain Research</i> , 1987, 401, 155-161.	2.2	255
173	Pattern formation in the striatum: developmental changes in the distribution of striatonigral neurons. <i>Journal of Neuroscience</i> , 1987, 7, 1969-1978.	3.6	153
174	The Development of Striatal Compartments: From Proliferation to Patches. <i>Advances in Behavioral Biology</i> , 1987, , 81-98.	0.2	10
175	Bottom-Up Inputs are Required for the Establishment of Top-Down Connectivity Onto Cortical Layer 1 Neurogliaform Cells. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
176	Perspectives on the Developmental Origins of Cortical Interneuron Diversity. <i>Novartis Foundation Symposium</i> , 0, , 21-44.	1.1	29
177	Non-Canonical Wnt-Signaling through <i>Ryk</i> Regulates the Generation of Somatostatin- and Parvalbumin-Expressing Cortical Interneurons. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
178	GABA-Receptive Microglia Selectively Sculpt Developing Inhibitory Circuits. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0