

Songqi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7014046/publications.pdf>

Version: 2024-02-01

67
papers

5,267
citations

76294

40
h-index

91828

69
g-index

69
all docs

69
docs citations

69
times ranked

2937
citing authors

#	ARTICLE	IF	CITATIONS
1	Facile synthesis of bio-based latent curing agent and its high-Tg epoxy network. <i>European Polymer Journal</i> , 2022, 164, 110965.	2.6	14
2	Degradable benzyl cyclic acetal epoxy monomers with low viscosity: Synthesis, structure-property relationships, application in recyclable carbon fiber composite. <i>Composites Science and Technology</i> , 2022, 219, 109243.	3.8	30
3	Fast Reprocessing, Postadjustable, Self-Healing Covalent Adaptable Networks with Schiff Base and Diels-Alder Adduct. <i>Macromolecular Rapid Communications</i> , 2022, 43, e2100777.	2.0	23
4	Closed-loop chemical recycling of thermosetting polymers and their applications: a review. <i>Green Chemistry</i> , 2022, 24, 5691-5708.	4.6	57
5	Crystallizable Aliphatic Chains Enhanced Covalent Adaptable Networks: Fast Reprocessing and Improved Performance. <i>Macromolecular Rapid Communications</i> , 2022, 43, .	2.0	6
6	Phosphate-based covalent adaptable networks with recyclability and flame retardancy from bioresources. <i>European Polymer Journal</i> , 2021, 144, 110236.	2.6	57
7	Amino acids as latent curing agents and their application in fully bio-based epoxy resins. <i>Green Chemistry</i> , 2021, 23, 6566-6575.	4.6	24
8	Upcycling of Polyethylene Terephthalate to Continuously Reprocessable Vitrimers through Reactive Extrusion. <i>Macromolecules</i> , 2021, 54, 703-712.	2.2	71
9	Dissociate transfer exchange of tandem dynamic bonds endows covalent adaptable networks with fast reprocessability and high performance. <i>Polymer Chemistry</i> , 2021, 12, 5217-5228.	1.9	19
10	Upcycling of post-consumer polyolefin plastics to covalent adaptable networks <i>via in situ</i> continuous extrusion cross-linking. <i>Green Chemistry</i> , 2021, 23, 2931-2937.	4.6	39
11	High-performance bio-based epoxies from ferulic acid and furfuryl alcohol: synthesis and properties. <i>Green Chemistry</i> , 2021, 23, 1772-1781.	4.6	38
12	Biosourced Acetal and Diels-Alder Adduct Concurrent Polyurethane Covalent Adaptable Network. <i>Macromolecules</i> , 2021, 54, 1742-1753.	2.2	63
13	Scalable and facile synthesis of acetal covalent adaptable networks with readily adjustable properties. <i>European Polymer Journal</i> , 2021, 147, 110291.	2.6	11
14	Catalyst-free malleable, degradable, bio-based epoxy thermosets and its application in recyclable carbon fiber composites. <i>Composites Part B: Engineering</i> , 2021, 211, 108654.	5.9	70
15	Fast Reprocessing of Acetal Covalent Adaptable Networks with High Performance Enabled by Neighboring Group Participation. <i>Macromolecules</i> , 2021, 54, 8423-8434.	2.2	56
16	Facile synthesis of hemiacetal ester-based dynamic covalent polymer networks combining fast reprocessability and high performance. <i>Green Chemistry</i> , 2021, 23, 9061-9070.	4.6	14
17	Preparation of Non-Planar-Ring Epoxy Thermosets Combining Ultra-Strong Shape Memory Effects and High Performance. <i>Macromolecular Research</i> , 2020, 28, 480-493.	1.0	12
18	Concurrent thiol-ene competitive reactions provide reprocessable, degradable and creep-resistant dynamic permanent hybrid covalent networks. <i>Green Chemistry</i> , 2020, 22, 7769-7777.	4.6	34

#	ARTICLE	IF	CITATIONS
19	Dynamic transfer auto-catalysis of epoxy vitrimers enabled by the carboxylic acid/epoxy ratio based on facilely synthesized trifunctional monoesterified cyclic anhydrides. <i>European Polymer Journal</i> , 2020, 135, 109881.	2.6	38
20	Conductive vitrimer nanocomposites enable advanced and recyclable thermo-sensitive materials. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11681-11686.	2.7	12
21	Dihydrazone-based dynamic covalent epoxy networks with high creep resistance, controlled degradability, and intrinsic antibacterial properties from bioresources. <i>Journal of Materials Chemistry A</i> , 2020, 8, 11261-11274.	5.2	72
22	High-Performance, Biobased, Degradable Polyurethane Thermoset and Its Application in Readily Recyclable Carbon Fiber Composites. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 11162-11170.	3.2	58
23	Facile synthesis of "digestible", rigid-and-flexible, bio-based building block for high-performance degradable thermosetting plastics. <i>Green Chemistry</i> , 2020, 22, 1275-1290.	4.6	64
24	Green and Facile Preparation of Readily Dual-Recyclable Thermosetting Polymers with Superior Stability Based on Asymmetric Acetal. <i>Macromolecules</i> , 2020, 53, 1474-1485.	2.2	80
25	Facile Preparation of Polyimine Vitrimers with Enhanced Creep Resistance and Thermal and Mechanical Properties via Metal Coordination. <i>Macromolecules</i> , 2020, 53, 2919-2931.	2.2	120
26	Sustainable valorization of lignin with levulinic acid and its application in polyimine thermosets. <i>Green Chemistry</i> , 2019, 21, 4964-4970.	4.6	43
27	Facile catalyst-free synthesis, exchanging, and hydrolysis of an acetal motif for dynamic covalent networks. <i>Journal of Materials Chemistry A</i> , 2019, 7, 18039-18049.	5.2	81
28	Readily recyclable, high-performance thermosetting materials based on a lignin-derived spiro diacetal trigger. <i>Journal of Materials Chemistry A</i> , 2019, 7, 1233-1243.	5.2	142
29	High-performance, command-degradable, antibacterial Schiff base epoxy thermosets: synthesis and properties. <i>Journal of Materials Chemistry A</i> , 2019, 7, 15420-15431.	5.2	180
30	Synthesis of fully bio-based diepoxy monomer with dicyclo diacetal for high-performance, readily degradable thermosets. <i>European Polymer Journal</i> , 2019, 117, 200-207.	2.6	54
31	Facile <i>in situ</i> preparation of high-performance epoxy vitrimer from renewable resources and its application in nondestructive recyclable carbon fiber composite. <i>Green Chemistry</i> , 2019, 21, 1484-1497.	4.6	333
32	Readily recyclable carbon fiber reinforced composites based on degradable thermosets: a review. <i>Green Chemistry</i> , 2019, 21, 5781-5796.	4.6	148
33	Vanillin-derived phosphorus-containing compounds and ammonium polyphosphate as green fire-resistant systems for epoxy resins with balanced properties. <i>Polymers for Advanced Technologies</i> , 2019, 30, 264-278.	1.6	40
34	Comparison of Hydrogenated Bisphenol A and Bisphenol A Epoxies: Curing Behavior, Thermal and Mechanical Properties, Shape Memory Properties. <i>Macromolecular Research</i> , 2018, 26, 529-538.	1.0	22
35	Degradable thermosets based on labile bonds or linkages: A review. <i>Progress in Polymer Science</i> , 2018, 76, 65-110.	11.8	257
36	Robust, Fire-Safe, Monomer-Recovery, Highly Malleable Thermosets from Renewable Bioresources. <i>Macromolecules</i> , 2018, 51, 8001-8012.	2.2	244

#	ARTICLE	IF	CITATIONS
37	Research Progress on Vanillin-based Thermosets. <i>Current Green Chemistry</i> , 2018, 5, 138-149.	0.7	8
38	Vanillin-Derived High-Performance Flame Retardant Epoxy Resins: Facile Synthesis and Properties. <i>Macromolecules</i> , 2017, 50, 1892-1901.	2.2	343
39	2,5-Furandicarboxylic Acid- and Itaconic Acid-Derived Fully Biobased Unsaturated Polyesters and Their Cross-Linked Networks. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 2650-2657.	1.8	58
40	Hexahydro- <i>s</i> -triazine: A Trial for Acid-Degradable Epoxy Resins with High Performance. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4683-4689.	3.2	57
41	UV-thermal dual cured anti-bacterial thiol-ene networks with superior performance from renewable resources. <i>Polymer</i> , 2017, 108, 215-222.	1.8	48
42	Itaconic Acid as a Green Alternative to Acrylic Acid for Producing a Soybean Oil-Based Thermoset: Synthesis and Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 1228-1236.	3.2	94
43	Green Synthesis of a Bio-Based Epoxy Curing Agent from Isosorbide in Aqueous Condition and Shape Memory Properties Investigation of the Cured Resin. <i>Macromolecular Chemistry and Physics</i> , 2016, 217, 1439-1447.	1.1	43
44	Research progress on bio-based thermosetting resins. <i>Polymer International</i> , 2016, 65, 164-173.	1.6	173
45	Soybean oil-based UV-curable coatings strengthened by crosslink agent derived from itaconic acid together with 2-hydroxyethyl methacrylate phosphate. <i>Progress in Organic Coatings</i> , 2016, 97, 210-215.	1.9	67
46	Hard and Flexible, Degradable Thermosets from Renewable Bioresources with the Assistance of Water and Ethanol. <i>Macromolecules</i> , 2016, 49, 3780-3788.	2.2	146
47	Bio-based shape memory epoxy resin synthesized from rosin acid. <i>Iranian Polymer Journal (English)</i> Tj ETQq1 1 0.784314 rgBT ₃₁ /Overlo	1.3	31
48	High bio-based content waterborne UV-curable coatings with excellent adhesion and flexibility. <i>Progress in Organic Coatings</i> , 2015, 87, 197-203.	1.9	82
49	Fabricating Highly Reactive Bio-based Compatibilizers of Epoxidized Citric Acid To Improve the Flexural Properties of Polylactide/Microcrystalline Cellulose Blends. <i>Industrial & Engineering Chemistry Research</i> , 2015, 54, 3806-3812.	1.8	27
50	Polyesters derived from itaconic acid for the properties and bio-based content enhancement of soybean oil-based thermosets. <i>Green Chemistry</i> , 2015, 17, 2383-2392.	4.6	144
51	Naturally Occurring Acids as Cross-Linkers To Yield VOC-Free, High-Performance, Fully Bio-Based, Degradable Thermosets. <i>Macromolecules</i> , 2015, 48, 7127-7137.	2.2	160
52	Synthesis of bio-based unsaturated polyester resins and their application in waterborne UV-curable coatings. <i>Progress in Organic Coatings</i> , 2015, 78, 49-54.	1.9	124
53	Surface hydrophobic modification of starch with bio-based epoxy resins to fabricate high-performance polylactide composite materials. <i>Composites Science and Technology</i> , 2014, 94, 16-22.	3.8	68
54	Diisocyanate free and melt polycondensation preparation of bio-based unsaturated poly(ester-urethane)s and their properties as UV curable coating materials. <i>RSC Advances</i> , 2014, 4, 49471-49477.	1.7	30

#	ARTICLE	IF	CITATIONS
55	Origin of highly recoverable shape memory polyurethanes (SMPUs) with non-planar ring structures: a single molecule force spectroscopy investigation. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20010-20016.	5.2	36
56	Bio-based tetrafunctional crosslink agent from gallic acid and its enhanced soybean oil-based UV-cured coatings with high performance. <i>RSC Advances</i> , 2014, 4, 23036.	1.7	92
57	Synthesis and Properties of a Bio-Based Epoxy Resin with High Epoxy Value and Low Viscosity. <i>ChemSusChem</i> , 2014, 7, 555-562.	3.6	147
58	Bio-based epoxy resin from itaconic acid and its thermosets cured with anhydride and comonomers. <i>Green Chemistry</i> , 2013, 15, 245-254.	4.6	261
59	The properties of poly(lactic acid)/starch blends with a functionalized plant oil: Tung oil anhydride. <i>Carbohydrate Polymers</i> , 2013, 95, 77-84.	5.1	105
60	Syntheses of Metallic Cyclodextrins and Their Use as Synergists in a Poly(Vinyl Alcohol)/Intumescent Flame Retardant System. <i>Industrial & Engineering Chemistry Research</i> , 2013, 52, 2784-2792.	1.8	47
61	Effect of castor oil enrichment layer produced by reaction on the properties of PLA/HDI-g-starch blends. <i>Carbohydrate Polymers</i> , 2013, 94, 235-243.	5.1	77
62	Synthesis and properties of LED-packaging epoxy resin toughened by a novel polysiloxane from hydrolysis and condensation. <i>Macromolecular Research</i> , 2011, 19, 972-979.	1.0	21
63	Study on the modification of epoxy resin by a phosphorus- and silica-containing hybrid. <i>Journal of Applied Polymer Science</i> , 2011, 121, 2213-2219.	1.3	10
64	Modification of epoxy resin with polyether-grafted-polysiloxane and epoxy-miscible polysiloxane particles. <i>Macromolecular Research</i> , 2010, 18, 22-28.	1.0	36
65	Toughening of epoxy resin system using a novel dendritic polysiloxane. <i>Macromolecular Research</i> , 2010, 18, 392-398.	1.0	33
66	Morphologies and mechanical and thermal properties of highly epoxidized polysiloxane toughened epoxy resin composites. <i>Macromolecular Research</i> , 2010, 18, 853-861.	1.0	31
67	Synthesis of UV-curable polysiloxanes containing methacryloxy/fluorinated side groups and the performances of their cured composite coatings. <i>Progress in Organic Coatings</i> , 2010, 69, 359-365.	1.9	40