

# Marc Van Cauteren

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7015064/marc-van-cauteren-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

79  
papers

4,497  
citations

25  
h-index

66  
g-index

81  
ext. papers

4,949  
ext. citations

5.9  
avg, IF

4.68  
L-index

#	Paper	IF	Citations
79	Evaluating feasibility of high resolution T1-perfusion MRI with whole brain coverage using compressed SENSE: Application to glioma grading. <i>European Journal of Radiology</i> , <b>2020</b> , 129, 109049	4.7	8
78	Application of hierarchical clustering to multi-parametric MR in prostate: Differentiation of tumor and normal tissue with high accuracy. <i>Magnetic Resonance Imaging</i> , <b>2020</b> , 74, 90-95	3.3	5
77	Vessel-selective 4D-MR angiography using super-selective pseudo-continuous arterial spin labeling may be a useful tool for assessing brain AVM hemodynamics. <i>European Radiology</i> , <b>2020</b> , 30, 6452-6463	8	7
76	Improved selective visualization of internal and external carotid artery in 4D-MR angiography based on super-selective pseudo-continuous arterial spin labeling combined with CENTRA-keyhole and view-sharing (4D-S-PACK). <i>Magnetic Resonance Imaging</i> , <b>2020</b> , 73, 15-22	3.3	1
75	Free-breathing non-contrast-enhanced flow-independent MR angiography using magnetization-prepared 3D non-balanced dual-echo Dixon method: A feasibility study at 3 Tesla. <i>Magnetic Resonance Imaging</i> , <b>2019</b> , 63, 137-146	3.3	12
74	Acceleration-selective arterial spin labeling MR angiography for visualization of brain arteriovenous malformations. <i>Neuroradiology</i> , <b>2019</b> , 61, 979-989	3.2	6
73	Comparative evaluation of cerebral gliomas using rCBV measurements during sequential acquisition of T1-perfusion and T2*-perfusion MRI. <i>PLoS ONE</i> , <b>2019</b> , 14, e0215400	3.7	7
72	Robust visualization of middle cerebral artery main trunk by enhanced acceleration-selective arterial spin labeling (eAccASL) for intracranial MRA. <i>Magnetic Resonance in Medicine</i> , <b>2019</b> , 81, 3185-3191	4.4	2
71	Non-contrast enhanced 4D intracranial MR angiography based on pseudo-continuous arterial spin labeling with the keyhole and view-sharing technique. <i>Magnetic Resonance in Medicine</i> , <b>2018</b> , 80, 719-725	4.4	9
70	Measurement of the perfusion fraction in brain tumors with intravoxel incoherent motion MR imaging: validation with histopathological vascular density in meningiomas. <i>British Journal of Radiology</i> , <b>2018</b> , 91, 20170912	3.4	20
69	Acceleration of ASL-based time-resolved MR angiography by acquisition of control and labeled images in the same shot (ACTRESS). <i>Magnetic Resonance in Medicine</i> , <b>2018</b> , 79, 224-233	4.4	6
68	Noninvasive electrical conductivity measurement by MRI: a test of its validity and the electrical conductivity characteristics of glioma. <i>European Radiology</i> , <b>2018</b> , 28, 348-355	8	45
67	Acceleration-selective Arterial Spin-labeling MR Angiography Used to Visualize Distal Cerebral Arteries and Collateral Vessels in Moyamoya Disease. <i>Radiology</i> , <b>2018</b> , 286, 611-621	20.5	15
66	Simultaneous acquisition of perfusion image and dynamic MR angiography using time-encoded pseudo-continuous ASL. <i>Magnetic Resonance in Medicine</i> , <b>2018</b> , 79, 2676-2684	4.4	5
65	4D ASL-based MR angiography for visualization of distal arteries and leptomeningeal collateral vessels in moyamoya disease: a comparison of techniques. <i>European Radiology</i> , <b>2018</b> , 28, 4871-4881	8	16
64	T mapping improvement using stretched-type adiabatic locking pulses for assessment of human liver function at 3T. <i>Magnetic Resonance Imaging</i> , <b>2017</b> , 40, 17-23	3.3	9
63	Differentiation of hypointense nodules on gadoteric acid-enhanced hepatobiliary-phase MRI using T enhanced spin-echo imaging with the time-reversed gradient echo sequence: An initial experience. <i>European Journal of Radiology</i> , <b>2017</b> , 95, 325-331	4.7	2

62	Acceleration-selective arterial spin labeling for intracranial MR angiography with improved visualization of cortical arteries and suppression of cortical veins. <i>Magnetic Resonance in Medicine</i> , <b>2017</b> , 77, 1996-2004	4.4	11
61	Hyperecho PROPELLER-MRI: Application to rapid high-resolution motion-insensitive T-weighted black-blood imaging of the carotid arterial vessel wall and plaque. <i>Journal of Magnetic Resonance Imaging</i> , <b>2017</b> , 45, 515-524	5.6	3
60	Differentiation of high-grade and low-grade diffuse gliomas by intravoxel incoherent motion MR imaging. <i>Neuro-Oncology</i> , <b>2016</b> , 18, 132-41	1	81
59	Estimation of the Mean Axon Diameter and Intra-axonal Space Volume Fraction of the Human Corpus Callosum: Diffusion q-space Imaging with Low q-values. <i>Magnetic Resonance in Medical Sciences</i> , <b>2016</b> , 15, 83-93	2.9	6
58	Pulmonary 3 T MRI with ultrashort TEs: influence of ultrashort echo time interval on pulmonary functional and clinical stage assessments of smokers. <i>Journal of Magnetic Resonance Imaging</i> , <b>2014</b> , 39, 988-97	5.6	23
57	Comparison between two types of improved motion-sensitized driven-equilibrium (iMSDE) for intracranial black-blood imaging at 3.0 tesla. <i>Journal of Magnetic Resonance Imaging</i> , <b>2014</b> , 40, 824-31	5.6	21
56	Separate pulmonary artery and vein magnetic resonance angiography by use of an arterial spin labeling method. <i>Radiological Physics and Technology</i> , <b>2014</b> , 7, 352-7	1.7	1
55	Transient lesion in the splenium of the corpus callosum in acute uncomplicated falciparum malaria. <i>American Journal of Tropical Medicine and Hygiene</i> , <b>2014</b> , 90, 1117-1123	3.2	7
54	Asthma: comparison of dynamic oxygen-enhanced MR imaging and quantitative thin-section CT for evaluation of clinical treatment. <i>Radiology</i> , <b>2014</b> , 273, 907-16	20.5	23
53	Pulmonary MR imaging with ultra-short TEs: utility for disease severity assessment of connective tissue disease patients. <i>European Journal of Radiology</i> , <b>2013</b> , 82, 1359-65	4.7	23
52	Intravoxel incoherent motion imaging of masticatory muscles: pilot study for the assessment of perfusion and diffusion during clenching. <i>American Journal of Roentgenology</i> , <b>2013</b> , 201, 1101-7	5.4	20
51	T2* relaxometry mapping of the uterine zones. <i>Acta Radiologica</i> , <b>2012</b> , 53, 473-7	2	6
50	Salivary gland tumors: use of intravoxel incoherent motion MR imaging for assessment of diffusion and perfusion for the differentiation of benign from malignant tumors. <i>Radiology</i> , <b>2012</b> , 263, 770-7	20.5	137
49	Identification and further differentiation of subendocardial and transmural myocardial infarction by fast strain-encoded (SENC) magnetic resonance imaging at 3.0 Tesla. <i>European Radiology</i> , <b>2011</b> , 21, 2362-8	8	31
48	Subtraction of unidirectionally encoded images for suppression of heavily isotropic objects (SUSHI) for selective visualization of peripheral nerves. <i>Neuroradiology</i> , <b>2011</b> , 53, 109-16	3.2	19
47	Improving background suppression in diffusion-weighted imaging of the abdomen and pelvis using STIR with single-axis diffusion encoding. <i>Magnetic Resonance Imaging</i> , <b>2011</b> , 29, 877-80	3.3	3
46	T2* measurements of 3-T MRI with ultrashort TEs: capabilities of pulmonary function assessment and clinical stage classification in smokers. <i>American Journal of Roentgenology</i> , <b>2011</b> , 197, W279-85	5.4	48
45	Diffusion-weighted magnetic resonance imaging of the liver using tracking only navigator echo: feasibility study. <i>Investigative Radiology</i> , <b>2010</b> , 45, 57-63	10.1	19

44	Diffusion-weighted MR neurography of the sacral plexus with unidirectional motion probing gradients. <i>European Radiology</i> , <b>2010</b> , 20, 1221-6	8	45
43	Whole-body MRI using a sliding table and repositioning surface coil approach. <i>European Radiology</i> , <b>2010</b> , 20, 1366-73	8	24
42	Apparent diffusion coefficient measurement in a moving phantom simulating linear respiratory motion. <i>Japanese Journal of Radiology</i> , <b>2010</b> , 28, 578-83	2.9	5
41	Non-Invasive in Vivo Determination of the Absolute ATP Concentration in the Rat Liver by <sup>31</sup> P NMR Spectroscopy. <i>Bulletin Des Sociétés Chimiques Belges</i> , <b>2010</b> , 101, 113-118		3
40	Three-dimensional velocity mapping of thoracic aorta and supra-aortic arteries in Takayasu arteritis. <i>Journal of Magnetic Resonance Imaging</i> , <b>2010</b> , 31, 1481-5	5.6	5
39	Ultra-short echo time (UTE) MR imaging of the lung: comparison between normal and emphysematous lungs in mutant mice. <i>Journal of Magnetic Resonance Imaging</i> , <b>2010</b> , 32, 326-33	5.6	79
38	Salivary Gland Tumors: Preoperative Tissue Characterization with Apparent Diffusion Coefficient Mapping <b>2010</b> , 255-269		2
37	Diagnostic performance of diffusion-weighted magnetic resonance imaging in esophageal cancer. <i>European Radiology</i> , <b>2009</b> , 19, 1461-9	8	80
36	Whole-body diffusion-weighted magnetic resonance imaging. <i>European Journal of Radiology</i> , <b>2009</b> , 70, 409-17	4.7	115
35	Diffusion-weighted magnetic resonance imaging as a cancer biomarker: consensus and recommendations. <i>Neoplasia</i> , <b>2009</b> , 11, 102-25	6.4	1462
34	Influence of cardiac motion on diffusion-weighted magnetic resonance imaging of the liver. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , <b>2009</b> , 22, 319-25	2.8	80
33	Abdominal applications of 3.0-T MR imaging: comparative review versus a 1.5-T system. <i>Radiographics</i> , <b>2008</b> , 28, e30	5.4	46
32	Evaluation of global cardiac functional parameters using single-breath-hold three-dimensional cine steady-state free precession MR imaging with two types of speed-up techniques: comparison with two-dimensional cine imaging. <i>Computerized Medical Imaging and Graphics</i> , <b>2008</b> , 32, 61-6	7.6	13
31	Characterization of atherosclerotic plaque of carotid arteries with histopathological correlation: vascular wall MR imaging vs. color Doppler ultrasonography (US). <i>Journal of Magnetic Resonance Imaging</i> , <b>2008</b> , 28, 478-85	5.6	47
30	Parallel imaging technique for the external carotid artery and its branches: comparison of balanced turbo field echo, phase contrast, and time-of-flight sequences. <i>Journal of Magnetic Resonance Imaging</i> , <b>2007</b> , 25, 1028-34	5.6	15
29	Influence of inversion pulse type in assessing lung-oxygen-enhancement by centrally-reordered non-slice-selective inversion-recovery half-Fourier single-shot turbo spin-echo (HASTE) sequence. <i>Journal of Magnetic Resonance Imaging</i> , <b>2007</b> , 26, 1133-8	5.6	7
28	Balanced turbo field-echo sequence for MRI of parotid gland diseases. <i>American Journal of Roentgenology</i> , <b>2007</b> , 188, 228-32	5.4	4
27	Gadolinium-enhanced multiphasic 3D MRI of the liver with prospective adaptive navigator correction: phantom study and preliminary clinical evaluation. <i>American Journal of Roentgenology</i> , <b>2007</b> , 188, W309-16	5.4	3

26	MR microimaging of benign and malignant nodes in the neck. <i>American Journal of Roentgenology</i> , <b>2006</b> , 186, 749-57	5.4	112
25	Hemolytic Anemia and Thromobocytopenia Associated with Ischemic Brain Lesions in Patients with Acute Uncomplicated Plasmodium Falciparum Malaria.. <i>Blood</i> , <b>2006</b> , 108, 1572-1572	2.2	
24	Fast and high-resolution MR sialography using a small surface coil. <i>Journal of Magnetic Resonance Imaging</i> , <b>2005</b> , 22, 29-37	5.6	23
23	Oxygen-enhanced MR imaging: correlation with postsurgical lung function in patients with lung cancer. <i>Radiology</i> , <b>2005</b> , 236, 704-11	20.5	62
22	Assessment of coronary arteries with total study time of less than 30 minutes by using whole-heart coronary MR angiography. <i>Radiology</i> , <b>2005</b> , 237, 316-21	20.5	180
21	MR mammary ductography using a microscopy coil for assessment of intraductal lesions. <i>American Journal of Roentgenology</i> , <b>2004</b> , 182, 1340-2	5.4	24
20	Centrally reordered inversion recovery half-Fourier single-shot turbo spin-echo sequence: improvement of the image quality of oxygen-enhanced MRI. <i>European Journal of Radiology</i> , <b>2004</b> , 52, 200-5	4.7	13
19	Diffusion weighted whole body imaging with background body signal suppression (DWIBS): technical improvement using free breathing, STIR and high resolution 3D display. <i>Radiation Medicine</i> , <b>2004</b> , 22, 275-82		516
18	Time-resolved contrast-enhanced pulmonary MR angiography using sensitivity encoding (SENSE). <i>Journal of Magnetic Resonance Imaging</i> , <b>2003</b> , 17, 330-6	5.6	52
17	Implications of SENSE MR in routine clinical practice. <i>European Journal of Radiology</i> , <b>2003</b> , 46, 3-27	4.7	132
16	191 Reconstruction multiplier????????????????MRI(MR?? parallel imaging). <i>Japanese Journal of Radiological Technology</i> , <b>2003</b> , 59, 1070		
15	Dynamic oxygen-enhanced MRI reflects diffusing capacity of the lung. <i>Magnetic Resonance in Medicine</i> , <b>2002</b> , 47, 1139-44	4.4	85
14	Coil sensitivity encoding in MR imaging: advantages and disadvantages in clinical practice. <i>American Journal of Roentgenology</i> , <b>2002</b> , 178, 1087-91	5.4	48
13	Effect of intravenous gadolinium-DTPA on diffusion-weighted images: evaluation of normal brain and infarcts. <i>Stroke</i> , <b>2002</b> , 33, 1799-802	6.7	44
12	High-resolution selective three-dimensional magnetic resonance coronary angiography with navigator-echo technique: segment-by-segment evaluation of coronary artery stenosis. <i>Journal of Magnetic Resonance Imaging</i> , <b>2002</b> , 16, 238-45	5.6	20
11	Oxygen-enhanced MR ventilation imaging of the lung: preliminary clinical experience in 25 subjects. <i>American Journal of Roentgenology</i> , <b>2001</b> , 177, 185-94	5.4	74
10	Heavily T1-weighted images without respiratory artifacts: partial angle inversion recovery fast spin-echo imaging (PAIR-FSE). <i>Journal of Magnetic Resonance Imaging</i> , <b>2000</b> , 12, 960-4	5.6	1
9	Control of the Direction of Artifacts in MRI Using the Oblique Encoding Technique : Rotation of the Phase Encoding Direction within the Scan Plane. <i>Japanese Journal of Radiological Technology</i> , <b>2000</b> , 56, 737-742		1

8	Double-oblique free-breathing high resolution three-dimensional coronary magnetic resonance angiography. <i>Journal of the American College of Cardiology</i> , <b>1999</b> , 34, 524-31	15.1	303
7	<sup>1</sup> H NMR spectroscopy study of the dynamic properties of glycogen in solution by steady-state magnetisation measurement with off-resonance irradiation. <i>Carbohydrate Research</i> , <b>1998</b> , 306, 479-91	2.9	5
6	<sup>1</sup> H editing of 2-deuterated exogenous and natural endogenous D-glucose in biological samples. <i>Magnetic Resonance in Medicine</i> , <b>1993</b> , 30, 120-3	4.4	1
5	The molecular structure of [1,2,5]oxadiazolo[3,4:3,4]-5βpregn-16-en-20-one (HS974). Crystal structure and NMR investigations. <i>Journal of the Chemical Society Perkin Transactions II</i> , <b>1992</b> , 2179-2185		3
4	Quantitative study of the growth of experimental hepatic tumors in rats by using magnetic resonance imaging. <i>International Journal of Cancer</i> , <b>1992</b> , 51, 665-70	7.5	16
3	Inhibitory effect of somatostatin analogue RC-160 on the growth of hepatic metastases of colon cancer in rats: a study with magnetic resonance imaging. <i>Cancer Research</i> , <b>1992</b> , 52, 6025-30	10.1	17
2	<sup>31</sup> P-NMR spectroscopy and the metabolic properties of different muscle fibers. <i>Journal of Applied Physiology</i> , <b>1990</b> , 68, 644-9	3.7	61
1	Determination of liver volume in vivo in rats using MRI. <i>European Journal of Radiology</i> , <b>1990</b> , 11, 191-5	4.7	12