

Peter A Philipsen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7016294/peter-a-philipsen-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

133
papers

3,444
citations

31
h-index

54
g-index

137
ext. papers

3,930
ext. citations

3.5
avg, IF

5.2
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 133 | The effect of vitamin D recommendations on serum 25-hydroxyvitamin D level in patients with erythropoietic protoporphyria. <i>Nutrition</i> , 2022 , 93, 111477 | 4.8 | 2 |
| 132 | A one-time pneumatic jet-injection of 5-fluorouracil and triamcinolone acetonide for treatment of hypertrophic scars-A blinded randomized controlled trial.. <i>Lasers in Surgery and Medicine</i> , 2022 , | 3.6 | 0 |
| 131 | Bringing the gentle properties of daylight photodynamic therapy indoors: A systematic review of efficacy and safety.. <i>Photodiagnosis and Photodynamic Therapy</i> , 2022 , 102858 | 3.5 | 0 |
| 130 | Fractional CO laser ablation leads to enhanced permeation of a fluorescent dye in healthy and mycotic nails-An imaging investigation of laser-tissue effects and their impact on ungual drug delivery.. <i>Lasers in Surgery and Medicine</i> , 2022 , | 3.6 | 1 |
| 129 | Low vitamin D in dark-skinned immigrants is mainly due to clothing habits and low UVR exposure: a Danish observational study. <i>Photochemical and Photobiological Sciences</i> , 2021 , 20, 1573-1584 | 4.2 | 0 |
| 128 | Morphometric Optical Imaging of Microporated Nail Tissue: An Investigation of Intermethod Agreement, Reliability, and Technical Limitations. <i>Lasers in Surgery and Medicine</i> , 2021 , 53, 838-848 | 3.6 | 3 |
| 127 | Subclinical effects of adapalene-benzoyl peroxide: a prospective in vivo imaging study on acne micromorphology and transfollicular delivery. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021 , 35, 1377-1385 | 4.6 | 0 |
| 126 | How Much Protoporphyrin IX Must Be Activated to Obtain Full Efficacy of Methyl Aminolevulinate Photodynamic Therapy? Implication for Treatment Modifications. <i>Pharmaceuticals</i> , 2021 , 14, | 5.2 | 2 |
| 125 | Noninvasive Assessment of Mycotic Nail Tissue Using an Ultraviolet Fluorescence Excitation Imaging System. <i>Lasers in Surgery and Medicine</i> , 2021 , 53, 245-251 | 3.6 | 2 |
| 124 | Impregnation of healthy nail tissue with optical clearing agents for improved optical coherence tomography imaging. <i>Skin Research and Technology</i> , 2021 , 27, 178-182 | 1.9 | 1 |
| 123 | A revised action spectrum for vitamin D synthesis by suberythemal UV radiation exposure in humans in vivo. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021 , 118, | 11.5 | 5 |
| 122 | Few X-ray and PUVA treatments accelerate photocarcinogenesis in hairless mice. <i>Photochemical and Photobiological Sciences</i> , 2021 , 20, 1299-1307 | 4.2 | 0 |
| 121 | Adverse skin reactions among healthcare workers using face personal protective equipment during the coronavirus disease 2019 pandemic: A cross-sectional survey of six hospitals in Denmark. <i>Contact Dermatitis</i> , 2021 , | 2.7 | 2 |
| 120 | Skin surface Protoporphyrin IX fluorescence is associated with epidermal but not dermal fluorescence intensities. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 30, 101681 | 3.5 | 0 |
| 119 | A Handful of Sunscreen for Whole-Body Application. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1268, 381-385 | 3.6 | 1 |
| 118 | Improving Photoprotection and Implications for 25(OH)D Formation. <i>Anticancer Research</i> , 2020 , 40, 511-538 | 2.3 | 2 |
| 117 | Lifetime UVR Dose and Skin Cancer Risk, Determined by Their Common Relation to Solar Lentigines. <i>Anticancer Research</i> , 2020 , 40, 557-564 | 2.3 | 2 |

| | | | |
|-----|---|-----|----|
| 116 | Melanin has a Small Inhibitory Effect on Cutaneous Vitamin D Synthesis: A Comparison of Extreme Phenotypes. <i>Journal of Investigative Dermatology</i> , 2020 , 140, 1418-1426.e1 | 4.3 | 19 |
| 115 | Inactivation of protoporphyrin IX in erythrocytes in patients with erythropoietic protoporphyria: A new treatment modality. <i>Photodiagnosis and Photodynamic Therapy</i> , 2020 , 29, 101582 | 3.5 | 1 |
| 114 | Measurements of sun sensitivity in five European countries confirm the relative nature of Fitzpatrick skin phototype scale. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2020 , 36, 179-184 | 3.4 | 4 |
| 113 | Light-provoked skin symptoms on the hands of erythropoietic protoporphyria patients related to personal dosimeter measurements, skin symptoms, light protection and priming. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2020 , 213, 112054 | 6.7 | 3 |
| 112 | Basal cell carcinoma treated with combined ablative fractional laser and ingenol mebutate - an exploratory study monitored by optical coherence tomography and reflectance confocal microscopy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020 , 34, 502-509 | 4.6 | 7 |
| 111 | Pigment genes not skin pigmentation affect UVB-induced vitamin D. <i>Photochemical and Photobiological Sciences</i> , 2019 , 18, 448-458 | 4.2 | 10 |
| 110 | Adult UVR exposure changes with life stage - a 14-year follow-up study using personal electronic UVR dosimeters. <i>Photochemical and Photobiological Sciences</i> , 2019 , 18, 467-476 | 4.2 | 1 |
| 109 | A novel LC-MS/MS method to quantify eumelanin and pheomelanin and their relation to UVR sensitivity - A study on human skin biopsies. <i>Pigment Cell and Melanoma Research</i> , 2019 , 32, 809-816 | 4.5 | 6 |
| 108 | Serum 25(OH)D levels after oral vitamin D supplementation and UVB exposure correlate. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019 , 35, 344-353 | 2.4 | 2 |
| 107 | Optimal sunscreen use, during a sun holiday with a very high ultraviolet index, allows vitamin D synthesis without sunburn. <i>British Journal of Dermatology</i> , 2019 , 181, 1052-1062 | 4 | 36 |
| 106 | Transfollicular delivery of gold microparticles in healthy skin and acne vulgaris, assessed by in vivo reflectance confocal microscopy and optical coherence tomography. <i>Lasers in Surgery and Medicine</i> , 2019 , 51, 430 | 3.6 | 17 |
| 105 | Association between quality of life and sun exposure behaviour in patients treated for cutaneous malignant melanoma. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019 , 35, 286-289 | 2.4 | |
| 104 | Visual scales are superior to questionnaires in skin phototype self-assessment by children. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019 , 35, 238-245 | 2.4 | 3 |
| 103 | Acne vulgaris severity graded by in vivo reflectance confocal microscopy and optical coherence tomography. <i>Lasers in Surgery and Medicine</i> , 2019 , 51, 104-113 | 3.6 | 9 |
| 102 | Advancement through epidermis using tape stripping technique and Reflectance Confocal Microscopy. <i>Scientific Reports</i> , 2019 , 9, 12217 | 4.9 | 11 |
| 101 | The ablative fractional coagulation zone influences skin fluorescence intensities of topically applied test molecules-An in vitro study with fluorescence microscopy and fluorescence confocal microscopy. <i>Lasers in Surgery and Medicine</i> , 2019 , 51, 68-78 | 3.6 | 11 |
| 100 | Skin cancer phototype: A new classification directly related to skin cancer and based on responses from 2869 individuals. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2019 , 35, 116-123 | 2.4 | 5 |
| 99 | Sunscreen applied at 12 mg cm during a sunny holiday prevents erythema, a biomarker of ultraviolet radiation-induced DNA damage and suppression of acquired immunity. <i>British Journal of Dermatology</i> , 2019 , 180, 604-614 | 4 | 15 |

| | | | |
|----|--|-----|----|
| 98 | Prevalence of skin tears in the extremities in inpatients at a hospital in Denmark. <i>International Wound Journal</i> , 2018 , 15, 212-217 | 2.6 | 13 |
| 97 | Children sustain high levels of skin DNA photodamage, with a modest increase of serum 25-hydroxyvitamin D , after a summer holiday in Northern Europe. <i>British Journal of Dermatology</i> , 2018 , 179, 940-950 | 4 | 13 |
| 96 | Photoprotection by sunscreen depends on time spent on application. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2018 , 34, 117-121 | 2.4 | 7 |
| 95 | Sun behaviour on the beach monitored by webcam photos. <i>Public Health</i> , 2018 , 155, 88-90 | 4 | 4 |
| 94 | Early intervention with non-ablative fractional laser to improve cutaneous scarring-A randomized controlled trial on the impact of intervention time and fluence levels. <i>Lasers in Surgery and Medicine</i> , 2018 , 50, 28-36 | 3.6 | 22 |
| 93 | Phototype reproducibility and relation to objectively measured skin sensitivity is best when burn and tan reactivity to sun are answered separately. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2018 , 34, 366-373 | 2.4 | 2 |
| 92 | Photodynamic therapy of necrobiosis lipoidica using methyl aminolevulinate: A retrospective follow-up study. <i>Photodiagnosis and Photodynamic Therapy</i> , 2018 , 22, 223-226 | 3.5 | 9 |
| 91 | Sunscreen use optimized by two consecutive applications. <i>PLoS ONE</i> , 2018 , 13, e0193916 | 3.7 | 5 |
| 90 | Skin autofluorescence reflects individual seasonal UV exposure, skin photodamage and skin cancer development in organ transplant recipients. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018 , 178, 577-583 | 6.7 | 6 |
| 89 | Organ transplant recipients express enhanced skin autofluorescence and pigmentation at skin cancer sites. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2018 , 188, 1-5 | 6.7 | 1 |
| 88 | Comparison of Physical Pretreatment Regimens to Enhance Protoporphyrin IX Uptake in Photodynamic Therapy: A Randomized Clinical Trial. <i>JAMA Dermatology</i> , 2017 , 153, 270-278 | 5.1 | 59 |
| 87 | The half-life of 25(OH)D after UVB exposure depends on gender and vitamin D receptor polymorphism but mainly on the start level. <i>Photochemical and Photobiological Sciences</i> , 2017 , 16, 985-995 | 4.2 | 25 |
| 86 | Can constitutive pigmentation be measured on upper inner arm? Correlation between arm and buttocks pigmentation. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2017 , 33, 233-236 | 2.4 | 2 |
| 85 | Fractional laser-assisted drug uptake: Impact of time-related topical application to achieve enhanced delivery. <i>Lasers in Surgery and Medicine</i> , 2017 , 49, 348-354 | 3.6 | 31 |
| 84 | Impact of UVR Exposure Pattern on Squamous Cell Carcinoma-A Dose-Delivery and Dose-Response Study in Pigmented Hairless Mice. <i>International Journal of Molecular Sciences</i> , 2017 , 18, | 6.3 | 2 |
| 83 | Side effects from intense pulsed light: Importance of skin pigmentation, fluence level and ultraviolet radiation-A randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2017 , 49, 88-96 | 3.6 | 13 |
| 82 | Fractional CO laser treatment of caesarean section scars-A randomized controlled split-scar trial with long term follow-up assessment. <i>Lasers in Surgery and Medicine</i> , 2017 , 49, 189-197 | 3.6 | 20 |
| 81 | Long-term Trend in Sunscreen Use among Beachgoers in Denmark. <i>Acta Dermato-Venereologica</i> , 2017 , 97, 1202-1205 | 2.2 | 17 |

| | | | |
|----|--|-----|----|
| 80 | Major inter-personal variation in the increase and maximal level of 25-hydroxy vitamin D induced by UVB. <i>Photochemical and Photobiological Sciences</i> , 2016 , 15, 536-45 | 4.2 | 20 |
| 79 | Actinic keratosis: a cross-sectional study of disease characteristics and treatment patterns in Danish dermatology clinics. <i>International Journal of Dermatology</i> , 2016 , 55, 309-16 | 1.7 | 4 |
| 78 | Fractional laser-assisted drug delivery: Laser channel depth influences biodistribution and skin deposition of methotrexate. <i>Lasers in Surgery and Medicine</i> , 2016 , 48, 519-29 | 3.6 | 46 |
| 77 | Factors associated with cessation of sunbed use among Danish women. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016 , 32, 191-8 | 2.4 | 4 |
| 76 | Adjuvant eflornithine to maintain IPL-induced hair reduction in women with facial hirsutism: a randomized controlled trial. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 314-9 | 4.6 | 13 |
| 75 | Short-term chemical pretreatment cannot replace curettage in photodynamic therapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016 , 32, 146-52 | 2.4 | 13 |
| 74 | Thickness of Actinic Keratosis Does Not Predict Dysplasia Severity or P53 Expression. <i>Scientific Reports</i> , 2016 , 6, 33952 | 4.9 | 30 |
| 73 | Repeated treatments with ingenol mebutate for prophylaxis of UV-induced squamous cell carcinoma in hairless mice. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2016 , 163, 144-9 | 6.7 | 5 |
| 72 | Topically applied methotrexate is rapidly delivered into skin by fractional laser ablation. <i>Expert Opinion on Drug Delivery</i> , 2015 , 12, 1059-69 | 8 | 38 |
| 71 | Quantitative assessment of growing hair counts, thickness and colour during and after treatments with a low-fluence, home-device laser: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015 , 172, 151-9 | 4 | 9 |
| 70 | Ultraviolet radiation after exposure to a low-fluence IPL home-use device: a randomized clinical trial. <i>Lasers in Medical Science</i> , 2015 , 30, 2171-7 | 3.1 | 4 |
| 69 | Black light visualized solar lentigines on the shoulders and upper back are associated with objectively measured UVR exposure and cutaneous malignant melanoma. <i>Photochemical and Photobiological Sciences</i> , 2015 , 14, 481-7 | 4.2 | 8 |
| 68 | Combination of ablative fractional laser and daylight-mediated photodynamic therapy for actinic keratosis in organ transplant recipients - a randomized controlled trial. <i>British Journal of Dermatology</i> , 2015 , 172, 467-74 | 4 | 87 |
| 67 | Sun behaviour and personal UVR exposure among Europeans on short term holidays. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2015 , 151, 264-9 | 6.7 | 15 |
| 66 | Protoporphyrin IX formation after topical application of methyl aminolaevulinate and BF-200 aminolaevulinic acid declines with age. <i>British Journal of Dermatology</i> , 2015 , 173, 760-6 | 4 | 12 |
| 65 | Correlation between treatment time, photobleaching, inflammation and pain after photodynamic therapy with methyl aminolevulinate on tape-stripped skin in healthy volunteers. <i>Photochemical and Photobiological Sciences</i> , 2015 , 14, 875-82 | 4.2 | 15 |
| 64 | Sun exposure patterns of urban, suburban, and rural children: a dosimetry and diary study of 150 children. <i>Photochemical and Photobiological Sciences</i> , 2015 , 14, 1282-9 | 4.2 | 12 |
| 63 | Fractional ablative erbium YAG laser: histological characterization of relationships between laser settings and micropore dimensions. <i>Lasers in Surgery and Medicine</i> , 2014 , 46, 281-9 | 3.6 | 46 |

| | | | |
|----|--|-----|-----|
| 62 | Skin temperature during sunbathing--relevance for skin cancer. <i>Photochemical and Photobiological Sciences</i> , 2014 , 13, 1123-5 | 4.2 | 11 |
| 61 | A 3-year follow-up of sun behavior in patients with cutaneous malignant melanoma. <i>JAMA Dermatology</i> , 2014 , 150, 163-8 | 5.1 | 34 |
| 60 | Sun and ski holidays improve vitamin D status, but are associated with high levels of DNA damage. <i>Journal of Investigative Dermatology</i> , 2014 , 134, 2806-2813 | 4.3 | 59 |
| 59 | The role of natural and UV-induced skin pigmentation on low-fluence IPL-induced side effects: a randomized controlled trial. <i>Lasers in Surgery and Medicine</i> , 2014 , 46, 104-11 | 3.6 | 5 |
| 58 | Sun exposure and protection behavior of Danish farm children: parental influence on their children. <i>Photochemistry and Photobiology</i> , 2014 , 90, 1193-8 | 3.6 | 5 |
| 57 | The relation between methyl aminolevulinate concentration and inflammation after photodynamic therapy in healthy volunteers. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 117-23 | 4.2 | 12 |
| 56 | X-rays and photocarcinogenesis in hairless mice. <i>Archives of Dermatological Research</i> , 2013 , 305, 529-33 | 3.3 | 3 |
| 55 | A sun holiday is a sunburn holiday. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2013 , 29, 221-4 | 2.4 | 27 |
| 54 | Determinants of personal ultraviolet-radiation exposure doses on a sun holiday. <i>British Journal of Dermatology</i> , 2013 , 168, 1073-9 | 4 | 26 |
| 53 | Sunscreen use and failures--on site observations on a sun-holiday. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 190-6 | 4.2 | 47 |
| 52 | Artificial daylight photodynamic therapy with "non-inflammatory" doses of hexyl aminolevulinate only marginally delays SCC development in UV-exposed hairless mice. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 2130-6 | 4.2 | 6 |
| 51 | People maintain their sun exposure behaviour in a 5-7-year follow-up study using personal electronic UVR dosimeters. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 111-6 | 4.2 | 11 |
| 50 | Sun behaviour after cutaneous malignant melanoma: a study based on ultraviolet radiation measurements and sun diary data. <i>British Journal of Dermatology</i> , 2013 , 168, 367-73 | 4 | 21 |
| 49 | Diagnosis of malignant melanoma and basal cell carcinoma by in vivo NIR-FT Raman spectroscopy is independent of skin pigmentation. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 770-6 | 4.2 | 34 |
| 48 | Influence of having a home garden on personal UVR exposure behavior and risk of cutaneous malignant melanoma in Denmark. <i>International Journal of Cancer</i> , 2013 , 132, 1383-8 | 7.5 | 7 |
| 47 | Good agreement between minimal erythema dose test reactions and objective measurements: an in vivo study of human skin. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2013 , 29, 190-5 | 2.4 | 12 |
| 46 | Topical nutlin-3a does not decrease photocarcinogenesis induced by simulated solar radiation in hairless mice. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2012 , 28, 207-12 | 2.4 | 2 |
| 45 | Daylight-mediated photodynamic therapy of moderate to thick actinic keratoses of the face and scalp: a randomized multicentre study. <i>British Journal of Dermatology</i> , 2012 , 166, 1327-32 | 4 | 105 |

| | | | |
|----|--|-----|-----|
| 44 | The relation between sunscreen layer thickness and vitamin D production after ultraviolet B exposure: a randomized clinical trial. <i>British Journal of Dermatology</i> , 2012 , 167, 391-5 | 4 | 54 |
| 43 | Protoporphyrin IX formation and photobleaching in different layers of normal human skin: methyl- and hexylaminolevulinate and different light sources. <i>Experimental Dermatology</i> , 2012 , 21, 745-50 | 4 | 21 |
| 42 | Increase in serum 25-hydroxyvitamin-D3 in humans after solar exposure under natural conditions compared to artificial UVB exposure of hands and face. <i>Photochemical and Photobiological Sciences</i> , 2012 , 11, 1817-24 | 4.2 | 21 |
| 41 | A small suberythemal ultraviolet B dose every second week is sufficient to maintain summer vitamin D levels: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2012 , 166, 430-3 | 4 | 31 |
| 40 | Zinc sulphate: a new concept of treatment of erythropoietic protoporphyria. <i>British Journal of Dermatology</i> , 2012 , 166, 1129-31 | 4 | 9 |
| 39 | Porphyryn biodistribution in UV-exposed murine skin after methyl- and hexyl-aminolevulinate incubation. <i>Experimental Dermatology</i> , 2012 , 21, 260-4 | 4 | 10 |
| 38 | An explorative study of non-invasive ultra-weak photon emission and the anti-oxidative influence of oral zinc sulphate in light-sensitive patients with erythropoietic protoporphyria. <i>Skin Research and Technology</i> , 2012 , 18, 405-12 | 1.9 | 8 |
| 37 | Interdependence between body surface area and ultraviolet B dose in vitamin D production: a randomized controlled trial. <i>British Journal of Dermatology</i> , 2011 , 164, 163-9 | 4 | 49 |
| 36 | A randomized, multicentre study of directed daylight exposure times of 1 h vs. 2 h in daylight-mediated photodynamic therapy with methyl aminolaevulinate in patients with multiple thin actinic keratoses of the face and scalp. <i>British Journal of Dermatology</i> , 2011 , 164, 1083-90 | 4 | 123 |
| 35 | Sun exposure before and after a diagnosis of cutaneous malignant melanoma: estimated by developments in serum vitamin D, skin pigmentation and interviews. <i>British Journal of Dermatology</i> , 2011 , 165, 164-70 | 4 | 10 |
| 34 | Vitamin D production depends on ultraviolet-B dose but not on dose rate: a randomized controlled trial. <i>Experimental Dermatology</i> , 2011 , 20, 14-8 | 4 | 33 |
| 33 | High death rate in mice treated topically with diclofenac. <i>Experimental Dermatology</i> , 2011 , 20, 336-8 | 4 | 6 |
| 32 | Sun protection factor persistence on human skin during a day without physical activity or ultraviolet exposure. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010 , 26, 22-7 | 2.4 | 18 |
| 31 | Variables in full-body ultraviolet B treatment of skin diseases. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010 , 26, 165-9 | 2.4 | 4 |
| 30 | The minimal melanogenesis dose/minimal erythema dose ratio declines with increasing skin pigmentation using solar simulator and narrowband ultraviolet B exposure. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010 , 26, 133-7 | 2.4 | 4 |
| 29 | Minimal erythema dose and minimal melanogenesis dose relate better to objectively measured skin type than to Fitzpatrick's skin type. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2010 , 26, 280-4 | 2.4 | 26 |
| 28 | Photocarcinogenesis and toxicity of benzoyl peroxide in hairless mice after simulated solar radiation. <i>Experimental Dermatology</i> , 2010 , 19, 381-6 | 4 | 10 |
| 27 | Topical hydrocortisone, clobetasol propionate, and calcipotriol do not increase photocarcinogenesis induced by simulated solar irradiation in hairless mice. <i>Experimental Dermatology</i> , 2010 , 19, 973-9 | 4 | 11 |

| | | | |
|----|--|-----|-----|
| 26 | Vitamin D production after UVB exposure depends on baseline vitamin D and total cholesterol but not on skin pigmentation. <i>Journal of Investigative Dermatology</i> , 2010 , 130, 546-53 | 4.3 | 150 |
| 25 | Skin pigmentation kinetics after exposure to ultraviolet A. <i>Acta Dermato-Venereologica</i> , 2009 , 89, 357-63. | 3.2 | 14 |
| 24 | Topical pimecrolimus and tacrolimus do not accelerate photocarcinogenesis in hairless mice after UVA or simulated solar radiation. <i>Experimental Dermatology</i> , 2009 , 18, 246-51 | 4 | 20 |
| 23 | Vitamin D level in summer and winter related to measured UVR exposure and behavior. <i>Photochemistry and Photobiology</i> , 2009 , 85, 1480-4 | 3.6 | 46 |
| 22 | Sunbed radiation provokes cutaneous vitamin D synthesis in humans—a randomized controlled trial. <i>Photochemistry and Photobiology</i> , 2008 , 84, 1487-92 | 3.6 | 57 |
| 21 | Continuous activation of PpIX by daylight is as effective as and less painful than conventional photodynamic therapy for actinic keratoses; a randomized, controlled, single-blinded study. <i>British Journal of Dermatology</i> , 2008 , 158, 740-6 | 4 | 262 |
| 20 | Pain during photodynamic therapy is associated with protoporphyrin IX fluorescence and fluence rate. <i>British Journal of Dermatology</i> , 2008 , 158, 727-33 | 4 | 102 |
| 19 | Immediate whealing urticaria in red light exposed areas during photodynamic therapy. <i>Acta Dermato-Venereologica</i> , 2008 , 88, 480-3 | 2.2 | 13 |
| 18 | Topical tacrolimus in combination with simulated solar radiation does not enhance photocarcinogenesis in hairless mice. <i>Experimental Dermatology</i> , 2008 , 17, 57-62 | 4 | 16 |
| 17 | Photocarcinogenesis of topical tazarotene and isotretinoin alone and in combination with valproic acid in hairless mice. <i>Experimental Dermatology</i> , 2008 , 17, 972-4 | 4 | 17 |
| 16 | Sun protection factor persistence during a day with physical activity and bathing. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2008 , 24, 296-300 | 2.4 | 31 |
| 15 | Skin pigmentation kinetics after UVB exposure. <i>Acta Dermato-Venereologica</i> , 2008 , 88, 223-8 | 2.2 | 8 |
| 14 | Factors affecting the recurrence rate of basal cell carcinoma. <i>Acta Dermato-Venereologica</i> , 2007 , 87, 330-4 | 2.2 | 37 |
| 13 | Morphine gel 0.3% does not relieve pain during topical photodynamic therapy: a randomized, double-blind, placebo-controlled study. <i>Acta Dermato-Venereologica</i> , 2006 , 86, 409-11 | 2.2 | 47 |
| 12 | Compliance and data reliability in sun exposure studies with diaries and personal, electronic UV dosimeters. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2006 , 22, 93-9 | 2.4 | 30 |
| 11 | Ultraviolet radiation exposure pattern in winter compared with summer based on time-stamped personal dosimeter readings. <i>British Journal of Dermatology</i> , 2006 , 154, 133-8 | 4 | 46 |
| 10 | Sunscreen use related to UV exposure, age, sex, and occupation based on personal dosimeter readings and sun-exposure behavior diaries. <i>Archives of Dermatology</i> , 2005 , 141, 967-73 | | 90 |
| 9 | Sunburn related to UV radiation exposure, age, sex, occupation, and sun bed use based on time-stamped personal dosimetry and sun behavior diaries. <i>Archives of Dermatology</i> , 2005 , 141, 482-8 | | 29 |

| | | | |
|---|--|-----|-----|
| 8 | Ultraviolet exposure patterns of Irish and Danish gardeners during work and leisure. <i>British Journal of Dermatology</i> , 2005 , 153, 795-801 | 4 | 55 |
| 7 | How Finsen® light cured lupus vulgaris. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2005 , 21, 118-24 | 2.4 | 78 |
| 6 | UV radiation exposure related to age, sex, occupation, and sun behavior based on time-stamped personal dosimeter readings. <i>Archives of Dermatology</i> , 2004 , 140, 197-203 | | 132 |
| 5 | Ocular lens blue autofluorescence cannot be used as a measure of individual cumulative UVR exposure. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2004 , 20, 41-6 | 2.4 | 3 |
| 4 | Proportion of lifetime UV dose received by children, teenagers and adults based on time-stamped personal dosimetry. <i>Journal of Investigative Dermatology</i> , 2004 , 123, 1147-50 | 4.3 | 56 |
| 3 | Detection of skin cancer by classification of Raman spectra. <i>IEEE Transactions on Biomedical Engineering</i> , 2004 , 51, 1784-93 | 5 | 166 |
| 2 | Dermal echogenicity: a biological indicator of individual cumulative UVR exposure?. <i>Archives of Dermatological Research</i> , 2004 , 295, 498-504 | 3.3 | 15 |
| 1 | Melanoma diagnosis by Raman spectroscopy and neural networks: structure alterations in proteins and lipids in intact cancer tissue. <i>Journal of Investigative Dermatology</i> , 2004 , 122, 443-9 | 4.3 | 233 |