Seung U Kim

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/7017261/seung-u-kim-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

334	7,840 citations	44	72
papers		h-index	g-index
373	9,890	4. 8 avg, IF	6.13
ext. papers	ext. citations		L-index

#	Paper	IF	Citations
334	Metabolic Dysfunction-Associated Fatty Liver Disease and Risk of Incident Chronic Kidney Disease: A Nationwide Cohort Study <i>Diabetes and Metabolism</i> , 2022 , 101344	5.4	1
333	Comparison of FibroScan-Aspartate Aminotransferase (FAST) Score and Other Non-invasive Surrogates in Predicting High-Risk Non-alcoholic Steatohepatitis Criteria <i>Frontiers in Medicine</i> , 2022 , 9, 869190	4.9	0
332	Liver-Directed Concurrent Chemoradiotherapy versus Sorafenib in Hepatocellular Carcinoma with Portal Vein Tumor Thrombosis. <i>Cancers</i> , 2022 , 14, 2396	6.6	O
331	Fibrotic burden during antiviral therapy for chronic hepatitis B, not ALT level, independently predicts liver cancer risk <i>Liver International</i> , 2022 ,	7.9	0
330	The effect of pharmacological treatment and lifestyle modification in patients with nonalcoholic fatty liver disease: An umbrella review of meta-analyses of randomized controlled trials <i>Obesity Reviews</i> , 2022 , e13464	10.6) O
329	Exercise Reduces the Risk of Chronic Kidney Disease in Individuals with Nonalcoholic Fatty Liver Disease: A Nationwide Cohort Study. <i>Diabetes and Metabolism</i> , 2022 , 101362	5.4	0
328	Advanced liver fibrosis measured by transient elastography predicts chronic kidney disease development in individuals with non-alcoholic fatty liver disease <i>Diabetologia</i> , 2021 , 65, 518	10.3	2
327	Efficacy of entecavir, tenofovir disoproxil fumarate, and tenofovir alafenamide in treatment-naive hepatitis B patients. <i>Hepatology International</i> , 2021 , 15, 1328-1336	8.8	1
326	An artificial intelligence model to predict hepatocellular carcinoma risk in Korean and Caucasian patients with chronic hepatitis B. <i>Journal of Hepatology</i> , 2021 ,	13.4	5
325	Advancing the global public health agenda for NAFLD: a consensus statement. <i>Nature Reviews Gastroenterology and Hepatology</i> , 2021 ,	24.2	37
324	Authors Qesponse: Additional more factors should be included in predicting risk of hepatocellular carcinoma in patients with chronic hepatitis B virus infection. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 574	3.4	
323	Dynamics of liver stiffness-based risk prediction model during antiviral therapy in patients with chronic hepatitis B. <i>European Journal of Gastroenterology and Hepatology</i> , 2021 , 33, 885-893	2.2	3
322	Hepatic Decompensation in Cirrhotic Patients Receiving Antiviral Therapy for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 1950-1958.e7	6.9	8
321	Direct-Acting Antivirals Improve Treatment Outcomes in Patients with Hepatitis C Virus-Related Hepatocellular Carcinoma Treated with Transarterial Chemoembolization: A Nationwide, Multi-center, Retrospective Cohort Study. <i>Digestive Diseases and Sciences</i> , 2021 , 66, 2427-2438	4	2
320	Predictors of Sarcopenia in an Obese Asian Population. <i>Nutrition and Cancer</i> , 2021 , 1-10	2.8	
319	External validation of CAGE-B and SAGE-B scores for Asian chronic hepatitis B patients with well-controlled viremia by antivirals. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 951-958	3.4	2
318	Negligible risks of hepatocellular carcinoma during biomarker-defined immune-tolerant phase for patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 295-304	6.9	3

317	From nonalcoholic fatty liver disease to metabolic-associated fatty liver disease: Big wave or ripple?. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 257-269	6.9	17
316	Treatment efficacy by hepatic arterial infusion chemotherapy vs. sorafenib after liver-directed concurrent chemoradiotherapy for advanced hepatocellular carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 3123-3133	4.9	1
315	Screening, confirmation, and treatment rates of hepatitis C virus infection in a tertiary academic medical center in South Korea. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 2479-24	485	O
314	Serum Dickkopf-1 in Combined with CA 19-9 as a Biomarker of Intrahepatic Cholangiocarcinoma. <i>Cancers</i> , 2021 , 13,	6.6	3
313	Change in the Recurrence Pattern and Predictors over Time after Complete Cure of Hepatocellular Carcinoma. <i>Gut and Liver</i> , 2021 , 15, 420-429	4.8	1
312	The Prognostic Role of On-Treatment Liver Stiffness for Hepatocellular Carcinoma Development in Patients with Chronic Hepatitis B. <i>Journal of Hepatocellular Carcinoma</i> , 2021 , 8, 467-476	5.3	Ο
311	Predictive Performance of CAGE-B and SAGE-B Models in Asian Treatment-Naive Patients Who Started Entecavir for Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	3
310	Development and initial validation of the nonalcoholic fatty liver disease self-management questionnaire. <i>Research in Nursing and Health</i> , 2021 , 44, 844-853	2	O
309	The efficacies of entecavir and tenofovir in terms of enhancing prognosis after curative treatment of hepatitis B virus-related hepatocellular carcinoma. <i>European Journal of Internal Medicine</i> , 2021 , 89, 48-55	3.9	6
308	Cardiovascular Risk Is Elevated in Lean Subjects with Nonalcoholic Fatty Liver Disease. <i>Gut and Liver</i> , 2021 ,	4.8	4
307	Letter to the Editor: Re: Tenofovir Versus Entecavir on Recurrence of Hepatitis B Virus-Related Hepatocellular Carcinoma After Surgical Resection. <i>Hepatology</i> , 2021 , 73, 466	11.2	O
306	Evolution of liver fibrosis and steatosis markers in patients with type 2 diabetes after metformin treatment for 2 years. <i>Journal of Diabetes and Its Complications</i> , 2021 , 35, 107747	3.2	2
305	Validation of risk prediction scores for hepatocellular carcinoma in patients with chronic hepatitis B treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 95-104	3.4	4
304	Impact of antiviral therapy on risk prediction model for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Hepatology Research</i> , 2021 , 51, 406-416	5.1	2
303	Lenvatinib is independently associated with the reduced risk of progressive disease when compared with sorafenib in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1317-1325	4	9
302	Prognostic Value of Alpha-Fetoprotein in Patients Who Achieve a Complete Response to Transarterial Chemoembolization for Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2021 , 62, 12-20	3	1
301	Association Between Curative Treatment after Transarterial Radioembolization and Better Survival Outcomes in Patients with Hepatocellular Carcinoma. <i>Cancer Investigation</i> , 2021 , 39, 274-283	2.1	0
300	Hepatic Steatosis Index in the Detection of Fatty Liver in Patients with Chronic Hepatitis B Receiving Antiviral Therapy. <i>Gut and Liver</i> , 2021 , 15, 117-127	4.8	8

299	Noninvasive evaluation of liver fibrosis: comparison of the stretched exponential diffusion-weighted model to other diffusion-weighted MRI models and transient elastography. <i>European Radiology</i> , 2021 , 31, 4813-4823	8	2
298	Comparison of the current guidelines for diagnosing hepatocellular carcinoma using gadoxetic acid-enhanced magnetic resonance imaging. <i>European Radiology</i> , 2021 , 31, 4492-4503	8	4
297	Predictors of Complete Response in Patients with Hepatocellular Carcinoma Treated with Trans-Arterial Radioembolization. <i>Current Oncology</i> , 2021 , 28, 965-977	2.8	1
296	A Case of Lymphocyte-Rich Hepatocellular Carcinoma in a Patient Who Was Treated for Colon Cancer. <i>Journal of Liver Cancer</i> , 2021 , 21, 69-75	0.7	1
295	Advanced Stage Hepatocellular Carcinoma Successfully Treated with Liver-directed Concurrent Chemoradiotherapy and Sequential Transarterial Radio-embolization. <i>Journal of Liver Cancer</i> , 2021 , 21, 97-103	0.7	
294	KASL clinical practice guidelines: Management of nonalcoholic fatty liver disease. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 363-401	6.9	21
293	Entecavir versus tenofovir in patients with chronic hepatitis B: Enemies or partners in the prevention of hepatocellular carcinoma. <i>Clinical and Molecular Hepatology</i> , 2021 , 27, 402-412	6.9	6
292	Controlled attenuation parameter value and the risk of hepatocellular carcinoma in chronic hepatitis B patients under antiviral therapy. <i>Hepatology International</i> , 2021 , 15, 892-900	8.8	O
291	A qualitative study of self-management experiences in people with non-alcoholic fatty liver disease. <i>Nursing Open</i> , 2021 , 8, 3135-3142	2.1	1
29 0	Risk assessment of hepatocellular carcinoma and liver-related events using ultrasonography and transient elastography in patients with chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1362-137	2 ·4	О
289	Risk stratification using sarcopenia status among subjects with metabolic dysfunction-associated fatty liver disease. <i>Journal of Cachexia, Sarcopenia and Muscle,</i> 2021 , 12, 1168-1178	10.3	6
288	No influence of hepatic steatosis on the 3-year outcomes of patients with quiescent chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1545-1553	3.4	O
287	Impact of tenofovir alafenamide vs. entecavir on hepatocellular carcinoma risk in patients with chronic hepatitis B. <i>Hepatology International</i> , 2021 , 15, 1083-1092	8.8	5
286	Effect of tenofovir alafenamide vs. tenofovir disoproxil fumarate on hepatocellular carcinoma risk in chronic hepatitis B. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 1570-1578	3.4	2
285	Long-term effects of entecavir and tenofovir treatment on the fibrotic burden in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 ,	4	1
284	Prevalence and Risk Factors of Cardiovascular Disease in Patients with Chronic Hepatitis B. <i>Digestive Diseases and Sciences</i> , 2021 , 1	4	
283	Episodic Detectable Viremia Does Not Affect Prognosis in Untreated Compensated Cirrhosis With Serum Hepatitis B Virus DNA . <i>American Journal of Gastroenterology</i> , 2021 ,	0.7	2
282	Impact of HBeAg on Hepatocellular Carcinoma Risk During Oral Antiviral Treatment in Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	1

(2020-2021)

281	Metabolic Dysfunction-Associated Fatty Liver Disease and Incident Cardiovascular Disease Risk: A Nationwide Cohort Study. <i>Clinical Gastroenterology and Hepatology</i> , 2021 , 19, 2138-2147.e10	6.9	59
280	Addition of liver stiffness enhances the predictive accuracy of the PAGE-B model for hepatitis B-related hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2021 , 53, 919-927	6.1	2
279	Revised Korean Antiviral Guideline Reduces the Hepatitis B-related Hepatocellular Carcinoma Risk in Cirrhotic Patients. <i>Journal of Korean Medical Science</i> , 2021 , 36, e105	4.7	0
278	Association between the severity of liver fibrosis and cardiovascular outcomes in patients with type 2 diabetes. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1703-1713	4	6
277	Dickkopf-1 promotes angiogenesis by upregulating VEGF receptor 2-mediated mTOR/p70S6K signaling in hepatocellular carcinoma. <i>American Journal of Cancer Research</i> , 2021 , 11, 4788-4806	4.4	
276	Noninvasive surrogates are poor predictors of liver fibrosis in patients with Fontan circulation <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2021 ,	1.5	O
275	Entecavir and tenofovir on renal function in patients with hepatitis B virus-related hepatocellular carcinoma. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 932-940	3.4	1
274	Hepatic Fibrosis Assessed Using Fibrosis-4 Index Is Predictive of All-Cause Mortality in Patients with Chronic Obstructive Pulmonary Disease. <i>International Journal of COPD</i> , 2020 , 15, 831-839	3	6
273	Predictive score for hepatocellular carcinoma after hepatitis B e antigen loss in patients treated with entecavir or tenofovir. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1052-1060	3.4	6
272	Extremely low risk of hepatocellular carcinoma development in patients with chronic hepatitis B in immune-tolerant phase. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 196-204	6.1	16
271	Risk of Hepatocellular Carcinoma With Tenofovir vs Entecavir in Patients With Chronic Hepatitis B. <i>Gastroenterology</i> , 2020 , 158, 2310-2311	13.3	2
270	Discontinuation of nucleos(t)ide analogues is not associated with a higher risk of HBsAg seroreversion after antiviral-induced HBsAg seroclearance: a nationwide multicentre study. <i>Gut</i> , 2020 , 69, 2214-2222	19.2	10
269	Efficacy and Safety of Liver-Directed Concurrent Chemoradiotherapy and Sequential Sorafenib for Advanced Hepatocellular Carcinoma: A Prospective Phase 2 Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 106-115	4	10
268	A nomogram based on liver stiffness predicts postoperative complications in patients with hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2020 , 73, 855-862	13.4	32
267	Natural History of Untreated HBeAg-Positive Chronic HBV Infection With Persistently Elevated HBV DNA but Normal Alanine Aminotransferase. <i>Clinical and Translational Gastroenterology</i> , 2020 , 11, e00140	4.2	9
266	An optimized hepatocellular carcinoma prediction model for chronic hepatitis B with well-controlled viremia. <i>Liver International</i> , 2020 , 40, 1736-1743	7.9	15
265	Clinical relevance of dynamic risk assessment for developing hepatocellular carcinoma during prolonged antiviral therapy. <i>Journal of Hepatology</i> , 2020 , 73, 222-223	13.4	1
264	Hepatocellular Carcinoma Risk Steadily Persists over Time Despite Long-Term Antiviral Therapy for Hepatitis B: A Multicenter Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020 , 29, 832-837	4	17

263	Correlation of the grade of hepatic steatosis between controlled attenuation parameter and ultrasound in patients with fatty liver: a multi-center retrospective cohort study. <i>Korean Journal of Internal Medicine</i> , 2020 , 35, 1346-1353	2.5	1	
262	Appraisal of Long-Term Outcomes of Liver-Directed Concurrent Chemoradiotherapy for Hepatocellular Carcinoma with Major Portal Vein Invasion. <i>Journal of Hepatocellular Carcinoma</i> , 2020 , 7, 403-412	5.3	4	
261	Influence of Besifovir Dipivoxil Maleate Combined with L-Carnitine on Hepatic Steatosis in Patients with Chronic Hepatitis B. <i>Journal of Korean Medical Science</i> , 2020 , 35, e104	4.7	2	
260	A survey on transarterial chemoembolization refractoriness and a real-world treatment pattern for hepatocellular carcinoma in Korea. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 24-32	6.9	17	
259	Serum Wisteria floribunda agglutinin-positive human Mac-2 binding protein level predicts recurrence of hepatitis B virus-related hepatocellular carcinoma after curative resection. <i>Clinical and Molecular Hepatology</i> , 2020 , 26, 33-44	6.9	11	
258	Proposal of a New Risk Score for Patients Treated with Transarterial Chemoembolization due to Recurrent Hepatocellular Carcinoma after Curative Resection: A Multicenter Study. <i>Gut and Liver</i> , 2020 , 14, 477-485	4.8	1	
257	Sarcopenia Is Independently Associated with the Degree of Liver Fibrosis in Patients with Type 2 Diabetes Mellitus. <i>Gut and Liver</i> , 2020 , 14, 626-635	4.8	10	
256	The Modified Response Evaluation Criteria in Solid Tumors (RECIST) Yield a More Accurate Prognoses Than the RECIST 1.1 in Hepatocellular Carcinoma Treated with Transarterial Radioembolization. <i>Gut and Liver</i> , 2020 , 14, 765-774	4.8	8	
255	Validation of the CAMD Score in Patients With Chronic Hepatitis B Virus Infection Receiving Antiviral Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 693-699.e1	6.9	16	
254	An observational study on long-term renal outcome in patients with chronic hepatitis B treated with tenofovir disoproxil fumarate. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 316-322	3.4	5	
253	Combined use of rosuvastatin and ezetimibe improves hepatic steatosis in patients with dyslipidemia. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 1538-1544	2.2	2	
252	Establishment and validation of a risk prediction model in patients with hepatocellular carcinoma treated with transarterial radioembolization. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 739-747	2.2	2	
251	Sarcopenia assessed using bioimpedance analysis is associated independently with significant liver fibrosis in patients with chronic liver diseases. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 58-65	2.2	5	
250	Design and validation of risk prediction model for hepatocellular carcinoma development after sustained virological response in patients with chronic hepatitis C. <i>European Journal of Gastroenterology and Hepatology</i> , 2020 , 32, 378-385	2.2	10	
249	MRI Ancillary Features for LI-RADS Category 3 and 4 Observations: Improved Categorization to Indicate the Risk of Hepatic Malignancy. <i>American Journal of Roentgenology</i> , 2020 , 215, 1354-1362	5.4	4	
248	Advanced Liver Fibrosis Predicts Unfavorable Long-Term Prognosis in First-Ever Ischemic Stroke or Transient Ischemic Attack. <i>Cerebrovascular Diseases</i> , 2020 , 49, 474-480	3.2	5	
247	Hepatocellular Carcinoma Risk According to Regimens for Eradication of Hepatitis C Virus; Interferon or Direct Acting Antivirals. <i>Cancers</i> , 2020 , 12,	6.6	5	
246	Association between liver fibrosis and appendicular skeletal muscle mass during antiviral therapy in chronic hepatitis B. <i>Digestive and Liver Disease</i> , 2020 , 52, 1338-1345	3.3	2	

245	Reply to: "Liver stiffness: A novel predictor of postoperative complications in patients with hepatocellular carcinoma". <i>Journal of Hepatology</i> , 2020 , 73, 988-989	13.4	
244	Letter: risk of hepatocellular carcinoma in immune-tolerant phase of chronic hepatitis B-authorsQ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 913-914	6.1	1
243	Reply to: "Response to A nomogram based on liver stiffness predicts postoperative complications in patients with hepatocellular carcinoma". <i>Journal of Hepatology</i> , 2020 , 73, 1270-1271	13.4	2
242	A multi-centre study of trends in hepatitis B virus-related hepatocellular carcinoma risk over time during long-term entecavir therapy. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1352-1358	3.4	3
241	Unhealthy lifestyle habits and physical inactivity among Asian patients with non-alcoholic fatty liver disease. <i>Liver International</i> , 2020 , 40, 2719-2731	7.9	11
240	Prognosis of Early-Stage Hepatocellular Carcinoma: Comparison between Trans-Arterial Chemoembolization and Radiofrequency Ablation. <i>Cancers</i> , 2020 , 12,	6.6	6
239	Fibrosis-4 index at diagnosis can predict all-cause mortality in patients with rheumatoid arthritis: A retrospective monocentric study. <i>Modern Rheumatology</i> , 2020 , 30, 70-77	3.3	11
238	Nonalcoholic Fatty Liver Disease and Sarcopenia Are Independently Associated With Cardiovascular Risk. <i>American Journal of Gastroenterology</i> , 2020 , 115, 584-595	0.7	24
237	Letter: fatty liver disease could have been a confounding factor for phase change in patients with chronic hepatitis B in the immune-tolerant phase-authors Qeply. <i>Alimentary Pharmacology and Therapeutics</i> , 2020 , 52, 1094-1095	6.1	
236	Staged partial hepatectomy versus transarterial chemoembolization for the treatment of spontaneous hepatocellular carcinoma rupture: a multicenter analysis in Korea. <i>Annals of Surgical Treatment and Research</i> , 2019 , 96, 275-282	2	9
235	Transarterial Chemoembolization in Treatment-NaWe and Recurrent Hepatocellular Carcinoma: A Propensity-Matched Outcome Analysis. <i>Digestive Diseases and Sciences</i> , 2019 , 64, 3660-3668	4	6
234	Progression of Untreated Minimally Active Chronic HBV Infection Compared to Inactive Infection. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 2808-2810.e2	6.9	9
233	Feasibility of dynamic risk assessment for patients with repeated trans-arterial chemoembolization for hepatocellular carcinoma. <i>BMC Cancer</i> , 2019 , 19, 363	4.8	7
232	External validation of the modified PAGE-B score in Asian chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2019 , 39, 1624-1630	7.9	22
231	Noninvasive monitoring of hepatic steatosis: controlled attenuation parameter and magnetic resonance imaging-proton density fat fraction in patients with nonalcoholic fatty liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019 , 13, 523-530	4.2	11
230	The Paradoxical Protective Effect of Liver Steatosis on Severity and Functional Outcome of Ischemic Stroke. <i>Frontiers in Neurology</i> , 2019 , 10, 375	4.1	2
229	Predictors of Discordance in the Assessment of Skeletal Muscle Mass between Computed Tomography and Bioimpedance Analysis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	4
228	Development of a New Nomogram Including Neutrophil-to-Lymphocyte Ratio to Predict Survival in Patients with Hepatocellular Carcinoma Undergoing Transarterial Chemoembolization. <i>Cancers</i> , 2019 , 11,	6.6	24

227	Follow-Up Liver Stiffness Measurements after Liver Resection Influence Oncologic Outcomes of Hepatitis-B-Associated Hepatocellular Carcinoma with Liver Cirrhosis. <i>Cancers</i> , 2019 , 11,	6.6	5
226	Refractoriness to transarterial chemoembolization in patients with recurrent hepatocellular carcinoma after curative resection. <i>PLoS ONE</i> , 2019 , 14, e0214613	3.7	4
225	A multicenter study of entecavir vs. tenofovir on prognosis of treatment-nalle chronic hepatitis B in South Korea. <i>Journal of Hepatology</i> , 2019 , 71, 456-464	13.4	91
224	Liver Fibrosis, Not Steatosis, Associates with Long-Term Outcomes in Ischaemic Stroke Patients. <i>Cerebrovascular Diseases</i> , 2019 , 47, 32-39	3.2	16
223	Comparison between chronic hepatitis B patients with untreated immune-tolerant phase vs. those with virological response by antivirals. <i>Scientific Reports</i> , 2019 , 9, 2508	4.9	10
222	Optimal criteria for hepatocellular carcinoma diagnosis using CT in patients undergoing liver transplantation. <i>European Radiology</i> , 2019 , 29, 1022-1031	8	5
221	Alpha-Fetoprotein, Des-Gamma-Carboxy Prothrombin, and Modified RECIST Response as Predictors of Survival after Transarterial Radioembolization for Hepatocellular Carcinoma. <i>Journal of Vascular and Interventional Radiology</i> , 2019 , 30, 1194-1200.e1	2.4	10
220	Development and validation of a prognostic model for patients with hepatocellular carcinoma undergoing radiofrequency ablation. <i>Cancer Medicine</i> , 2019 , 8, 5023-5032	4.8	20
219	Longitudinal assessment of alpha-fetoprotein for early detection of hepatocellular carcinoma in patients with cirrhosis. <i>Scandinavian Journal of Gastroenterology</i> , 2019 , 54, 1283-1290	2.4	8
218	Influence of hepatic steatosis on the outcomes of patients with chronic hepatitis B treated with entecavir and tenofovir. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 283-293	6.9	16
217	Risk assessment of hepatocellular carcinoma development for indeterminate hepatic nodules in patients with chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2019 , 25, 390-399	6.9	14
216	Liver Cirrhosis, Not Antiviral Therapy, Predicts Clinical Outcome in Cohorts with Heterogeneous Hepatitis B Viral Status. <i>Gut and Liver</i> , 2019 , 13, 197-205	4.8	9
215	Multicenter Retrospective Risk Assessment of Esophageal Variceal Bleeding in Patients with Cirrhosis: An Acoustic Radiation Force Impulse Elastography-Based Prediction Model. <i>Gut and Liver</i> , 2019 , 13, 206-214	4.8	1
214	Genetically Engineered Mouse Models for Liver Cancer. Cancers, 2019, 12,	6.6	11
213	Diagnostic Performance of Serum Asialo-II-acid Glycoprotein for Advanced Liver Fibrosis or Cirrhosis in Patients with Chronic Hepatitis B or Nonalcoholic Fatty Liver Disease. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2019 , 74, 341-348	0.6	3
212	The Influence of Histologic Inflammation on the Improvement of Liver Stiffness Values Over 1 and 3 Years. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
211	Prognosis of Untreated Minimally Active Chronic Hepatitis B Patients in Comparison With Virological Responders by Antivirals. <i>Clinical and Translational Gastroenterology</i> , 2019 , 10, e00036	4.2	10
210	Predictive validation of qualitative fibrosis staging in patients with chronic hepatitis B on antiviral therapy. <i>Scientific Reports</i> , 2019 , 9, 15628	4.9	3

209	Prediction of the varices needing treatment with non-invasive tests in patients with compensated advanced chronic liver disease. <i>Liver International</i> , 2019 , 39, 1071-1079	7.9	22
208	Range of Normal Liver Stiffness and Factors Associated With Increased Stiffness Measurements in Apparently Healthy Individuals. <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 54-64.e1	6.9	31
207	Fibrosis-matched outcomes between chronic hepatitis B patients with drug-induced virological response and inactive carriers. <i>Liver International</i> , 2019 , 39, 81-89	7.9	1
206	Predictors of failure to detect early hepatocellular carcinoma in patients with chronic hepatitis B who received regular surveillance. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 47, 1201-1212	6.1	11
205	Reproducibility of European Association for the Study of the Liver criteria and modified Response Evaluation Criteria in Solid Tumors in patients treated with sorafenib. <i>Liver International</i> , 2018 , 38, 1655	7 :863	13
204	Reduced risk of hepatocellular carcinoma by achieving a subcirrhotic liver stiffness through antiviral agents in hepatitis B virus-related advanced fibrosis or cirrhosis. <i>Journal of Gastroenterology and Hepatology (Australia</i>), 2018 , 33, 503-510	4	16
203	Asia-Pacific Working Party on Non-alcoholic Fatty Liver Disease guidelines 2017-Part 1: Definition, risk factors and assessment. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 70-85	4	211
202	The Asia-Pacific Working Party on Non-alcoholic Fatty Liver Disease guidelines 2017-Part 2: Management and special groups. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 86-98	₃ 4	71
201	Feasibility of dynamic risk prediction for hepatocellular carcinoma development in patients with chronic hepatitis B. <i>Liver International</i> , 2018 , 38, 676-686	7.9	20
200	Randomized, prospective, comparative study on the effects and safety of sorafenib vs. hepatic arterial infusion chemotherapy in patients with advanced hepatocellular carcinoma with portal vein tumor thrombosis. <i>Cancer Chemotherapy and Pharmacology</i> , 2018 , 82, 469-478	3.5	54
199	Sarcopenia is associated with the risk of significant liver fibrosis in metabolically unhealthy subjects with chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2018 , 48, 300-312	6.1	25
198	Combination of Transient Elastography and an Enhanced Liver Fibrosis Test to Assess the Degree of Liver Fibrosis in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2018 , 12, 190-200	4.8	6
197	Daclatasvir Plus Asunaprevir for the Treatment of Patients with Hepatitis C Virus Genotype 1b Infection: Real-World Efficacy, Changes in Liver Stiffness and Fibrosis Markers, and Safety. <i>Gut and Liver</i> , 2018 , 12, 324-330	4.8	6
196	Clinical Implications of Shear Wave Elastography in Patients with Chronic Hepatitis B. <i>Journal of Clinical Ultrasound</i> , 2018 , 3, 45-49	Ο	
195	Switching from tenofovir and nucleoside analogue therapy to tenofovir monotherapy in virologically suppressed chronic hepatitis B patients with antiviral resistance. <i>Journal of Medical Virology</i> , 2018 , 90, 497-502	19.7	5
194	Pharmacologic Treatment Using Non-Hypoglycemic Agents for Nonalcoholic Fatty Liver Disease. Journal of Korean Diabetes, 2018 , 19, 97	0.1	1
193	Hepatic arterial damage after transarterial chemoembolization for the treatment of hepatocellular carcinoma: comparison of drug-eluting bead and conventional chemoembolization in a retrospective controlled study. <i>Acta Radiologica</i> , 2017 , 58, 131-139	2	24
192	The LAW index as an accurate indicator of the initiation of antiviral treatment in patients with chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 208-214	4	2

191	Comparison of treatment outcomes between balloon-occluded retrograde transvenous obliteration and transjugular intrahepatic portosystemic shunt for gastric variceal bleeding hemostasis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1487-1494	4	27
190	Liver fibrosis assessed with transient elastography is an independent risk factor for ischemic stroke. <i>Atherosclerosis</i> , 2017 , 260, 156-162	3.1	32
189	Subcirrhotic liver stiffness by FibroScan correlates with lower risk of hepatocellular carcinoma in patients with HBV-related cirrhosis. <i>Hepatology International</i> , 2017 , 11, 268-276	8.8	18
188	Bariatric Arterial Embolization with Non-spherical Polyvinyl Alcohol Particles for Ghrelin Suppression in a Swine Model. <i>CardioVascular and Interventional Radiology</i> , 2017 , 40, 744-749	2.7	9
187	Validation of PAGE-B model in Asian chronic hepatitis B patients receiving entecavir or tenofovir. <i>Liver International</i> , 2017 , 37, 1788-1795	7.9	31
186	Prevalence and Predictors of Significant Fibrosis Among Subjects with Transient Elastography-Defined Nonalcoholic Fatty Liver Disease. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2150-	2458	13
185	New trends on obesity and NAFLD in Asia. <i>Journal of Hepatology</i> , 2017 , 67, 862-873	13.4	448
184	Transarterial Radioembolization Versus Concurrent Chemoradiation Therapy for Locally Advanced Hepatocellular Carcinoma: AlPropensity Score Matching Analysis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 396-406	4	12
183	Prognostic factors of sorafenib therapy in hepatocellular carcinoma patients with failure of transarterial chemoembolization. <i>Hepatology International</i> , 2017 , 11, 292-299	8.8	5
182	Improvement of Liver Fibrosis after Long-Term Antiviral Therapy Assessed by Fibroscan in Chronic Hepatitis B Patients With Advanced Fibrosis. <i>American Journal of Gastroenterology</i> , 2017 , 112, 882-891	0.7	33
181	Wisteria floribunda agglutinin-positive human Mac-2 binding protein predicts the risk of HBV-related liver cancer development. <i>Liver International</i> , 2017 , 37, 879-887	7.9	29
180	Obesity is more closely related with hepatic steatosis and fibrosis measured by transient elastography than metabolic health status. <i>Metabolism: Clinical and Experimental</i> , 2017 , 66, 23-31	12.7	46
179	Effects of Entecavir and Tenofovir on Renal Function in Patients with Hepatitis B Virus-Related Compensated and Decompensated Cirrhosis. <i>Gut and Liver</i> , 2017 , 11, 828-834	4.8	16
178	Radiologic Evaluation of Non-Alcoholic Fatty Liver Disease in Diabetic Patient. <i>Journal of Korean Diabetes</i> , 2017 , 18, 88	0.1	1
177	Using transient elastography to predict hepatocellular carcinoma recurrence after radiofrequency ablation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1079-1086	4	14
176	Gamma-glutamyl transpeptidase-to-platelet ratio is an independent predictor of hepatitis B virus-related liver cancer. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1221-1229	4	25
175	Tenofovir versus tenofovir plus entecavir for chronic hepatitis B with lamivudine resistance and entecavir resistance. <i>Journal of Viral Hepatitis</i> , 2017 , 24, 141-147	3.4	22
174	Conventional versus drug-eluting beads chemoembolization for hepatocellular carcinoma: Emphasis on the impact of tumor size. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 487-496	4	24

(2016-2017)

173	Durability of the virological response after lamivudine discontinuation in lamivudine-resistant patients with a complete virological response after lamivudine and adefovir combination therapy. Journal of Medical Virology, 2017 , 89, 85-90	19.7	5
172	Validation of risk prediction models for the development of HBV-related HCC: a retrospective multi-center 10-year follow-up cohort study. <i>Oncotarget</i> , 2017 , 8, 113213-113224	3.3	16
171	Dickkopf-1 induces angiogenesis via VEGF receptor 2 regulation independent of the Wnt signaling pathway. <i>Oncotarget</i> , 2017 , 8, 58974-58984	3.3	12
170	Conditional survival estimate in patients with Barcelona Clinic Liver Cancer stage B/C hepatocellular carcinoma treated with hepatic arterial infusion chemotherapy with/without concurrent radiotherapy. <i>Oncotarget</i> , 2017 , 8, 79914-79926	3.3	5
169	Fatty liver associated with metabolic derangement in patients with chronic kidney disease: A controlled attenuation parameter study. <i>Kidney Research and Clinical Practice</i> , 2017 , 36, 48-57	3.6	5
168	Survival Estimates after Stopping Sorafenib in Patients with Hepatocellular Carcinoma: NEXT Score Development and Validation. <i>Gut and Liver</i> , 2017 , 11, 693-701	4.8	4
167	Efficacy and safety of localized concurrent chemoradiation therapy and sorafenib sequential therapy in advanced hepatocellular carcinoma: A prospective phase II trial <i>Journal of Clinical Oncology</i> , 2017 , 35, e15678-e15678	2.2	
166	Combined use of AFP, PIVKA-II, and AFP-L3 as tumor markers enhances diagnostic accuracy for hepatocellular carcinoma in cirrhotic patients. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 344-5	3 ⁻⁴	52
165	Knockdown of HIF-12 and IL-8 induced apoptosis of hepatocellular carcinoma triggers apoptosis of vascular endothelial cells. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2016 , 21, 85-95	; 5.4	13
164	Risk prediction for patients with hepatocellular carcinoma undergoing chemoembolization: development of a prediction model. <i>Liver International</i> , 2016 , 36, 92-9	7.9	41
163	Red cell volume distribution width-to-platelet ratio in assessment of liver fibrosis in patients with chronic hepatitis B. <i>Liver International</i> , 2016 , 36, 24-30	7.9	22
162	Cryoablation of Hepatocellular Carcinoma with High-Risk for Percutaneous Ablation: Safety and Efficacy. <i>CardioVascular and Interventional Radiology</i> , 2016 , 39, 1447-54	2.7	24
161	Sarcopenia is associated with significant liver fibrosis independently of obesity and insulin resistance in nonalcoholic fatty liver disease: Nationwide surveys (KNHANES 2008-2011). <i>Hepatology</i> , 2016 , 63, 776-86	11.2	175
160	Addition of tumor multiplicity improves the prognostic performance of the hepatoma arterial-embolization prognostic score. <i>Liver International</i> , 2016 , 36, 100-7	7.9	51
159	Association Between Level of Fibrosis, Rather Than Antiviral Regimen, and Outcomes of Patients With Chronic Hepatitis B. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1647-1656.e6	6.9	29
158	Prognostic Significance of III-FDG Uptake in Hepatocellular Carcinoma Treated with Transarterial Chemoembolization or Concurrent Chemoradiotherapy: A Multicenter Retrospective Cohort Study. <i>Journal of Nuclear Medicine</i> , 2016 , 57, 509-16	8.9	33
157	Incidence and risk factors of delayed postpolypectomy bleeding in patients with chronic liver disease. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 618-24	2.4	13
156	Clinical outcomes and predictors for relapse after cessation of oral antiviral treatment in chronic hepatitis B patients. <i>Journal of Gastroenterology</i> , 2016 , 51, 830-9	6.9	61

155	Noninvasive Prediction of Erosive Esophagitis Using a Controlled Attenuation Parameter (CAP)-Based Risk Estimation Model. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 507-16	4	2
154	Regulation of HK2 expression through alterations in CpG methylation of the HK2 promoter during progression of hepatocellular carcinoma. <i>Oncotarget</i> , 2016 , 7, 41798-41810	3.3	32
153	Factors Influencing the Diagnostic Accuracy of Acoustic Radiation Force Impulse Elastography in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2016 , 10, 275-82	4.8	14
152	Predicting Liver-Related Events Using Transient Elastography in Chronic Hepatitis C Patients with Sustained Virological Response. <i>Gut and Liver</i> , 2016 , 10, 429-36	4.8	11
151	The Relationship between Type 2 Diabetes Mellitus and Non-Alcoholic Fatty Liver Disease Measured by Controlled Attenuation Parameter. <i>Yonsei Medical Journal</i> , 2016 , 57, 885-92	3	26
150	Clinical Utility of a New Automated Hepatitis C Virus Core Antigen Assay for Prediction of Treatment Response in Patients with Chronic Hepatitis C. <i>Journal of Korean Medical Science</i> , 2016 , 31, 1431-7	4.7	5
149	Discrimination of Nonalcoholic Steatohepatitis Using Transient Elastography in Patients with Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2016 , 11, e0157358	3.7	44
148	Transient Elastography is Superior to FIB-4 in Assessing the Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. <i>Medicine (United States)</i> , 2016 , 95, e3434	1.8	10
147	Subclinical Ascites Does Not Affect the Long-term Prognosis in Hepatitis B Virus-related Cirrhosis Patients Receiving Antivirals. <i>Journal of Clinical Gastroenterology</i> , 2016 , 50, 676-85	3	1
146	Risk Assessment of Hepatocellular Carcinoma Using Transient Elastography Vs. Liver Biopsy in Chronic Hepatitis B Patients Receiving Antiviral Therapy. <i>Medicine (United States)</i> , 2016 , 95, e2985	1.8	17
145	Reply to Q rognostic model for patients receiving arterial-embolization for hepatocellular carcinoma: issues to consider <i>QLiver International</i> , 2016 , 36, 312	7.9	
144	Reply. <i>Hepatology</i> , 2016 , 63, 672-3	11.2	
143	Prediction of virologic response to tenofovir mono-rescue therapy for multidrug resistant chronic hepatitis B. <i>Journal of Medical Virology</i> , 2016 , 88, 1027-34	19.7	8
142	Use of Wisteria Floribunda Agglutinin-Positive Human Mac-2 Binding Protein in Assessing Risk of Hepatocellular Carcinoma Due to Hepatitis B Virus. <i>Medicine (United States)</i> , 2016 , 95, e3328	1.8	24
141	Subclassification of Barcelona Clinic Liver Cancer B and C hepatocellular carcinoma: A cohort study of the multicenter registry database. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 842-7	4	17
140	Clinical predictors of silent but substantial liver fibrosis in primary Sjogren@syndrome. <i>Modern Rheumatology</i> , 2016 , 26, 576-82	3.3	2
139	Outcome of adefovir add-on lamivudine rescue therapy of up to 5 years in patients with lamivudine-resistant chronic hepatitis B. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 241-7	4	7
138	Liver stiffness-based model for prediction of hepatocellular carcinoma in chronic hepatitis B virus infection: comparison with histological fibrosis. <i>Liver International</i> , 2015 , 35, 1054-62	7.9	28

(2015-2015)

137	Probability-based interpretation of liver stiffness measurement in untreated chronic hepatitis B patients. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 1448-56	4	16
136	Normal controlled attenuation parameter values: a prospective study of healthy subjects undergoing health checkups and liver donors in Korea. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 234-42	4	11
135	Accuracy of transient elastography in assessing liver fibrosis in chronic viral hepatitis: A multicentre, retrospective study. <i>Liver International</i> , 2015 , 35, 2246-55	7.9	56
134	Prognostic role of magnetic resonance imaging vs. computed tomography for hepatocellular carcinoma undergoing chemoembolization. <i>Liver International</i> , 2015 , 35, 1722-30	7.9	13
133	Sarcopaenia is associated with NAFLD independently of obesity and insulin resistance: Nationwide surveys (KNHANES 2008-2011). <i>Journal of Hepatology</i> , 2015 , 63, 486-93	13.4	186
132	Lower incidence of hepatocellular carcinoma and cirrhosis in hepatitis C patients with sustained virological response by pegylated interferon and ribavirin. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 573	-481	29
131	Prognostic value of the combined use of transient elastography and fibrotest in patients with chronic hepatitis B. <i>Liver International</i> , 2015 , 35, 455-62	7.9	17
130	Factors associated with significant liver fibrosis assessed using transient elastography in general population. <i>World Journal of Gastroenterology</i> , 2015 , 21, 1158-66	5.6	34
129	Reply to "Response assessment for HCC patients treated with repeated TACE: The optimal time-point is still an open issue". <i>Journal of Hepatology</i> , 2015 , 63, 1532	13.4	
128	Hepatic fibrosis assessed using transient elastography independently associated with coronary artery calcification. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1536-42	4	17
127	Validation of hepatitis B virus-related hepatocellular carcinoma prediction models in the era of antiviral therapy. <i>Hepatology</i> , 2015 , 62, 1757-66	11.2	73
127 126		11.2	73
	antiviral therapy. <i>Hepatology</i> , 2015 , 62, 1757-66 Acoustic Radiation Force Impulse Measurement in Renal Transplantation: A Prospective,		
126	Acoustic Radiation Force Impulse Measurement in Renal Transplantation: A Prospective, Longitudinal Study With Protocol Biopsies. <i>Medicine (United States)</i> , 2015 , 94, e1590 Early Efetoprotein response predicts survival in patients with advanced hepatocellular carcinoma	1.8	31
126	Acoustic Radiation Force Impulse Measurement in Renal Transplantation: A Prospective, Longitudinal Study With Protocol Biopsies. <i>Medicine (United States)</i> , 2015 , 94, e1590 Early Efetoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , 2015 , 2, 39-47 Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 347-56 A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic	1.8	31
126 125 124	Acoustic Radiation Force Impulse Measurement in Renal Transplantation: A Prospective, Longitudinal Study With Protocol Biopsies. <i>Medicine (United States)</i> , 2015 , 94, e1590 Early Efetoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , 2015 , 2, 39-47 Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 347-56 A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic radiation force impulse elastography. <i>PLoS ONE</i> , 2015 , 10, e0121009	1.8 5·3	31 16 18
126 125 124 123	Acoustic Radiation Force Impulse Measurement in Renal Transplantation: A Prospective, Longitudinal Study With Protocol Biopsies. <i>Medicine (United States)</i> , 2015 , 94, e1590 Early Efetoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , 2015 , 2, 39-47 Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 347-56 A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic radiation force impulse elastography. <i>PLoS ONE</i> , 2015 , 10, e0121009 Relationship between Cerebral Microbleeds and Liver Stiffness Determined by Transient Elastography. <i>PLoS ONE</i> , 2015 , 10, e0139227 Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical</i>	1.8 5·3 4·4 3·7	31 16 18
126 125 124 123	Acoustic Radiation Force Impulse Measurement in Renal Transplantation: A Prospective, Longitudinal Study With Protocol Biopsies. <i>Medicine (United States)</i> , 2015 , 94, e1590 Early Efetoprotein response predicts survival in patients with advanced hepatocellular carcinoma treated with sorafenib. <i>Journal of Hepatocellular Carcinoma</i> , 2015 , 2, 39-47 Use of transient elastography to predict de novo recurrence after radiofrequency ablation for hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2015 , 8, 347-56 A novel model to predict esophageal varices in patients with compensated cirrhosis using acoustic radiation force impulse elastography. <i>PLoS ONE</i> , 2015 , 10, e0121009 Relationship between Cerebral Microbleeds and Liver Stiffness Determined by Transient Elastography. <i>PLoS ONE</i> , 2015 , 10, e0139227 Serum Dickkopf-1 as a Biomarker for the Diagnosis of Hepatocellular Carcinoma. <i>Yonsei Medical Journal</i> , 2015 , 56, 1296-306	1.8 5·3 4·4 3·7	31 16 18 24

119	Inter-observer variability of response evaluation criteria for hepatocellular carcinoma treated with chemoembolization. <i>Digestive and Liver Disease</i> , 2015 , 47, 682-8	3.3	5
118	Reply to "The problem of the most appropriate curative treatment for hepatocellular carcinoma. When to embolize? When to operate?". <i>Journal of Hepatology</i> , 2015 , 63, 281-2	13.4	1
117	Complete response at first chemoembolization is still the most robust predictor for favorable outcome in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2015 , 62, 1304-10	13.4	108
116	Clinical application of transient elastography in patients with chronic viral hepatitis receiving antiviral treatment. <i>Liver International</i> , 2015 , 35, 1103-15	7.9	49
115	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with transient elastography-defined subclinical cirrhosis. <i>Hepatology</i> , 2015 , 61, 1851-9	11.2	100
114	Successful hemostasis of intractable rectal variceal bleeding using variceal embolization. <i>World Journal of Gastroenterology</i> , 2015 , 21, 2558-62	5.6	11
113	Comparison of the Effects of Telbivudine and Entecavir Treatment on Estimated Glomerular Filtration Rate in Patients with Chronic Hepatitis B. <i>Gut and Liver</i> , 2015 , 9, 776-83	4.8	9
112	Disease duration and Medsger@severity score are associated with significant liver fibrosis in patients with systemic sclerosis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S68-74	2.2	4
111	Prognosis of hepatocellular carcinoma patients with extrahepatic metastasis and the controllability of intrahepatic lesions. <i>Clinical and Experimental Metastasis</i> , 2014 , 31, 475-82	4.7	20
110	Inhibition of tumour angiogenesis and growth by small hairpin HIF-1 and IL-8 in hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 632-42	7.9	25
109	Histological subclassification of cirrhosis can predict recurrence after curative resection of hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 1008-17	7.9	35
108	Long-term outcomes of chronic hepatitis B virus infection in the era of antiviral therapy in Korea. Journal of Gastroenterology and Hepatology (Australia), 2014 , 29, 1005-11	4	15
107	Long-term changes of liver stiffness values assessed using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Liver International</i> , 2014 , 34, 1216-23	7.9	27
106	Prediction of development of liver-related events by transient elastography in hepatitis B patients with complete virological response on antiviral therapy. <i>American Journal of Gastroenterology</i> , 2014 , 109, 1241-9	0.7	89
105	Impact of spontaneous hepatocellular carcinoma rupture on recurrence pattern and long-term surgical outcomes after partial hepatectomy. <i>World Journal of Surgery</i> , 2014 , 38, 2070-8	3.3	31
104	Surgical resection after down-staging of locally advanced hepatocellular carcinoma by localized concurrent chemoradiotherapy. <i>Annals of Surgical Oncology</i> , 2014 , 21, 3646-53	3.1	41
103	Congestive hepatopathy after Fontan operation and related factors assessed by transient elastography. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014 , 148, 1498-505	1.5	40
102	Can Non-invasive Fibrosis Assessment Predict Sustained Virological Response to Telaprevir with Pegylated Interferon and Ribavirin in Chronic Hepatitis C Patients?. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The,</i> 2014 , 64, 250	0.6	

101	Use of the delta neutrophil index as a prognostic factor of mortality in patients with spontaneous bacterial peritonitis: implications of a simple and useful marker. <i>PLoS ONE</i> , 2014 , 9, e86884	3.7	22
100	Liver stiffness value-based risk estimation of late recurrence after curative resection of hepatocellular carcinoma: development and validation of a predictive model. <i>PLoS ONE</i> , 2014 , 9, e9916	57 ^{3.7}	18
99	Non-invasive prediction of development of hepatocellular carcinoma using transient elastography in patients with chronic liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2014 , 8, 501-1	1 ^{4.2}	7
98	Clinical outcomes and prognostic factors of patients with advanced hepatocellular carcinoma treated with sorafenib as first-line therapy: a Korean multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1463-9	4	23
97	Clinical usefulness of double biomarkers AFP and PIVKA-II for subdividing prognostic groups in locally advanced hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 313-21	7.9	16
96	Maintaining remission in lamivudine-resistant patients with a virological response to adefovir add-on lamivudine after stopping lamivudine therapy. <i>Liver International</i> , 2014 , 34, 1543-9	7.9	10
95	Risk assessment of clinical outcomes in Asian patients with chronic hepatitis B using enhanced liver fibrosis test. <i>Hepatology</i> , 2014 , 60, 1911-9	11.2	33
94	Risk assessment of liver-related events using transient elastography in patients with chronic hepatitis B receiving entecavir. <i>Journal of Clinical Gastroenterology</i> , 2014 , 48, 272-8	3	22
93	Controlled attenuation parameter (CAP) for detection of hepatic steatosis in patients with chronic liver diseases: a prospective study of a native Korean population. <i>Liver International</i> , 2014 , 34, 102-9	7.9	113
92	Dynamics of the liver stiffness value using transient elastography during the perioperative period in patients with valvular heart disease. <i>PLoS ONE</i> , 2014 , 9, e92795	3.7	15
91	Factors affecting the accuracy of controlled attenuation parameter (CAP) in assessing hepatic steatosis in patients with chronic liver disease. <i>PLoS ONE</i> , 2014 , 9, e98689	3.7	30
90	Silencing of hypoxia-inducible factor-1[Induces anti-tumor effects in hepatoma cell lines under tumor hypoxia. <i>PLoS ONE</i> , 2014 , 9, e103304	3.7	9
89	Tenofovir disoproxil fumarate monotherapy for nucleos(t)ide-nalle chronic hepatitis B patients in Korea: data from the clinical practice setting in a single-center cohort. <i>Clinical and Molecular Hepatology</i> , 2014 , 20, 261-6	6.9	10
88	Non-invasive prediction of forthcoming cirrhosis-related complications. <i>World Journal of Gastroenterology</i> , 2014 , 20, 2613-23	5.6	9
87	Clinical features, image findings, and prognosis of inflammatory pseudotumor of the liver: a multicenter experience of 45 cases. <i>Gut and Liver</i> , 2014 , 8, 58-63	4.8	49
86	Combination treatment of localized concurrent chemoradiation therapy and transarterial chemoembolization in locally advanced hepatocellular carcinoma with intrahepatic metastasis. Cancer Chemotherapy and Pharmacology, 2013, 71, 165-73	3.5	28
85	Graft function measured by transient elastography in living donor liver transplantation: preliminary. <i>Transplantation Proceedings</i> , 2013 , 45, 3028-31	1.1	5
84	Clinical application of liver stiffness measurement using transient elastography: a surgical perspective. <i>Digestion</i> , 2013 , 88, 258-65	3.6	17

83	Prospective comparison of prognostic values of modified Response Evaluation Criteria in Solid Tumours with European Association for the Study of the Liver criteria in hepatocellular carcinoma following chemoembolisation. <i>European Journal of Cancer</i> , 2013 , 49, 826-34	7.5	65
82	Prognostic value of Fetoprotein and des-Etarboxy prothrombin responses in patients with hepatocellular carcinoma treated with transarterial chemoembolization. <i>BMC Cancer</i> , 2013 , 13, 5	4.8	48
81	Early on-treatment change in liver stiffness predicts development of liver-related events in chronic hepatitis B patients receiving antiviral therapy. <i>Liver International</i> , 2013 , 33, 180-9	7.9	24
80	Non-O1, Non-O139Vibrio choleraeSepticemia after Acupuncture. <i>The Ewha Medical Journal</i> , 2013 , 36, S22	0.1	4
79	Efficacy of switching to telbivudine plus adefovir in suboptimal responders to lamivudine plus adefovir. <i>World Journal of Gastroenterology</i> , 2013 , 19, 7671-9	5.6	6
78	Partial virological response to adefovir add-on lamivudine rescue therapy in patients with lamivudine-resistant chronic hepatitis B. <i>Digestion</i> , 2013 , 87, 196-203	3.6	2
77	Survival of hepatocellular carcinoma patients may be improved in surveillance interval not more than 6 months compared with more than 6 months: a 15-year prospective study. <i>Journal of Clinical Gastroenterology</i> , 2013 , 47, 538-44	3	38
76	Prognostic significance of the worst grade in hepatocellular carcinoma with heterogeneous histologic grades of differentiation. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1384-90	4	41
75	Role of splenectomy in patients with hepatocellular carcinoma and hypersplenism. <i>ANZ Journal of Surgery</i> , 2013 , 83, 865-70	1	19
74	Normal enhanced liver fibrosis (ELF) values in apparently healthy subjects undergoing a health check-up and in living liver donors in South Korea. <i>Liver International</i> , 2013 , 33, 706-13	7.9	13
73	Number of target lesions for EASL and modified RECIST to predict survivals in hepatocellular carcinoma treated with chemoembolization. <i>Clinical Cancer Research</i> , 2013 , 19, 1503-11	12.9	36
72	Compensated heart failure does not always alleviate overestimation of liver stiffness by transient elastography. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 385-7	2.2	3
71	Optimal timing of combining sorafenib with locoregional treatments in patients with advanced hepatocellular carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2013 , 25, 514-5	2.2	2
70	Orthotopic liver transplantation after the combined use of locoregional therapy and sorafenib for advanced hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2013 , 6, 755-9	4.4	8
69	Transient elastography-based risk estimation of hepatitis B virus-related occurrence of hepatocellular carcinoma: development and validation of a predictive model. <i>OncoTargets and Therapy</i> , 2013 , 6, 1463-9	4.4	18
68	Predictors of refractory ascites development in patients with hepatitis B virus-related cirrhosis hospitalized to control ascitic decompensation. <i>Yonsei Medical Journal</i> , 2013 , 54, 145-53	3	3
67	The use of health functional foods in gastrointestinal cancer patients. <i>Clinical Nutrition Research</i> , 2013 , 2, 19-25	1.7	4
66	Abnormal liver stiffness assessed using transient elastography (Fibroscan) in HIV-infected patients without HBV/HCV coinfection receiving combined antiretroviral treatment. <i>PLoS ONE</i> , 2013 , 8, e52720	3.7	17

65	Association between IL28B polymorphisms and spontaneous clearance of hepatitis B virus infection. <i>PLoS ONE</i> , 2013 , 8, e69166	3.7	23	
64	Efficacy of sorafenib monotherapy versus sorafenib-based loco-regional treatments in advanced hepatocellular carcinoma. <i>PLoS ONE</i> , 2013 , 8, e77240	3.7	19	
63	Role of surgical resection for multiple hepatocellular carcinomas. <i>World Journal of Gastroenterology</i> , 2013 , 19, 366-74	5.6	32	
62	Discordance between liver biopsy and FibroTest in assessing liver fibrosis in chronic hepatitis B. <i>PLoS ONE</i> , 2013 , 8, e55759	3.7	10	
61	Antiviral efficacies of currently available rescue therapies for multidrug-resistant chronic hepatitis B. <i>Clinical and Molecular Hepatology</i> , 2013 , 19, 29-35	6.9	12	
60	Clinical application of liver stiffness measurement using transient elastography in chronic liver disease from longitudinal perspectives. <i>World Journal of Gastroenterology</i> , 2013 , 19, 1890-900	5.6	58	
59	Characterization of focal liver masses using acoustic radiation force impulse elastography. <i>World Journal of Gastroenterology</i> , 2013 , 19, 219-26	5.6	41	
58	Quasispecies and pre-existing drug-resistant mutations of hepatitis B virus in patients with chronic hepatitis B. <i>Gut and Liver</i> , 2013 , 7, 329-34	4.8	11	
57	Radiological response predicts survival following transarterial chemoembolisation in patients with unresectable hepatocellular carcinoma. <i>Alimentary Pharmacology and Therapeutics</i> , 2012 , 35, 1343-50	6.1	70	
56	"Normal" liver stiffness values differ between men and women: a prospective study for healthy living liver and kidney donors in a native Korean population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 781-8	4	27	
55	Antiviral efficacy of lamivudine versus entecavir in patients with hepatitis B virus-related advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 1528-34	4	13	
54	Prediction of recurrence after curative resection of hepatocellular carcinoma using liver stiffness measurement (FibroScan). <i>Annals of Surgical Oncology</i> , 2012 , 19, 4278-86	3.1	54	
53	Applicability of BCLC stage for prognostic stratification in comparison with other staging systems: single centre experience from long-term clinical outcomes of 1717 treatment-nalle patients with hepatocellular carcinoma. <i>Liver International</i> , 2012 , 32, 1120-7	7.9	83	
52	The Laennec staging system for histological sub-classification of cirrhosis is useful for stratification of prognosis in patients with liver cirrhosis. <i>Journal of Hepatology</i> , 2012 , 57, 556-63	13.4	101	
51	Clinical features and prognosis of hepatocellular carcinoma in Mongolia: a multicentre study. <i>Hepatology International</i> , 2012 , 6, 763-9	8.8	22	
50	Leflunomide increases the risk of silent liver fibrosis in patients with rheumatoid arthritis receiving methotrexate. <i>Arthritis Research and Therapy</i> , 2012 , 14, R232	5.7	34	
49	Discordance between liver biopsy and Fibroscan in assessing liver fibrosis in chronic hepatitis b: risk factors and influence of necroinflammation. <i>PLoS ONE</i> , 2012 , 7, e32233	3.7	43	
48	Prospective validation of FibroTest in comparison with liver stiffness for predicting liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e35825	3.7	44	

47	Revision and update on clinical practice guideline for liver cirrhosis. <i>The Korean Journal of Hepatology</i> , 2012 , 18, 1-21		97
46	How many valid measurements are necessary to assess liver fibrosis using FibroScan in patients with chronic viral hepatitis? An analysis of subjects with at least 10 valid measurements. <i>Yonsei Medical Journal</i> , 2012 , 53, 337-45	3	11
45	Acute variceal hemorrhage in patients with liver cirrhosis: weekend versus weekday admissions. <i>Yonsei Medical Journal</i> , 2012 , 53, 318-27	3	9
44	Spontaneous bacterial peritonitis in patients with hepatitis B virus-related liver cirrhosis: community-acquired versus nosocomial. <i>Yonsei Medical Journal</i> , 2012 , 53, 328-36	3	7
43	Combined measurement of preoperative Fetoprotein and des-Etarboxy prothrombin predicts recurrence after curative resection in patients with hepatitis-B-related hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2012 , 131, 2332-41	7.5	26
42	Liver stiffness measurement using acoustic radiation force impulse (ARFI) elastography and effect of necroinflammation. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1682-91	4	73
41	Normal liver elasticity values using acoustic radiation force impulse imaging: a prospective study in healthy living liver and kidney donors. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 130-6	4	42
40	Early on-treatment predictions of clinical outcomes using alpha-fetoprotein and des-gamma-carboxy prothrombin responses in patients with advanced hepatocellular carcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2012 , 27, 313-22	4	29
39	Combination of preS deletions and A1762T/G1764A mutations in HBV subgenotype C2 increases the risk of developing HCC. <i>Intervirology</i> , 2012 , 55, 296-302	2.5	10
38	Optimal time for restoring the reliability of liver stiffness measurement in patients with chronic hepatitis B experiencing acute exacerbation. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 602-7	3	12
37	The accuracy of noninvasive methods in predicting the development of hepatocellular carcinoma and hepatic decompensation in patients with chronic hepatitis B. <i>Journal of Clinical Gastroenterology</i> , 2012 , 46, 518-25	3	48
36	Acoustic radiation force impulse elastography: a better option for patients with extrahepatic cholestasis. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 215-6	2.2	5
35	Clinical characteristics and prognosis of hepatocellular carcinoma with different sets of serum AFP and PIVKA-II levels. <i>European Journal of Gastroenterology and Hepatology</i> , 2012 , 24, 849-56	2.2	30
34	Prediction of liver-related events using fibroscan in chronic hepatitis B patients showing advanced liver fibrosis. <i>PLoS ONE</i> , 2012 , 7, e36676	3.7	76
33	Prospective validation of ELF test in comparison with Fibroscan and FibroTest to predict liver fibrosis in Asian subjects with chronic hepatitis B. <i>PLoS ONE</i> , 2012 , 7, e41964	3.7	59
32	Performance of transient elastography for the staging of liver fibrosis in patients with chronic hepatitis B: a meta-analysis. <i>PLoS ONE</i> , 2012 , 7, e44930	3.7	202
31	Clinical applications of transient elastography. Clinical and Molecular Hepatology, 2012, 18, 163-73	6.9	74
30	Prognostic value of the 7th edition of the AJCC staging system as a clinical staging system in patients with hepatocellular carcinoma. <i>European Journal of Cancer</i> , 2011 , 47, 2568-75	7.5	50

(2010-2011)

29	Gastroduodenal complications after concurrent chemoradiation therapy in patients with hepatocellular carcinoma: endoscopic findings and risk factors. <i>International Journal of Radiation Oncology Biology Physics</i> , 2011 , 81, 1343-51	4	34
28	Acoustic radiation force impulse elastography is useful to exclude nonliver-related ascites. <i>European Journal of Gastroenterology and Hepatology</i> , 2011 , 23, 1080-1	2.2	1
27	Partial virological response to entecavir in treatment-naive patients with chronic hepatitis B. <i>Antiviral Therapy</i> , 2011 , 16, 469-77	1.6	19
26	The usefulness of liver stiffness measurement using FibroScan in chronic hepatitis C in South Korea: a multicenter, prospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 171	-8 ⁴	33
25	Non-invasive assessment of liver fibrosis: the gap between ideal and real. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 937-9	4	4
24	Prognostic factors and 10-year survival in patients with hepatocellular carcinoma after curative hepatectomy. <i>Journal of Gastrointestinal Surgery</i> , 2011 , 15, 598-607	3.3	26
23	Risk assessment of hepatitis B virus-related hepatocellular carcinoma development using liver stiffness measurement (FibroScan). <i>Hepatology</i> , 2011 , 53, 885-94	11.2	285
22	Adjuvant hepatic arterial infusional chemotherapy with 5-fluorouracil and cisplatin after curative resection of hepatocellular carcinoma. <i>Oncology</i> , 2011 , 81, 184-91	3.6	16
21	Clinical characteristics and treatment outcomes of hepatocellular carcinoma with inferior vena cava/heart invasion. <i>Anticancer Research</i> , 2011 , 31, 4641-6	2.3	18
20	What are Q rue normal Q iver stiffness values using FibroScan?: a prospective study in healthy living liver and kidney donors in South Korea. <i>Liver International</i> , 2010 , 30, 268-74	7.9	62
19	Factors that affect the diagnostic accuracy of liver fibrosis measurement by Fibroscan in patients with chronic hepatitis B. <i>Alimentary Pharmacology and Therapeutics</i> , 2010 , 32, 498-505	6.1	44
18	Ascitic fluid infection in patients with hepatitis B virus-related liver cirrhosis: culture-negative neutrocytic ascites versus spontaneous bacterial peritonitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 122-8	4	30
17	Non-invasive assessment of liver fibrosis: time to move from cross-sectional studies to longitudinal ones. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1472-3	4	10
16	Response rates to medical treatments and long-term clinical outcomes of nonsurgical patients with intestinal Behlet disease. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, e116-22	3	29
15	Transient elastography in chronic hepatitis B: an Asian perspective. <i>World Journal of Gastroenterology</i> , 2010 , 16, 5173-80	5.6	28
14	How can we enhance the performance of liver stiffness measurement using FibroScan in diagnosing liver cirrhosis in patients with chronic hepatitis B?. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 66-71	3	88
13	Non-invasive assessment of changes in liver fibrosis via liver stiffness measurement in patients with chronic hepatitis B: impact of antiviral treatment on fibrosis regression. <i>Hepatology International</i> , 2010 , 4, 673-80	8.8	37
12	Can preoperative diffusion-weighted MRI predict postoperative hepatic insufficiency after curative resection of HBV-related hepatocellular carcinoma? A pilot study. <i>Magnetic Resonance Imaging</i> , 2010 , 28, 802-11	3.3	14

11	The impact of steatosis on liver stiffness measurement in patients with chronic hepatitis B. <i>Hepato-Gastroenterology</i> , 2010 , 57, 832-8		7
10	Usefulness of FibroScan for detection of early compensated liver cirrhosis in chronic hepatitis B. <i>Digestive Diseases and Sciences</i> , 2009 , 54, 1758-63	4	115
9	Liver stiffness measurement using FibroScan is influenced by serum total bilirubin in acute hepatitis. <i>Liver International</i> , 2009 , 29, 810-5	7.9	41
8	Variability in liver stiffness values from different intercostal spaces. <i>Liver International</i> , 2009 , 29, 760-6	7.9	15
7	Liver stiffness measurement in combination with noninvasive markers for the improved diagnosis of B-viral liver cirrhosis. <i>Journal of Clinical Gastroenterology</i> , 2009 , 43, 267-71	3	63
6	A case of hepatocellular carcinoma within hepatocellular adenoma in a non-cirrhotic male. <i>Korean Journal of Internal Medicine</i> , 2009 , 24, 147-52	2.5	20
5	Natural history of hepatitis B virus-related cirrhotic patients hospitalized to control ascites. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2008 , 23, 1722-7	4	29
4	Clinical course of virologic breakthrough after emergence of YMDD mutations in HBeAg-positive chronic hepatitis B. <i>Intervirology</i> , 2008 , 51, 293-8	2.5	7
3	Prediction of postoperative hepatic insufficiency by liver stiffness measurement (FibroScan((R))) before curative resection of hepatocellular carcinoma: a pilot study. <i>Hepatology International</i> , 2008 , 2, 471-7	8.8	66
2	Hepatocellular carcinoma presenting with bone metastasis: clinical characteristics and prognostic factors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2008 , 134, 1377-84	4.9	59
1	Anti-hepatitis A virus seroprevalence among patients with chronic viral liver disease in Korea. <i>European Journal of Gastroenterology and Hepatology</i> , 2007 , 19, 923-6	2.2	14