

# Xu Deng

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7017378/xu-deng-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76  
papers

5,173  
citations

29  
h-index

71  
g-index

80  
ext. papers

6,486  
ext. citations

10.8  
avg, IF

5.98  
L-index

| #  | Paper   | IF   | Citations |
|----|---|------|-----------|
| 76 | Candle soot as a template for a transparent robust superamphiphobic coating. <i>Science</i> , <b>2012</b> , 335, 67-70  | 33.3 | 1507      |
| 75 | Design of robust superhydrophobic surfaces. <i>Nature</i> , <b>2020</b> , 582, 55-59  | 50.4 | 444       |
| 74 | Transparent, thermally stable and mechanically robust superhydrophobic surfaces made from porous silica capsules. <i>Advanced Materials</i> , <b>2011</b> , 23, 2962-5                        | 24   | 410       |
| 73 | A droplet-based electricity generator with high instantaneous power density. <i>Nature</i> , <b>2020</b> , 578, 392-396   | 50.4 | 391       |
| 72 | How superhydrophobicity breaks down. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 3254-8                                       | 11.5 | 322       |
| 71 | Surface charge printing for programmed droplet transport. <i>Nature Materials</i> , <b>2019</b> , 18, 936-941   | 27   | 208       |
| 70 | Super-robust superhydrophobic concrete. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 14542-14550  | 13   | 109       |
| 69 | Liquid drops impacting superamphiphobic coatings. <i>Langmuir</i> , <b>2013</b> , 29, 7847-56   | 4    | 89        |
| 68 | Super liquid-repellent gas membranes for carbon dioxide capture and heart-lung machines. <i>Nature Communications</i> , <b>2013</b> , 4, 2512   | 17.4 | 88        |
| 67 | Superhydrophobic surfaces by hybrid raspberry-like particles. <i>Faraday Discussions</i> , <b>2010</b> , 146, 35-48; discussion 79-101, 395-401   | 3.6  | 87        |
| 66 | Robust superhydrophobicity: mechanisms and strategies. <i>Chemical Society Reviews</i> , <b>2021</b> , 50, 4031-4061  | 58.5 | 86        |
| 65 | Large-Area Fabrication of Droplet Pancake Bouncing Surface and Control of Bouncing State. <i>ACS Nano</i> , <b>2017</b> , 11, 9259-9267   | 16.7 | 85        |
| 64 | High-Performance pH-Switchable Supramolecular Thermosets via Cation- $\pi$ Interactions. <i>Advanced Materials</i> , <b>2018</b> , 30, 1704234  | 24   | 79        |
| 63 | Earthworm-Inspired Rough Polymer Coatings with Self-Replenishing Lubrication for Adaptive Friction-Reduction and Antifouling Surfaces. <i>Advanced Materials</i> , <b>2018</b> , 30, e1802141 | 24   | 79        |
| 62 | High-efficiency bubble transportation in an aqueous environment on a serial wedge-shaped wettability pattern. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 13567-13576          | 13   | 74        |
| 61 | A superhydrophilic cement-coated mesh: an acid, alkali, and organic reagent-free material for oil/water separation. <i>Nanoscale</i> , <b>2018</b> , 10, 1920-1929                            | 7.7  | 63        |
| 60 | Wetting on the microscale: shape of a liquid drop on a microstructured surface at different length scales. <i>Langmuir</i> , <b>2012</b> , 28, 8392-8   | 4    | 63        |

|    |  |      |    |
|----|--|------|----|
| 59 | Harvesting Electricity from Water Evaporation through Microchannels of Natural Wood. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 11232-11239   | 9.5  | 51 |
| 58 | Impact of Viscous Droplets on Superamphiphobic Surfaces. <i>Langmuir</i> , <b>2017</b> , 33, 144-151   | 4    | 46 |
| 57 | Effect of nanoroughness on highly hydrophobic and superhydrophobic coatings. <i>Langmuir</i> , <b>2012</b> , 28, 15005-14  | 4    | 46 |
| 56 | Anisotropic sliding on dual-rail hydrophilic tracks. <i>Lab on A Chip</i> , <b>2017</b> , 17, 1041-1050  | 7.2  | 42 |
| 55 | Reconfiguring surface functions using visible-light-controlled metal-ligand coordination. <i>Nature Communications</i> , <b>2018</b> , 9, 3842   | 17.4 | 40 |
| 54 | Breath figure lithography for the construction of a hierarchical structure in sponges and their applications to oil/water separation. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 16369-16375 | 13   | 38 |
| 53 | Solvent-free synthesis of microparticles on superamphiphobic surfaces. <i>Angewandte Chemie - International Edition</i> , <b>2013</b> , 52, 11286-9  | 16.4 | 35 |
| 52 | Dielectric properties of exfoliated graphite reinforced flouroelastomer composites. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 111, 1358-1368   | 2.9  | 33 |
| 51 | Designing Transparent Micro/Nano Re-Entrant-Coordinated Superamphiphobic Surfaces with Ultralow Solid/Liquid Adhesion. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 29458-29465         | 9.5  | 32 |
| 50 | Fly ash reinforced thermoplastic vulcanizates obtained from waste tire powder. <i>Waste Management</i> , <b>2009</b> , 29, 1058-66   | 8.6  | 32 |
| 49 | The effect of physical treatments of waste rubber powder on the mechanical properties of the revulcanizate. <i>Journal of Applied Polymer Science</i> , <b>2009</b> , 112, 3048-3056                         | 2.9  | 30 |
| 48 | Controlling the Localization of Liquid Droplets in Polymer Matrices by Evaporative Lithography. <i>Angewandte Chemie - International Edition</i> , <b>2016</b> , 55, 10681-5                                 | 16.4 | 29 |
| 47 | Well-Controlled Microcellular Biodegradable PLA/Silk Composite Foams Using Supercritical CO <sub>2</sub> . <i>Macromolecular Materials and Engineering</i> , <b>2009</b> , 294, 620-624                      | 3.9  | 29 |
| 46 | Electrochemical sensor for determination of ractopamine based on aptamer/octadecanethiol Janus particles. <i>Sensors and Actuators B: Chemical</i> , <b>2018</b> , 276, 204-210                              | 8.5  | 27 |
| 45 | Fabrication of superhydrophobic surface by a laminating exfoliation method. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 1268-1271   | 13   | 26 |
| 44 | Biomaterial surface modification for underwater adhesion. <i>Smart Materials in Medicine</i> , <b>2020</b> , 1, 77-91  | 12.9 | 26 |
| 43 | Superamphiphobic particles: how small can we go?. <i>Physical Review Letters</i> , <b>2014</b> , 112, 016101   | 7.4  | 23 |
| 42 | Dynamic reaction involving surface modified waste ground rubber tire powder/polypropylene. <i>Polymer Engineering and Science</i> , <b>2009</b> , 49, 168-176  | 2.3  | 22 |

|    |  |      |    |
|----|--|------|----|
| 41 | Optimization of superamphiphobic layers based on candle soot. <i>Pure and Applied Chemistry</i> , <b>2014</b> , 86, 87-96  | 2.1  | 21 |
| 40 | Prompting Splash Impact on Superamphiphobic Surfaces by Imposing a Viscous Part. <i>Advanced Science</i> , <b>2020</b> , 7, 1902687  | 13.6 | 20 |
| 39 | Electrokinetics on superhydrophobic surfaces. <i>Journal of Physics Condensed Matter</i> , <b>2012</b> , 24, 464110  | 1.8  | 19 |
| 38 | Fabrication of Long-Term Underwater Superoleophobic Al Surfaces and Application on Underwater Lossless Manipulation of Non-Polar Organic Liquids. <i>Scientific Reports</i> , <b>2016</b> , 6, 31818 | 4.9  | 18 |
| 37 | Mechanically stable superhydrophobic polymer films by a simple hot press lamination and peeling process. <i>RSC Advances</i> , <b>2016</b> , 6, 12530-12536  | 3.7  | 18 |
| 36 | Spreading of impinging droplets on nanostructured superhydrophobic surfaces. <i>Applied Physics Letters</i> , <b>2018</b> , 113, 071602  | 3.4  | 18 |
| 35 | Designing of Rewritable Paper by Hydrochromic Donor-Acceptor Stenhouse Adducts. <i>ACS Nano</i> , <b>2021</b> , 15, 10384-10392  | 16.7 | 18 |
| 34 | -like slippery surface with stable and mobile water/air contact line. <i>National Science Review</i> , <b>2021</b> , 8, nraa153  | 1.83 | 17 |
| 33 | Omni-Liquid Droplet Manipulation Platform. <i>Advanced Materials Interfaces</i> , <b>2019</b> , 6, 1900653   | 4.6  | 16 |
| 32 | Dual-responsive supramolecular colloidal microcapsules from cucurbit[8]uril molecular recognition in microfluidic droplets. <i>Polymer Chemistry</i> , <b>2016</b> , 7, 5996-6002                    | 4.9  | 16 |
| 31 | Bioinspired hydrogel microfibrils colour-encoded with colloidal crystals. <i>Materials Horizons</i> , <b>2019</b> , 6, 1938-1943   | 1.43 | 13 |
| 30 | Robust, Easy-Cleaning Superhydrophobic/Superoleophilic Copper Meshes for Oil/Water Separation under Harsh Conditions. <i>Advanced Materials Interfaces</i> , <b>2019</b> , 6, 1900158                | 4.6  | 12 |
| 29 | Multistimuli Responsive Liquid-Release in Dynamic Polymer Coatings for Controlling Surface Slipperiness and Optical Performance. <i>Advanced Materials Interfaces</i> , <b>2019</b> , 6, 1901028     | 4.6  | 12 |
| 28 | Floating on oil. <i>Langmuir</i> , <b>2014</b> , 30, 10637-42  | 4    | 12 |
| 27 | Spontaneous charging affects the motion of sliding drops. <i>Nature Physics</i> ,  | 16.2 | 12 |
| 26 | Bioinspired Nacre-Like Alumina with a Metallic Nickel Compliant Phase Fabricated by Spark-Plasma Sintering. <i>Small</i> , <b>2019</b> , 15, e1900573  | 11   | 11 |
| 25 | Universal, Surfactant-Free Preparation of Hydrogel Beads on Superamphiphobic and Slippery Surfaces. <i>Advanced Materials Interfaces</i> , <b>2018</b> , 5, 1701536                                  | 4.6  | 10 |
| 24 | Oblique droplet impact on superhydrophobic surfaces: Jets and bubbles. <i>Physics of Fluids</i> , <b>2020</b> , 32, 122112   | 1.2  | 10 |

|    |   |      |   |
|----|---|------|---|
| 23 | Surface charges as a versatile platform for emerging applications. <i>Science Bulletin</i> , <b>2020</b> , 65, 1052-1054  | 10.6 | 9 |
| 22 | Evaporation and particle deposition of bi-component colloidal droplets on a superhydrophobic surface. <i>International Journal of Heat and Mass Transfer</i> , <b>2020</b> , 159, 120063                          | 4.9  | 8 |
| 21 | Effects of formulation and processing parameters on the morphology of extruded polypropylene-(waste ground rubber tire powder) foams. <i>Journal of Vinyl and Additive Technology</i> , <b>2009</b> , 15, 266-274 | 2    | 8 |
| 20 | Macrodrop-Impact-Mediated Fluid Microdispensing. <i>Advanced Science</i> , <b>2021</b> , 8, e2101331  | 13.6 | 8 |
| 19 | Durable Super-repellent Surfaces: From Solid-Liquid Interaction to Applications. <i>Accounts of Materials Research</i> ,  | 7.5  | 8 |
| 18 | Solvent-Free Synthesis of Microparticles on Superamphiphobic Surfaces. <i>Angewandte Chemie</i> , <b>2013</b> , 125, 11496-11499  | 3.6  | 7 |
| 17 | Charge Density Gradient Propelled Ultrafast Sweeping Removal of Dropwise Condensates. <i>Journal of Physical Chemistry B</i> , <b>2021</b> , 125, 1936-1943   | 3.4  | 7 |
| 16 | Polymeric Flaky Nanostructures from Cellulose Stearoyl Esters for Functional Surfaces. <i>Advanced Materials Interfaces</i> , <b>2016</b> , 3, 1600636  | 4.6  | 6 |
| 15 | Expanded Waste Ground Rubber Tire Powder/Polypropylene Composites: Processing-Structure Relationships. <i>Journal of Composite Materials</i> , <b>2009</b> , 43, 3003-3015  | 2.7  | 6 |
| 14 | An electric-field-dependent drop selector. <i>Lab on A Chip</i> , <b>2019</b> , 19, 1296-1304   | 7.2  | 5 |
| 13 | Pinning-induced Variations of the Contact Angle of Drops on Microstructured Surfaces. <i>Chemistry Letters</i> , <b>2012</b> , 41, 1343-1345  | 1.7  | 5 |
| 12 | Facile Strategy to Generate Charged Droplets with Desired Polarities. <i>ACS Omega</i> , <b>2020</b> , 5, 26908-26913   | 3.9  | 5 |
| 11 | Fast photochromism in solid: Microenvironment in metal-organic frameworks promotes the isomerization of donor-acceptor Stenhouse adducts. <i>Chemical Engineering Journal</i> , <b>2022</b> , 427, 132037         | 14.7 | 4 |
| 10 | Controlling the Localization of Liquid Droplets in Polymer Matrices by Evaporative Lithography. <i>Angewandte Chemie</i> , <b>2016</b> , 128, 10839-10843   | 3.6  | 3 |
| 9  | Surface-Charge-Assisted Microdroplet Generation on a Superhydrophobic Surface. <i>Langmuir</i> , <b>2020</b> , 36, 14352-14360  | 4    | 2 |
| 8  | Top-down Approach for Fabrication of Polymer Microspheres by Interfacial Engineering. <i>Chinese Journal of Polymer Science (English Edition)</i> , <b>2020</b> , 38, 1286-1293                                   | 3.5  | 2 |
| 7  | Polymeric Microparticles Generated via Confinement-Free Fluid Instability. <i>Advanced Materials</i> , <b>2021</b> , 33, e2007154   | 24   | 2 |
| 6  | Self-Assembly of Colloidal Nanoparticles into Well-Ordered Centimeter-Long Rods via Crack Engineering. <i>Advanced Materials Interfaces</i> , <b>2021</b> , 8, 2000222  | 4.6  | 2 |

|   |   |     |   |
|---|---|-----|---|
| 5 | Surface contacts strongly influence the elasticity and thermal conductivity of silica nanoparticle fibers. <i>Physical Chemistry Chemical Physics</i> , <b>2021</b> , 23, 3707-3715 | 3.6 | 2 |
| 4 | What Can Probing Liquid-Air Menisci Inside Nanopores Teach Us About Macroscopic Wetting Phenomena?. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 6897-6905     | 9.5 | 2 |
| 3 | tunable droplet adhesion on a super-repellent surface via electrostatic induction effect. <i>iScience</i> , <b>2021</b> , 24, 102208  | 6.1 | 1 |
| 2 | Liquid-pressure-guided superhydrophobic surfaces with adaptive adhesion and stability. <i>Advanced Materials</i> , 2202167  | 24  | 1 |
| 1 | Is Heat Really Beneficial to Water Evaporation-Driven Electricity?. <i>Journal of Physical Chemistry Letters</i> , <b>2021</b> , 12, 12370-12375                                    | 6.4 | 0 |