

Song Guo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7018465/publications.pdf>

Version: 2024-02-01

109
papers

7,566
citations

94269

37
h-index

56606

83
g-index

120
all docs

120
docs citations

120
times ranked

5593
citing authors

#	ARTICLE	IF	CITATIONS
1	Particle hygroscopicity inhomogeneity and its impact on reactive uptake. <i>Science of the Total Environment</i> , 2022, 811, 151364.	3.9	8
2	The temporal and spatial distribution of the correlation between $PM_{2.5}$ and O_3 concentrations in the urban atmosphere of China. <i>Chinese Science Bulletin</i> , 2022, 67, 2008-2017.	0.4	4
3	Investigation of partition coefficients and fingerprints of atmospheric gas- and particle-phase intermediate volatility and semi-volatile organic compounds using pixel-based approaches. <i>Journal of Chromatography A</i> , 2022, 1665, 462808.	1.8	15
4	Assessment of Sectoral NO_x Emission Reductions During COVID-19 Lockdown Using Combined Satellite and Surface Observations and Source-Oriented Model Simulations. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	4
5	Secondary organic aerosol formation from straw burning using an oxidation flow reactor. <i>Journal of Environmental Sciences</i> , 2022, 114, 249-258.	3.2	4
6	Ionic Rigid Organic Dual-State Emission Compound With Rod-Shaped and Conjugated Structure for Sensitive Al^{3+} Detection. <i>Frontiers in Chemistry</i> , 2022, 10, 807088.	1.8	7
7	Historically understanding the spatial distributions of particle surface area concentrations over China estimated using a non-parametric machine learning method. <i>Science of the Total Environment</i> , 2022, 824, 153849.	3.9	2
8	Variations in source contributions of particle number concentration under long-term emission control in winter of urban Beijing. <i>Environmental Pollution</i> , 2022, 304, 119072.	3.7	10
9	Formation, radiative forcing, and climatic effects of severe regional haze. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 4951-4967.	1.9	5
10	Estimation of secondary $PM_{2.5}$ in China and the United States using a multi-tracer approach. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 5495-5514.	1.9	11
11	Airborne particle number concentrations in China: A critical review. <i>Environmental Pollution</i> , 2022, 307, 119470.	3.7	6
12	A Four Carbon Organonitrate as a Significant Product of Secondary Isoprene Chemistry. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	8
13	Importance of Semivolatile/Intermediate-Volatility Organic Compounds to Secondary Organic Aerosol Formation from Chinese Domestic Cooking Emissions. <i>Environmental Science and Technology Letters</i> , 2022, 9, 507-512.	3.9	17
14	Ice-nucleating particles from multiple aerosol sources in the urban environment of Beijing under mixed-phase cloud conditions. <i>Atmospheric Chemistry and Physics</i> , 2022, 22, 7539-7556.	1.9	4
15	Current Challenges in Visibility Improvement in Sichuan Basin. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	6
16	Modeling particulate nitrate in China: Current findings and future directions. <i>Environment International</i> , 2022, 166, 107369.	4.8	26
17	Parameterization of the ambient aerosol refractive index with source appointed chemical compositions. <i>Science of the Total Environment</i> , 2022, 842, 156573.	3.9	1
18	Optimal target localisation and eight-year outcome for subthalamic stimulation in patients with Parkinson's disease. <i>British Journal of Neurosurgery</i> , 2021, 35, 151-156.	0.4	3

#	ARTICLE	IF	CITATIONS
19	Secondary aerosol formation in winter haze over the Beijing-Tianjin-Hebei Region, China. <i>Frontiers of Environmental Science and Engineering</i> , 2021, 15, 1.	3.3	55
20	Modelling air quality during the EXPLORE-YRD campaign “ Part I. Model performance evaluation and impacts of meteorological inputs and grid resolutions. <i>Atmospheric Environment</i> , 2021, 246, 118131.	1.9	31
21	Secondary Organic Aerosol from Typical Chinese Domestic Cooking Emissions. <i>Environmental Science and Technology Letters</i> , 2021, 8, 24-31.	3.9	35
22	Elucidating the importance of semi-volatile organic compounds to secondary organic aerosol formation at a regional site during the EXPLORE-YRD campaign. <i>Atmospheric Environment</i> , 2021, 246, 118043.	1.9	17
23	A novel algorithm to determine the scattering coefficient of ambient organic aerosols. <i>Environmental Pollution</i> , 2021, 270, 116209.	3.7	4
24	Variations in physicochemical properties of airborne particles during a heavy haze-to-dust episode in Beijing. <i>Science of the Total Environment</i> , 2021, 762, 143081.	3.9	12
25	Modelling air quality during the EXPLORE-YRD campaign “ Part II. Regional source apportionment of ozone and PM2.5. <i>Atmospheric Environment</i> , 2021, 247, 118063.	1.9	30
26	Ambient nitro-aromatic compounds “ biomass burning versus secondary formation in rural China. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 1389-1406.	1.9	46
27	Measurement report: Distinct emissions and volatility distribution of intermediate-volatility organic compounds from on-road Chinese gasoline vehicles: implication of high secondary organic aerosol formation potential. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 2569-2583.	1.9	45
28	Effects of biomass burning and photochemical oxidation on the black carbon mixing state and light absorption in summer season. <i>Atmospheric Environment</i> , 2021, 248, 118230.	1.9	12
29	More Significant Impacts From New Particle Formation on Haze Formation During COVID-19 Lockdown. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL091591.	1.5	22
30	Secondary Formation of Aerosols Under Typical High Humidity Conditions in Wintertime Sichuan Basin, China: A Contrast to the North China Plain. <i>Journal of Geophysical Research D: Atmospheres</i> , 2021, 126, e2021JD034560.	1.2	8
31	Measurement report: Online measurement of gas-phase nitrated phenols utilizing a CI-LToF-MS: primary sources and secondary formation. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 7917-7932.	1.9	15
32	Seasonal variation of aerosol compositions in Shanghai, China: Insights from particle aerosol mass spectrometer observations. <i>Science of the Total Environment</i> , 2021, 771, 144948.	3.9	17
33	Measurement report: Strong light absorption induced by aged biomass burning black carbon over the southeastern Tibetan Plateau in pre-monsoon season. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 8499-8510.	1.9	9
34	New particle formation and its CCN enhancement in the Yangtze River Delta under the control of continental and marine air masses. <i>Atmospheric Environment</i> , 2021, 254, 118400.	1.9	5
35	Larger than expected variation range in the real part of the refractive index for ambient aerosols in China. <i>Science of the Total Environment</i> , 2021, 779, 146443.	3.9	7
36	Quantifying the impacts of inter-city transport on air quality in the Yangtze River Delta urban agglomeration, China: Implications for regional cooperative controls of PM2.5 and O3. <i>Science of the Total Environment</i> , 2021, 779, 146619.	3.9	48

#	ARTICLE	IF	CITATIONS
37	Insights into aqueous-phase and photochemical formation of secondary organic aerosol in the winter of Beijing. <i>Atmospheric Environment</i> , 2021, 259, 118535.	1.9	21
38	Links between the optical properties and chemical compositions of brown carbon chromophores in different environments: Contributions and formation of functionalized aromatic compounds. <i>Science of the Total Environment</i> , 2021, 786, 147418.	3.9	16
39	Impacts of chlorine chemistry and anthropogenic emissions on secondary pollutants in the Yangtze river delta region. <i>Environmental Pollution</i> , 2021, 287, 117624.	3.7	13
40	The particle phase state during the biomass burning events. <i>Science of the Total Environment</i> , 2021, 792, 148035.	3.9	10
41	Secondary aerosol formation from a Chinese gasoline vehicle: Impacts of fuel (E10, gasoline) and driving conditions (idling, cruising). <i>Science of the Total Environment</i> , 2021, 795, 148809.	3.9	14
42	Mass spectral characterization of secondary organic aerosol from urban cooking and vehicular sources. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 15065-15079.	1.9	16
43	Formation and evolution of secondary organic aerosols derived from urban-lifestyle sources: vehicle exhaust and cooking emissions. <i>Atmospheric Chemistry and Physics</i> , 2021, 21, 15221-15237.	1.9	9
44	Humidity-Dependent Phase State of Gasoline Vehicle Emission-Related Aerosols. <i>Environmental Science & Technology</i> , 2021, 55, 832-841.	4.6	2
45	Field observations and quantifications of atmospheric formaldehyde partitioning in gaseous and particulate phases. <i>Science of the Total Environment</i> , 2021, 808, 152122.	3.9	3
46	Measurement of gaseous and particulate formaldehyde in the Yangtze River Delta, China. <i>Atmospheric Environment</i> , 2020, 224, 117114.	1.9	16
47	Effects of Regional Transport on Haze in the North China Plain: Transport of Precursors or Secondary Inorganic Aerosols. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL087461.	1.5	26
48	Recent Progress in Impacts of Mixing State on Optical Properties of Black Carbon Aerosol. <i>Current Pollution Reports</i> , 2020, 6, 380-398.	3.1	9
49	Comparative Study of Particulate Organosulfates in Contrasting Atmospheric Environments: Field Evidence for the Significant Influence of Anthropogenic Sulfate and NO _x . <i>Environmental Science and Technology Letters</i> , 2020, 7, 787-794.	3.9	28
50	Atmospheric Processing of Nitrophenols and Nitrocresols From Biomass Burning Emissions. <i>Journal of Geophysical Research D: Atmospheres</i> , 2020, 125, e2020JD033401.	1.2	23
51	Exploring wintertime regional haze in northeast China: role of coal and biomass burning. <i>Atmospheric Chemistry and Physics</i> , 2020, 20, 5355-5372.	1.9	55
52	Remarkable nucleation and growth of ultrafine particles from vehicular exhaust. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3427-3432.	3.3	122
53	Characteristics of Aerosol during a Severe Haze-Fog Episode in the Yangtze River Delta: Particle Size Distribution, Chemical Composition, and Optical Properties. <i>Atmosphere</i> , 2020, 11, 56.	1.0	12
54	Observational Evidence for the Involvement of Dicarboxylic Acids in Particle Nucleation. <i>Environmental Science and Technology Letters</i> , 2020, 7, 388-394.	3.9	30

#	ARTICLE	IF	CITATIONS
55	Research on Formation and Aging of Secondary Organic Aerosol Based on Simulation Methods. <i>Acta Chimica Sinica</i> , 2020, 78, 516.	0.5	5
56	Exploring atmospheric free-radical chemistry in China: the self-cleansing capacity and the formation of secondary air pollution. <i>National Science Review</i> , 2019, 6, 579-594.	4.6	123
57	The formation of nitro-aromatic compounds under high NO ₂ and anthropogenic VOC conditions in urban Beijing, China. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 7649-7665.	1.9	127
58	A new parameterization scheme for the real part of the ambient urban aerosol refractive index. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 12875-12885.	1.9	19
59	Enhancement in Particulate Organic Nitrogen and Light Absorption of Humic-Like Substances over Tibetan Plateau Due to Long-Range Transported Biomass Burning Emissions. <i>Environmental Science & Technology</i> , 2019, 53, 14222-14232.	4.6	52
60	Measurement of aerosol optical properties and their potential source origin in urban Beijing from 2013-2017. <i>Atmospheric Environment</i> , 2019, 206, 293-302.	1.9	21
61	Wintertime aerosol properties in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2019, 19, 14329-14338.	1.9	23
62	Formation and Optical Properties of Brown Carbon from Small α -Dicarbonyls and Amines. <i>Environmental Science & Technology</i> , 2019, 53, 117-126.	4.6	62
63	Aerosol Liquid Water Driven by Anthropogenic Inorganic Salts: Implying Its Key Role in Haze Formation over the North China Plain. <i>Environmental Science and Technology Letters</i> , 2018, 5, 160-166.	3.9	165
64	Primary and secondary organic aerosols in summer 2016 in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 4055-4068.	1.9	57
65	Potential of secondary aerosol formation from Chinese gasoline engine exhaust. <i>Journal of Environmental Sciences</i> , 2018, 66, 348-357.	3.2	7
66	Particle number size distribution and new particle formation under the influence of biomass burning at a high altitude background site at Mt. Aiyulong (3410 m), China. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 15687-15703.	1.9	22
67	Efficient N ₂ O ₅ uptake and NO ₃ oxidation in the outflow of urban Beijing. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 9705-9721.	1.9	64
68	Size-resolved effective density of submicron particles during summertime in the rural atmosphere of Beijing, China. <i>Journal of Environmental Sciences</i> , 2018, 73, 69-77.	3.2	26
69	Chlorine oxidation of VOCs at a semi-rural site in Beijing: significant chlorine liberation from ClNO ₂ and subsequent gas- and particle-phase Cl ⁺ VOC production. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 13013-13030.	1.9	54
70	Online gas- and particle-phase measurements of organosulfates, organosulfonates and nitrooxy organosulfates in Beijing utilizing a FIGAERO ToF-CIMS. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10355-10371.	1.9	62
71	The secondary formation of organosulfates under interactions between biogenic emissions and anthropogenic pollutants in summer in Beijing. <i>Atmospheric Chemistry and Physics</i> , 2018, 18, 10693-10713.	1.9	84
72	Molecular Characterization of Nitrogen-Containing Organic Compounds in Humic-like Substances Emitted from Straw Residue Burning. <i>Environmental Science & Technology</i> , 2017, 51, 5951-5961.	4.6	90

#	ARTICLE	IF	CITATIONS
73	Effects of continental anthropogenic sources on organic aerosols in the coastal atmosphere of East China. <i>Environmental Pollution</i> , 2017, 229, 350-361.	3.7	19
74	Spatial Distributions, Chemical Properties, and Sources of Ambient Particulate Matters in China. , 2017, , 265-284.		0
75	High N ₂ O ₅ Concentrations Observed in Urban Beijing: Implications of a Large Nitrate Formation Pathway. <i>Environmental Science and Technology Letters</i> , 2017, 4, 416-420.	3.9	167
76	Temporal and spatial distribution of PM _{2.5} chemical composition in a coastal city of Southeast China. <i>Science of the Total Environment</i> , 2017, 605-606, 337-346.	3.9	33
77	New particle formation in China: Current knowledge and further directions. <i>Science of the Total Environment</i> , 2017, 577, 258-266.	3.9	106
78	Ageing and hygroscopicity variation of black carbon particles in Beijing measured by a quasi-atmospheric aerosol evolution study (QUALITY) chamber. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 10333-10348.	1.9	47
79	Gasoline aromatics: a critical determinant of urban secondary organic aerosol formation. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 10743-10752.	1.9	58
80	Influence of biomass burning from South Asia at a high-altitude mountain receptor site in China. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 6853-6864.	1.9	53
81	The variability in the relationship between black carbon and carbon monoxide over the eastern coast of China: BC aging during transport. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 10395-10403.	1.9	18
82	Seasonal variations in high time-resolved chemical compositions, sources, and evolution of atmospheric submicron aerosols in the megacity Beijing. <i>Atmospheric Chemistry and Physics</i> , 2017, 17, 9979-10000.	1.9	127
83	OH-Initiated Oxidation of <i>m</i> -Xylene on Black Carbon Aging. <i>Environmental Science & Technology</i> , 2016, 50, 8605-8612.	4.6	47
84	Photochemical smog in China: scientific challenges and implications for air-quality policies. <i>National Science Review</i> , 2016, 3, 401-403.	4.6	58
85	Markedly enhanced absorption and direct radiative forcing of black carbon under polluted urban environments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 4266-4271.	3.3	453
86	Spatial distributions and chemical properties of PM _{2.5} based on 21 field campaigns at 17 sites in China. <i>Chemosphere</i> , 2016, 159, 480-487.	4.2	55
87	Variations of fine particle physicochemical properties during a heavy haze episode in the winter of Beijing. <i>Science of the Total Environment</i> , 2016, 571, 103-109.	3.9	40
88	Evolution of secondary inorganic and organic aerosols during transport: A case study at a regional receptor site. <i>Environmental Pollution</i> , 2016, 218, 794-803.	3.7	18
89	Persistent sulfate formation from London Fog to Chinese haze. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13630-13635.	3.3	1,044
90	Insight into characteristics and sources of PM _{2.5} in the Beijing-Tianjin-Hebei region, China. <i>National Science Review</i> , 2015, 2, 257-258.	4.6	49

#	ARTICLE	IF	CITATIONS
91	Heterogeneous Chemistry of Glyoxal on Acidic Solutions. An Oligomerization Pathway for Secondary Organic Aerosol Formation. <i>Journal of Physical Chemistry A</i> , 2015, 119, 4457-4463.	1.1	37
92	The identification of source regions of black carbon at a receptor site off the eastern coast of China. <i>Atmospheric Environment</i> , 2015, 100, 78-84.	1.9	20
93	Reply to Li et al.: Insufficient evidence for the contribution of regional transport to severe haze formation in Beijing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E2741-E2741.	3.3	13
94	Formation of Urban Fine Particulate Matter. <i>Chemical Reviews</i> , 2015, 115, 3803-3855.	23.0	988
95	Reply to Cao and Zhang: Tightening nonfossil emissions alone is inefficient for PM _{2.5} mitigation in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E1403-E1403.	3.3	3
96	Cloud forming potential of oligomers relevant to secondary organic aerosols. <i>Geophysical Research Letters</i> , 2014, 41, 6538-6545.	1.5	17
97	Elucidating severe urban haze formation in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 17373-17378.	3.3	1,328
98	Acid-Catalyzed Reactions of Epoxides for Atmospheric Nanoparticle Growth. <i>Journal of the American Chemical Society</i> , 2014, 136, 15477-15480.	6.6	14
99	Daytime HONO formation in the suburban area of the megacity Beijing, China. <i>Science China Chemistry</i> , 2014, 57, 1032-1042.	4.2	53
100	Research on Secondary Organic Aerosols Basing on Field Measurement. <i>Acta Chimica Sinica</i> , 2014, 72, 145.	0.5	7
101	Comparison of Secondary Organic Aerosol Estimation Methods. <i>Acta Chimica Sinica</i> , 2014, 72, 658.	0.5	14
102	Subthalamic deep brain stimulation for Parkinson's disease: Correlation between locations of oscillatory activity and optimal site of stimulation. <i>Parkinsonism and Related Disorders</i> , 2013, 19, 109-114.	1.1	36
103	Role of OH-Initiated Oxidation of Isoprene in Aging of Combustion Soot. <i>Environmental Science & Technology</i> , 2013, 47, 2254-2263.	4.6	75
104	Estimation of Size-Resolved Ambient Particle Density Based on the Measurement of Aerosol Number, Mass, and Chemical Size Distributions in the Winter in Beijing. <i>Environmental Science & Technology</i> , 2012, 46, 9941-9947.	4.6	124
105	Primary Sources and Secondary Formation of Organic Aerosols in Beijing, China. <i>Environmental Science & Technology</i> , 2012, 46, 9846-9853.	4.6	170
106	Neuronal firing patterns in the subthalamic nucleus in patients with akinetic-rigid-type Parkinson's disease. <i>Journal of Clinical Neuroscience</i> , 2012, 19, 1404-1407.	0.8	8
107	Research on the hygroscopic properties of aerosols by measurement and modeling during CAREBeijing 2006. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	88
108	Characteristics of aerosol size distributions and new particle formation in the summer in Beijing. <i>Journal of Geophysical Research</i> , 2009, 114, .	3.3	128

#	ARTICLE	IF	CITATIONS
109	Chemical characteristics of fine particles during spring dust storm dominant period in two Chinese cities, Baotou and Wuwei. <i>Diqiu Huaxue</i> , 2006, 25, 221-221.	0.5	0