

Daohui Lin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7019185/daohui-lin-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

149
papers

9,101
citations

42
h-index

94
g-index

158
ext. papers

10,502
ext. citations

8.8
avg. IF

6.79
L-index

#	Paper	IF	Citations
149	Enhancement of E. coli inactivation by photosensitized erythrosine-based solar disinfection under weakly acidic conditions.. <i>Water Research</i> , 2022 , 212, 118125	12.5	1
148	In situ fabrication of Bi ₂ O ₃ /C ₃ N ₄ /TiO ₂ @C photocatalysts for visible-light photodegradation of sulfamethoxazole in water. <i>Applied Surface Science</i> , 2022 , 580, 152302	6.7	3
147	Biochar effectively inhibits the horizontal transfer of antibiotic resistance genes via transformation. <i>Journal of Hazardous Materials</i> , 2022 , 423, 127150	12.8	7
146	Predicting the total PAHs concentrations in sediments from selected congeners using a multiple linear relationship.. <i>Scientific Reports</i> , 2022 , 12, 3334	4.9	
145	Current and Future Trends of Low and High Molecular Weight Polycyclic Aromatic Hydrocarbons in Surface Water and Sediments of China: Insights from Their Long-Term Relationships between Concentrations and Emissions.. <i>Environmental Science & Technology</i> , 2022 ,	10.3	2
144	Mesoporous silica size, charge, and hydrophobicity affect the loading and releasing performance of lambda-cyhalothrin.. <i>Science of the Total Environment</i> , 2022 , 831, 154914	10.2	1
143	Application of Fe ₃ O ₄ nanoparticles in controlling antibiotic resistance gene transport and interception in porous media.. <i>Science of the Total Environment</i> , 2022 , 155271	10.2	0
142	Nano-bio interfacial interactions determined the contact toxicity of nTiO to nematodes in various soils.. <i>Science of the Total Environment</i> , 2022 , 155456	10.2	0
141	Adsorption of soil organic matter by gel-like ferrihydrite and dense ferrihydrite.. <i>Science of the Total Environment</i> , 2022 , 155507	10.2	0
140	Adsorption of fulvic acid on mesopore-rich activated carbon with high surface area.. <i>Science of the Total Environment</i> , 2022 , 155918	10.2	0
139	A comparative study of methods for remediation of diesel-contaminated soil. <i>Journal of Zhejiang University: Science A</i> , 2021 , 22, 792-804	2.1	
138	An improved method to predict polycyclic aromatic hydrocarbons in surface freshwater by reducing the input parameters. <i>Science of the Total Environment</i> , 2021 , 816, 151597	10.2	
137	Fe-based nanomaterial transformation to amorphous Fe: Enhanced alfalfa rhizoremediation of PCBs-contaminated soil. <i>Journal of Hazardous Materials</i> , 2021 , 425, 127973	12.8	2
136	A durable superhydrophobic porous polymer coated sponge for efficient separation of immiscible oil/water mixtures and oil-in-water emulsions. <i>Journal of Hazardous Materials</i> , 2021 , 425, 127980	12.8	6
135	Biological responses of Eisenia fetida towards the exposure and metabolism of tris (2-butoxyethyl) phosphate.. <i>Science of the Total Environment</i> , 2021 , 811, 152285	10.2	0
134	Multidimensional bioresponses in nematodes contribute to the antagonistic toxic interaction between pentachlorophenol and TiO nanoparticles in soil. <i>Journal of Hazardous Materials</i> , 2021 , 127587	12.8	1
133	Interactions of extracellular DNA with aromatized biochar and protection against degradation by DNase I. <i>Journal of Environmental Sciences</i> , 2021 , 101, 205-216	6.4	6

132	Combined toxic effects of dioxin-like PCB77 with Fe-based nanoparticles in earthworm <i>Eisenia fetida</i> . <i>Science of the Total Environment</i> , 2021 , 766, 144347	10.2	9
131	Binding Force and Site-Determined Desorption and Fragmentation of Antibiotic Resistance Genes from Metallic Nanomaterials. <i>Environmental Science & Technology</i> , 2021 , 55, 9305-9316	10.3	3
130	Transformation and implication of nanoparticulate zero valent iron in soils. <i>Journal of Hazardous Materials</i> , 2021 , 412, 125207	12.8	9
129	Toxic effects of nano-TiO in bivalves-A synthesis of meta-analysis and bibliometric analysis. <i>Journal of Environmental Sciences</i> , 2021 , 104, 188-203	6.4	5
128	Influence of extracellular polymeric substance on the interaction between titanium dioxide nanoparticles and <i>Chlorella pyrenoidosa</i> cells. <i>Science of the Total Environment</i> , 2021 , 778, 146446	10.2	2
127	In situ growth of TiO nanoparticles on nitrogen-doped TiC with isopropyl amine toward enhanced photocatalytic activity. <i>Journal of Hazardous Materials</i> , 2021 , 402, 124066	12.8	24
126	Removal of trichloroethene by iron-based biochar from anaerobic water: Key roles of Fe/C ratio and iron carbides. <i>Chemical Engineering Journal</i> , 2021 , 413, 127391	14.7	10
125	Photocatalytic and bactericidal properties of MXene-derived graphitic carbon-supported TiO ₂ nanoparticles. <i>Applied Surface Science</i> , 2021 , 538, 148083	6.7	11
124	Synergistic growth inhibition effect of TiO nanoparticles and tris(1,3-dichloro-2-propyl) phosphate on earthworms in soil. <i>Ecotoxicology and Environmental Safety</i> , 2021 , 208, 111462	7	5
123	Release and sedimentation behaviors of biochar colloids in soil solutions. <i>Journal of Environmental Sciences</i> , 2021 , 100, 269-278	6.4	4
122	A new strategy using nanoscale zero-valent iron to simultaneously promote remediation and safe crop production in contaminated soil. <i>Nature Nanotechnology</i> , 2021 , 16, 197-205	28.7	37
121	Iron-crosslinked alginate derived Fe/C composites for atrazine removal from water. <i>Science of the Total Environment</i> , 2021 , 756, 143866	10.2	8
120	Nonlinear partition of nonionic organic compounds into humus-like substance humificated from lignin. <i>Science of the Total Environment</i> , 2021 , 764, 142887	10.2	
119	Environmental Behaviors and Biological Effects of Engineered Nanomaterials: Important Roles of Interfacial Interactions and Dissolved Organic Matter. <i>Chinese Journal of Chemistry</i> , 2021 , 39, 232-242	4.9	1
118	A superhydrophobic and porous polymer adsorbent with large surface area. <i>Journal of Materials Chemistry A</i> , 2021 , 9, 254-258	13	7
117	Co-transport of biochar colloids with organic contaminants in soil column. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 1574-1586	5.1	9
116	Synergistic remediation of PCB-contaminated soil with nanoparticulate zero-valent iron and alfalfa: targeted changes in the root metabolite-dependent microbial community. <i>Environmental Science: Nano</i> , 2021 , 8, 986-999	7.1	4
115	Selective sorption of PAHs from TX100 solution by resin SP850: effects of TX100 concentrations and PAHs solubility.. <i>RSC Advances</i> , 2021 , 11, 13530-13536	3.7	0

114	Identification and Speciation of Nanoscale Silver in Complex Solid Matrices by Sequential Extraction Coupled with Inductively Coupled Plasma Optical Emission Spectrometry. <i>Analytical Chemistry</i> , 2021 , 93, 1962-1968	7.8	8
113	Pentachlorophenol and ciprofloxacin present dissimilar joint toxicities with carbon nanotubes to <i>Bacillus subtilis</i> . <i>Environmental Pollution</i> , 2021 , 270, 116071	9.3	2
112	Separation and Analysis of Nanoscale Zero-Valent Iron from Soil. <i>Analytical Chemistry</i> , 2021 , 93, 10187-10195	10.19	2
111	Nano-Zoo Interfacial Interaction as a Design Principle for Hybrid Soil Remediation Technology. <i>ACS Nano</i> , 2021 , 15, 14954-14964	16.7	3
110	Sorption mechanism of naphthalene by diesel soot: Insight from displacement with phenanthrene/p-nitrophenol. <i>Journal of Environmental Sciences</i> , 2021 , 106, 136-146	6.4	0
109	Time-dependent desorption of anilines, phenols, and nitrobenzenes from biochar produced at 700°C: Insight into desorption hysteresis. <i>Chemical Engineering Journal</i> , 2021 , 422, 130584	14.7	2
108	Octanol-water partition coefficient (logK) dependent movement and time lagging of polycyclic aromatic hydrocarbons (PAHs) from emission sources to lake sediments: A case study of Taihu Lake, China. <i>Environmental Pollution</i> , 2021 , 288, 117709	9.3	13
107	Iron-carbon material enhanced electrokinetic remediation of PCBs-contaminated soil. <i>Environmental Pollution</i> , 2021 , 290, 118100	9.3	2
106	Construction and visible-light-photocatalysis of a novel ternary heterostructure BiOI/(001)TiO/TiC. <i>Nanotechnology</i> , 2020 , 31, 345603	3.4	18
105	Multigenerational exposure to TiO nanoparticles in soil stimulates stress resistance and longevity of survived <i>C. elegans</i> via activating insulin/IGF-like signaling. <i>Environmental Pollution</i> , 2020 , 263, 114376	9.3	15
104	Dispersibility and Photochemical Stability of Delaminated MXene Flakes in Water. <i>Small</i> , 2020 , 16, e2002433	24.33	21
103	Nonlinear sorption of phenols and anilines by organobentonites: Nonlinear partition and space limitation for partitioning. <i>Science of the Total Environment</i> , 2020 , 736, 139609	10.2	3
102	Reciprocal interference of clay minerals and nanoparticulate zero-valent iron on their interfacial interaction with dissolved organic matter. <i>Science of the Total Environment</i> , 2020 , 739, 140372	10.2	6
101	Adsorption of organic contaminants on biochar colloids: effects of pyrolysis temperature and particle size. <i>Environmental Science and Pollution Research</i> , 2020 , 27, 18412-18422	5.1	15
100	Integration of transcriptomics and metabolomics reveals the responses of earthworms to the long-term exposure of TiO nanoparticles in soil. <i>Science of the Total Environment</i> , 2020 , 719, 137492	10.2	26
99	Assessing the Impacts of Cu(OH) Nanopesticide and Ionic Copper on the Soil Enzyme Activity and Bacterial Community. <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 3372-3381	5.7	16
98	Release and stability of water dispersible biochar colloids in aquatic environments: Effects of pyrolysis temperature, particle size, and solution chemistry. <i>Environmental Pollution</i> , 2020 , 260, 114037	9.3	16
97	Nanoparticulate zero valent iron interaction with dissolved organic matter impacts iron transformation and organic carbon stability. <i>Environmental Science: Nano</i> , 2020 , 7, 1818-1830	7.1	11

96	Insights into the regulation mechanisms of algal extracellular polymeric substances secretion upon the exposures to anatase and rutile TiO ₂ nanoparticles. <i>Environmental Pollution</i> , 2020 , 263, 114608	9.3	7
95	Multi-omics analyses reveal molecular mechanisms for the antagonistic toxicity of carbon nanotubes and ciprofloxacin to <i>Escherichia coli</i> . <i>Science of the Total Environment</i> , 2020 , 726, 138288	10.2	11
94	Isotherm nonlinearity and nonlinear partitioning of organic compounds into resin XAD-7: Insight from displacement experiments. <i>Environmental Pollution</i> , 2020 , 267, 115563	9.3	1
93	Selective removal of phenanthrene from SDBS or TX100 solution by sorption of resin SP850. <i>Chemical Engineering Journal</i> , 2020 , 388, 124191	14.7	4
92	The effect of water hardness on the toxicity of graphene oxide to bacteria in synthetic surface waters. <i>Aquatic Toxicology</i> , 2019 , 216, 105323	5.1	2
91	Endogenous release of metals with dissolved organic carbon from biochar: Effects of pyrolysis temperature, particle size, and solution chemistry. <i>Environmental Pollution</i> , 2019 , 255, 113253	9.3	12
90	Linear and nonlinear partition of nonionic organic compounds into resin ADS-21 from water. <i>Environmental Pollution</i> , 2019 , 247, 277-284	9.3	7
89	Multifunctional iron-biochar composites for the removal of potentially toxic elements, inherent cations, and hetero-chloride from hydraulic fracturing wastewater. <i>Environment International</i> , 2019 , 124, 521-532	12.9	287
88	Antagonistic toxicity of carbon nanotubes and pentachlorophenol to <i>Escherichia coli</i> : Physiological and transcriptional responses. <i>Carbon</i> , 2019 , 145, 658-667	10.4	13
87	Dispersion and stability of multi-walled carbon nanotubes in water as affected by humic acids. <i>Journal of Molecular Liquids</i> , 2019 , 279, 361-369	6	13
86	Achieving high bactericidal and antibiofouling activities of 2D titanium carbide (Ti ₃ C ₂ T _x) by delamination and intercalation. <i>2D Materials</i> , 2019 , 6, 035040	5.9	24
85	New insight into the aggregation of graphene oxide in synthetic surface water: Carbonate nanoparticle formation on graphene oxide. <i>Environmental Pollution</i> , 2019 , 250, 366-374	9.3	8
84	The pH and concentration dependent interfacial interaction and heteroaggregation between nanoparticulate zero-valent iron and clay mineral particles. <i>Environmental Science: Nano</i> , 2019 , 6, 2129-2140	7.1	19
83	Potential environmental risks of nanopesticides: Application of Cu(OH) nanopesticides to soil mitigates the degradation of neonicotinoid thiacloprid. <i>Environment International</i> , 2019 , 129, 42-50	12.9	29
82	Environmentally Relevant Concentrations of the Flame Retardant Tris(1,3-dichloro-2-propyl) Phosphate Inhibit the Growth and Reproduction of Earthworms in Soil. <i>Environmental Science and Technology Letters</i> , 2019 , 6, 277-282	11	22
81	Nanopesticides: A Comprehensive Assessment of Environmental Risk Is Needed before Widespread Agricultural Application. <i>Environmental Science & Technology</i> , 2019 , 53, 7923-7924	10.3	22
80	Joint Nanotoxicology Assessment Provides a New Strategy for Developing Nanoenabled Bioremediation Technologies. <i>Environmental Science & Technology</i> , 2019 , 53, 7927-7929	10.3	12
79	Adsorption of extracellular polymeric substances from two microbes by TiO nanoparticles. <i>Science of the Total Environment</i> , 2019 , 694, 133778	10.2	16

78	Correlations and nonlinear partition of nonionic organic compounds by humus-like substances humificated from rice straw. <i>Scientific Reports</i> , 2019 , 9, 15131	4.9	7
77	Nanoparticle TiO size and rutile content impact bioconcentration and biomagnification from algae to daphnia. <i>Environmental Pollution</i> , 2019 , 247, 421-430	9.3	33
76	Oxytetracycline increases the mobility of carbon nanotubes in porous media. <i>Science of the Total Environment</i> , 2018 , 628-629, 1130-1138	10.2	10
75	Oxidative stress induced by titanium dioxide nanoparticles increases under seawater acidification in the thick shell mussel <i>Mytilus coruscus</i> . <i>Marine Environmental Research</i> , 2018 , 137, 49-59	3.3	38
74	Condition optimization for exfoliation of two dimensional titanium carbide (TiCT). <i>Nanotechnology</i> , 2018 , 29, 095605	3.4	35
73	Removal of chlorinated organic solvents from hydraulic fracturing wastewater by bare and entrapped nanoscale zero-valent iron. <i>Chemosphere</i> , 2018 , 196, 9-17	8.4	40
72	Distinct effects of soluble and bound exopolymeric substances on algal bioaccumulation and toxicity of anatase and rutile TiO ₂ nanoparticles. <i>Environmental Science: Nano</i> , 2018 , 5, 720-729	7.1	28
71	A multi-method analysis of the interaction between humic acids and heavy metal ions. <i>Journal of Environmental Science and Health - Part A Toxic/Hazardous Substances and Environmental Engineering</i> , 2018 , 53, 740-751	2.3	5
70	Distinct toxicity of silver nanoparticles and silver nitrate to <i>Daphnia magna</i> in M4 medium and surface water. <i>Science of the Total Environment</i> , 2018 , 618, 838-846	10.2	30
69	Correlations and adsorption mechanisms of aromatic compounds on biochars produced from various biomass at 700°C. <i>Environmental Pollution</i> , 2018 , 233, 64-70	9.3	58
68	Environmental transformations and ecological effects of iron-based nanoparticles. <i>Environmental Pollution</i> , 2018 , 232, 10-30	9.3	184
67	Adsorption and correlations of selected aromatic compounds on a KOH-activated carbon with large surface area. <i>Science of the Total Environment</i> , 2018 , 618, 1677-1684	10.2	52
66	Influence of Ti ₃ C ₂ T _x (MXene) intercalation pseudocapacitance on electrochemical performance of Co-MOF binder-free electrode. <i>Ceramics International</i> , 2018 , 44, 14425-14431	5.1	43
65	Environmentally relevant concentrations of the flame retardant tris(1,3-dichloro-2-propyl) phosphate change morphology of female zebrafish. <i>Chemosphere</i> , 2018 , 212, 358-364	8.4	12
64	Effect and mechanism of TiO nanoparticles on the photosynthesis of <i>Chlorella pyrenoidosa</i> . <i>Ecotoxicology and Environmental Safety</i> , 2018 , 161, 497-506	7	56
63	Cellular response of <i>Chlorella pyrenoidosa</i> to oxidized multi-walled carbon nanotubes. <i>Environmental Science: Nano</i> , 2018 , 5, 2415-2425	7.1	28
62	CO ₂ -induced pH reduction increases physiological toxicity of nano-TiO in the mussel <i>Mytilus coruscus</i> . <i>Scientific Reports</i> , 2017 , 7, 40015	4.9	22
61	Nanoscale zero-valent iron for metal/metalloid removal from model hydraulic fracturing wastewater. <i>Chemosphere</i> , 2017 , 176, 315-323	8.4	80

60	Nanoparticle interactions with co-existing contaminants: joint toxicity, bioaccumulation and risk. <i>Nanotoxicology</i> , 2017 , 11, 591-612	5.3	172
59	Effect of Clay Minerals on Transport of Surfactants Dispersed Multi-walled Carbon Nanotubes in Porous Media. <i>Acta Geologica Sinica</i> , 2017 , 91, 135-144	0.7	7
58	Distinct toxic interactions of TiO nanoparticles with four coexisting organochlorine contaminants on algae. <i>Nanotoxicology</i> , 2017 , 11, 1115-1126	5.3	24
57	Distinguishable co-transport mechanisms of phenanthrene and oxytetracycline with oxidized-multiwalled carbon nanotubes through saturated soil and sediment columns: vehicle and competition effects. <i>Water Research</i> , 2017 , 108, 271-279	12.5	29
56	Prediction of the sorption capacities and affinities of organic chemicals by XAD-7. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 1060-70	5.1	19
55	Hemocyte responses of the thick shell mussel <i>Mytilus coruscus</i> exposed to nano-TiO and seawater acidification. <i>Aquatic Toxicology</i> , 2016 , 180, 1-10	5.1	44
54	Toxicity of iron-based nanoparticles to green algae: Effects of particle size, crystal phase, oxidation state and environmental aging. <i>Environmental Pollution</i> , 2016 , 218, 505-512	9.3	116
53	The effect of oxidation on physicochemical properties and aqueous stabilization of multiwalled carbon nanotubes: comparison of multiple analysis methods. <i>Science China Chemistry</i> , 2016 , 59, 1498-1507	7.9	12
52	The role of exopolymeric substances in the bioaccumulation and toxicity of Ag nanoparticles to algae. <i>Scientific Reports</i> , 2016 , 6, 32998	4.9	58
51	The effect of natural organic matter on bioaccumulation and toxicity of chlorobenzenes to green algae. <i>Journal of Hazardous Materials</i> , 2016 , 311, 186-93	12.8	26
50	Physicochemical transformation and algal toxicity of engineered nanoparticles in surface water samples. <i>Environmental Pollution</i> , 2016 , 211, 132-40	9.3	37
49	Correlations and adsorption mechanisms of aromatic compounds on a high heat temperature treated bamboo biochar. <i>Environmental Pollution</i> , 2016 , 210, 57-64	9.3	73
48	Correlation and prediction of adsorption capacity and affinity of aromatic compounds on carbon nanotubes. <i>Water Research</i> , 2016 , 88, 492-501	12.5	41
47	Toxicity of perfluorooctane sulfonate and perfluorooctanoic acid to <i>Escherichia coli</i> : Membrane disruption, oxidative stress, and DNA damage induced cell inactivation and/or death. <i>Environmental Pollution</i> , 2016 , 214, 806-815	9.3	82
46	Sorption of Heavy Metals by Engineered Nanomaterials 2016 , 182-204		
45	Co-transport of Pb(2+) and TiO ₂ nanoparticles in repacked homogeneous soil columns under saturation condition: Effect of ionic strength and fulvic acid. <i>Science of the Total Environment</i> , 2016 , 571, 471-8	10.2	29
44	Transport of TiO ₂ nanoparticles in soil in the presence of surfactants. <i>Science of the Total Environment</i> , 2015 , 527-528, 420-8	10.2	36
43	The effect of water chemistry on homoaggregations of various nanoparticles: specific role of Cl ⁻ ions. <i>Journal of Colloid and Interface Science</i> , 2015 , 450, 272-278	9.3	25

42	Sorption of Cu(2+) on humic acids sequentially extracted from a sediment. <i>Chemosphere</i> , 2015 , 138, 657-663	6.3	34
41	Effect of natural and synthetic surface coatings on the toxicity of multiwalled carbon nanotubes toward green algae. <i>Carbon</i> , 2015 , 83, 198-207	10.4	61
40	Heteroagglomeration of oxide nanoparticles with algal cells: effects of particle type, ionic strength and pH. <i>Environmental Science & Technology</i> , 2015 , 49, 932-9	10.3	101
39	Are engineered nanomaterials superior adsorbents for removal and pre-concentration of heavy metal cations from water?. <i>RSC Advances</i> , 2014 , 4, 46122-46125	3.7	14
38	Cotransport of multi-walled carbon nanotubes and titanium dioxide nanoparticles in saturated porous media. <i>Environmental Pollution</i> , 2014 , 195, 31-8	9.3	35
37	The kinetic and thermodynamic sorption and stabilization of multiwalled carbon nanotubes in natural organic matter surrogate solutions: the effect of surrogate molecular weight. <i>Environmental Pollution</i> , 2014 , 186, 43-9	9.3	31
36	Transport of surfactant-facilitated multiwalled carbon nanotube suspensions in columns packed with sized soil particles. <i>Environmental Pollution</i> , 2014 , 192, 36-43	9.3	45
35	Toxicity of TiO ₂ nanoparticles to Escherichia coli: effects of particle size, crystal phase and water chemistry. <i>PLoS ONE</i> , 2014 , 9, e110247	3.7	129
34	Immune toxicity of TiO ₂ under hypoxia in the green-lipped mussel Perna viridis based on flow cytometric analysis of hemocyte parameters. <i>Science of the Total Environment</i> , 2014 , 470-471, 791-9	10.2	47
33	Aqueous stabilization of carbon nanotubes: effects of surface oxidization and solution chemistry. <i>Environmental Science and Pollution Research</i> , 2014 , 21, 4358-65	5.1	16
32	Influence of functional groups on desorption of organic compounds from carbon nanotubes into water: insight into desorption hysteresis. <i>Environmental Science & Technology</i> , 2013 , 47, 8373-82	10.3	17
31	Sonication-assisted dispersion of carbon nanotubes in aqueous solutions of the anionic surfactant SDBS: The role of sonication energy. <i>Science Bulletin</i> , 2013 , 58, 2082-2090		63
30	The biophysicochemical interactions at the interfaces between nanoparticles and aquatic organisms: adsorption and internalization. <i>Environmental Sciences: Processes and Impacts</i> , 2013 , 15, 145-60	4.3	81
29	The effects of surfactants and solution chemistry on the transport of multiwalled carbon nanotubes in quartz sand-packed columns. <i>Environmental Pollution</i> , 2013 , 182, 269-77	9.3	38
28	Enhanced sorption of naphthalene and p-nitrophenol by nano-SiO ₂ modified with a cationic surfactant. <i>Water Research</i> , 2013 , 47, 4006-12	12.5	31
27	Effects of water chemistry on the dissolution of ZnO nanoparticles and their toxicity to Escherichia coli. <i>Environmental Pollution</i> , 2013 , 173, 97-102	9.3	164
26	Sonication-assisted dispersion of carbon nanotubes in aqueous solutions of the anionic surfactant SDBS: The role of sonication energy 2013 , 58, 2082		1
25	Surface-bound humic acid increased Pb ²⁺ sorption on carbon nanotubes. <i>Environmental Pollution</i> , 2012 , 167, 138-47	9.3	76

24	Effect of humic acids on physicochemical property and Cd(II) sorption of multiwalled carbon nanotubes. <i>Chemosphere</i> , 2012 , 89, 1316-22	8.4	48
23	Coagulation removal of humic acid-stabilized carbon nanotubes from water by PACl: influences of hydraulic condition and water chemistry. <i>Science of the Total Environment</i> , 2012 , 439, 123-8	10.2	30
22	Systematic and quantitative investigation of the mechanism of carbon nanotubes toxicity toward algae. <i>Environmental Science & Technology</i> , 2012 , 46, 8458-66	10.3	156
21	Influence of surface oxidation of multiwalled carbon nanotubes on the adsorption affinity and capacity of polar and nonpolar organic compounds in aqueous phase. <i>Environmental Science & Technology</i> , 2012 , 46, 5446-54	10.3	102
20	The influence of dissolved and surface-bound humic acid on the toxicity of TiO ₂ nanoparticles to <i>Chlorella</i> sp. <i>Water Research</i> , 2012 , 46, 4477-87	12.5	170
19	Removal of dispersant-stabilized carbon nanotubes by regular coagulants. <i>Journal of Environmental Sciences</i> , 2012 , 24, 1364-70	6.4	22
18	The relationship between humic acid (HA) adsorption on and stabilizing multiwalled carbon nanotubes (MWNTs) in water: effects of HA, MWNT and solution properties. <i>Journal of Hazardous Materials</i> , 2012 , 241-242, 404-10	12.8	48
17	Toxicity of ZnO nanoparticles to <i>Escherichia coli</i> : mechanism and the influence of medium components. <i>Environmental Science & Technology</i> , 2011 , 45, 1977-83	10.3	555
16	Toxicity of oxide nanoparticles to the green algae <i>Chlorella</i> sp.. <i>Chemical Engineering Journal</i> , 2011 , 170, 525-530	14.7	249
15	Fate and transport of engineered nanomaterials in the environment. <i>Journal of Environmental Quality</i> , 2010 , 39, 1896-908	3.4	272
14	Metal impurities dominate the sorption of a commercially available carbon nanotube for Pb(II) from water. <i>Environmental Science & Technology</i> , 2010 , 44, 8144-9	10.3	58
13	Adsorption of Triton X-series surfactants and its role in stabilizing multi-walled carbon nanotube suspensions. <i>Chemosphere</i> , 2010 , 79, 362-7	8.4	95
12	Different stabilities of multiwalled carbon nanotubes in fresh surface water samples. <i>Environmental Pollution</i> , 2010 , 158, 1270-4	9.3	68
11	The effect of ionic strength and pH on the stability of tannic acid-facilitated carbon nanotube suspensions. <i>Carbon</i> , 2009 , 47, 2875-2882	10.4	137
10	Interactions of humic acid with nanosized inorganic oxides. <i>Langmuir</i> , 2009 , 25, 3571-6	4	316
9	Sorption of lead from aqueous solutions by tea wastes. <i>Journal of Environmental Quality</i> , 2009 , 38, 2260-5	4	8
8	Environmental behavior and toxicity of engineered nanomaterials. <i>Chinese Science Bulletin</i> , 2009 , 54, 3590-3604	2.9	10
7	Adsorption of phenolic compounds by carbon nanotubes: role of aromaticity and substitution of hydroxyl groups. <i>Environmental Science & Technology</i> , 2008 , 42, 7254-9	10.3	477

6	Tannic acid adsorption and its role for stabilizing carbon nanotube suspensions. <i>Environmental Science & Technology</i> , 2008 , 42, 5917-23	10.3	256
5	Root uptake and phytotoxicity of ZnO nanoparticles. <i>Environmental Science & Technology</i> , 2008 , 42, 5580-5	10.3	815
4	Clay minerals affect the stability of surfactant-facilitated carbon nanotube suspensions. <i>Environmental Science & Technology</i> , 2008 , 42, 6869-75	10.3	110
3	Adsorption and hysteresis of bisphenol A and 17alpha-ethinyl estradiol on carbon nanomaterials. <i>Environmental Science & Technology</i> , 2008 , 42, 5480-5	10.3	368
2	Characterization and phenanthrene sorption of tea leaf powders. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 5718-24	5.7	57
1	Phytotoxicity of nanoparticles: inhibition of seed germination and root growth. <i>Environmental Pollution</i> , 2007 , 150, 243-50	9.3	1232