Anna Rita Bentivoglio

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7019374/publications.pdf

Version: 2024-02-01

165 papers 14,810 citations

29994 54 h-index 118 g-index

166 all docs

166
docs citations

166 times ranked 13170 citing authors

#	Article	IF	Citations
1	Hereditary Early-Onset Parkinson's Disease Caused by Mutations in PINK1. Science, 2004, 304, 1158-1160.	6.0	3,060
2	The PRIAMO study: A multicenter assessment of nonmotor symptoms and their impact on quality of life in Parkinson's disease. Movement Disorders, 2009, 24, 1641-1649.	2.2	1,171
3	Localization of a Novel Locus for Autosomal Recessive Early-Onset Parkinsonism, PARK6, on Human Chromosome 1p35-p36. American Journal of Human Genetics, 2001, 68, 895-900.	2.6	459
4	PINK1 mutations are associated with sporadic early-onset parkinsonism. Annals of Neurology, 2004, 56, 336-341.	2.8	447
5	Analysis of blink rate patterns in normal subjects. Movement Disorders, 1997, 12, 1028-1034.	2.2	394
6	Longâ€term results of a multicenter study on subthalamic and pallidal stimulation in Parkinson's disease. Movement Disorders, 2010, 25, 578-586.	2.2	382
7	A Comparison of Injections of Botulinum Toxin and Topical Nitroglycerin Ointment for the Treatment of Chronic Anal Fissure. New England Journal of Medicine, 1999, 341, 65-69.	13.9	373
8	Motor and cognitive outcome in patients with Parkinson's disease 8 years after subthalamic implants. Brain, 2010, 133, 2664-2676.	3.7	367
9	A Comparison of Botulinum Toxin and Saline for the Treatment of Chronic Anal Fissure. New England Journal of Medicine, 1998, 338, 217-220.	13.9	339
10	The role of small intestinal bacterial overgrowth in Parkinson's disease. Movement Disorders, 2013, 28, 1241-1249.	2.2	267
11	Transient mania with hypersexuality after surgery for high frequency stimulation of the subthalamic nucleus in Parkinson's disease. Movement Disorders, 2002, 17, 1371-1374.	2.2	265
12	Translation Initiator EIF4G1 Mutations in Familial Parkinson Disease. American Journal of Human Genetics, 2011, 89, 398-406.	2.6	250
13	Identification of genetic variants associated with Huntington's disease progression: a genome-wide association study. Lancet Neurology, The, 2017, 16, 701-711.	4.9	248
14	Relief by botulinum toxin of voiding dysfunction due to benign prostatic hyperplasia: results of a randomized, placebo-controlled study. Urology, 2003, 62, 259-264.	0.5	220
15	Mitochondrial DNA haplogroup K is associated with a lower risk of Parkinson's disease in Italians. European Journal of Human Genetics, 2005, 13, 748-752.	1.4	197
16	Clinical and subclinical dopaminergic dysfunction in PARK6-linked parkinsonism: An18F-dopa PET study. Annals of Neurology, 2002, 52, 849-853.	2.8	192
17	The progression of non-motor symptoms in Parkinson's disease and their contribution to motor disability and quality of life. Journal of Neurology, 2012, 259, 2621-2631.	1.8	188
18	Botulinum toxin for chronic anal fissure. Lancet, The, 1994, 344, 1127-1128.	6.3	187

#	Article	IF	Citations
19	Effectiveness of higher doses of botulinum toxin to induce healing in patients with chronic anal fissures. Surgery, 2002, 131, 179-184.	1.0	163
20	Influence of botulinum toxin site of injections on healing rate in patients with chronic anal fissure. American Journal of Surgery, 2000, 179, 46-50.	0.9	147
21	Prevalence of Small Intestinal Bacterial Overgrowth in Parkinson's Disease. Movement Disorders, 2011, 26, 889-892.	2.2	145
22	Longâ€ŧerm effects of pallidal or subthalamic deep brain stimulation on quality of life in Parkinson's disease. Movement Disorders, 2009, 24, 1154-1161.	2.2	140
23	Non-motor symptoms in atypical and secondary parkinsonism: the PRIAMO study. Journal of Neurology, 2010, 257, 5-14.	1.8	140
24	Botulinum Toxin Injections in the Internal Anal Sphincter for the Treatment of Chronic Anal Fissure. Annals of Surgery, 1998, 228, 664-669.	2.1	133
25	DYT13, a novel primary torsion dystonia locus, maps to chromosome 1p36.13-36.32 in an Italian family with cranial-cervical or upper limb onset. Annals of Neurology, 2001, 49, 362-366.	2.8	118
26	Aging is associated with a diffuse impairment of forebrain cholinergic neurons. Brain Research, 1990, 508, 51-59.	1.1	117
27	Management of status dystonicus: Our experience and review of the literature. Movement Disorders, 2007, 22, 963-968.	2.2	115
28	Botulinum toxin A versus B in sialorrhea: A prospective, randomized, double-blind, crossover pilot study in patients with amyotrophic lateral sclerosis or Parkinson's disease. Movement Disorders, 2011, 26, 313-319.	2.2	111
29	Rivastigmine as alternative treatment for refractory REM behavior disorder in Parkinson's disease. Movement Disorders, 2012, 27, 559-561.	2.2	102
30	Park6-linked parkinsonism occurs in several european families. Annals of Neurology, 2002, 51, 14-18.	2.8	98
31	Effects of Bilateral Subthalamic Nucleus Stimulation and Medication on Parkinsonian Speech Impairment. Journal of Voice, 2008, 22, 365-372.	0.6	98
32	Zolpidem in Progressive Supranuclear Palsy. New England Journal of Medicine, 1999, 341, 543-544.	13.9	97
33	The influence of gender on phenotype and disease progression in patients with Huntington's disease. Parkinsonism and Related Disorders, 2013, 19, 192-197.	1.1	96
34	Status dystonicus: Predictors of outcome and progression patterns of underlying disease. Movement Disorders, 2012, 27, 783-788.	2.2	94
35	Psychogenic facial movement disorders: Clinical features and associated conditions. Movement Disorders, 2012, 27, 1544-1551.	2.2	93
36	<scp><i>GBA</i>â€Related</scp> Parkinson's Disease: Dissection of Genotype–Phenotype Correlates in a Large Italian Cohort. Movement Disorders, 2020, 35, 2106-2111.	2.2	83

#	Article	IF	Citations
37	Anhedonia in Parkinson's disease patients with and without pathological gambling: A case-control study. Psychiatry Research, 2014, 215, 448-452.	1.7	81
38	Mitochondrial Signatures in Circulating Extracellular Vesicles of Older Adults with Parkinson's Disease: Results from the EXosomes in PArkiNson's Disease (EXPAND) Study. Journal of Clinical Medicine, 2020, 9, 504.	1.0	80
39	Severe constipation in parkinson's disease relieved by botulinum toxin. Movement Disorders, 1997, 12, 764-766.	2.2	75
40	Cocaine addiction: From habits to stereotypical-repetitive behaviors and punding. Drug and Alcohol Dependence, 2008, 96, 178-182.	1.6	75
41	GPiâ€DBS in Huntington's disease: Results on motor function and cognition in a 72â€yearâ€old case. Movement Disorders, 2008, 23, 1289-1292.	2.2	74
42	PINK1heterozygous rare variants: prevalence, significance and phenotypic spectrum. Human Mutation, 2008, 29, 565-565.	1.1	74
43	Mitochondrial-Derived Vesicles as Candidate Biomarkers in Parkinson's Disease: Rationale, Design and Methods of the EXosomes in PArkiNson Disease (EXPAND) Study. International Journal of Molecular Sciences, 2019, 20, 2373.	1.8	72
44	Botulinum toxin in the treatment of outlet obstruction constipation caused by puborectalis syndrome. Diseases of the Colon and Rectum, 2000, 43, 376-380.	0.7	71
45	Replacement of dopaminergic medication with subthalamic nucleus stimulation in Parkinson's disease: Longâ€ŧerm observation. Movement Disorders, 2009, 24, 555-561.	2.2	71
46	Tremor in primary adult-onset dystonia: prevalence and associated clinical features. Journal of Neurology, Neurosurgery and Psychiatry, 2013, 84, 404-408.	0.9	71
47	Treatment of Outlet Obstruction Constipation in Parkinson'S Disease With Botulinum Neurotoxin A. American Journal of Gastroenterology, 2003, 98, 1439-1440.	0.2	67
48	Fifteen-Year Experience in Treating Blepharospasm with Botox or Dysport: Same Toxin, Two Drugs. Neurotoxicity Research, 2009, 15, 224-231.	1.3	66
49	Clinical differences between botulinum neurotoxin type A and B. Toxicon, 2015, 107, 77-84.	0.8	64
50	Botulinum neurotoxin to treat chronic anal fissure: results of a randomized â€~Botox vs. Dysport' controlled trial. Alimentary Pharmacology and Therapeutics, 2004, 19, 695-701.	1.9	62
51	Novel mutations in <i>SPG11</i> cause hereditary spastic paraplegia associated with earlyâ€onset levodopaâ€responsive Parkinsonism. Movement Disorders, 2011, 26, 553-556.	2.2	62
52	Impulsive-compulsive behaviors in <i>parkin</i> -associated Parkinson disease. Neurology, 2016, 87, 1436-1441.	1.5	61
53	Polysomnographic Findings and Clinical Correlates in Huntington Disease: A Cross-Sectional Cohort Study. Sleep, 2015, 38, 1489-1495.	0.6	57
54	A large-scale genetic association study to evaluate the contribution of Omi/HtrA2 (PARK13) to Parkinson's disease. Neurobiology of Aging, 2011, 32, 548.e9-548.e18.	1.5	56

#	Article	IF	Citations
55	Neuropsychological features of patients with Parkinson's disease and impulse control disorders. Neurological Sciences, 2013, 34, 1207-1213.	0.9	56
56	Botulinum toxin B ultrasound-guided injections for sialorrhea in amyotrophic lateral sclerosis and Parkinson's disease. Parkinsonism and Related Disorders, 2007, 13, 299-303.	1.1	55
57	Frequency and phenotypic spectrum of <i>KMT2B</i> dystonia in childhood: A singleâ€eenter cohort study. Movement Disorders, 2019, 34, 1516-1527.	2.2	55
58	Effects of stimulation of the subthalamic nucleus on naming and reading nouns and verbs in Parkinson's disease. Neuropsychologia, 2012, 50, 1980-1989.	0.7	53
59	Genomeâ€wide association study in musician's dystonia: A risk variant at the arylsulfatase G locus?. Movement Disorders, 2014, 29, 921-927.	2.2	53
60	Aceruloplasminemia: A novel mutation in a family with marked phenotypic variability. Movement Disorders, 2008, 23, 751-755.	2.2	52
61	Reduced facial expressiveness in Parkinson's disease: A pure motor disorder?. Journal of the Neurological Sciences, 2015, 358, 125-130.	0.3	52
62	The Long-term Effect of Tetrabenazine in the Management of Huntington Disease. Clinical Neuropharmacology, 2008, 31, 313-318.	0.2	50
63	Botulinum Toxin A and B in sialorrhea: Long-term data and literature overview. Toxicon, 2015, 107, 129-140.	0.8	50
64	Tetrabenazine. Expert Opinion on Pharmacotherapy, 2009, 10, 2883-2896.	0.9	49
65	Dopaminergic dysfunction and psychiatric symptoms in movement disorders: a 123I-FP-CIT SPECT study. European Journal of Nuclear Medicine and Molecular Imaging, 2012, 39, 1937-1948.	3.3	49
66	Age-dependent loss of cholinergic neurones in basal ganglia of rats. Brain Research, 1988, 455, 177-181.	1.1	48
67	Phenotypic variability of PINK1 expression: 12 Years' clinical follow-up of two Italian families. Movement Disorders, 2014, 29, 1561-1566.	2.2	48
68	Relief by botulinum toxin of voiding dysfunction due to prostatitis. Lancet, The, 1998, 352, 625.	6.3	46
69	Age at onset and symptom spread in primary adultâ€onset blepharospasm and cervical dystonia. Movement Disorders, 2012, 27, 1447-1450.	2.2	46
70	The contribution of gender differences in motor, behavioral and cognitive features to functional capacity, independence and quality of life in patients with Huntington's disease. Parkinsonism and Related Disorders, 2018, 49, 42-47.	1.1	46
71	Analysis of blink rate in patients with blepharospasm. Movement Disorders, 2006, 21, 1225-1229.	2.2	45
72	Disappearance of antiphospholipid antibodies syndrome after Helicobacter pylori eradication. American Journal of Medicine, 2001, 111, 163-164.	0.6	43

#	Article	IF	CITATIONS
73	Mutation screening of the DYT6/ <i>THAP1</i> gene in Italy. Movement Disorders, 2009, 24, 2424-2427.	2.2	43
74	Impulsive and Compulsive Behaviors During Dopamine Replacement Treatment in Parkinson's Disease and Other Disorders. Current Drug Safety, 2012, 7, 63-75.	0.3	43
75	Prevalence of spinocerebellar ataxia type 2 mutation among Italian Parkinsonian patients. Movement Disorders, 2007, 22, 324-327.	2.2	42
76	Review article The use of botulinum toxin in the alimentary tract. Alimentary Pharmacology and Therapeutics, 1995, 9, 599-604.	1.9	41
77	Phenotypic characterization of DYT13 primary torsion dystonia. Movement Disorders, 2004, 19, 200-206.	2.2	40
78	Olfactory dysfunction in Parkinsonism caused by <i>PINK1</i> mutations. Movement Disorders, 2009, 24, 2350-2357.	2.2	39
79	Outcome predictors, efficacy and safety of Botox and Dysport in the longâ€ŧerm treatment of hemifacial spasm. European Journal of Neurology, 2009, 16, 392-398.	1.7	38
80	Non-DYT1 early-onset primary torsion dystonia: Comparison with DYT1 phenotype and review of the literature. Movement Disorders, 2006, 21, 1411-1418.	2.2	37
81	Punding and computer addiction in Parkinson's disease. Movement Disorders, 2006, 21, 1217-1218.	2.2	35
82	Phenotypic variability of DYT1-PTD: Does the clinical spectrum include psychogenic dystonia?. Movement Disorders, 2002, 17, 1058-1063.	2.2	34
83	High frequency extradural motor cortex stimulation transiently improves axial symptoms in a patient with Parkinson's disease. Movement Disorders, 2008, 23, 1916-1919.	2.2	34
84	Circulating amino acid signature in older people with Parkinson's disease: A metabolic complement to the EXosomes in PArkiNson Disease (EXPAND) study. Experimental Gerontology, 2019, 128, 110766.	1.2	32
85	A novel multi-marker discovery approach identifies new serum biomarkers for Parkinson's disease in older people: an EXosomes in PArkiNson Disease (EXPAND) ancillary study. GeroScience, 2020, 42, 1323-1334.	2.1	32
86	Subclinical sensory abnormalities in unaffected PINK1 heterozygotes. Journal of Neurology, 2008, 255, 1372-1377.	1.8	31
87	Wake and Sleep EEG in Patients With Huntington Disease. Clinical EEG and Neuroscience, 2017, 48, 60-71.	0.9	31
88	Cardiovascular autonomic nervous system evaluation in Parkinson disease and multiple system atrophy. Journal of the Neurological Sciences, 2014, 336, 197-202.	0.3	30
89	Anterior rectocele due to obstructed defecation relieved by botulinum toxin. Surgery, 2001, 129, 524-529.	1.0	29
90	Better global and cognitive functioning in choreatic versus hypokineticâ€rigid Huntington's disease. Movement Disorders, 2013, 28, 1142-1145.	2.2	29

#	Article	IF	Citations
91	Italian family with cranial cervical dystonia: Clinical and genetic study. Movement Disorders, 1999, 14, 820-825.	2.2	28
92	Frequency and phenotypes of LRRK2 G2019S mutation in Italian patients with Parkinson's disease. Movement Disorders, 2006, 21, 1232-1235.	2.2	28
93	Unilateral Extradural Motor Cortex Stimulation Is Safe and Improves Parkinson Disease at 1 Year. Neurosurgery, 2012, 71, 815-825.	0.6	28
94	Abnormal gating of somatosensory inputs in essential tremor. Clinical Neurophysiology, 2003, 114, 120-129.	0.7	27
95	Retrospective evaluation of the dose equivalence of Botox® and Dysport® in the management of blepharospasm and hemifacial spasm: a novel paradigm for a never ending story. Neurological Sciences, 2012, 33, 261-267.	0.9	27
96	Working on asymmetry in Parkinson's disease: randomized, controlled pilot study. Neurological Sciences, 2015, 36, 1337-1343.	0.9	25
97	Treatment with botulinum neurotoxin of gastrointestinal smooth muscles and sphincters spasms. Movement Disorders, 2004, 19, S146-S156.	2.2	24
98	Freezing of gait in Parkinson's disease: The paradoxical interplay between gait and cognition. Parkinsonism and Related Disorders, 2014, 20, 824-829.	1.1	24
99	Identification of a novel primary torsion dystonia locus (DYT13) on chromosome 1p36 in an Italian family with cranial-cervical or upper limb onset. Neurological Sciences, 2001, 22, 95-96.	0.9	23
100	Role of sepiapterin reductase gene at the PARK3 locus in Parkinson's disease. Neurobiology of Aging, 2011, 32, 2108.e1-2108.e5.	1.5	23
101	Long-term effects of pedunculopontine nucleus stimulation for Pisa syndrome. Parkinsonism and Related Disorders, 2014, 20, 1445-1446.	1.1	23
102	Dopaminergic agents and nutritional status in Parkinson's disease. Movement Disorders, 2014, 29, 1543-1547.	2.2	22
103	Punding in non-demented Parkinson's disease patients: Relationship with psychiatric and addiction spectrum comorbidity. Journal of the Neurological Sciences, 2016, 362, 344-347.	0.3	22
104	Nigro-striatal involvement in primary progressive freezing gait: Insights into a heterogeneous pathogenesis. Parkinsonism and Related Disorders, 2012, 18, 578-584.	1.1	21
105	ldiopathic <scp>Nonâ€ŧaskâ€Specific</scp> Upper Limb Dystonia, a Neglected Form of Dystonia. Movement Disorders, 2020, 35, 2038-2045.	2.2	21
106	Mild cerebello-thalamo-cortical impairment in patients with normal dopaminergic scans (SWEDD). Parkinsonism and Related Disorders, 2016, 28, 23-28.	1.1	20
107	Genetically determined cholinergic deficiency in the forebrain of C57BL/6 mice. Brain Research, 1994, 637, 181-189.	1.1	19
108	<i>GIGYF2</i> variants are not associated with Parkinson's disease in Italy. Movement Disorders, 2009, 24, 1867-1868.	2.2	19

#	Article	IF	Citations
109	Lithium Treatment in Patients With Huntington Disease and Suicidal Behavior. Journal of Clinical Psychopharmacology, 2013, 33, 819-821.	0.7	19
110	Patient's Loss of Empathy Is Associated With Caregiver Burden. Journal of Nervous and Mental Disease, 2016, 204, 717-722.	0.5	19
111	Sleep-related modifications of EEG connectivity in the sensory-motor networks in Huntington Disease: An eLORETA study and review of the literature. Clinical Neurophysiology, 2017, 128, 1354-1363.	0.7	19
112	Frontal assessment battery scores and non-motor symptoms in parkinsonian disorders. Neurological Sciences, 2012, 33, 585-593.	0.9	18
113	Emotional Awareness, Relationship Quality, and Satisfaction in Patients With Parkinson's Disease and Their Spousal Caregivers. Journal of Nervous and Mental Disease, 2015, 203, 646-649.	0.5	18
114	Does acute peripheral trauma contribute to idiopathic adult-onset dystonia?. Parkinsonism and Related Disorders, 2020, 71, 40-43.	1.1	18
115	Punding in Parkinson's disease: The impact of patient's awareness on diagnosis. Movement Disorders, 2010, 25, 1297-1299.	2.2	16
116	Liquid Melevodopa Versus Standard Levodopa in Patients With Parkinson Disease and Small Intestinal Bacterial Overgrowth. Clinical Neuropharmacology, 2014, 37, 91-95.	0.2	16
117	Subjective Assessment of Sleep in Huntington Disease: Reliability of Sleep Questionnaires Compared to Polysomnography. Neurodegenerative Diseases, 2017, 17, 330-337.	0.8	16
118	Onset and progression of primary torsion dystonia in sporadic and familial cases. European Journal of Neurology, 2006, 13, 1083-1088.	1.7	15
119	Movement disorder due to aceruloplasminemia and incorrect diagnosis of hereditary hemochromatosis. Journal of Neurology, 2007, 254, 113-114.	1.8	15
120	Epidemiological, Clinical, and Molecular Study of a Cohort of Italian Parkinson Disease Patients: Association with Glutathione-S-Transferase and DNA Repair Gene Polymorphisms. Cellular and Molecular Neurobiology, 2013, 33, 673-680.	1.7	15
121	Aristotle's illusion reveals interdigit functional somatosensory alterations in focal hand dystonia. Brain, 2013, 136, 782-789.	3.7	15
122	Alphaâ€synuclein repeat variants and survival in Parkinson's disease. Movement Disorders, 2014, 29, 1053-1057.	2.2	14
123	Pedunculopontine Nucleus Stimulation in Parkinson's Disease Dementia. Biological Psychiatry, 2015, 77, e35-e40.	0.7	13
124	DYT2 screening in early-onset isolated dystonia. European Journal of Paediatric Neurology, 2017, 21, 269-271.	0.7	13
125	Use of ACE-inhibitors and falls in patients with Parkinson's disease. Gait and Posture, 2017, 54, 39-44.	0.6	13
126	Dystonia gravidarum: A new case with a long follow-up. Movement Disorders, 2007, 22, 564-566.	2.2	12

#	Article	IF	CITATIONS
127	Safety and Efficacy of Rotigotine in Individuals with <scp>P</scp> arkinson's Disease Aged 75 and Older. Journal of the American Geriatrics Society, 2011, 59, 2386-2387.	1.3	12
128	Rapid Eye Movement Sleep Behavior Disorder: A Window on the Emotional World of Parkinson Disease. Sleep, 2015, 38, 287-294.	0.6	12
129	Rehabilitation of hypomimia in Parkinson's disease: a feasibility study of two different approaches. Neurological Sciences, 2016, 37, 431-436.	0.9	12
130	A multicenter Italian randomised study on early treatment of Parkinson disease: comparison of 1-dopa, 1-deprenyl and dopaminoagonists. Study design and short term results. Italian Journal of Neurological Sciences, 1992, 13, 735-739.	0.1	11
131	Reliability of Clinical Diagnosis of Dystonia. Neuroepidemiology, 2014, 43, 213-219.	1.1	11
132	Lithium <scp>T</scp> reatment in <scp>P</scp> atients <scp>W</scp> ith <scp>H</scp> untington's <scp>D</scp> isease and <scp>S</scp> uicidal <scp>B</scp> ehavior. Movement Disorders, 2015, 30, 1438-1438.	2.2	11
133	Botulinum toxin in motor disorders. Current Opinion in Neurology, 1999, 12, 447-456.	1.8	11
134	Prevalence of Impulsive-Compulsive Symptoms in Elderly Parkinson's Disease Patients. Journal of Clinical Psychiatry, 2018, 79, .	1.1	11
135	Brain Connectivity Changes in Autosomal Recessive Parkinson Disease: A Model for the Sporadic Form. PLoS ONE, 2016, 11, e0163980.	1.1	10
136	Prevalence of Obsessive-Compulsive Symptoms in Elderly Parkinson Disease Patients: A Case-Control Study. American Journal of Geriatric Psychiatry, 2020, 28, 167-175.	0.6	9
137	Management of bladder, prostatic and pelvic floor disorders. Neurotoxicity Research, 2006, 9, 161-172.	1.3	8
138	Rare and serious cardiac side effects during ropinirole titration. Movement Disorders, 2010, 25, 1509-1510.	2.2	8
139	Motor-related sleep disorders in Huntington disease. A comment on: Neute et al.: "Nocturnal agitation in Huntington disease is caused by arousal-related abnormal movements rather than by rapid eye movement sleep behavior disorder―by Neutel etÂal Sleep Medicine, 2016, 20, 172-173.	0.8	8
140	The TANDEM investigation: efficacy and tolerability of levodopa-carbidopa intestinal gel in (LCIG) advanced Parkinson's disease patients. Journal of Neural Transmission, 2020, 127, 881-891.	1.4	8
141	Spread of segmental/multifocal idiopathic adult-onset dystonia to a third body site. Parkinsonism and Related Disorders, 2021, 87, 70-74.	1.1	8
142	Association of metabolic syndrome with falls in patients with Parkinson's disease. Clinical Nutrition, 2017, 36, 559-563.	2.3	7
143	Extradural motor cortex stimulation improves gait, speech, and language in a patient with pure akinesia. Brain Stimulation, 2018, 11, 1192-1194.	0.7	7
144	Prevalence of Huntington's disease in Southern Sardinia, Italy. Parkinsonism and Related Disorders, 2020, 80, 54-57.	1.1	7

#	Article	IF	Citations
145	Enteral feeding in Parkinson's patients receiving levodopa/carbidopa intestinal gel. Parkinsonism and Related Disorders, 2017, 42, 109-111.	1.1	6
146	Extradural Motor Cortex Stimulation in Parkinson's Disease: Long-Term Clinical Outcome. Brain Sciences, 2021, 11, 416.	1.1	6
147	Botulinum toxin injection for the treatment of chronic anal fissure: uni- and multivariate analysis of the factors that promote healing. International Journal of Colorectal Disease, 2022, 37, 693-700.	1.0	6
148	Extradural Motor Cortex Stimulation might improve episodic and working memory in patients with Parkinson's disease. Npj Parkinson's Disease, 2020, 6, 26.	2.5	5
149	Frameless stereotaxy in subthalamic deep brain stimulation: 3-year clinical outcome. Neurological Sciences, 2021, 42, 259-266.	0.9	5
150	Heart Rate Variability during Wake and Sleep in Huntington's Disease Patients: An Observational, Cross-Sectional, Cohort Study. Neurodegenerative Diseases, 2021, 21, 79-86.	0.8	5
151	Punding Behavior in Bipolar Disorder Type 1: Case Report. Journal of Neuropsychiatry and Clinical Neurosciences, 2014, 26, E8-E9.	0.9	4
152	Clinical presentation and progression of sporadic and familial primary torsion dystonia in Italy. Advances in Neurology, 2004, 94, 171-8.	0.8	4
153	Transient alternating hemichorea as presenting sign of progressive supranuclear palsy. Italian Journal of Neurological Sciences, 1991, 12, 99-101.	0.1	3
154	DYT13, a novel primary torsion dystonia locus, maps to chromosome 1p36.13–36.32 in an Italian family with cranial-cervical or upper limb onset. , 2001, 49, 362.		3
155	Clinical and genetic characteristics of lateâ€onset Huntington's disease in a large European cohort. European Journal of Neurology, 2022, 29, 1940-1951.	1.7	3
156	Occurrence of Writing Tremor in Patients With Scans Without Evidence of Dopaminergic Deficit. Movement Disorders Clinical Practice, 2016, 3, 421-424.	0.8	2
157	Deep brain stimulation in Fragile X syndrome with tardive dystonia. Neurological Sciences, 2021, 42, 2987-2989.	0.9	2
158	Clinical Use of Botulinum Neurotoxin: Neuromuscular Disorders. , 2014, , 51-93.		2
159	Botulinum Neurotoxin in Tremors, Tics, Hemifacial Spasm, Spasmodic Dysphonia, and Stuttering., 2009, , 112-130.		1
160	FACIAL EMOTION EXPRESSIVENESS AND FACIAL EMOTION RECOGNITION IN PARKINSON'S DISEASE: HOW MUCH DOES ALEXITHYMIA COUNT?. Journal of Neurology, Neurosurgery and Psychiatry, 2014, 85, e3-e3.	0.9	1
161	Geographic differences in the incidence of Huntington's disease in Sardinia, Italy. Neurological Sciences, 2021, 42, 5177-5181.	0.9	1
162	STN-DBS does not increase the risk of sialorrhea in patients with advanced Parkinson's disease. Npj Parkinson's Disease, 2022, 8, .	2.5	1

#	Article	IF	CITATIONS
163	Transcranial Magnetic Stimulation Predicts Functional Recovery after Botulinum Toxin Treatment in Stroke Patients. International Journal of Stroke, 2013, 8, E40-E40.	2.9	O
164	Blepharospasm with non-satisfactory response to treatment: Our experience with IncobotulinumtoxinA. Parkinsonism and Related Disorders, 2014, 20, 665-667.	1.1	0
165	E2â€Progression of motor subtypes in huntington's disease: a six-year follow-up study. Journal of Neurology, Neurosurgery and Psychiatry, 2016, 87, A45.2-A45.	0.9	O