

Fuxiang Wei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/702054/publications.pdf>

Version: 2024-02-01

108
papers

2,745
citations

201575

27
h-index

214721

47
g-index

108
all docs

108
docs citations

108
times ranked

2469
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyvinylpyrrolidone assisted transformation of Cu-MOF into N/P-co-doped Octahedron carbon encapsulated Cu ₃ P nanoparticles as high performance anode for lithium ion batteries. <i>Journal of Colloid and Interface Science</i> , 2022, 608, 227-238.	5.0	21
2	Highly stable lamellar array composed of CoSe ₂ nanoparticles for supercapacitors. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2022, 633, 127789.	2.3	7
3	Hierarchical construction of Co ₃ S ₄ nanosheet coated by 2D multi-layer MoS ₂ as an electrode for high performance supercapacitor. <i>Applied Surface Science</i> , 2022, 578, 151897.	3.1	21
4	A succulent-like structure of MoS ₂ -coated S-doped ZIF-67@NF as the supercapacitor electrode material. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 1930.	1.1	3
5	An improved bioinspired strategy to construct nitrogen and phosphorus dual-doped network porous carbon with boosted kinetics potassium ion capacitors. <i>Nanoscale</i> , 2022, 14, 6339-6348.	2.8	10
6	Theoretical evaluation and experimental design of nitrogen doped porous carbon from Cu-based metal-organic frameworks for lithium-ion batteries. <i>Surfaces and Interfaces</i> , 2022, 30, 101851.	1.5	1
7	Controllable construction of hierarchically porous carbon composite of nanosheet network for advanced dual-carbon potassium-ion capacitors. <i>Journal of Colloid and Interface Science</i> , 2022, 621, 169-179.	5.0	9
8	Effect of Ni-MOF Derivatives on the Electrochemical Corrosion Behavior of Sn-0.7Cu Solders. <i>Metals</i> , 2022, 12, 1172.	1.0	3
9	Effect of Ni-Coated Carbon Nanotubes Additions on the Eutectic Sn-0.7Cu Lead-Free Composite Solder. <i>Metals</i> , 2022, 12, 1196.	1.0	4
10	In situ transformation of sea urchin-like Ni _x CoyP@NF as an efficient bifunctional electrocatalyst for overall water splitting. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 1951-1961.	1.1	9
11	Carbon defects applied to potassium-ion batteries: a density functional theory investigation. <i>Nanoscale</i> , 2021, 13, 13719-13734.	2.8	21
12	Enhanced performance of mesoporous NiCo ₂ S ₄ nanosheets fibre-shaped electrode for supercapacitor. <i>Micro and Nano Letters</i> , 2021, 16, 263-267.	0.6	4
13	Fabrication and Degradation Properties of Nanoporous Copper with Tunable Pores by Dealloying Amorphous Ti-Cu Alloys with Minor Co Addition. <i>Journal of Materials Engineering and Performance</i> , 2021, 30, 1759-1767.	1.2	8
14	Self-supporting in situ growth Ni ₃ S ₂ /FL-Ti ₃ C ₂ (MXene)/Ni composite as positive electrode for asymmetrical supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 9721-9729.	1.1	8
15	Three-dimensional micro-nanorods-like structure bimetallic oxide fabricated by dealumination strategy for supercap electrodes. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 8288-8294.	1.1	1
16	Construction of layered C@MnNiCo-OH/Ni ₃ S ₂ core-shell heterostructure with enhanced electrochemical performance for asymmetric supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 11145-11157.	1.1	5
17	MXene-modulated CoNi ₂ S ₄ dendrite as enhanced electrode for hybrid supercapacitors. <i>Surfaces and Interfaces</i> , 2021, 25, 101274.	1.5	11
18	Design of a Scalable Dendritic Copper@Ni ²⁺ , Zn ²⁺ Cation-Substituted Cobalt Carbonate Hydroxide Electrode for Efficient Energy Storage. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 39205-39214.	4.0	23

#	ARTICLE	IF	CITATIONS
19	Highly stable Co ₃ O ₄ nanoparticles/carbon nanosheets array derived from flake-like ZIF-67 as an advanced electrode for supercapacitor. <i>Chemical Engineering Journal</i> , 2021, 419, 129631.	6.6	52
20	CuO@NiCoFe-S core-shell nanorod arrays based on Cu foam for high performance energy storage. <i>Journal of Colloid and Interface Science</i> , 2021, 599, 34-45.	5.0	19
21	Ni-Co-Fe layered double hydroxide coated on Ti ₃ C ₂ MXene for high-performance asymmetric supercapacitor. <i>Applied Surface Science</i> , 2021, 562, 150116.	3.1	74
22	Electrothermal, magnetic properties and microstructure of CrFeNiTi _x compositionally complex alloys. <i>Ferroelectrics</i> , 2021, 584, 100-112.	0.3	1
23	Controllable synthesis of ZIF-derived nano-hexahedron porous carbon for supercapacitor electrodes. <i>Materials Letters</i> , 2020, 258, 126761.	1.3	27
24	Facile synthesis of hierarchical NiCoP nanowires@NiCoP nanosheets core-shell nanoarrays for high-performance asymmetrical supercapacitor. <i>Journal of Materials Science</i> , 2020, 55, 1157-1169.	1.7	31
25	Hierarchical NiCo layered double hydroxide on reduced graphene oxide-coated commercial conductive textile for flexible high-performance asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2020, 445, 227342.	4.0	56
26	Facile synthesis of NiCoP nanosheets on carbon cloth and their application as positive electrode material in asymmetric supercapacitor. <i>Ionics</i> , 2020, 26, 355-366.	1.2	31
27	3D core-shell pistil-like MnCo ₂ O _{4.5} /polyaniline nanocomposites as high performance supercapacitor electrodes. <i>Composite Interfaces</i> , 2020, 27, 631-644.	1.3	9
28	Recycle of industrial waste: a new method of applying the paint residue to supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 274-285.	1.1	2
29	Hierarchical NiS@CoS with Controllable Core-shell Structure by Two-step Strategy for Supercapacitor Electrodes. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901618.	1.9	98
30	Self-supported NiSe@Ni ₃ S ₂ core-shell composite on Ni foam for a high-performance asymmetric supercapacitor. <i>Ionics</i> , 2020, 26, 3997-4007.	1.2	19
31	Hierarchical Nickel-Cobalt Phosphide/Phosphate/Carbon Nanosheets for High-Performance Supercapacitors. <i>ACS Applied Nano Materials</i> , 2020, 3, 11945-11954.	2.4	130
32	Flake-like nickel/cobalt metal-organic framework as high-performance electrodes for supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 16260-16268.	1.1	12
33	Flexible wire-shaped symmetric supercapacitors with Zn-Co layered double hydroxide nanosheets grown on Ag-coated cotton wire. <i>Journal of Materials Science</i> , 2020, 55, 16683-16696.	1.7	12
34	One-step phosphating synthesis of CoP nanosheet arrays combined with Ni ₂ P as a high-performance electrode for supercapacitors. <i>Nanoscale</i> , 2020, 12, 20710-20718.	2.8	52
35	In Situ Synchrotron X-ray Diffraction Investigations of the Nonlinear Deformation Behavior of a Low Modulus β -Type Ti ₃₆ Nb ₅ Zr Alloy. <i>Metals</i> , 2020, 10, 1619.	1.0	4
36	A facile method for synthesizing NiS nanoflower grown on MXene (Ti ₃ C ₂ T _x) as positive electrodes for supercapacitor. <i>Electrochimica Acta</i> , 2020, 353, 136526.	2.6	55

#	ARTICLE	IF	CITATIONS
37	Interconnected NiS-nanosheets@porous carbon derived from Zeolitic-imidazolate frameworks (ZIFs) as electrode materials for high-performance hybrid supercapacitors. <i>International Journal of Hydrogen Energy</i> , 2020, 45, 19237-19245.	3.8	43
38	Formation of hollow-cubic Ni(OH) ₂ /CuS ₂ nanocomposite via sacrificial template method for high performance supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 10489-10498.	1.1	5
39	One-Step Synthesis of Nanostructured CoS ₂ Grown on Titanium Carbide MXene for High-Performance Asymmetrical Supercapacitors. <i>Advanced Materials Interfaces</i> , 2020, 7, 1901659.	1.9	77
40	Three-dimensional nanoporous copper with tunable structure prepared by dealloying titanium-copper-cobalt metallic glasses for supercapacitors. <i>Micro and Nano Letters</i> , 2020, 15, 283-286.	0.6	8
41	Thermal stability of intermetallic compounds at Sn-0.7Cu-10Bi-xNi/Co interface during reflows. <i>Materials Letters</i> , 2019, 254, 69-72.	1.3	6
42	Sustainable synthesis of N/S-doped porous carbon sheets derived from waste newspaper for high-performance asymmetric supercapacitor. <i>Materials Research Express</i> , 2019, 6, 095605.	0.8	9
43	Effect of Ni on the kinetics of intermetallic compounds evolution on the Sn-0.7Cu-10Bi-xNi/Co interface during various reflow. <i>Materials Research Express</i> , 2019, 6, 096532.	0.8	1
44	Growth and evolution kinetics of intermetallic compounds in Sn-0.7Cu-10Bi-0.15Co/Cu interface. <i>Materials Research Express</i> , 2019, 6, 0965d2.	0.8	1
45	Ultrathin Ni-Co LDH nanosheets grown on carbon fiber cloth via electrodeposition for high-performance supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 13360-13371.	1.1	45
46	Hierarchical NiCo ₂ S ₄ @Ni ₃ S ₂ core/shell nanorod arrays supported on carbon cloth for all-solid-state flexible asymmetric supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 13462-13473.	1.1	7
47	Facile synthesis of CoNi ₂ S ₄ nanoparticles grown on carbon fiber cloth for supercapacitor application. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 19077-19086.	1.1	23
48	Role of Ni impurities in solid-state diffusion of intermetallic compounds in the Sn-0.7Cu-10Bi-xNi/Ni interface reaction. <i>Materials Research Express</i> , 2019, 6, 116559.	0.8	1
49	Fabrication of nanoporous NiO@CoO composites by dealloying method as ultra-high capacitance electrodes. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 20311-20319.	1.1	2
50	One-Step Hydrothermal Synthesis of CoNi ₂ S ₄ for Hybrid Supercapacitor Electrodes. <i>Nano</i> , 2019, 14, 1950088.	0.5	7
51	Controllable synthesis of polyhedral Au@Co ₃ O ₄ electrode for high performance supercapacitors. <i>Materials Letters</i> , 2019, 255, 126534.	1.3	15
52	Self-supported 3D layered zinc/nickel metal-organic-framework with enhanced performance for supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 18101-18110.	1.1	45
53	Polyhedral NiCoSe ₂ synthesized via selenization of metal-organic framework for supercapacitors. <i>Materials Letters</i> , 2019, 242, 42-46.	1.3	49
54	Growth behavior of intermetallic compounds on Sn-10Bi-0.7Cu-0.15Co/Co interface under multiple reflows. <i>Materials Letters</i> , 2019, 252, 92-95.	1.3	9

#	ARTICLE	IF	CITATIONS
55	Growth behaviors of intermetallic compounds on the Sn-0.7Cu-10Bi-xCo/Co interface during multiple reflow. <i>Materials and Design</i> , 2019, 174, 107794.	3.3	16
56	A novel core-shell polyhedron Co ₃ O ₄ /MnCo ₂ O _{4.5} as electrode materials for supercapacitors. <i>Ceramics International</i> , 2019, 45, 12558-12562.	2.3	30
57	Facile synthesis of N-doped activated carbon derived from cotton and CuCo ₂ O ₄ nanoneedle arrays electrodes for all-solid-state asymmetric supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 9877-9887.	1.1	17
58	Facile synthesis of mesoporous CuCo ₂ O ₄ nanorods@MnO ₂ with core-shell structure grown on RGO for high-performance supercapacitor. <i>Materials Letters</i> , 2019, 249, 151-154.	1.3	20
59	Synthesis of Ultrathin MnO ₂ Nanosheets/Bagasse Derived Porous Carbon Composite for Supercapacitor with High Performance. <i>Journal of Electronic Materials</i> , 2019, 48, 3026-3035.	1.0	14
60	Controllable Zn _{0.76} Co _{0.24} S Nanoflower Arrays Grown on Carbon Fiber Papers for High-Performance Supercapacitors. <i>Nano</i> , 2019, 14, 1950030.	0.5	10
61	Hydrothermal Synthesis of Ni-MOF Vulcanized Derivatives for High-Performance Supercapacitors. <i>Nano</i> , 2019, 14, 1950032.	0.5	22
62	Construction of NiCo ₂ O ₄ @Ni _{0.85} Se core-shell nanorod arrays on Ni foam as advanced materials for an asymmetric supercapacitor. <i>Journal of Alloys and Compounds</i> , 2019, 778, 234-238.	2.8	33
63	High performance fiber-shaped all-solid-state symmetric supercapacitor based on mesoporous CuCo ₂ S ₄ nanosheets. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 667-676.	1.1	11
64	Effect of nickel (Ni) on the growth rate of Cu ₆ Sn ₅ intermetallic compounds between Sn-Cu-Bi solder and Cu substrate. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 2186-2191.	1.1	20
65	One-step hydrothermal synthesis of a CoS ₂ @MoS ₂ nanocomposite for high-performance supercapacitors. <i>Journal of Alloys and Compounds</i> , 2018, 742, 844-851.	2.8	84
66	Facile synthesis of cuboid Ni-MOF for high-performance supercapacitors. <i>Journal of Materials Science</i> , 2018, 53, 6807-6818.	1.7	193
67	Facile synthesis of Cu _{1.96} S nanoparticles for enhanced energy density in flexible all-solid-state asymmetric supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 11187-11198.	1.1	9
68	CuCo ₂ S ₄ nanotubes on carbon fiber papers for high-performance all-solid-state asymmetric supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 8636-8648.	1.1	23
69	Ni ₃ S ₄ supported on carbon cloth for high-performance flexible all-solid-state asymmetric supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 2525-2536.	1.1	39
70	Polyhedral ternary oxide FeCo ₂ O ₄ : A new electrode material for supercapacitors. <i>Journal of Alloys and Compounds</i> , 2018, 735, 1339-1343.	2.8	89
71	Facile Synthesis of Ag-Decorated Ni ₃ S ₂ Nanosheets with 3D Bush Structure Grown on rGO and Its Application as Positive Electrode Material in Asymmetric Supercapacitor. <i>Advanced Materials Interfaces</i> , 2018, 5, 1700985.	1.9	96
72	Facile synthesis of nickel metal-organic framework derived hexagonal flaky NiO for supercapacitors. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 2477-2483.	1.1	24

#	ARTICLE	IF	CITATIONS
73	All-solid-state asymmetric supercapacitor based on N-doped activated carbon derived from polyvinylidene fluoride and ZnCo ₂ O ₄ nanosheet arrays. Journal of Materials Science: Materials in Electronics, 2018, 29, 2120-2130.	1.1	10
74	Synthesis of Cu ₂ O by oxidation-assisted dealloying method for flexible all-solid-state asymmetric supercapacitors. Journal of Materials Science: Materials in Electronics, 2018, 29, 2080-2090.	1.1	19
75	ZnO@Ni@Co@S Core@Shell Nanorods-Decorated Carbon Fibers as Advanced Electrodes for High-Performance Supercapacitors. Nano, 2018, 13, 1850148.	0.5	6
76	Self-Supported Ni _{0.85} Se Nanosheets Array on Carbon Fiber Cloth for a High-Performance Asymmetric Supercapacitor. Journal of Electronic Materials, 2018, 47, 7002-7010.	1.0	21
77	Activation properties of reticulate Ni ₃ S ₂ electrode materials grown on nickel foam for high performance supercapacitors. Journal of Materials Science: Materials in Electronics, 2018, 29, 20775-20782.	1.1	1
78	Effects of Carbonization Temperature on Nature of Nanostructured Electrode Materials Derived from Fe-MOF for Supercapacitors. Electronic Materials Letters, 2018, 14, 548-555.	1.0	13
79	Dependence of Macro- and Micro-Properties on $\hat{\pm}$ Plates in Ti-6Al-2Zr-1Mo-1V Alloy with Tri-Modal Microstructure. Metals, 2018, 8, 299.	1.0	8
80	Dandelion-like nickel/cobalt metal-organic framework based electrode materials for high performance supercapacitors. Journal of Colloid and Interface Science, 2018, 531, 83-90.	5.0	277
81	Facile synthesis of mesoporous ZnCo ₂ O ₄ nanosheet arrays grown on rGO as binder-free electrode for high-performance asymmetric supercapacitor. Journal of Materials Science, 2018, 53, 16074-16085.	1.7	23
82	The effect of temperature on morphology and electrochemical properties of NiCo ₂ S ₄ by hydrothermal synthesis. Functional Materials Letters, 2018, 11, 1850063.	0.7	1
83	An Asymmetric Supercapacitor Based on Activated Porous Carbon Derived from Walnut Shells and NiCo ₂ O ₄ Nanoneedle Arrays Electrodes. Journal of Nanoscience and Nanotechnology, 2018, 18, 5600-5608.	0.9	24
84	Influence of SnO ₂ Nanoparticles Addition on Microstructure, Thermal Analysis, and Interfacial IMC Growth of Sn _{1.0} Ag _{0.7} Cu Solder. Journal of Electronic Materials, 2017, 46, 4197-4205.	1.0	21
85	Microstructure of Al _{1.3} CrFeNi eutectic high entropy alloy and oxidation behavior at 1000 $\hat{\text{A}}$ °C. Journal of Materials Research, 2017, 32, 2109-2116.	1.2	33
86	Facile synthesis of copper sulfides with different shapes for high-performance supercapacitors. Journal of Materials Science: Materials in Electronics, 2017, 28, 10720-10729.	1.1	10
87	One-step hydrothermal synthesis of Ni ₃ S ₄ @MoS ₂ nanosheet on carbon fiber paper as a binder-free anode for supercapacitor. Journal of Materials Science: Materials in Electronics, 2017, 28, 12747-12754.	1.1	43
88	Cobalt oxide composites derived from zeolitic imidazolate framework for high-performance supercapacitor electrode. Journal of Materials Science: Materials in Electronics, 2017, 28, 14019-14025.	1.1	24
89	Embedding Cobalt Into ZIF-67 to Obtain Cobalt-Nanoporous Carbon Composites as Electrode Materials for Supercapacitor. Journal of Nanoscience and Nanotechnology, 2017, 17, 3504-3508.	0.9	9
90	Facile Construction of 3D Reduced Graphene Oxide Wrapped Ni ₃ S ₂ Nanoparticles on Ni Foam for High-Performance Asymmetric Supercapacitor Electrodes. Particle and Particle Systems Characterization, 2017, 34, 1700196.	1.2	30

#	ARTICLE	IF	CITATIONS
91	One-pot synthesis of flake Cu 1.81 S/C composite for high-performance supercapacitors electrodes. <i>Micro and Nano Letters</i> , 2017, 12, 87-89.	0.6	2
92	Wear behavior of in-situ TiC particles reinforced aluminum matrix composite. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2017, 32, 552-556.	0.4	1
93	Preparation and capacitance properties of Al-doped hierarchical TiO ₂ nanostructure by oxidation of Ti-8Al alloy. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 13770-13779.	1.1	1
94	Structure Dependence of Fe-Co Hydroxides on Fe/Co Ratio and Their Application for Supercapacitors. <i>Particle and Particle Systems Characterization</i> , 2017, 34, 1600239.	1.2	37
95	Au&Co core-shell nanoparticles capped with porous carbon: High performance materials for supercapacitor applications. <i>Materials Letters</i> , 2016, 183, 408-412.	1.3	4
96	Influence of Brazing Technology on the Microstructure and Properties of YG20C cemented carbide and 16Mn steel joints. <i>Welding in the World, Le Soudage Dans Le Monde</i> , 2016, 60, 1269-1275.	1.3	20
97	Effects of pouring temperature on interfacial reaction between Ti-47.5Al-2.5V-1Cr alloy and mold during centrifugal casting. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2016, 31, 1105-1108.	0.4	5
98	Electrodeposition of Ni-Co double hydroxide composite nanosheets on Fe substrate for high-performance supercapacitor electrode. <i>Micro and Nano Letters</i> , 2016, 11, 837-839.	0.6	5
99	Co ₃ O ₄ nanocrystals derived from a zeolitic imidazolate framework on Ni foam as high-performance supercapacitor electrode material. <i>RSC Advances</i> , 2016, 6, 61803-61808.	1.7	18
100	Co ₃ O ₄ Electrode Prepared by Using Metal-Organic Framework as a Host for Supercapacitors. <i>Journal of Nanomaterials</i> , 2015, 2015, 1-6.	1.5	8
101	A novel cobalt-carbon composite for the electrochemical supercapacitor electrode material. <i>Materials Letters</i> , 2015, 146, 20-22.	1.3	28
102	Cobalt-carbon derived from zeolitic imidazolate framework on Ni foam as high-performance supercapacitor electrode material. <i>Materials and Design</i> , 2015, 83, 552-556.	3.3	37
103	Synthesis, characterization, crystal structures, and photophysical properties of a series of room-temperature phosphorescent copper(I) complexes with oxadiazole-derived diimine ligand. <i>Inorganica Chimica Acta</i> , 2010, 363, 2600-2605.	1.2	14
104	Low-voltage and high-efficiency white organic light emitting devices with carrier balance. <i>Physica B: Condensed Matter</i> , 2010, 405, 4434-4438.	1.3	2
105	Pure-blue tandem OLEDs based on terfluorenes compounds. <i>Journal of Materials Science: Materials in Electronics</i> , 2008, 19, 1202-1205.	1.1	7
106	Highly efficient organic electroluminescent diodes realized by efficient charge balance with optimized electron and hole transport layers. <i>Solid State Communications</i> , 2007, 144, 343-346.	0.9	10
107	Highly efficient styrylamine-doped blue and white organic electroluminescent devices. <i>Displays</i> , 2007, 28, 186-190.	2.0	10
108	Enhancement of red organic light-emitting diodes via cascade energy transfer. <i>Microelectronics Journal</i> , 2006, 37, 1325-1328.	1.1	7