

Mine Araz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/702158/publications.pdf>

Version: 2024-02-01

51
papers

323
citations

1163117

8
h-index

888059

17
g-index

52
all docs

52
docs citations

52
times ranked

460
citing authors

#	ARTICLE	IF	CITATIONS
1	The role of ^{18}F -NaF PET/CT in metastatic bone disease. <i>Journal of Bone Oncology</i> , 2015, 4, 92-97.	2.4	64
2	The efficacy of fluorine-18-choline PET/CT in comparison with $^{99\text{m}}\text{Tc}$ -MIBI SPECT/CT in the localization of a hyperfunctioning parathyroid gland in primary hyperparathyroidism. <i>Nuclear Medicine Communications</i> , 2018, 39, 989-994.	1.1	38
3	The role of ^{18}F -FDG PET/CT in detecting colorectal cancer recurrence in patients with elevated CEA levels. <i>Nuclear Medicine Communications</i> , 2012, 33, 395-402.	1.1	35
4	The Additive Clinical Value of ^{18}F -FDG PET/CT in Defining the Recurrence of Disease in Patients With Differentiated Thyroid Cancer Who Have Isolated Increased Antithyroglobulin Antibody Levels. <i>Clinical Nuclear Medicine</i> , 2012, 37, 755-758.	1.3	30
5	The role of ^{18}F -FDG-PET/CT in the preoperative staging and posttherapy follow up of gastric cancer: Comparison with spiral CT. <i>World Journal of Surgical Oncology</i> , 2011, 9, 75.	1.9	22
6	Prognostic Importance of ^{18}F -FDG Uptake Pattern of Hepatocellular Cancer Patients Who Received SIRT. <i>Clinical Nuclear Medicine</i> , 2013, 38, e283-e289.	1.3	18
7	Serum carcinoembryonic antigen measurement, abdominal contrast-enhanced computed tomography, and fluorine-18 fluorodeoxyglucose positron emission tomography/computed tomography in the detection of colorectal cancer recurrence. <i>Nuclear Medicine Communications</i> , 2012, 33, 990-994.	1.1	13
8	Factors affecting the sensitivity of $^{99\text{m}}\text{Tc}$ -methoxyisobutylisonitrile dual-phase parathyroid single photon emission computed tomography in primary hyperparathyroidism. <i>Nuclear Medicine Communications</i> , 2017, 38, 117-123.	1.1	13
9	Evaluation of the Response to Selective Internal Radiation Therapy in Patients With Hepatocellular Cancer According to Pretreatment $^{99\text{m}}\text{Tc}$ -MAA Uptake. <i>Clinical Nuclear Medicine</i> , 2013, 38, 252-255.	1.3	8
10	The relationship between semiquantitative parameters derived from technetium-99m methoxyisobutylisonitrile dual-phase parathyroid single-photon emission computed tomography images and disease severity in primary hyperparathyroidism. <i>Nuclear Medicine Communications</i> , 2018, 39, 304-311.	1.1	7
11	Comparison of bone scintigraphy and ^{68}Ga -prostate-specific membrane antigen positron emission tomography/computed tomography in the detection of bone metastases of prostate carcinoma. <i>Nuclear Medicine Communications</i> , 2019, 40, 1243-1249.	1.1	7
12	Assessment of recurrence rates in papillary thyroid microcarcinoma patients with and without histopathological risk factors after radioiodine ablation treatment. <i>Nuclear Medicine Communications</i> , 2015, 36, 109-113.	1.1	6
13	Myocardial perfusion SPECT findings in postCOVID period. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2022, 49, 889-894.	6.4	6
14	Detection of Intraluminal Tracheal Metastasis of Thyroid Papillary Carcinoma by ^{18}F -FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2012, 37, e160-e161.	1.3	5
15	^{18}F -Fluorodeoxy glucose PET-computed tomography in testicular carcinoma: diagnostic and prognostic value. <i>Nuclear Medicine Communications</i> , 2019, 40, 1268-1274.	1.1	5
16	Inguinal Endometriosis Visualized on I-131 Whole Body Scan. <i>Molecular Imaging and Radionuclide Therapy</i> , 2018, 27, 52-54.	0.7	5
17	Can Radiomics Analyses in ^{18}F -FDG PET/CT Images of Primary Breast Carcinoma Predict Hormone Receptor Status?. <i>Molecular Imaging and Radionuclide Therapy</i> , 2022, 31, 49-56.	0.7	5
18	^{68}Ga -DOTATATE Uptake in Pancreatic Metastasis of Renal Cell Carcinoma Mimicking Pancreatic Neuroendocrine Tumor. <i>Clinical Nuclear Medicine</i> , 2019, 44, 795-796.	1.3	4

#	ARTICLE	IF	CITATIONS
19	18F-Fluorodeoxyglucose-Positron Emission Tomography/Computed Tomography for Other Thyroid Cancers: Medullary, Anaplastic, Lymphoma and So Forth. <i>Molecular Imaging and Radionuclide Therapy</i> , 2017, 26, 1-8.	0.7	4
20	Role of Thyroglobulin Doubling Time in Differentiated Thyroid Cancer and Its Relationship with Demographic-Histopathologic Risk Factors and ¹⁸ F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography Parameters. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2021, 36, 425-432.	1.0	3
21	Detectability of 18F-choline PET/MR in primary hyperparathyroidism. <i>European Archives of Oto-Rhino-Laryngology</i> , 2022, 279, 2583-2589.	1.6	3
22	Prognostic value of metabolic parameters on baseline 18F-FDG PET/CT in small cell lung cancer. <i>Quarterly Journal of Nuclear Medicine and Molecular Imaging</i> , 2019, , .	0.7	3
23	Ocular Involvement in Mantle Cell Lymphoma Detected by F 18 FDG PET/CT. <i>Molecular Imaging and Radionuclide Therapy</i> , 2011, 20, 36-37.	0.7	3
24	An uncommon presentation of diffuse large B cell lymphoma with multiple peripheral nerve involvement demonstrated BY 18F-FDG PET/CT. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020, 47, 218-219.	6.4	2
25	Differentiated thyroid carcinomas in childhood: clinicopathologic results of 26 patients. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 739-42.	0.9	1
26	Unexpected 18F-FDG uptake in an ocular prosthesis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1517-1518.	6.4	1
27	Association of haematological parameters with bone mineral density in elderly diabetic women. <i>Acta Clinica Belgica</i> , 2015, 70, 339-344.	1.2	1
28	Scintigraphic evaluation of renal functional damage in volatile substance abusers. <i>Nuclear Medicine Communications</i> , 2016, 37, 623-631.	1.1	1
29	Clinical Significance of Incidental Pituitary TC-99m MIBI Uptake on Parathyroid Spect and Factors Affecting Uptake Intensity. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2018, 33, 295-299.	1.0	1
30	Can we differentiate histologic subtypes of neuroendocrine tumour liver metastases at a single phase contrast-enhanced CTâ€™ correlation with Ga-68 DOTATATE PET/CT findings. <i>British Journal of Radiology</i> , 2020, 93, 20190735.	2.2	1
31	Gallbladder Uptake Mimicking Liver Metastasis on 177Lu-DOTATATE Posttherapy Scan Gallbladder Uptake on 177Lu-DOTATATE Scan. <i>Clinical Nuclear Medicine</i> , 2021, 46, e154-e155.	1.3	1
32	A Rare Extramedullary Presentation of Multiple Myeloma: Paraspinal Muscle Involvement Revealed by FDG PET/CT. <i>Turkish Journal of Haematology</i> , 2021, 38, 69-71.	0.5	1
33	Should the Place of Radioactive Iodine Whole Body Scintigraphy in Follow-up of Differentiated Thyroid Cancer Reevaluated in the Era of SPECT/CT?. , 2021, 7, 70-79.		1
34	Incidental Tc-99m Methylene Diphosphonate Uptake in an Active Thyroid Nodule. <i>Molecular Imaging and Radionuclide Therapy</i> , 2017, 26, 128-130.	0.7	1
35	Four Atypical Parathyroid Adenomas Detected by Dual Phase Tc-99m MIBI SPECT. <i>Molecular Imaging and Radionuclide Therapy</i> , 2020, 29, 33-36.	0.7	1
36	Radionuclide Methods for Pain Palliation. , 2020, 6, 20-27.		1

#	ARTICLE	IF	CITATIONS
37	Intense ^{18}F -Fluorodeoxyglucose Uptake in Brachial Plexus of Patients with Brachial Plexopathy. <i>Molecular Imaging and Radionuclide Therapy</i> , 2020, 29, 79-81.	0.7	1
38	Elevated Angiogenic Factor Levels After Transarterial Radioembolization for Colorectal Cancer Liver Metastases May Predict a Poor Prognosis. <i>Molecular Imaging and Radionuclide Therapy</i> , 2022, 31, 114-122.	0.7	1
39	Use of osteoporosis medications among Turkish patients. <i>Journal of Clinical Pharmacology</i> , 2014, 54, 1318-1319.	2.0	0
40	Use of Recombinant TSH in the Treatment and Monitoring of Well-Differentiated Thyroid Cancers. , 2021, 7, 113-121.		0
41	Ga-68 DOTATATE PET/CT in the Evaluation of Therapy Response in Neuroendocrine Tumors. , 2021, 7, 236-240.		0
42	Negative Histopathological Prognostic Factors Affecting Morbidity in T1 Differentiated Thyroid Carcinoma. <i>Cancer Biotherapy and Radiopharmaceuticals</i> , 2022, 37, 56-62.	1.0	0
43	Correlation of tumor marker levels with intensity of FDG uptake on PET imaging in epithelial cancers.. <i>Journal of Clinical Oncology</i> , 2014, 32, e14625-e14625.	1.6	0
44	Cyclosporine and Vancomycin + Amikacin Induced Hot Kidney Appearance in a Young Adult and a Pediatric Patient. <i>Molecular Imaging and Radionuclide Therapy</i> , 2017, 26, 124-127.	0.7	0
45	Nuclear Medicine Applications in Diagnosis of Urological Tumors. <i>Åœronkoloji BÃ¼lteni</i> , 2019, 18, 80-88.	0.1	0
46	Intense Pituitary ^{18}F -Fluorodeoxyglucose Positron Emission Tomography Uptake in a Patient with Diabetes Insipidus. <i>Balkan Medical Journal</i> , 2019, 36, 253-254.	0.8	0
47	First Turkey Experience of ^{11}C -Methionine PET in Multiple Myeloma. <i>Turkish Journal of Haematology</i> , 2020, , .	0.5	0
48	Developments in Pain Imaging. , 2020, 6, 1-4.		0
49	Nuclear Imaging and Treatment of Pheochromocytoma and Paragangliomas. , 2021, 7, 293-299.		0
50	The Role of Nuclear Medicine in the Diagnosis of NETs. , 2021, 7, 285-292.		0
51	F-18 NaF PET Imaging: With Evidence to Whom, When?. , 2022, 8, 112-119.		0