

# Mine Araz

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/702158/publications.pdf>

Version: 2024-02-01

51  
papers

323  
citations

1163117

8  
h-index

888059

17  
g-index

52  
all docs

52  
docs citations

52  
times ranked

460  
citing authors

#	ARTICLE	IF	CITATIONS
1	Detectability of 18F-choline PET/MR in primary hyperparathyroidism. European Archives of Oto-Rhino-Laryngology, 2022, 279, 2583-2589.	1.6	3
2	Negative Histopathological Prognostic Factors Affecting Morbidity in T1 Differentiated Thyroid Carcinoma. Cancer Biotherapy and Radiopharmaceuticals, 2022, 37, 56-62.	1.0	0
3	Myocardial perfusion SPECT findings in postCOVID period. European Journal of Nuclear Medicine and Molecular Imaging, 2022, 49, 889-894.	6.4	6
4	Can Radiomics Analyses in <sup>18</sup> F-FDG PET/CT Images of Primary Breast Carcinoma Predict Hormone Receptor Status?. Molecular Imaging and Radionuclide Therapy, 2022, 31, 49-56.	0.7	5
5	F-18 NaF PET Imaging: With Evidence to Whom, When?. , 2022, 8, 112-119.		0
6	Elevated Angiogenic Factor Levels After Transarterial Radioembolization for Colorectal Cancer Liver Metastases May Predict a Poor Prognosis. Molecular Imaging and Radionuclide Therapy, 2022, 31, 114-122.	0.7	1
7	Role of Thyroglobulin Doubling Time in Differentiated Thyroid Cancer and Its Relationship with Demographic-Histopathologic Risk Factors and <sup>18</sup> F-Fluorodeoxyglucose Positron Emission Tomography/Computed Tomography Parameters. Cancer Biotherapy and Radiopharmaceuticals. 2021, 36, 425-432.	1.0	3
8	Gallbladder Uptake Mimicking Liver Metastasis on 177Lu-DOTATATE Posttherapy Scan Gallbladder Uptake on 177Lu-DOTATATE Scan. Clinical Nuclear Medicine, 2021, 46, e154-e155.	1.3	1
9	A Rare Extramedullary Presentation of Multiple Myeloma: Paraspinal Muscle Involvement Revealed by FDG PET/CT. Turkish Journal of Haematology, 2021, 38, 69-71.	0.5	1
10	Use of Recombinant TSH in the Treatment and Monitoring of Well-Differentiated Thyroid Cancers. , 2021, 7, 113-121.		0
11	Should the Place of Radioactive Iodine Whole Body Scintigraphy in Follow-up of Differentiated Thyroid Cancer Reevaluated in the Era of SPECT/CT?. , 2021, 7, 70-79.		1
12	Ga-68 DOTATATE PET/CT in the Evaluation of Therapy Response in Neuroendocrine Tumors. , 2021, 7, 236-240.		0
13	Nuclear Imaging and Treatment of Pheochromocytoma and Paragangliomas. , 2021, 7, 293-299.		0
14	The Role of Nuclear Medicine in the Diagnosis of NETs. , 2021, 7, 285-292.		0
15	An uncommon presentation of diffuse large B cell lymphoma with multiple peripheral nerve involvement demonstrated BY 18F-FDG PET/CT. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 218-219.	6.4	2
16	Can we differentiate histologic subtypes of neuroendocrine tumour liver metastases at a single phase contrast-enhanced CTâ€™ correlation with Ga-68 DOTATATE PET/CT findings. British Journal of Radiology, 2020, 93, 20190735.	2.2	1
17	Four Atypical Parathyroid Adenomas Detected by Dual Phase Tc-99m MIBI SPECT. Molecular Imaging and Radionuclide Therapy, 2020, 29, 33-36.	0.7	1
18	Radionuclide Methods for Pain Palliation. , 2020, 6, 20-27.		1

#	ARTICLE	IF	CITATIONS
19	First Turkey Experience of 11C-Methionine PET in Multiple Myeloma. Turkish Journal of Haematology, 2020, , .	0.5	0
20	Developments in Pain Imaging. , 2020, 6, 1-4.		0
21	Intense &sup>18&lt;/sup>F-Fluorodeoxyglucose Uptake in Brachial Plexus of Patients with Brachial Plexopathy. Molecular Imaging and Radionuclide Therapy, 2020, 29, 79-81.	0.7	1
22	68Ga-DOTATATE Uptake in Pancreatic Metastasis of Renal Cell Carcinoma Mimicking Pancreatic Neuroendocrine Tumor. Clinical Nuclear Medicine, 2019, 44, 795-796.	1.3	4
23	Comparison of bone scintigraphy and Ga-68 prostate-specific membrane antigen positron emission tomography/computed tomography in the detection of bone metastases of prostate carcinoma. Nuclear Medicine Communications, 2019, 40, 1243-1249.	1.1	7
24	18F-Fluorodeoxy glucose PET&acirc;computed tomography in testicular carcinoma: diagnostic and prognostic value. Nuclear Medicine Communications, 2019, 40, 1268-1274.	1.1	5
25	Prognostic value of metabolic parameters on baseline 18F-FDG PET/CT in small cell lung cancer. Quarterly Journal of Nuclear Medicine and Molecular Imaging, 2019, , .	0.7	3
26	Nuclear Medicine Applications in Diagnosis of Urological Tumors. Åœronkoloji BÃ¼lteni, 2019, 18, 80-88.	0.1	0
27	Intense Pituitary 18F-Fluorodeoxyglucose Positron Emission Tomography Uptake in a Patient with Diabetes Insipidus. Balkan Medical Journal, 2019, 36, 253-254.	0.8	0
28	The relationship between semiquantitative parameters derived from technetium-99m methoxyisobutylisonitrile dual-phase parathyroid single-photon emission computed tomography images and disease severity in primary hyperparathyroidism. Nuclear Medicine Communications, 2018, 39, 304-311.	1.1	7
29	The efficacy of fluorine-18-choline PET/CT in comparison with 99mTc-MIBI SPECT/CT in the localization of a hyperfunctioning parathyroid gland in primary hyperparathyroidism. Nuclear Medicine Communications, 2018, 39, 989-994.	1.1	38
30	Clinical Significance of Incidental Pituitary TC-99m MIBI Uptake on Parathyroid Spect and Factors Affecting Uptake Intensity. Cancer Biotherapy and Radiopharmaceuticals, 2018, 33, 295-299.	1.0	1
31	Inguinal Endometriosis Visualized on I-131 Whole Body Scan. Molecular Imaging and Radionuclide Therapy, 2018, 27, 52-54.	0.7	5
32	Factors affecting the sensitivity of Tc-99m methoxyisobutylisonitrile dual-phase parathyroid single photon emission computed tomography in primary hyperparathyroidism. Nuclear Medicine Communications, 2017, 38, 117-123.	1.1	13
33	18F-Fluorodeoxyglucose-Positron Emission Tomography/Computed Tomography for Other Thyroid Cancers: Medullary, Anaplastic, Lymphoma and So Forth. Molecular Imaging and Radionuclide Therapy, 2017, 26, 1-8.	0.7	4
34	Incidental Tc-99m Methylene Diphosphonate Uptake in an Active Thyroid Nodule. Molecular Imaging and Radionuclide Therapy, 2017, 26, 128-130.	0.7	1
35	Cyclosporine and Vancomycin + Amikacin Induced Hot Kidney Appearance in a Young Adult and a Pediatric Patient. Molecular Imaging and Radionuclide Therapy, 2017, 26, 124-127.	0.7	0
36	Scintigraphic evaluation of renal functional damage in volatile substance abusers. Nuclear Medicine Communications, 2016, 37, 623-631.	1.1	1

#	ARTICLE	IF	CITATIONS
37	The role of $^{18}\text{F}$ -NaF PET/CT in metastatic bone disease. <i>Journal of Bone Oncology</i> , 2015, 4, 92-97.	2.4	64
38	Assessment of recurrence rates in papillary thyroid microcarcinoma patients with and without histopathological risk factors after radioiodine ablation treatment. <i>Nuclear Medicine Communications</i> , 2015, 36, 109-113.	1.1	6
39	Association of haematological parameters with bone mineral density in elderly diabetic women. <i>Acta Clinica Belgica</i> , 2015, 70, 339-344.	1.2	1
40	Use of osteoporosis medications among Turkish patients. <i>Journal of Clinical Pharmacology</i> , 2014, 54, 1318-1319.	2.0	0
41	Correlation of tumor marker levels with intensity of FDG uptake on PET imaging in epithelial cancers.. <i>Journal of Clinical Oncology</i> , 2014, 32, e14625-e14625.	1.6	0
42	Prognostic Importance of $^{18}\text{F}$ -FDG Uptake Pattern of Hepatocellular Cancer Patients Who Received SIRT. <i>Clinical Nuclear Medicine</i> , 2013, 38, e283-e289.	1.3	18
43	Evaluation of the Response to Selective Internal Radiation Therapy in Patients With Hepatocellular Cancer According to Pretreatment $^{99\text{m}}\text{Tc}$ -MAA Uptake. <i>Clinical Nuclear Medicine</i> , 2013, 38, 252-255.	1.3	8
44	Serum carcinoembryonic antigen measurement, abdominal contrast-enhanced computed tomography, and fluorine-18 fluorodeoxyglucose positron emission tomography/computed tomography in the detection of colorectal cancer recurrence. <i>Nuclear Medicine Communications</i> , 2012, 33, 990-994.	1.1	13
45	The role of $^{18}\text{F}$ -FDG PET/CT in detecting colorectal cancer recurrence in patients with elevated CEA levels. <i>Nuclear Medicine Communications</i> , 2012, 33, 395-402.	1.1	35
46	Detection of Intraluminal Tracheal Metastasis of Thyroid Papillary Carcinoma by $^{18}\text{F}$ -FDG PET/CT. <i>Clinical Nuclear Medicine</i> , 2012, 37, e160-e161.	1.3	5
47	The Additive Clinical Value of $^{18}\text{F}$ -FDG PET/CT in Defining the Recurrence of Disease in Patients With Differentiated Thyroid Cancer Who Have Isolated Increased Antithyroglobulin Antibody Levels. <i>Clinical Nuclear Medicine</i> , 2012, 37, 755-758.	1.3	30
48	Unexpected $^{18}\text{F}$ -FDG uptake in an ocular prosthesis. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2012, 39, 1517-1518.	6.4	1
49	The role of $^{18}\text{F}$ -FDG-PET/CT in the preoperative staging and posttherapy follow up of gastric cancer: Comparison with spiral CT. <i>World Journal of Surgical Oncology</i> , 2011, 9, 75.	1.9	22
50	Differentiated thyroid carcinomas in childhood: clinicopathologic results of 26 patients. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2011, 24, 739-42.	0.9	1
51	Ocular Involvement in Mantle Cell Lymphoma Detected by $^{18}\text{F}$ FDG PET/CT. <i>Molecular Imaging and Radionuclide Therapy</i> , 2011, 20, 36-37.	0.7	3