

# David Chang

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/7022902/david-chang-publications-by-citations.pdf>

**Version:** 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

15  
papers

351  
citations

6  
h-index

16  
g-index

16  
ext. papers

460  
ext. citations

3.5  
avg, IF

3.85  
L-index

#	Paper	IF	Citations
15	Effect of Chloroquine, Hydroxychloroquine, and Azithromycin on the Corrected QT Interval in Patients With SARS-CoV-2 Infection. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2020</b> , 13, e008662	6.4	200
14	COVID-19 Infection Unmasking Brugada Syndrome. <i>HeartRhythm Case Reports</i> , <b>2020</b> , 6, 237-240	1	45
13	Inpatient Use of Ambulatory Telemetry Monitors for COVID-19 Patients Treated With Hydroxychloroquine and/or Azithromycin. <i>Journal of the American College of Cardiology</i> , <b>2020</b> , 75, 2992-2993	15.1	44
12	Inpatient use of mobile continuous telemetry for COVID-19 patients treated with hydroxychloroquine and azithromycin. <i>HeartRhythm Case Reports</i> , <b>2020</b> , 6, 241-243	1	24
11	Concomitant leadless pacemaker implantation and lead extraction during an active infection. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 860-867	2.7	13
10	Safely Administering Potential QTc Prolonging Therapy Across a Large Health Care System in the COVID-19 Era. <i>Circulation: Arrhythmia and Electrophysiology</i> , <b>2020</b> , 13, e008937	6.4	9
9	Safety of leadless pacemaker implantation in the very elderly. <i>Heart Rhythm</i> , <b>2020</b> , 17, 2023-2028	6.7	5
8	A novel diagnostic approach to a mass on a device lead. <i>HeartRhythm Case Reports</i> , <b>2019</b> , 5, 306-309	1	5
7	Percutaneous management of superior vena cava syndrome in patients with cardiovascular implantable electronic devices. <i>Heart Rhythm</i> , <b>2021</b> , 18, 392-398	6.7	3
6	Rhythm, conduction, and ST elevation with COVID-19: Myocarditis or myocardial infarction?. <i>HeartRhythm Case Reports</i> , <b>2020</b> , 6, 671-675	1	2
5	When bigger is better: Novel use of a 27 F leadless pacemaker delivery sheath for femoral lead extractions. <i>Heart Rhythm</i> , <b>2020</b> , 17, 152-157	6.7	1
4	Flecainide-induced AV dyssynchrony and atrial latency progression in a patient with a dual-chamber pacemaker. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2021</b> , 32, 2005-2010	2.7	0
3	Authoræ Reply-Is it really COVID-19?. <i>HeartRhythm Case Reports</i> , <b>2020</b> , 6, 471	1	
2	Electrocardiographic localization of ventricular arrhythmias successfully ablated from the distal great cardiac vein. <i>Journal of Cardiovascular Electrophysiology</i> , <b>2020</b> , 31, 2668-2676	2.7	
1	Loop Recorder Implantation on a Telemetry Ward. <i>American Journal of Cardiology</i> , <b>2020</b> , 125, 1851-1853		