

# Carrie R Ferrario

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7024506/publications.pdf>

Version: 2024-02-01

50  
papers

2,645  
citations

218677

26  
h-index

214800

47  
g-index

60  
all docs

60  
docs citations

60  
times ranked

2706  
citing authors

#	ARTICLE	IF	CITATIONS
1	Intra-NAc insulin reduces the motivation for food and food intake without altering cue-triggered food-seeking. <i>Physiology and Behavior</i> , 2022, 254, 113892.	2.1	3
2	Sex specific effects of "junk-food" diet on calcium permeable AMPA receptors and silent synapses in the nucleus accumbens core. <i>Neuropsychopharmacology</i> , 2021, 46, 569-578.	5.4	25
3	Insulin Bidirectionally Alters NAc Glutamatergic Transmission: Interactions between Insulin Receptor Activation, Endogenous Opioids, and Glutamate Release. <i>Journal of Neuroscience</i> , 2021, 41, 2360-2372.	3.6	28
4	Dopamine "ups and downs"™ in addiction revisited. <i>Trends in Neurosciences</i> , 2021, 44, 516-526.	8.6	49
5	Studying dopamine in addiction: the cart should follow the horse. <i>Trends in Neurosciences</i> , 2021, 44, 595-596.	8.6	0
6	Affective Pavlovian motivation is enhanced in obesity susceptible populations: Implications for incentive motivation in obesity. <i>Behavioural Brain Research</i> , 2020, 380, 112318.	2.2	11
7	Why did I eat that? Contributions of individual differences in incentive motivation and nucleus accumbens plasticity to obesity. <i>Physiology and Behavior</i> , 2020, 227, 113114.	2.1	24
8	An improved demand curve for analysis of food or drug consumption in behavioral experiments. <i>Psychopharmacology</i> , 2020, 237, 943-955.	3.1	12
9	Sex and region-specific effects of high fat diet on PNNs in obesity susceptible rats. <i>Physiology and Behavior</i> , 2020, 222, 112963.	2.1	13
10	Effects of hM4Di activation in CamKII basolateral amygdala neurons and CNO treatment on sensory-specific vs. general PIT: refining PIT circuits and considerations for using CNO. <i>Psychopharmacology</i> , 2020, 237, 1249-1266.	3.1	12
11	Intermittent access cocaine self-administration produces psychomotor sensitization: effects of withdrawal, sex and cross-sensitization. <i>Psychopharmacology</i> , 2020, 237, 1795-1812.	3.1	34
12	Eating "junk food" has opposite effects on intrinsic excitability of nucleus accumbens core neurons in obesity-susceptible versus -resistant rats. <i>Journal of Neurophysiology</i> , 2019, 122, 1264-1273.	1.8	35
13	Effects of the estrous cycle and ovarian hormones on cue-triggered motivation and intrinsic excitability of medium spiny neurons in the Nucleus Accumbens core of female rats. <i>Hormones and Behavior</i> , 2019, 116, 104583.	2.1	32
14	Enhanced anxiety-like behavior emerges with weight gain in male and female obesity-susceptible rats. <i>Behavioural Brain Research</i> , 2019, 360, 81-93.	2.2	27
15	Knock-In Rat Lines with Cre Recombinase at the Dopamine D1 and Adenosine 2a Receptor Loci. <i>ENeuro</i> , 2019, 6, ENEURO.0163-19.2019.	1.9	14
16	Individual differences in conditioned approach and cocaine-induced locomotor activity in obesity-susceptible rats. <i>FASEB Journal</i> , 2019, 33, 805.1.	0.5	0
17	Insulin enhances presynaptic glutamate release via opioid receptor-mediated disinhibition. <i>FASEB Journal</i> , 2019, 33, 663.10.	0.5	0
18	Enhanced incentive motivation in obesity-prone rats is mediated by NAc core CP-AMPA receptors. <i>Neuropharmacology</i> , 2018, 131, 326-336.	4.1	60

#	ARTICLE	IF	CITATIONS
19	Junk-food enhances conditioned food cup approach to a previously established food cue, but does not alter cue potentiated feeding; implications for the effects of palatable diets on incentive motivation. <i>Physiology and Behavior</i> , 2018, 192, 145-157.	2.1	18
20	Insulin-mediated synaptic plasticity in the CNS: Anatomical, functional and temporal contexts. <i>Neuropharmacology</i> , 2018, 136, 182-191.	4.1	96
21	Cocaine and desipramine elicit distinct striatal noradrenergic and behavioral responses in selectively bred obesity-resistant and obesity-prone rats. <i>Behavioural Brain Research</i> , 2018, 346, 137-143.	2.2	3
22	Role of hippocampal 5-HT1A receptors in the antidepressant-like phenotype of mice expressing RGS-insensitive G $\alpha$ i2 protein. <i>Neuropharmacology</i> , 2018, 141, 296-304.	4.1	2
23	Functional and structural plasticity contributing to obesity: roles for sex, diet, and individual susceptibility. <i>Current Opinion in Behavioral Sciences</i> , 2018, 23, 160-170.	3.9	19
24	Food Addiction and Obesity. <i>Neuropsychopharmacology</i> , 2017, 42, 361-361.	5.4	37
25	Structural and Functional Plasticity within the Nucleus Accumbens and Prefrontal Cortex Associated with Time-Dependent Increases in Food Cue-Seeking Behavior. <i>Neuropsychopharmacology</i> , 2017, 42, 2354-2364.	5.4	37
26	Adenylyl Cyclase 1 Is Required for Ethanol-Induced Locomotor Sensitization and Associated Increases in NMDA Receptor Phosphorylation and Function in the Dorsal Medial Striatum. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 363, 148-155.	2.5	8
27	Eating "Junk-Food" Produces Rapid and Long-Lasting Increases in NAc CP-AMPA Receptors: Implications for Enhanced Cue-Induced Motivation and Food Addiction. <i>Neuropsychopharmacology</i> , 2016, 41, 2977-2986.	5.4	124
28	Homeostasis Meets Motivation in the Battle to Control Food Intake. <i>Journal of Neuroscience</i> , 2016, 36, 11469-11481.	3.6	183
29	Pre-existing differences and diet-induced alterations in striatal dopamine systems of obesity-prone rats. <i>Obesity</i> , 2016, 24, 670-677.	3.0	26
30	Enhanced cocaine-induced locomotor sensitization and intrinsic excitability of NAc medium spiny neurons in adult but not in adolescent rats susceptible to diet-induced obesity. <i>Psychopharmacology</i> , 2016, 233, 773-784.	3.1	86
31	Pre-existing differences in motivation for food and sensitivity to cocaine-induced locomotion in obesity-prone rats. <i>Physiology and Behavior</i> , 2015, 152, 151-160.	2.1	42
32	Motivational Processes Underlying Substance Abuse Disorder. <i>Current Topics in Behavioral Neurosciences</i> , 2015, 27, 473-506.	1.7	33
33	Individual Differences in Cue-Induced Motivation and Striatal Systems in Rats Susceptible to Diet-Induced Obesity. <i>Neuropsychopharmacology</i> , 2015, 40, 2113-2123.	5.4	164
34	Stretch injury selectively enhances extrasynaptic, GluN2B-containing NMDA receptor function in cortical neurons. <i>Journal of Neurophysiology</i> , 2013, 110, 131-140.	1.8	28
35	Different Roles of BDNF in Nucleus Accumbens Core versus Shell during the Incubation of Cue-Induced Cocaine Craving and Its Long-Term Maintenance. <i>Journal of Neuroscience</i> , 2013, 33, 1130-1142.	3.6	72
36	Interacting Epidemics and Coinfection on Contact Networks. <i>PLoS ONE</i> , 2013, 8, e71321.	2.5	65

#	ARTICLE	IF	CITATIONS
37	A Protein Cross-Linking Assay for Measuring Cell Surface Expression of Glutamate Receptor Subunits in the Rodent Brain After In Vivo Treatments. <i>Current Protocols in Neuroscience</i> , 2012, 59, Unit 5.30.1-19.	2.6	49
38	Withdrawal from Cocaine Self-Administration Alters NMDA Receptor-Mediated Ca <sup>2+</sup> Entry in Nucleus Accumbens Dendritic Spines. <i>PLoS ONE</i> , 2012, 7, e40898.	2.5	17
39	Distribution of AMPA receptor subunits and TARPs in synaptic and extrasynaptic membranes of the adult rat nucleus accumbens. <i>Neuroscience Letters</i> , 2011, 490, 180-184.	2.1	32
40	Alterations in AMPA receptor subunits and TARPs in the rat nucleus accumbens related to the formation of Ca <sup>2+</sup> -permeable AMPA receptors during the incubation of cocaine craving. <i>Neuropharmacology</i> , 2011, 61, 1141-1151.	4.1	99
41	Effects of acute cocaine or dopamine receptor agonists on AMPA receptor distribution in the rat nucleus accumbens. <i>Synapse</i> , 2011, 65, 54-63.	1.2	18
42	AMPA receptor plasticity in the nucleus accumbens after repeated exposure to cocaine. <i>Neuroscience and Biobehavioral Reviews</i> , 2010, 35, 185-211.	6.1	244
43	The Role of Glutamate Receptor Redistribution in Locomotor Sensitization to Cocaine. <i>Neuropsychopharmacology</i> , 2010, 35, 818-833.	5.4	80
44	Signaling pathway adaptations and novel protein kinase A substrates related to behavioral sensitization to cocaine. <i>Journal of Neurochemistry</i> , 2009, 110, 363-377.	3.9	80
45	The rate of intravenous cocaine administration alters c-fos mRNA expression and the temporal dynamics of dopamine, but not glutamate, overflow in the striatum. <i>Brain Research</i> , 2008, 1209, 151-156.	2.2	32
46	The rate of intravenous cocaine or amphetamine delivery does not influence drug-taking and drug-seeking behavior in rats. <i>Pharmacology Biochemistry and Behavior</i> , 2008, 90, 797-804.	2.9	32
47	Amphetamine pretreatment accelerates the subsequent escalation of cocaine self-administration behavior. <i>European Neuropsychopharmacology</i> , 2007, 17, 352-357.	0.7	59
48	Monitoring Dopamine in Vivo by Microdialysis Sampling and On-Line CE-Laser-Induced Fluorescence. <i>Analytical Chemistry</i> , 2006, 78, 6717-6725.	6.5	134
49	Neural and Behavioral Plasticity Associated with the Transition from Controlled to Escalated Cocaine Use. <i>Biological Psychiatry</i> , 2005, 58, 751-759.	1.3	244
50	Protein synthesis in the amygdala, but not the auditory thalamus, is required for consolidation of Pavlovian fear conditioning in rats. <i>European Journal of Neuroscience</i> , 2003, 18, 3080-3088.	2.6	91