

Marcelo B Labruna

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7025256/publications.pdf>

Version: 2024-02-01

622
papers

20,434
citations

20036

63
h-index

32181

105
g-index

638
all docs

638
docs citations

638
times ranked

6094
citing authors

#	ARTICLE	IF	CITATIONS
1	Molecular detection of <i>Coxiella burnetii</i> in aborted bovine fetuses in Brazil. <i>Acta Tropica</i> , 2022, 227, 106258.	0.9	6
2	Occurrence and Molecular Identification of Hemoparasites in Wild Mammals Kept in Rehabilitation Centers in Brazil. <i>Acta Parasitologica</i> , 2022, 67, 476-486.	0.4	4
3	Diversity and Seasonal Dynamics of Ticks on Ring-Tailed Coatis <i>Nasua nasua</i> (Carnivora: Procyonidae) in Two Urban Areas from Midwestern Brazil. <i>Animals</i> , 2022, 12, 293.	1.0	7
4	A Novel Genospecies of <i>Borrelia burgdorferi</i> Sensu Lato Associated with Cricetid Rodents in Brazil. <i>Microorganisms</i> , 2022, 10, 204.	1.6	7
5	Novel Anaplasmataceae agents <i>Candidatus</i> Ehrlichia hydrochoerus and <i>Anaplasma</i> spp. Infecting Capybaras, Brazil. <i>Emerging Infectious Diseases</i> , 2022, 28, 480-482.	2.0	8
6	Occurrence of tick-borne pathogens in dogs in a coastal region of the state of Ceará, northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2022, 31, e021321.	0.2	3
7	Novel genotypes of <i>Hepatozoon</i> spp. in small mammals, Brazil. <i>Parasites and Vectors</i> , 2022, 15, 87.	1.0	3
8	New records of soft ticks (Acari: Argasidae) in the Caatinga biome of Brazil, with a phylogenetic analysis of argasids using the nuclear Histone 3 (H3) gene. <i>Experimental and Applied Acarology</i> , 2022, 86, 567-581.	0.7	7
9	Research of <i>Rickettsia</i> spp. and <i>Borrelia</i> spp. in dogs in Southeast Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2022, 30, 100706.	0.3	0
10	Survey of Brazilian spotted fever in dogs and ticks in Itu, São Paulo state, Brazil. <i>International Journal of Acarology</i> , 2022, 48, 15-19.	0.3	0
11	<i>Ornithodoros</i> (Pavlovskyella) ticks associated with a <i>Rickettsia</i> sp. in Pakistan. <i>Parasites and Vectors</i> , 2022, 15, 138.	1.0	14
12	<i>Rickettsia amblyommatis</i> -infected <i>Amblyomma coelebs</i> parasitizing a human traveler in Rio Grande do Sul, southern Brazil, after returning from the Amazon. <i>Travel Medicine and Infectious Disease</i> , 2022, 48, 102328.	1.5	4
13	Natural infection and molecular detection of <i>Cytauxzoon felis</i> in a free-ranging <i>Puma concolor</i> in the state of Goiás, Brazil. <i>Ciencia Rural</i> , 2022, 52, .	0.3	1
14	Comparative genomics of the Western Hemisphere soft tick-borne relapsing fever borreliae highlights extensive plasmid diversity. <i>BMC Genomics</i> , 2022, 23, .	1.2	13
15	Seasonal dynamics of <i>Amblyomma sculptum</i> : a review. <i>Parasites and Vectors</i> , 2022, 15, .	1.0	10
16	<i>Ornithodoros</i> cf. <i>mimon</i> infected with a spotted fever group <i>Rickettsia</i> in Brazil. <i>Acta Tropica</i> , 2022, 233, 106541.	0.9	3
17	Historical overview and update on relapsing fever group <i>Borrelia</i> in Latin America. <i>Parasites and Vectors</i> , 2022, 15, .	1.0	24
18	<i>Rickettsia</i> spp. in ticks (Acari: Ixodidae) from wild birds in Caldas, Colombia. <i>Acta Tropica</i> , 2021, 213, 105733.	0.9	6

#	ARTICLE	IF	CITATIONS
19	Detection of <i>Dermacentor andersoni</i> (Acari: Ixodidae) in Brazil on a Human Traveler Returning from the United States. <i>Journal of Medical Entomology</i> , 2021, 58, 947-949.	0.9	6
20	Distribution modeling of <i>Amblyomma rotundatum</i> and <i>Amblyomma dissimile</i> in Brazil: estimates of environmental suitability. <i>Parasitology Research</i> , 2021, 120, 797-806.	0.6	5
21	Novel <i>Borrelia</i> genotypes in bats from the Macaregua Cave, Colombia. <i>Zoonoses and Public Health</i> , 2021, 68, 12-18.	0.9	21
22	Life cycle of <i>Ixodes schulzei</i> (Acari: Ixodidae) in the laboratory, and demonstration of reproduction by parthenogenesis. <i>Parasitology Research</i> , 2021, 120, 9-13.	0.6	1
23	Survey of ticks and tick-borne agents in maned wolves (<i>Chrysocyon brachyurus</i>) from a natural landscape in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101639.	1.1	12
24	Relapsing Fever Group <i>Borreliae</i> in Human-Biting Soft Ticks, Brazil. <i>Emerging Infectious Diseases</i> , 2021, 27, 322-324.	2.0	19
25	Endoparasites of capybaras (<i>Hydrochoerus hydrochaeris</i>) from anthropized and natural areas of Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e027420.	0.2	2
26	First report of <i>Amblyomma latepunctatum</i> and the second record of <i>Ixodes luciae</i> in the state of Acre, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e007221.	0.2	1
27	Capybara (<i>Hydrochoerus hydrochaeris</i>) exposure to <i>Rickettsia</i> in the Federal District of Brazil, a non-endemic area for Brazilian spotted fever. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e028720.	0.2	2
28	Human-modified landscapes alter home range and movement patterns of capybaras. <i>Journal of Mammalogy</i> , 2021, 102, 319-332.	0.6	8
29	Ticks (Parasitiformes: Ixodida) on new world wild primates in Brazil. <i>International Journal of Acarology</i> , 2021, 47, 95-106.	0.3	6
30	Richness of hard ticks (Acari: Ixodidae) from Eastern Brazilian Amazonia, state of Pará, Brazil. <i>International Journal of Acarology</i> , 2021, 47, 159-169.	0.3	6
31	Morphological descriptions of the nymph and adults of <i>Ornithodoros clarki</i> , the larva and nymph of <i>Ornithodoros rondoni</i> , with notes on their phylogenetic relationships. <i>Systematic Parasitology</i> , 2021, 98, 231-246.	0.5	4
32	Ticks and tick-borne <i>Rickettsia</i> in El Salvador. <i>Experimental and Applied Acarology</i> , 2021, 83, 545-554.	0.7	14
33	Life Cycle and Genetic Identification of <i>Argas persicus</i> Infesting Domestic Fowl in Khyber Pakhtunkhwa, Pakistan. <i>Frontiers in Veterinary Science</i> , 2021, 8, 664731.	0.9	16
34	Ticks and rickettsial exposure in lowland tapirs (<i>Tapirus terrestris</i>) of three Brazilian biomes. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101648.	1.1	11
35	<i>Coxiella burnetii</i> and Related Tick Endosymbionts Evolved from Pathogenic Ancestors. <i>Genome Biology and Evolution</i> , 2021, 13, .	1.1	27
36	Seasonal dynamics and rickettsial infection in free-living <i>Amblyomma dubitatum</i> in the Atlantic forest biome in north-eastern Brazil. <i>Acta Tropica</i> , 2021, 217, 105854.	0.9	5

#	ARTICLE	IF	CITATIONS
37	Risk factors associated with tick infestations on equids in Khyber Pakhtunkhwa, Pakistan, with notes on <i>Rickettsia massiliae</i> detection. <i>Parasites and Vectors</i> , 2021, 14, 363.	1.0	29
38	Morphometric Patterns and Blood Biochemistry of Capybaras (<i>Hydrochoerus hydrochaeris</i>) from Human-Modified Landscapes and Natural Landscapes in Brazil. <i>Veterinary Sciences</i> , 2021, 8, 165.	0.6	2
39	A new species of soft tick from dry tropical forests of Brazilian Caatinga. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101748.	1.1	9
40	Exploring the ecological and evolutionary relationships between <i>Rickettsia</i> and hard ticks in the Neotropical region.. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101754.	1.1	6
41	Experimental infection and vector competence of <i>Amblyomma patinoi</i> , a member of the <i>Amblyomma cajennense</i> species complex, for the human pathogen <i>Rickettsia rickettsii</i> . <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101751.	1.1	3
42	Tick-borne zoonotic agents infecting horses from an urban area in Midwestern Brazil: epidemiological and hematological features. <i>Tropical Animal Health and Production</i> , 2021, 53, 475.	0.5	2
43	<i>Rickettsial</i> infection in free-ranging capybaras (<i>Hydrochoerus hydrochaeris</i>) and their ticks (Acari, Tj ETQq1 1 0.784314 rgBT /Overlook Regional Studies and Reports, 2021, 26, 100649.	0.3	1
44	Presence of two species of the <i>Amblyomma cajennense</i> complex (Acari: Ixodidae) and probable zones of sympatry in northwestern Colombia. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101815.	1.1	2
45	Ticks (Acari: Ixodidae) on marsh deer (<i>Blastocerus dichotomus</i>) at a conservation center: infestation and <i>Rickettsia parkeri</i> infection dynamics along nine years. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101826.	1.1	1
46	Domestic dogs as amplifying hosts of <i>Rickettsia rickettsii</i> for <i>Amblyomma aureolatum</i> ticks. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101824.	1.1	7
47	Small mammals, ticks and rickettsiae in natural and human-modified landscapes: Diversity and occurrence of Brazilian spotted fever in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2021, 12, 101805.	1.1	7
48	Serological evidence of <i>Rickettsia</i> in horses from a semi-arid Brazilian region. <i>Brazilian Journal of Veterinary Parasitology</i> , 2021, 30, e026220.	0.2	3
49	<i>Rickettsioses</i> in Brazil: distinct diseases and new paradigms for epidemiological surveillance. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e07322020.	0.4	11
50	Borrelioses in Brazil: Is it time to consider tick-borne relapsing fever a neglected disease in Brazil?. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2021, 54, e0443.	0.4	4
51	<i>Rickettsia rickettsii</i> (Rickettsiales: Rickettsiaceae) Infecting <i>Amblyomma sculptum</i> (Acari: Ixodidae) Ticks and Capybaras in a Brazilian Spotted Fever-Endemic Area of Brazil. <i>Journal of Medical Entomology</i> , 2020, 57, 308-311.	0.9	24
52	Ticks biting humans in the Brazilian savannah: Attachment sites and exposure risk in relation to species, life stage and season. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101328.	1.1	22
53	Epidemiological aspects of <i>Rickettsia parkeri</i> in the Atlantic forest biome of Esp�rito Santo state, Brazil. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101319.	1.1	10
54	New Genotypes of <i>Coxiella burnetii</i> Circulating in Brazil and Argentina. <i>Pathogens</i> , 2020, 9, 30.	1.2	23

#	ARTICLE	IF	CITATIONS
55	Novel Viruses Found in Antricola Ticks Collected in Bat Caves in the Western Amazonia of Brazil. <i>Viruses</i> , 2020, 12, 48.	1.5	10
56	Comparative survival of the engorged stages of <i>Amblyomma dubitatum</i> and <i>Amblyomma sculptum</i> in the laboratory: Implications for Brazilian spotted fever epidemiology. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101360.	1.1	9
57	Comparative analysis of the midgut microbiota of two natural tick vectors of <i>Rickettsia rickettsii</i> . <i>Developmental and Comparative Immunology</i> , 2020, 106, 103606.	1.0	13
58	<i>Borrelia burgdorferi sensu lato</i> infecting <i>Ixodes auritulus</i> ticks in Uruguay. <i>Experimental and Applied Acarology</i> , 2020, 80, 109-125.	0.7	11
59	Synonymy of <i>Ixodes aragai</i> with <i>Ixodes fuscipes</i> , and reinstatement of <i>Ixodes spinosus</i> (Acari: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 14)	1.1	28
60	Infestation of free-ranging reptiles by ticks of the genus <i>Amblyomma</i> (Acari: Ixodidae) in the state of Acre, western Brazilian Amazon. <i>International Journal of Acarology</i> , 2020, 46, 606-610.	0.3	3
61	Associations between wild birds and hard ticks (Acari: Ixodidae) in Colombia. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101534.	1.1	9
62	Molecular detection of a <i>Borrelia</i> sp. in nymphs of <i>Amblyomma brasiliense</i> ticks (Acari: Ixodidae) from Iguaçu National Park, Brazil, genetically related to <i>Borrelia</i> from Ethiopia and Côte d'Ivoire. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101519.	1.1	7
63	Life cycle of the tick <i>Amblyomma humerale</i> (Parasitiformes: Ixodida) in the laboratory. <i>International Journal of Acarology</i> , 2020, 46, 351-356.	0.3	3
64	Ticks (Acari: Ixodidae) on wild raptors in Brazil. <i>International Journal of Acarology</i> , 2020, 46, 357-363.	0.3	2
65	<i>Rickettsia parkeri</i> in the Pampa biome of southern Brazil: Isolation, molecular characterization, and serological evidence of canine infection. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 22, 100448.	0.3	3
66	Maintenance of the infection by <i>Rickettsia amblyommatis</i> in <i>Amblyomma cajennense sensu stricto</i> ticks and evaluation of vector competence. <i>Experimental and Applied Acarology</i> , 2020, 82, 151-159.	0.7	3
67	Comparative Analysis of Infection by <i>Rickettsia rickettsii</i> Sheila Smith and Taiaçu Strains in a Murine Model. <i>Pathogens</i> , 2020, 9, 744.	1.2	5
68	An overview of gamasoidosis caused by <i>Ornithonyssus bursa</i> (Mesostigmata: Macronyssidae) in Brazil and new case records. <i>International Journal of Acarology</i> , 2020, 46, 568-573.	0.3	4
69	Host movement and time of year influence tick parasitism in Pantanal birds. <i>Experimental and Applied Acarology</i> , 2020, 82, 125-135.	0.7	8
70	Contribution about the knowledge of <i>Lepronyssoides pereirai</i> (Fonseca, 1935) (Mesostigmata: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 14)	0.3	3
71	Habitat selection in natural and human-modified landscapes by capybaras (<i>Hydrochoerus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 14	1.1	14
72	Typhus Group Rickettsiosis, Brazilian Amazon. <i>Emerging Infectious Diseases</i> , 2020, 26, 2294-2296.	2.0	7

#	ARTICLE	IF	CITATIONS
73	“Candidatus Borrelia ibitipoquensis,” a Borrelia valaisiana–Related Genospecies Characterized from Ixodes paranaensis in Brazil. <i>Microbial Ecology</i> , 2020, 80, 682-689.	1.4	19
74	Low host specificity and lack of parasite avoidance by immature ticks in Brazilian birds. <i>Parasitology Research</i> , 2020, 119, 2039-2045.	0.6	5
75	Ticks (Acari: Ixodidae) on captive and free-ranging wild animals in Tocantins State, a Cerrado-Amazon transition region of northern Brazil. <i>International Journal of Acarology</i> , 2020, 46, 254-257.	0.3	6
76	Capybaras (<i>Hydrochoerus hydrochaeris</i>) as amplifying hosts of <i>Rickettsia rickettsii</i> to <i>Amblyomma sculptum</i> ticks: Evaluation during primary and subsequent exposures to <i>R. rickettsii</i> infection. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101463.	1.1	19
77	<i>Ornithodoros cerradoensis</i> n. sp. (Acari: Argasidae), a member of the <i>Ornithodoros talaje</i> (Günther, 1849) group, parasite of rodents in the Brazilian Savannah. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101497.	1.1	23
78	Needlestick-Associated Rocky Mountain Spotted Fever, Brazil. <i>Emerging Infectious Diseases</i> , 2020, 26, 815-816.	2.0	1
79	<i>Ornithodoros capensis sensu stricto</i> (Ixodida: Argasidae) in Coiba National Park: first report for Panama, with notes on the <i>O. capensis</i> group in Panamanian shores and Costa Rica. <i>Experimental and Applied Acarology</i> , 2020, 81, 469-481.	0.7	5
80	Immature ticks on wild birds and the molecular detection of a novel <i>Rickettsia</i> strain in the Ibitipoca State Park, southeastern Brazil. <i>Experimental and Applied Acarology</i> , 2020, 81, 457-467.	0.7	5
81	Records of ticks (Acari: Ixodidae) on humans and distribution of spotted-fever cases and its tick vectors in Paraná State, southern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101510.	1.1	12
82	Tick-borne pathogens in dogs, wild small mammals and their ectoparasites in the semi-arid Caatinga biome, northeastern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101409.	1.1	14
83	Redescription of the larva, and description of the nymphal and adult stages of <i>Ornithodoros peruvianus</i> Kohls, Clifford & Jones, 1969 (Acari: Argasidae). <i>Systematic Parasitology</i> , 2020, 97, 201-215.	0.5	3
84	Description of a new soft tick species (Acari: Argasidae: <i>Ornithodoros</i>) parasite of <i>Octodon degus</i> (Rodentia: Octodontidae) in northern Chile. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101385.	1.1	15
85	<i>Ehrlichia canis</i> TRP36 diversity in naturally infected-dogs from an urban area of Colombia. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101367.	1.1	17
86	Clinical and serological evaluation of capybaras (<i>Hydrochoerus hydrochaeris</i>) successively exposed to an <i>Amblyomma sculptum</i> -derived strain of <i>Rickettsia rickettsii</i> . <i>Scientific Reports</i> , 2020, 10, 924.	1.6	7
87	<i>Amblyomma</i> ticks consumed by a giant cowbird, <i>Molothrus oryzivorus</i> . <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101424.	1.1	2
88	Description of a new species of <i>Ixodes</i> (Acari: Ixodidae) and first report of <i>Ixodes lasallei</i> and <i>Ixodes bocatorensis</i> in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101423.	1.1	26
89	Free-living ticks (Acari: Ixodidae) in the Iguaçu National Park, Brazil: Temporal dynamics and questing behavior on vegetation. <i>Ticks and Tick-borne Diseases</i> , 2020, 11, 101471.	1.1	13
90	Retrospective and new records of ticks (Acari: Argasidae, Ixodidae) from the state of Maranhão, an Amazon-Cerrado transition area of Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2020, 21, 100413.	0.3	7

#	ARTICLE	IF	CITATIONS
91	Rickettsial survey and ticks infesting small mammals from the Amazon forest in midwestern Brazil. Systematic and Applied Acarology, 2020, 25, 78-91.	0.5	9
92	Records of <i>Ixodes percavatus</i> sensu lato on Atlantic yellow-nosed albatrosses (<i>Thalassarche chlororhynchos</i>) on the Brazilian coast and offshore waters. Systematic and Applied Acarology, 2020, 25, 957-962.	0.5	4
93	<i>Coxiella burnetii</i> in slaughterhouses in Brazil: A public health concern. PLoS ONE, 2020, 15, e0241246.	1.1	13
94	Serosurvey on rickettsiae of the spotted fever group and <i>Rickettsia bellii</i> among dogs in the state of Goiás, Brazil. Brazilian Journal of Veterinary Parasitology, 2020, 29, e021419.	0.2	6
95	Rickettsial infection in equids, opossums and ticks in the municipality of Monte Mor, state of São Paulo, Brazil. Brazilian Journal of Veterinary Parasitology, 2020, 29, e015420.	0.2	8
96	Detection of tick-borne rickettsial pathogens in naturally infected dogs and dog-associated ticks in Medellín, Colombia. Brazilian Journal of Veterinary Parasitology, 2020, 29, e005320.	0.2	10
97	Reproductive control of capybaras through sterilization in areas at risk of transmission of Brazilian spotted fever. Ciencia Rural, 2020, 50, .	0.3	1
98	Ticks parasitizing free-ranging armadillos in the Caatinga biome, Brazil. , 2020, , 29-33.		1
99	Deteção de anticorpos anti- <i>Rickettsia rickettsii</i> em cães residentes em área negligenciada no município de São Paulo, SP, Brasil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2020, 72, 2141-2147.	0.1	2
100	Implications of domestic dogs in the epidemiology of <i>Rickettsia parkeri</i> strain Atlantic rainforest and <i>Rangelia vitalii</i> in Southeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2020, 29, e022419.	0.2	4
101	Tick-borne rickettsioses in Brazil: what lessons can be learned from the COVID-19 pandemic. Brazilian Journal of Veterinary Parasitology, 2020, 29, e012220.	0.2	0
102	The nonparasitic phase of <i>Dermacentor nitens</i> under field conditions in southeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2020, 29, e008620.	0.2	3
103	Serological occurrence for tick-borne agents in beef cattle in the Brazilian Pantanal. Brazilian Journal of Veterinary Parasitology, 2020, 29, e014919.	0.2	1
104	Expression and antigenic analysis of the recombinant TRP36 protein from <i>Ehrlichia canis</i> São Paulo strain for serologic tests. Brazilian Journal of Veterinary Parasitology, 2020, 29, e005820.	0.2	0
105	New records and phylogenetic position of <i>Ornithodoros knoxjonesi</i> (Ixodida: Argasidae). Ticks and Tick-borne Diseases, 2020, 11, 101473.	1.1	0
106	Confirmación de <i>Argas neghmei</i> (Ixodida: Argasidae) en Perú y reporte del carpintero andino (<i>Colaptes</i>) Tj ETQq0,0,0 rgBT /Qverlock 1	0,1	0
107	Tick-borne pathogens in carthorses from Foz do Iguaçu City, Paraná State, southern Brazil: A tri-border area of Brazil, Paraguay and Argentina. Veterinary Parasitology, 2019, 273, 71-79.	0.7	10
108	A third species of <i>Nothoaspis</i> Keirans & Clifford, 1975 (Acari: Argasidae): <i>Nothoaspis setosus</i> (Kohls, Clifford & Jones, 1969) n. comb. Systematic Parasitology, 2019, 96, 595-602.	0.5	7

#	ARTICLE	IF	CITATIONS
109	A new species of <i>Amblyomma</i> (Acari: Ixodidae) associated with monkeys and passerines of the Atlantic rainforest biome, Southeastern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 101259.	1.1	38
110	Phenology of <i>Amblyomma sculptum</i> in a degraded area of Atlantic rainforest in north-eastern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 101263.	1.1	6
111	Multi-locus phylogenetic analysis groups the New World bacterium <i>Rickettsia</i> sp. strain ApPR with the Old World species <i>R. africae</i> ; proposal of "Candidatus <i>Rickettsia paranaensis</i> ". <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 101261.	1.1	18
112	Comparative Susceptibility of Different Populations of <i>Amblyomma sculptum</i> to <i>Rickettsia rickettsii</i> . <i>Frontiers in Physiology</i> , 2019, 10, 653.	1.3	22
113	Serologic and molecular survey of <i>Rickettsia</i> spp. in dogs, horses and ticks from the Atlantic rainforest of the state of Bahia, Brazil. <i>Experimental and Applied Acarology</i> , 2019, 78, 431-442.	0.7	18
114	A human case of spotted fever caused by <i>Rickettsia parkeri</i> strain Atlantic rainforest and its association to the tick <i>Amblyomma ovale</i> . <i>Parasites and Vectors</i> , 2019, 12, 471.	1.0	35
115	Detection of "Candidatus <i>Rickettsia wissemani</i> " in ticks parasitizing bats (Mammalia: Chiroptera) in the northern Brazilian Amazon. <i>Parasitology Research</i> , 2019, 118, 3185-3189.	0.6	18
116	Epidemiology of capybara-associated Brazilian spotted fever. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007734.	1.3	64
117	<i>Leptus</i> (<i>Leptus</i>) <i>simonettae</i> Haitlinger, 2000 (Trombidiformes: Erythraeidae) parasitizing a soft tick (Ixodida: Argasidae) in Brazil. <i>International Journal of Acarology</i> , 2019, 45, 409-412.	0.3	1
118	Frequency of anti- <i>Leptospira</i> spp. antibodies in dogs and wild small mammals from rural properties and conservation units in southern Brazil. <i>One Health</i> , 2019, 8, 100104.	1.5	10
119	Ticks and <i>Rickettsia</i> on anteaters from Southeast and Central-West Brazil. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 540-545.	1.1	21
120	<i>Coxiella burnetii</i> associated with BVDV (Bovine Viral Diarrhea Virus), BoHV (Bovine Herpesvirus), <i>Leptospira</i> spp., <i>Neospora caninum</i> , <i>Toxoplasma gondii</i> and <i>Trypanosoma vivax</i> in reproductive disorders in cattle. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 245-257.	0.2	15
121	Novel <i>Ehrlichia</i> sp. detected in Magellanic penguins (<i>Spheniscus magellanicus</i>) and in the seabird tick <i>Ixodes uriae</i> from Magdalena Island, southern Chile. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 101256.	1.1	14
122	Real-time quantitative PCR-based detection of <i>Coxiella burnetii</i> in unpasteurized cow's milk sold for human consumption. <i>Zoonoses and Public Health</i> , 2019, 66, 695-700.	0.9	13
123	A relapsing fever <i>Borrelia</i> and spotted fever <i>Rickettsia</i> in ticks from an Andean valley, central Chile. <i>Experimental and Applied Acarology</i> , 2019, 78, 403-420.	0.7	22
124	Evidence of exposure to <i>Coxiella burnetii</i> in neotropical free-living cervids in South America. <i>Acta Tropica</i> , 2019, 197, 105037.	0.9	11
125	The Dynamics of Ticks and Capybaras in a Residential Park Area in Southeastern Brazil: Implications for the Risk of <i>Rickettsia rickettsii</i> Infection. <i>Vector-Borne and Zoonotic Diseases</i> , 2019, 19, 711-716.	0.6	16
126	Ticks and serosurvey of anti- <i>Rickettsia</i> spp. antibodies in wild boars (<i>Sus scrofa</i>), hunting dogs and hunters of Brazil. <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007405.	1.3	27

#	ARTICLE	IF	CITATIONS
127	The Transcriptome of the Salivary Glands of <i>Amblyomma aureolatum</i> Reveals the Antimicrobial Peptide Microplusin as an Important Factor for the Tick Protection Against <i>Rickettsia rickettsii</i> Infection. <i>Frontiers in Physiology</i> , 2019, 10, 529.	1.3	18
128	Detected microorganisms and new geographic records of <i>Ornithodoros rietcorreai</i> (Acari: Argasidae) from northern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 853-861.	1.1	16
129	Anaplasmataceae, <i>Borrelia</i> and Hepatozoon agents in ticks (Acari: Argasidae, Ixodidae) from Chile. <i>Acta Tropica</i> , 2019, 192, 91-103.	0.9	40
130	A high gene flow in populations of <i>Amblyomma ovale</i> ticks found in distinct fragments of Brazilian Atlantic rainforest. <i>Experimental and Applied Acarology</i> , 2019, 77, 215-228.	0.7	2
131	Occurrence of <i>Ehrlichia canis</i> and <i>Hepatozoon canis</i> and probable exposure to <i>Rickettsia amblyommatis</i> in dogs and cats in Natal, RN. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 151-156.	0.2	8
132	<i>Amblyomma sculptum</i> Salivary PGE2 Modulates the Dendritic Cell- <i>Rickettsia rickettsii</i> Interactions in vitro and in vivo. <i>Frontiers in Immunology</i> , 2019, 10, 118.	2.2	15
133	<i>Rangelia vitalii</i> infection in a dog from São Paulo city, Brazil: case report. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2019, 56, e150791.	0.2	1
134	Serological survey of <i>Rickettsia</i> in equids from Vale do Paraíba, São Paulo, Brazil, and their tick identification and molecular investigation of <i>Rickettsia</i> . <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2019, 56, e158159.	0.2	2
135	Fatal Brazilian Spotted Fever Associated with Dogs and <i>Amblyomma aureolatum</i> Ticks, Brazil, 2013. <i>Emerging Infectious Diseases</i> , 2019, 25, 2322-2323.	2.0	8
136	Species occurrence of ticks in South America, and interactions with biotic and abiotic traits. <i>Scientific Data</i> , 2019, 6, 299.	2.4	4
137	Species richness and seasonal dynamics of ticks with notes on rickettsial infection in a Natural Park of the Cerrado biome in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2019, 10, 442-453.	1.1	39
138	New records of <i>Ixodes amarali</i> (Acari: Ixodidae) in the Amazon biome, with description of the male. <i>Systematic and Applied Acarology</i> , 2019, 24, 2552-2558.	0.5	4
139	Molecular detection of <i>Rickettsia</i> genus in chigger mites (Trombidiformes: Trombiculidae) collected on small mammals in southeastern Brazilian. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 563-568.	0.2	9
140	Molecular survey of tick-borne pathogens in small mammals from Brazilian Amazonia. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 592-604.	0.2	13
141	Serosurvey of <i>Rickettsia</i> spp. in cats from a Brazilian spotted fever-endemic area. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 713-721.	0.2	6
142	Vector Competence for West Nile Virus and St. Louis Encephalitis Virus (Flavivirus) of Three Tick Species of the Genus <i>Amblyomma</i> (Acari: Ixodidae). <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 100, 1230-1235.	0.6	4
143	A Cluster of Cases of Rocky Mountain Spotted Fever in an Area Of Colombia Not Known to be Endemic for This Disease. <i>American Journal of Tropical Medicine and Hygiene</i> , 2019, 101, 336-342.	0.6	13
144	Molecular survey of flaviviruses and orthobunyaviruses in <i>Amblyomma</i> spp. ticks collected in Minas Gerais, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2019, 28, 764-768.	0.2	1

#	ARTICLE	IF	CITATIONS
145	Brazilian spotted fever serological investigation among equids at the Guarapiranga Dam area in the city of São Paulo, Brazil. Brazilian Journal of Veterinary Research and Animal Science, 2019, 56, e158601.	0.2	0
146	Lethal Fascioliasis in Capybaras (<i>Hydrochoerus hydrochaeris</i>) in Brazil. Journal of Parasitology, 2018, 104, 173-176.	0.3	11
147	Experimental infection in <i>Cavia porcellus</i> by infected <i>Amblyomma ovale</i> nymphs with <i>Rickettsia</i> sp. (Atlantic rainforest strain). Parasitology Research, 2018, 117, 713-720.	0.6	6
148	Ticks (Acari: Ixodidae) of the state of Amazonas, Brazil. Experimental and Applied Acarology, 2018, 74, 177-183.	0.7	37
149	Phylogenetic Evidence for the Existence of Multiple Strains of <i>Rickettsia parkeri</i> in the New World. Applied and Environmental Microbiology, 2018, 84, .	1.4	50
150	Confirming <i>Rickettsia rickettsii</i> as the etiological agent of lethal spotted fever group rickettsiosis in human patients from Espírito Santo state, Brazil. Ticks and Tick-borne Diseases, 2018, 9, 496-499.	1.1	9
151	Isolation and molecular characterization of a relapsing fever <i>Borrelia</i> recovered from <i>Ornithodoros ruidis</i> in Brazil. Ticks and Tick-borne Diseases, 2018, 9, 864-871.	1.1	50
152	Comparative survival of the engorged stages of <i>Amblyomma cajennense sensu stricto</i> and <i>Amblyomma sculptum</i> under different laboratory conditions. Ticks and Tick-borne Diseases, 2018, 9, 996-1001.	1.1	15
153	Contributions to the knowledge of hard ticks (Acari: Ixodidae) in Colombia. Ticks and Tick-borne Diseases, 2018, 9, 57-66.	1.1	41
154	The geographic distribution of <i>Argas (Persicargas) miniatus</i> and <i>Argas (Persicargas) persicus</i> (Acari:) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 and Tick-borne Diseases, 2018, 9, 44-56.	1.1	23
155	A New Collection of <i>Amblyomma parvitarsum</i> (Acari: Ixodidae) in Peru, With Description of a Gynandromorph and Report of <i>Rickettsia</i> Detection. Journal of Medical Entomology, 2018, 55, 464-467.	0.9	14
156	<i>Rickettsia</i> spp. among wild mammals and their respective ectoparasites in Pantanal wetland, Brazil. Ticks and Tick-borne Diseases, 2018, 9, 10-17.	1.1	23
157	Tick-borne infections in dogs and horses in the state of Espírito Santo, Southeast Brazil. Veterinary Parasitology, 2018, 249, 43-48.	0.7	26
158	Exposure of Baixadeiro horses to <i>Rickettsia</i> spp. and to ticks infected by <i>Rickettsia amblyommatis</i> in the Baixada Maranhense micro-region, Maranhão, Brazil. Ciencia Rural, 2018, 48, .	0.3	4
159	The <i>Amblyomma maculatum</i> Koch, 1844 (Acari: Ixodidae) group of ticks: phenotypic plasticity or incipient speciation?. Parasites and Vectors, 2018, 11, 610.	1.0	51
160	Diferença morfológica entre larvas de <i>Amblyomma sculptum</i> Berlese, 1888 e <i>Amblyomma dubitatum</i> Neumann, 1899. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2018, 70, 1521-1528.	0.1	4
161	Occurrence of ticks in dogs in a hospital population in the state of Espírito Santo, Brazil. Pesquisa Veterinaria Brasileira, 2018, 38, 519-521.	0.5	1
162	Detection of <i>Rickettsia</i> spp. in ticks associated to wild mammals in Northeastern Brazil, with notes on an undetermined <i>Ornithodoros</i> sp. collected from marsupials. Experimental and Applied Acarology, 2018, 76, 523-535.	0.7	25

#	ARTICLE	IF	CITATIONS
163	New records of ticks infesting bats in Brazil, with observations on the first nymphal stage of <i>Ornithodoros hasei</i> . <i>Experimental and Applied Acarology</i> , 2018, 76, 537-549.	0.7	16
164	First report of <i>Ornithodoros peropteryx</i> in Brazil, and the occurrence of <i>Ornithodoros cavernicolous</i> in the western Brazilian Amazon. <i>Systematic and Applied Acarology</i> , 2018, 23, 2113.	0.5	12
165	Hosts mobility and spatial spread of <i>Rickettsia rickettsii</i> . <i>PLoS Computational Biology</i> , 2018, 14, e1006636.	1.5	16
166	Some biological and behavioral aspects of <i>Amblyomma longirostre</i> (Acari: Ixodidae) under laboratory and natural conditions. <i>Systematic and Applied Acarology</i> , 2018, 23, 1965.	0.5	7
167	Serological diagnosis and risk factors for <i>Coxiella burnetii</i> in goats and sheep in a semi-arid region of Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 514-520.	0.2	16
168	Incidência de <i>Anaplasma marginale</i> , <i>Babesia bigemina</i> e <i>Babesia bovis</i> em bezerros no semi-árido paraibano. <i>Pesquisa Veterinaria Brasileira</i> , 2018, 38, 605-612.	0.5	4
169	A morphological and phylogenetic analysis of <i>Ornithodoros marinkellei</i> (Acari: Argasidae), with additional notes on habitat and host usage. <i>Experimental and Applied Acarology</i> , 2018, 76, 249-261.	0.7	7
170	Detection of anti- <i>Toxoplasma gondii</i> antibodies in small wild mammals from preserved and non-preserved areas in the Caatinga biome, a semi-arid region of Northeast Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2018, 14, 75-78.	0.3	6
171	Ticks, rickettsial and erlichial infection in small mammals from Atlantic forest remnants in northeastern Brazil. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2018, 7, 380-385.	0.6	35
172	<i>Rickettsia rickettsii</i> Co-feeding Transmission among <i>Amblyomma aureolatum</i> Ticks. <i>Emerging Infectious Diseases</i> , 2018, 24, 2041-2048.	2.0	20
173	Ticks (Acari: Ixodidae) in the Serra da Canastra National Park in Minas Gerais, Brazil: species, abundance, ecological and seasonal aspects with notes on rickettsial infection. <i>Experimental and Applied Acarology</i> , 2018, 76, 381-397.	0.7	12
174	<i>Trypanosoma cruzi</i> in Triatomines and wild mammals in the National Park of Serra das Confusões, Northeastern Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2018, 51, 445-451.	0.4	4
175	Basic reproduction number for the Brazilian Spotted Fever. <i>Journal of Theoretical Biology</i> , 2018, 458, 119-124.	0.8	11
176	Successful Infection of Tick Cell Cultures of <i>Rhipicephalus sanguineus</i> (Tropical Lineage) with <i>Ehrlichia canis</i> . <i>Vector-Borne and Zoonotic Diseases</i> , 2018, 18, 653-662.	0.6	1
177	<i>Blancaartia sinnamaryi</i> (Trombidiformes: Trombiculidae) parasitizing birds in southeastern Brazil, with notes on <i>Rickettsia</i> detection. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 354-362.	0.2	5
178	Detection of <i>Rickettsia</i> spp. in ticks parasitizing toads (<i>Rhinella marina</i>) in the northern Brazilian Amazon. <i>Experimental and Applied Acarology</i> , 2018, 75, 309-318.	0.7	32
179	Records of ticks on humans in Rio Grande do Sul state, Brazil. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1296-1301.	1.1	23
180	Genotypic Characterization of <i>Rickettsia bellii</i> Reveals Distinct Lineages in the United States and South America. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	35

#	ARTICLE	IF	CITATIONS
181	Lack of seasonality of <i>Amblyomma rotundatum</i> (Acari: Ixodidae) on <i>Rhinella jimi</i> (Anura: Bufonidae) in a semi-arid region of northeastern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1350-1353.	1.1	2
182	<i>Rhipicephalus sanguineus</i> (Latreille, 1806): Neotype designation, morphological re-description of all parasitic stages and molecular characterization. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1573-1585.	1.1	105
183	The rice rat <i>Euryoryzomys russatus</i> , a competent amplifying host of <i>Rickettsia parkeri</i> strain Atlantic rainforest for the tick <i>Amblyomma ovale</i> . <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1133-1136.	1.1	12
184	Evaluation of the vector competence of six ixodid tick species for <i>Rangelia vitalii</i> (Apicomplexa, Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.1	23
185	Human-modified landscape acts as refuge for mammals in Atlantic Forest. <i>Biota Neotropica</i> , 2018, 18, .	0.2	17
186	First report of African tick-bite fever in a South American traveler. <i>SAGE Open Medical Case Reports</i> , 2018, 6, 2050313X1877530.	0.2	9
187	First molecular detection of <i>Rickettsia</i> sp. strain Atlantic rainforest in <i>Amblyomma ovale</i> ticks from Esp�rito Santo state, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2018, 27, 420-422.	0.2	5
188	Wild birds as host of <i>Borrelia burgdorferi sensu lato</i> in northwestern Argentina. <i>Ticks and Tick-borne Diseases</i> , 2018, 9, 1586-1589.	1.1	6
189	Febre Maculosa por <i>Rickettsia parkeri</i> no Brasil: condutas de vigil�ncia epidemiol�gica, diagn�stico e tratamento. <i>Journal of Health & Biological Sciences</i> , 2018, 6, 299-312.	0.0	20
190	Ticks and tick-associated spotted fever group <i>Rickettsia</i> from birds in the southwestern Brazilian Amazon. <i>Revista Colombiana De Ci�ncias Pecuarias</i> , 2018, 31, 26-35.	0.4	17
191	Isolation of <i>Rickettsia rickettsii</i> from the tick <i>Amblyomma sculptum</i> from a Brazilian spotted fever-endemic area in the Pampulha Lake region, southeastern Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 8, 82-85.	0.3	16
192	Human prevalence of the spotted fever group (SFG) rickettsiae in endemic zones of Northwestern Colombia. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 477-482.	1.1	16
193	First report of a <i>Rickettsia asebonensis</i> related infecting fleas in Brazil. <i>Acta Tropica</i> , 2017, 172, 44-49.	0.9	20
194	Life-cycle of <i>Amblyomma oblongoguttatum</i> (Acari: Ixodidae) under laboratory conditions. <i>Experimental and Applied Acarology</i> , 2017, 71, 415-424.	0.7	13
195	Description of a new soft tick species (Acari: Argasidae: Ornithodoros) associated with stream-breeding frogs (Anura: Cycloramphidae: Cycloramphus) in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 682-692.	1.1	39
196	Off-host development and survival of <i>Rhipicephalus (Boophilus) microplus</i> in the Brazilian semiarid. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2017, 9, 17-24.	0.3	5
197	<i>Hepatozoon</i> SPP. Infect Free-Ranging Jaguars (<i>Panthera onca</i>) in Brazil. <i>Journal of Parasitology</i> , 2017, 103, 243-250.	0.3	13
198	Ectoparasites of small-mammals: determinants of community structure in South American savannah. <i>Parasitology</i> , 2017, 144, 475-483.	0.7	5

#	ARTICLE	IF	CITATIONS
199	The <i>Ornithodoros capensis</i> group (Acari: Argasidae): a morphological diagnosis and molecular characterization of <i>O. capensis sensu stricto</i> from Queimada Grande Island, Brazil. <i>Systematic and Applied Acarology</i> , 2017, 22, 28.	0.5	6
200	“Candidatus <i>Rickettsia asemboensis</i> ” in <i>Rhipicephalus sanguineus</i> ticks, Brazil. <i>Acta Tropica</i> , 2017, 167, 18-20.	0.9	22
201	Additional information on ticks (Ixodidae) infesting birds in Atlantic Forest fragments in State of Paraná, South Brazil. <i>Systematic and Applied Acarology</i> , 2017, 22, 1813.	0.5	5
202	Seroepidemiological survey on <i>Leptospira</i> spp. infection in wild and domestic mammals in two distinct areas of the semi-arid region of northeastern Brazil. <i>Tropical Animal Health and Production</i> , 2017, 49, 1715-1722.	0.5	18
203	<i>Amblyomma</i> ticks and future climate: Range contraction due to climate warming. <i>Acta Tropica</i> , 2017, 176, 340-348.	0.9	31
204	Comparative analysis of germ cells and DNA of the genus <i>Amblyomma</i> : adding new data on <i>Amblyomma maculatum</i> and <i>Amblyomma ovale</i> species (Acari: Ixodidae). <i>Parasitology Research</i> , 2017, 116, 2883-2892.	0.6	4
205	Wild and domestic animals likely involved in rickettsial endemic zones of Northwestern Colombia. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 887-894.	1.1	25
206	Novel <i>Anaplasma</i> and <i>Ehrlichia</i> organisms infecting the wildlife of two regions of the Brazilian Amazon. <i>Acta Tropica</i> , 2017, 174, 82-87.	0.9	21
207	Novel piroplasmid and Hepatozoon organisms infecting the wildlife of two regions of the Brazilian Amazon. <i>International Journal for Parasitology: Parasites and Wildlife</i> , 2017, 6, 115-121.	0.6	32
208	Comparative biology of the tropical and temperate species of <i>Rhipicephalus sanguineus sensu lato</i> (Acari: Ixodidae) under different laboratory conditions. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 146-156.	1.1	33
209	Novel genotype of <i>Ehrlichia canis</i> detected in samples of human blood bank donors in Costa Rica. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 36-40.	1.1	59
210	Potential action of extract of <i>Acmella oleracea</i> (L.) R.K. Jansen to control <i>Amblyomma cajennense</i> (Fabricius, 1787) (Acari: Ixodidae) ticks. <i>Ticks and Tick-borne Diseases</i> , 2017, 8, 65-72.	1.1	19
211	Anti- <i>Rickettsia rickettsii</i> antibodies in capybaras (<i>Hydrochoerus hydrochaeris</i> Linnaeus, 1766) from an agricultural landscape in Araras, São Paulo, Brazil. <i>Semina: Ciências Agrárias</i> , 2017, 38, 2543.	0.1	3
212	Diversity of ticks in the wildlife screening center of São Paulo city, Brazil. <i>Ciencia Rural</i> , 2017, 47, .	0.3	11
213	Ticks infesting captive and free-roaming wild animal species at the São Paulo Zoo, São Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2017, 26, 496-499.	0.2	17
214	The Distinct Transcriptional Response of the Midgut of <i>Amblyomma sculptum</i> and <i>Amblyomma aureolatum</i> Ticks to <i>Rickettsia rickettsii</i> Correlates to Their Differences in Susceptibility to Infection. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 129.	1.8	23
215	Analysis of the Salivary Gland Transcriptome of Unfed and Partially Fed <i>Amblyomma sculptum</i> Ticks and Descriptive Proteome of the Saliva. <i>Frontiers in Cellular and Infection Microbiology</i> , 2017, 7, 476.	1.8	79
216	<i>Litomosoides silvai</i> (Nematoda: Onchocercidae) parasitizing <i>Akodon montensis</i> (Rodentia: Cricetidae) in the southern region of Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2017, 26, 433-438.	0.2	1

#	ARTICLE	IF	CITATIONS
217	Ehrlichia canis and Rickettsia spp. in dogs from urban areas in Paraíba state, northeastern Brazil. Brazilian Journal of Veterinary Parasitology, 2017, 26, 211-215.	0.2	11
218	Rural area of the Brazilian Pantanal wetlands associated with the occurrence of anti-Leishmania spp. antibodies in dogs. Brazilian Journal of Veterinary Research and Animal Science, 2017, 54, 375.	0.2	2
219	Infestação por carrapatos Argasidae e Ixodidae em pequenos mamíferos silvestres da Estação Experimental Rafael Fernandes, Mossoró/RN. Pesquisa Veterinária Brasileira, 2017, 37, 741-748.	0.5	6
220	Serodiagnosis of visceral and cutaneous leishmaniasis in human and canine populations living in Indigenous Reserves in the Brazilian Amazon Region. Revista Da Sociedade Brasileira De Medicina Tropical, 2017, 50, 61-66.	0.4	12
221	HUMAN PARASITISM BY Rhipicephalus sanguineus sensu lato (ACARI: IXODIDAE) IN MATO GROSSO DO SUL, WEST-CENTRAL BRAZIL. Brazilian Journal of Veterinary Research and Animal Science, 2017, 54, 96.	0.2	6
222	Detecção de proteínas imunorreativas de Rickettsia sp. cepa Mata Atlântica. Pesquisa Veterinária Brasileira, 2017, 37, 52-57.	0.5	1
223	New records of Rickettsia bellii-infected ticks in Brazil. Brazilian Journal of Veterinary Research and Animal Science, 2017, 54, 92.	0.2	6
224	Transmission dynamics and control of Rickettsia rickettsii in populations of Hydrochoerus hydrochaeris and Amblyomma sculptum. PLoS Neglected Tropical Diseases, 2017, 11, e0005613.	1.3	32
225	Rickettsia amblyommatis infecting ticks and exposure of domestic dogs to Rickettsia spp. in an Amazon-Cerrado transition region of northeastern Brazil. PLoS ONE, 2017, 12, e0179163.	1.1	36
226	Serosurvey of Rickettsia spp. in small mammals from Mato Grosso do Sul state, Brazil. Ciencia Rural, 2017, 47, .	0.3	3
227	case of gynandromorphism in Amblyomma mixtum (Acari, Ixodidae). Revista Colombiana De Entomologia, 2017, 43, 268-270.	0.1	5
228	Ixodídeos coletados parasitando animais selvagens no Zoológico de Sorocaba, Estado de São Paulo, Brasil. Revista De Educação Continuada Em Medicina Veterinária E Zootecnia Do CRMV-SP, 2017, 15, 8-14.	0.0	8
229	Anti-Rickettsia rickettsii antibodies in capybaras (Hydrochoerus hydrochaeris Linnaeus, 1766) from an agricultural landscape in Araras, São Paulo, Brazil. Semina:Ciencias Agrarias, 2017, 38, 2543.	0.1	0
230	Rickettsial infection in ticks infesting wild birds from two eco-regions of Argentina. Brazilian Journal of Veterinary Parasitology, 2016, 25, 378-382.	0.2	10
231	Probability of occurrence of the Brazilian spotted fever in northeast of Paraná state, Brazil. Brazilian Journal of Veterinary Parasitology, 2016, 25, 394-400.	0.2	4
232	Ticks infesting wild small rodents in three areas of the state of São Paulo, Brazil. Ciencia Rural, 2016, 46, 871-875.	0.3	9
233	Presence of anti-Toxoplasma gondii, -Neospora caninum, -Leishmania spp. and -Ehrlichia canis antibodies in free-ranging maned wolves (Chrysocyon brachyurus) in the northeastern region of the state of São Paulo, Brazil. Brazilian Journal of Veterinary Research and Animal Science, 2016, 53, 243.	0.2	6
234	Occurrences of gastrointestinal parasites in fecal samples from domestic dogs in São Paulo, SP, Brazil. Brazilian Journal of Veterinary Parasitology, 2016, 25, 435-440.	0.2	25

#	ARTICLE	IF	CITATIONS
235	A fatal case of Brazilian spotted fever in a non-endemic area in Brazil: the importance of having health professionals who understand the disease and its areas of transmission. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2016, 49, 653-655.	0.4	17
236	Frequency of gastrointestinal parasites in cats seen at the University of São Paulo Veterinary Hospital, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 423-428.	0.2	14
237	Anti-Toxoplasma gondii and anti-Neospora caninum antibodies in capybaras (Hydrochoerus) Tj ETQq1 1 0.784314 rgBT /Overlock 10 116-118.	0.2	10
238	Dynamics of Rickettsia parkeri infection in domestic chickens. <i>Semina:Ciencias Agrarias</i> , 2016, 37, 233.	0.1	1
239	Toxoplasma gondii, Neospora caninum and Leishmania amazonensis antibodies in domestic dogs in the western Brazilian Amazon region. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2016, 53, 1.	0.2	5
240	Rangelia vitalii, Babesia spp. and Ehrlichia spp. in dogs in Passo Fundo, state of Rio Grande do Sul, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 172-178.	0.2	16
241	Serological evidence of exposure to tick-borne agents in opossums (Didelphis spp.) in the state of São Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 348-352.	0.2	11
242	Ticks parasitizing bats (Mammalia: Chiroptera) in the Caatinga Biome, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2016, 25, 484-491.	0.2	13
243	Ecology of a tick-borne spotted fever in southern Brazil. <i>Experimental and Applied Acarology</i> , 2016, 70, 219-229.	0.7	28
244	Rickettsia vini n. sp. (Rickettsiaceae) infecting the tick Ixodes arboricola (Acari: Ixodidae). <i>Parasites and Vectors</i> , 2016, 9, 469.	1.0	26
245	Experimental infection of horses with Rickettsia rickettsii. <i>Parasites and Vectors</i> , 2016, 9, 499.	1.0	25
246	Amblyomma parvum Aragão, 1908 (Acari: Ixodidae): Phylogeography and systematic considerations. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 817-827.	1.1	26
247	Characterization of Genetic Variability and Population Structure of the Tick Amblyomma aureolatum (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2016, 53, 843-850.	0.9	4
248	Geographical distribution of Amblyomma cajennense (sensu lato) ticks (Parasitiformes: Ixodidae) in Brazil, with description of the nymph of A. cajennense (sensu stricto). <i>Parasites and Vectors</i> , 2016, 9, 186.	1.0	144
249	Amblyomma mixtum Koch, 1844 (Acari: Ixodidae): First record confirmation in Colombia using morphological and molecular analyses. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 842-848.	1.1	23
250	Isolation of the Pathogen Rickettsia sp. Strain Atlantic Rainforest From Its Presumed Tick Vector, Amblyomma ovale (Acari: Ixodidae), From Two Areas of Brazil. <i>Journal of Medical Entomology</i> , 2016, 53, 977-981.	0.9	25
251	A new species of Ornithodoros (Acari: Argasidae) from desert areas of northern Chile. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 901-910.	1.1	36
252	Detection of rickettsiae in fleas and ticks from areas of Costa Rica with history of spotted fever group rickettsioses. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 1128-1134.	1.1	44

#	ARTICLE	IF	CITATIONS
253	Vectorial competence of <i>Amblyomma tonelliae</i> to transmit <i>Rickettsia rickettsii</i> . <i>Medical and Veterinary Entomology</i> , 2016, 30, 410-415.	0.7	16
254	Development of a <i>Rickettsia bellii</i> -Specific TaqMan Assay Targeting the Citrate Synthase Gene. <i>Journal of Medical Entomology</i> , 2016, 53, 1492-1495.	0.9	15
255	Different lines of evidence used to delimit species in ticks: A study of the South American populations of <i>Amblyomma parvum</i> (Acari: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 1168-1179.	1.1	17
256	Seroprevalence of anti-Toxoplasma gondii and anti-Neospora caninum antibodies in domestic mammals from two distinct regions in the semi-arid region of Northeastern Brazil. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2016, 5, 14-18.	0.3	8
257	Ticks (Acari: Ixodidae, Argasidae) from humans, domestic and wild animals in the state of Espírito Santo, Brazil, with notes on rickettsial infection. <i>Veterinary Parasitology: Regional Studies and Reports</i> , 2016, 3-4, 66-69.	0.3	23
258	<i>Rickettsia lusitaniae</i> associated with <i>Ornithodoros yumatensis</i> (Acari: Argasidae) from two caves in Yucatan, Mexico. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 1097-1101.	1.1	33
259	<i>Liolaemus</i> lizards (Squamata: Liolaemidae) as hosts for the nymph of <i>Amblyomma parvitarsum</i> (Acari: Tj ETQq1 1 0,784314 rgBT /Overl	0.7	9
260	<i>Ehrlichia</i> sp. infection in carthorses of low-income owners, Southern Brazil. <i>Comparative Immunology, Microbiology and Infectious Diseases</i> , 2016, 48, 1-5.	0.7	17
261	Ticks (Acari: Ixodidae) infesting armadillos (Cingulata: Dasypodidae) in the Pantanal wetland, Mato Grosso do Sul, Brazil. <i>Systematic and Applied Acarology</i> , 2016, 21, 1087.	0.5	5
262	A new argasid tick species (Acari: Argasidae) associated with the rock cavy, <i>Kerodon rupestris</i> Wied-Neuwied (Rodentia: Caviidae), in a semiarid region of Brazil. <i>Parasites and Vectors</i> , 2016, 9, 511.	1.0	53
263	Virulence genes of <i>Rickettsia rickettsii</i> are differentially modulated by either temperature upshift or blood-feeding in tick midgut and salivary glands. <i>Parasites and Vectors</i> , 2016, 9, 331.	1.0	23
264	<i>Rickettsia</i> sp. Strain Atlantic Rainforest Infection in a Patient from a Spotted Fever-Endemic Area in Southern Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2016, 95, 551-553.	0.6	55
265	Ticks and rickettsiae from wildlife in Belize, Central America. <i>Parasites and Vectors</i> , 2016, 9, 62.	1.0	65
266	Dynamics of Exposure to <i>Rickettsia parkeri</i> in Cattle in the Paraná River Delta, Argentina. <i>Journal of Medical Entomology</i> , 2016, 53, 660-665.	0.9	16
267	A novel spotted fever group <i>Rickettsia</i> infecting <i>Amblyomma parvitarsum</i> (Acari: Ixodidae) in highlands of Argentina and Chile. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 439-442.	1.1	18
268	Novel <i>Babesia</i> and Hepatozoon agents infecting non-volant small mammals in the Brazilian Pantanal, with the first record of the tick <i>Ornithodoros guaporensis</i> in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 449-456.	1.1	49
269	A survey of tick-borne pathogens in dogs and their ticks in the Pantanal biome, Brazil. <i>Medical and Veterinary Entomology</i> , 2016, 30, 112-116.	0.7	46
270	â€˜Candidatus <i>Rickettsia mendelii</i> â€™™, a novel basal group rickettsia detected in <i>Ixodes ricinus</i> ticks in the Czech Republic. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 482-486.	1.1	29

#	ARTICLE	IF	CITATIONS
271	Ticks infesting bats (Mammalia: Chiroptera) in the Brazilian Pantanal. <i>Experimental and Applied Acarology</i> , 2016, 69, 73-85.	0.7	19
272	Comparative evaluation of <i>Amblyomma ovale</i> ticks infected and noninfected by <i>Rickettsia</i> sp. strain Atlantic rainforest, the agent of an emerging rickettsiosis in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 502-507.	1.1	41
273	Laboratory life cycle of <i>Ornithodoros brasiliensis</i> (Acari: Argasidae): An endemic tick from southern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 730-733.	1.1	7
274	Seroprevalence of <i>Trypanosoma evansi</i> infection in capybaras (<i>Hydrochoerus</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 627 Td (h) 2016, 28, 171-174.	0.5	9
275	Rickettsial infection in ticks (Acari: Ixodidae) of wild animals in midwestern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2016, 7, 415-423.	1.1	76
276	INQUÃRITO EPIDEMIOLÃGICO DE SUPOSTO FOCO DE FEBRE MACULOSA. <i>Ciencia Animal Brasileira</i> , 2016, 17, 459-471.	0.3	7
277	Serologic evidence of the exposure of small mammals to spotted-fever <i>Rickettsia</i> and <i>Rickettsia bellii</i> in Minas Gerais, Brazil. <i>Journal of Infection in Developing Countries</i> , 2016, 10, 275-282.	0.5	16
278	<i>Leptospira</i> Seroprevalence in Capybaras from a Brazilian Urban Area. <i>Acta Scientiae Veterinariae</i> , 2016, 44, 5.	0.2	1
279	MOLECULAR INVESTIGATION OF HEMOTROPIC MYCOPLASMAS IN HUMAN BEINGS, DOGS AND HORSES IN A RURAL SETTLEMENT IN SOUTHERN BRAZIL. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2015, 57, 353-357.	0.5	21
280	OcorrÃªncia de carrapatos em animais silvestres recebidos e atendidos pelo Parque ZoolÃ³gico Municipal Quinzinho de Barros, Sorocaba, SÃ£o Paulo, Brasil. <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2015, 52, 319.	0.2	20
281	Recombinant gp19 as a potential antigen for detecting anti- <i>Ehrlichia canis</i> antibodies in dog sera. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 290-297.	0.2	0
282	<i>Toxoplasma gondii</i> antibodies in wild rodents and marsupials from the Atlantic Forest, state of SÃ£o Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 379-382.	0.2	16
283	<i>Leishmania</i> , <i>Babesia</i> and <i>Ehrlichia</i> in urban pet dogs: co-infection or cross-reaction in serological methods?. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2015, 48, 64-68.	0.4	22
284	Survey of <i>Ehrlichia canis</i> , <i>Babesia</i> spp. and <i>Hepatozoon</i> spp. in dogs from a semiarid region of Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 52-58.	0.2	22
285	A serological and molecular survey of <i>Babesia vogeli</i> , <i>Ehrlichia canis</i> and <i>Rickettsia</i> spp. among dogs in the state of MaranhÃ£o, northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2015, 24, 28-35.	0.2	22
286	Satellite Hyperspectral Imagery to Support Tick-Borne Infectious Diseases Surveillance. <i>PLoS ONE</i> , 2015, 10, e0143736.	1.1	19
287	Comparative Evaluation of the Vector Competence of Four South American Populations of the <i>Rhipicephalus sanguineus</i> Group for the Bacterium <i>Ehrlichia canis</i> , the Agent of Canine Monocytic Ehrlichiosis. <i>PLoS ONE</i> , 2015, 10, e0139386.	1.1	98
288	New records of <i>Amblyomma goeldii</i> (Acari: Ixodidae) and description of the nymphal stage. <i>Zootaxa</i> , 2015, 3949, 439.	0.2	11

#	ARTICLE	IF	CITATIONS
289	Babesia canis vogeli infection in dogs and ticks in the semiarid region of Pernambuco, Brazil. Pesquisa Veterinaria Brasileira, 2015, 35, 456-461.	0.5	23
290	Bacteria of the genus Rickettsia in ticks (Acari: Ixodidae) collected from birds in Costa Rica. Ticks and Tick-borne Diseases, 2015, 6, 478-482.	1.1	43
291	Ticks of the genus Amblyomma (Acari: Ixodidae) infesting tapirs (Tapirus terrestris) and peccaries (Tayassu pecari) in Peru. Systematic and Applied Acarology, 2015, 15, 109.	0.5	12
292	Natural Infection of the Wild Canid <i>Lycalopex gymnocercus</i> by the Protozoan <i>Rangelia vitalii</i> , the Agent of Canine Rangeliosis. Journal of Wildlife Diseases, 2015, 51, 787-789.	0.3	21
293	Rickettsial Infection in Animals, Humans and Ticks in Paulic�ia, Brazil. Zoonoses and Public Health, 2015, 62, 525-533.	0.9	26
294	Association patterns of ticks (Acari: Ixodida: Ixodidae, Argasidae) of small mammals in Cerrado fragments, western Brazil. Experimental and Applied Acarology, 2015, 65, 389-401.	0.7	33
295	Rickettsia parkeri infecting free-living Amblyomma triste ticks in the Brazilian Pantanal. Ticks and Tick-borne Diseases, 2015, 6, 237-241.	1.1	27
296	Ticks (Acari: Ixodidae) identified from prey-predator interactions via faecal analysis of Brazilian wild carnivores. Experimental and Applied Acarology, 2015, 66, 119-125.	0.7	3
297	Carrapatos (Acari: Ixodidae) em mam�feros silvestres do Parque Nacional da Serra da Canastra e arredores, Minas Gerais, Brasil. Ciencia Rural, 2015, 45, 288-291.	0.3	6
298	Altitudinal Assessment of <i>Amblyomma aureolatum</i> and <i>Amblyomma ovale</i> (Acari: Ixodidae), Vectors of Spotted Fever Group Rickettsiosis in the State of S�o Paulo, Brazil. Journal of Medical Entomology, 2015, 52, 1170-1174.	0.9	22
299	Rickettsial infection in ticks from wild birds from Cerrado and the Pantanal region of Mato Grosso, midwestern Brazil. Ticks and Tick-borne Diseases, 2015, 6, 836-842.	1.1	34
300	Rickettsial infections in ticks from reptiles, birds and humans in Honduras. Ticks and Tick-borne Diseases, 2015, 6, 737-742.	1.1	40
301	Seroprevalence of Tick-Borne Pathogens and Tick Infestation in Dogs from Tapirap� and Karaj� Indigenous Communities, Brazil. Vector-Borne and Zoonotic Diseases, 2015, 15, 412-418.	0.6	8
302	Molecular detection of Rangelia vitalii in domestic dogs from Uruguay. Veterinary Parasitology, 2015, 210, 98-101.	0.7	24
303	The taxonomic status of Rhipicephalus sanguineus (Latreille, 1806). Veterinary Parasitology, 2015, 208, 2-8.	0.7	141
304	Seroepidemiological survey of Rickettsia spp. in dogs from the endemic area of Rickettsia parkeri rickettsiosis in Uruguay. Acta Tropica, 2015, 146, 7-10.	0.9	13
305	Amblyomma yucumense n. sp. (Acari: Ixodidae), a Parasite of Wild Mammals in Southern Brazil. Journal of Medical Entomology, 2015, 52, 28-37.	0.9	37
306	Molecular characterization of a Candidatus Rickettsia vini in Ixodes arboricola from the Czech Republic and Slovakia. Ticks and Tick-borne Diseases, 2015, 6, 330-333.	1.1	15

#	ARTICLE	IF	CITATIONS
307	Rickettsial agents in avian ixodid ticks in northeast Brazil. <i>Ticks and Tick-borne Diseases</i> , 2015, 6, 364-375.	1.1	67
308	<i>Rickettsia bellii</i> in <i>Amblyomma rotundatum</i> ticks parasitizing <i>Rhinella jimi</i> from northeastern Brazil. <i>Microbes and Infection</i> , 2015, 17, 856-858.	1.0	19
309	Ectoparasite Infestations and Canine Infection by Rickettsiae and Ehrlichiae in a Semi-Arid Region of Northeastern Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2015, 15, 645-651.	0.6	10
310	Ticks and rickettsial infection in the wildlife of two regions of the Brazilian Amazon. <i>Experimental and Applied Acarology</i> , 2015, 65, 125-140.	0.7	100
311	A second record of <i>Amblyomma romitii</i> Tonelli-Rondelli, 1939 (Acari: Ixodidae) from the State of Pará, Brazil. <i>Systematic and Applied Acarology</i> , 2015, 15, 184.	0.5	6
312	<i>Nothoaspis reddelli</i> Keirans & Clifford, 1975 (Acari, Ixodida, Argasidae): distribution extension. <i>Check List</i> , 2015, 11, 1698.	0.1	3
313	<i>Rickettsia rickettsii</i> in <i>Amblyomma patinoi</i> Ticks, Colombia. <i>Emerging Infectious Diseases</i> , 2015, 21, 537-539.	2.0	29
314	Ticks of the genus <i>Amblyomma</i> (Acari: Ixodidae) on wild birds in the Brazilian Amazon. <i>Systematic and Applied Acarology</i> , 2014, 19, 385.	0.5	23
315	Validation of the taxon <i>Ixodes aragai</i> Fonseca (Acari: Ixodidae) based on morphological and molecular data. <i>Zootaxa</i> , 2014, 3860, 361-70.	0.2	13
316	Candidatus <i>Rickettsia andeanae</i> , a spotted fever group agent infecting <i>Amblyomma parvum</i> ticks in two Brazilian biomes. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2014, 109, 259-261.	0.8	43
317	Survey of canine tick-borne diseases in Lábrea, Brazilian Amazon: "accidental" findings of <i>Dirofilaria immitis</i> infection. <i>Brazilian Journal of Veterinary Parasitology</i> , 2014, 23, 473-480.	0.2	18
318	Isolation, <i>in vitro</i> propagation, genetic analysis, and immunogenic characterization of an <i>Ehrlichia canis</i> strain from southeastern Brazil. <i>Journal of Veterinary Science</i> , 2014, 15, 241.	0.5	5
319	New Records and Human Parasitism by <i>Ornithodoros mimon</i> (Acari: Argasidae) in Brazil. <i>Journal of Medical Entomology</i> , 2014, 51, 283-287.	0.9	36
320	Feeding Period Required by <i>Amblyomma aureolatum</i> Ticks for Transmission of <i>Rickettsia rickettsii</i> to Vertebrate Hosts. <i>Emerging Infectious Diseases</i> , 2014, 20, 1504-1510.	2.0	50
321	<i>Rickettsia felis</i> and Changing Paradigms about Pathogenic Rickettsiae. <i>Emerging Infectious Diseases</i> , 2014, 20, 1768-1769.	2.0	34
322	Candidatus <i>Rickettsia aseboensis</i> and <i>Wolbachia</i> spp. in <i>Ctenocephalides felis</i> and <i>Pulex irritans</i> fleas removed from dogs in Ecuador. <i>Parasites and Vectors</i> , 2014, 7, 455.	1.0	22
323	Update on Tick-Borne Rickettsioses around the World: a Geographic Approach. <i>Clinical Microbiology Reviews</i> , 2014, 27, 166-166.	5.7	7
324	Seroprevalence of <i>Rickettsia</i> spp. in Equids and Molecular Detection of Candidatus <i>Rickettsia amblyommii</i> in <i>Amblyomma cajennense</i> Sensu Lato Ticks From the Pantanal Region of Mato Grosso, Brazil. <i>Journal of Medical Entomology</i> , 2014, 51, 1242-1247.	0.9	34

#	ARTICLE	IF	CITATIONS
325	Investigation of blood parasites of pygoscelid penguins at the King George and Elephant Islands, South Shetlands Archipelago, Antarctica. <i>Polar Biology</i> , 2014, 37, 135-139.	0.5	10
326	New tick records from the state of Rondônia, western Amazon, Brazil. <i>Experimental and Applied Acarology</i> , 2014, 62, 121-128.	0.7	56
327	Rickettsial infection in <i>Amblyomma cajennense</i> ticks and capybaras (<i>Hydrochoerus hydrochaeris</i>) in a Brazilian spotted fever-endemic area. <i>Parasites and Vectors</i> , 2014, 7, 7.	1.0	85
328	Dynamics of cell and tissue genesis in the male reproductive system of ticks (Acari: Ixodidae) <i>Amblyomma cajennense</i> (Fabricius, 1787) and <i>Amblyomma aureolatum</i> (Pallas, 1772): a comparative analysis. <i>Parasitology Research</i> , 2014, 113, 1511-1519.	0.6	7
329	Molecular phylogeny of soft ticks (Ixodida: Argasidae) inferred from mitochondrial genome and nuclear rRNA sequences. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 195-207.	1.1	95
330	<i>Rickettsia felis</i> in <i>Ctenocephalides felis felis</i> from Five Geographic Regions of Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2014, 91, 96-100.	0.6	22
331	Epidemiology of <i>Rickettsia</i> sp. strain Atlantic rainforest in a spotted fever-endemic area of southern Brazil. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 848-853.	1.1	71
332	Genetic Identification of Rickettsial Isolates from Fatal Cases of Brazilian Spotted Fever and Comparison with <i>Rickettsia rickettsii</i> Isolates from the American Continents. <i>Journal of Clinical Microbiology</i> , 2014, 52, 3788-3791.	1.8	39
333	Taxonomic key to nymphs of the genus <i>Amblyomma</i> (Acari: Ixodidae) in Argentina, with description and redescription of the nymphal stage of four <i>Amblyomma</i> species. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 753-770.	1.1	40
334	First report of mild Brazilian spotted fever associated to arthritis. <i>Revista Brasileira De Reumatologia</i> , 2014, 54, 237-240.	0.7	1
335	Infection of <i>Amblyomma ovale</i> by <i>Rickettsia</i> sp. strain Atlantic rainforest, Colombia. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 672-675.	1.1	50
336	<i>Borrelia</i> infection in <i>Ixodes parvicinus</i> ticks (Acari: Ixodidae) from northwestern Argentina. <i>Acta Tropica</i> , 2014, 139, 1-4.	0.9	23
337	Rickettsial infections in ticks from wild birds in Paraguay. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 83-89.	1.1	29
338	First molecular detection of <i>Rickettsia parkeri</i> in <i>Amblyomma tigrinum</i> and <i>Amblyomma dubitatum</i> ticks from Uruguay. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 660-662.	1.1	31
339	Experimental infection with <i>Rickettsia rickettsii</i> in an <i>Amblyomma dubitatum</i> tick colony, naturally infected by <i>Rickettsia bellii</i> . <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 917-923.	1.1	48
340	Natural infection of the wild canid, <i>Cerdocyon thous</i> , with the piroplasmid <i>Rangelia vitalii</i> in Brazil. <i>Veterinary Parasitology</i> , 2014, 202, 156-163.	0.7	42
341	Reassessment of the taxonomic status of <i>Amblyomma cajennense</i> (Fabricius, 1787) with the description of three new species, <i>Amblyomma tonelliae</i> n. sp., <i>Amblyomma interandinum</i> n. sp. and <i>Amblyomma patinoi</i> n. sp., and reinstatement of <i>Amblyomma mixtum</i> Koch, 1844, and <i>Amblyomma sculptum</i> Berlese, 1888 (Ixodida: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 252-276.	1.1	314
342	A novel Ehrlichia genotype strain distinguished by the TRP36 gene naturally infects cattle in Brazil and causes clinical manifestations associated with ehrlichiosis. <i>Ticks and Tick-borne Diseases</i> , 2014, 5, 537-544.	1.1	63

#	ARTICLE	IF	CITATIONS
343	The spreading process of <i>Ehrlichia canis</i> in macrophages is dependent on actin cytoskeleton, calcium and iron influx and lysosomal evasion. <i>Veterinary Microbiology</i> , 2014, 168, 442-446.	0.8	10
344	<i>Biology of Ticks</i> . Volumes 1 and 2. Second Edition. Edited by Daniel E. Sonenshine and R. Michael Roe. Oxford and New York: Oxford University Press. \$150.00 per volume. Volume 1: xv + 540 p.; ill.; index. ISBN: 978-0-19-974405-3; Volume 2: xi + 491 p.; ill.; index. ISBN: 978-0-19-974406-0. 2014.. <i>Quarterly Review of Biology</i> , 2014, 89, 402-403.	0.0	1
345	Primeiro caso de febre maculosa brasileira branda associada À artrite. <i>Revista Brasileira De Reumatologia</i> , 2014, 54, 237-240.	0.8	3
346	A <i>Rickettsia parkeri</i> -like agent infecting <i>Amblyomma calcaratum</i> nymphs from wild birds in Mato Grosso do Sul, Brazil. <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 145-147.	1.1	28
347	Flea-Borne <i>Rickettsioses</i> in the North of Caldas Province, Colombia. <i>Vector-Borne and Zoonotic Diseases</i> , 2013, 13, 289-294.	0.6	34
348	Morphological description of the nymphal stage of <i>Amblyomma geayi</i> and new nymphal records of <i>Amblyomma parkeri</i> . <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 181-184.	1.1	31
349	Update on Tick-Borne <i>Rickettsioses</i> around the World: a Geographic Approach. <i>Clinical Microbiology Reviews</i> , 2013, 26, 657-702.	5.7	1,033
350	Description of larva of <i>Amblyomma romitii</i> (Acari: Ixodidae) by optical and scanning electron microscopy, including porotaxy and phylogenetic analysis. <i>Experimental and Applied Acarology</i> , 2013, 60, 271-280.	0.7	7
351	<i>Amblyomma cajennense</i> (Fabricius, 1787) (Acari: Ixodidae), the Cayenne tick: phylogeography and evidence for allopatric speciation. <i>BMC Evolutionary Biology</i> , 2013, 13, 267.	3.2	117
352	<i>Borrelia burgdorferi</i> sensu lato Infecting Ticks of the <i>Ixodes ricinus</i> Complex in Uruguay: First Report for the Southern Hemisphere. <i>Vector-Borne and Zoonotic Diseases</i> , 2013, 13, 147-153.	0.6	43
353	Chemical composition and efficacy of dichloromethane extract of <i>Croton sphaerogynus</i> Baill. (Euphorbiaceae) against the cattle tick <i>Rhipicephalus microplus</i> (Acari: Ixodidae). <i>Veterinary Parasitology</i> , 2013, 192, 292-295.	0.7	11
354	<i>Ehrlichia canis</i> in dogs in a semiarid region of Northeastern Brazil: Serology, molecular detection and associated factors. <i>Research in Veterinary Science</i> , 2013, 94, 474-477.	0.9	22
355	Genetic diversity of <i>Ehrlichia canis</i> in Brazil. <i>Veterinary Microbiology</i> , 2013, 164, 315-321.	0.8	52
356	Brazilian Spotted Fever: The Role of Capybaras. , 2013, , 371-383.		11
357	The first report of <i>Rickettsia</i> spp. in <i>Amblyomma nodosum</i> in the State of Mato Grosso do Sul, Brazil. <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 156-159.	1.1	15
358	Novel <i>Ehrlichia</i> and <i>Hepatozoon</i> Agents Infecting the Crab-Eating Fox (<i>Cerdocyon</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.9	91
359	A Survey of Ectoparasites Infesting Urban and Rural Dogs of Maranhão State, Brazil. <i>Journal of Medical Entomology</i> , 2013, 50, 674-678.	0.9	14
360	Spotted Fever Group <i>Rickettsia</i> in Small Rodents from Areas of Low Endemicity for Brazilian Spotted Fever in the Eastern Region of Minas Gerais State, Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2013, 88, 937-939.	0.6	13

#	ARTICLE	IF	CITATIONS
361	<i>Rickettsia amblyommii</i> Infecting <i>Amblyomma auricularium</i> Ticks in Pernambuco, Northeastern Brazil: Isolation, Transovarial Transmission, and Transstadial Perpetuation. <i>Vector-Borne and Zoonotic Diseases</i> , 2013, 13, 615-618.	0.6	47
362	In vitro isolation from <i>Amblyomma ovale</i> (Acari: Ixodidae) and ecological aspects of the Atlantic rainforest <i>Rickettsia</i> , the causative agent of a novel spotted fever rickettsiosis in Brazil. <i>Parasitology</i> , 2013, 140, 719-728.	0.7	131
363	Hematologic and bone marrow changes in dogs experimentally infected with <i>Rangelia vitalii</i> . <i>Veterinary Clinical Pathology</i> , 2013, 42, 31-39.	0.3	11
364	Description of the larva of <i>Amblyomma calcaratum</i> Neumann, 1899 (Acari: Ixodidae) by light and scanning electron microscopy. <i>Ticks and Tick-borne Diseases</i> , 2013, 4, 531-536.	1.1	5
365	<i>Ornithodoros peropteryx</i> (Acari: Argasidae) in Bolivia: an argasid tick with a single nymphal stage. <i>Experimental and Applied Acarology</i> , 2013, 61, 231-241.	0.7	18
366	<i>Coxiella burnetii</i> in Ticks, Argentina. <i>Emerging Infectious Diseases</i> , 2013, 19, 344-346.	2.0	51
367	New Records of <i>Amblyomma multipunctum</i> and <i>Amblyomma naponense</i> from Ecuador, with Description of <i>A. multipunctum</i> Nymph. <i>Journal of Parasitology</i> , 2013, 99, 973-977.	0.3	5
368	West Nile virus surveillance, Brazil, 2008-2010. <i>Transactions of the Royal Society of Tropical Medicine and Hygiene</i> , 2013, 107, 723-730.	0.7	43
369	SEROLOGICAL SURVEY OF Ehrlichia SPECIES IN DOGS, HORSES AND HUMANS: ZONOTIC SCENERY IN A RURAL SETTLEMENT FROM SOUTHERN BRAZIL. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2013, 55, 335-340.	0.5	33
370	Seroprevalence and risk factors for cattle anaplasmosis, babesiosis, and trypanosomiasis in a Brazilian semi-arid region. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 207-213.	0.2	23
371	Detecção de anticorpos anti-Rickettsia spp. em cães e equinos no estado de Mato Grosso, Brasil. <i>Semina: Ciências Agrárias</i> , 2013, 34, 3755.	0.1	2
372	Ticks on birds in a savanna (Cerrado) reserve on the outskirts of Uberlândia, Minas Gerais, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 46-52.	0.2	18
373	Ticks infesting birds in Atlantic Forest fragments in Rio Claro, State of Sao Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 6-12.	0.2	14
374	Molecular detection of Ehrlichia canis in dogs from the Pantanal of Mato Grosso State, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 114-118.	0.2	17
375	Ticks on birds from Cerrado forest patches along the Uberabinha river in the Triângulo Mineiro region of Minas Gerais, Brazil. <i>Ciencia Rural</i> , 2013, 43, 1852-1857.	0.3	15
376	Environmental infestation and rickettsial infection in ticks in an area endemic for Brazilian spotted fever. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 367-372.	0.2	23
377	Experimental infection of the bat tick <i>Carios fonsecai</i> (Acari: Ixodidae) with the rabies virus. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2013, 46, 788-790.	0.4	2
378	Detection of anti-Rickettsia spp. antibodies in domestic chickens of extensive breeding in an endemic area for spotted fever in the state of Rio Grande do Sul, Brazil. <i>Ciencia Rural</i> , 2013, 43, 2037-2041.	0.3	4

#	ARTICLE	IF	CITATIONS
379	Natural Blood Feeding and Temperature Shift Modulate the Global Transcriptional Profile of <i>Rickettsia rickettsii</i> Infecting Its Tick Vector. <i>PLoS ONE</i> , 2013, 8, e77388.	1.1	34
380	Immature argasid ticks: diagnosis and keys for Neotropical region. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 443-456.	0.2	36
381	<i>Ornithodoros guaporensis</i> (Acari, Ixodida: Argasidae), a new tick species from the Guaporé River Basin in the Bolivian Amazon. <i>Zootaxa</i> , 2013, 3666, 579-90.	0.2	29
382	Ecology, biology and distribution of spotted-fever tick vectors in Brazil. <i>Frontiers in Cellular and Infection Microbiology</i> , 2013, 3, 27.	1.8	165
383	Serosurvey for tick-borne diseases in dogs from the Eastern Amazon, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2013, 22, 214-219.	0.2	22
384	Antibodies against rickettsiae from spotted fever groups in horses from two mesoregions in the state of Santa Catarina, Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2013, 65, 1713-1719.	0.1	5
385	Epidemiology of Brazilian spotted fever in the Atlantic Forest, state of São Paulo, Brazil. <i>Parasitology</i> , 2012, 139, 1283-1300.	0.7	109
386	<i>Rickettsia bellii</i> infecting <i>Amblyomma sabanerae</i> ticks in El Salvador. <i>Pathogens and Global Health</i> , 2012, 106, 188-189.	1.0	23
387	Brazilian spotted fever: Real-time PCR for diagnosis of fatal cases. <i>Ticks and Tick-borne Diseases</i> , 2012, 3, 312-314.	1.1	7
388	Rickettsial Infection in Ticks (Acari: Ixodidae) Collected on Birds in Southern Brazil. <i>Journal of Medical Entomology</i> , 2012, 49, 710-716.	0.9	58
389	Ticks (Acari: Ixodidae) associated with small terrestrial mammals in the state of Minas Gerais, southeastern Brazil. <i>Experimental and Applied Acarology</i> , 2012, 58, 159-166.	0.7	48
390	The role of cytoskeleton, components of inositol phospholipid signaling pathway and iron in <i>Ehrlichia canis</i> in vitro proliferation. <i>Veterinary Research Communications</i> , 2012, 36, 195-199.	0.6	4
391	Morphological records of oocyte maturation in the parthenogenetic tick <i>Amblyomma rotundatum</i> Koch, 1844 (Acari: Ixodidae). <i>Ticks and Tick-borne Diseases</i> , 2012, 3, 59-64.	1.1	12
392	<i>Coxiella</i> symbiont in the tick <i>Ornithodoros rostratus</i> (Acari: Argasidae). <i>Ticks and Tick-borne Diseases</i> , 2012, 3, 203-206.	1.1	125
393	<i>Rickettsia bellii</i> in ticks <i>Amblyomma varium</i> Koch, 1844, from birds in Peru. <i>Ticks and Tick-borne Diseases</i> , 2012, 3, 254-256.	1.1	28
394	A surrogate life cycle of <i>Amblyomma ovale</i> Koch, 1844. <i>Ticks and Tick-borne Diseases</i> , 2012, 3, 262-264.	1.1	7
395	Exposure of small mammals to ticks and rickettsiae in Atlantic Forest patches in the metropolitan area of Recife, North-eastern Brazil. <i>Parasitology</i> , 2012, 139, 83-91.	0.7	42
396	Maternal Care in the Soft Tick <i>Antricola marginatus</i> . <i>Journal of Parasitology</i> , 2012, 98, 876-877.	0.3	8

#	ARTICLE	IF	CITATIONS
397	The sialotranscriptome of <i>Antricola delacruzi</i> female ticks is compatible with non-hematophagous behavior and an alternative source of food. <i>Insect Biochemistry and Molecular Biology</i> , 2012, 42, 332-342.	1.2	52
398	Molecular Identification and Description of the Female of <i>Nothoaspis reddelli</i> (Ixodida: Argasidae) from A Cave in Southeastern Mexico. <i>Journal of Parasitology</i> , 2012, 98, 918-923.	0.3	4
399	Description of a New Species of Bat-Associated Argasid Tick (Acari: Argasidae) from Brazil. <i>Journal of Parasitology</i> , 2012, 98, 36-45.	0.3	55
400	Rickettsial Infection in Ticks Collected from Road-Killed Wild Animals in Rio de Janeiro, Brazil. <i>Journal of Medical Entomology</i> , 2012, 49, 1510-1514.	0.9	18
401	Reinstatement of <i>Rhipicephalus</i> (<i>Boophilus</i>) <i>australis</i> (Acari: Ixodidae) With Redescription of the Adult and Larval Stages. <i>Journal of Medical Entomology</i> , 2012, 49, 794-802.	0.9	106
402	A Third <i>Amblyomma</i> Species and the First Tick-Borne <i>Rickettsia</i> in Chile. <i>Journal of Medical Entomology</i> , 2012, 49, 219-222.	0.9	32
403	Parasitism by <i>Ixodiphagus</i> ; Wasps (Hymenoptera: Encyrtidae) in <i>Rhipicephalus sanguineus</i> ; and <i>Amblyomma</i> ; Ticks (Acari: Ixodidae) in Three Regions of Brazil. <i>Journal of Economic Entomology</i> , 2012, 105, 1979-1981.	0.8	6
404	Redescription of the larva of <i>Amblyomma oblongoguttatum</i> Koch, 1844 (Acari: Ixodidae) by light and scanning electron microscopy. <i>Zootaxa</i> , 2012, 3579, 80.	0.2	4
405	<i>Ornithodoros brasiliensis</i> Aragão (Acari: Argasidae): description of the larva, redescription of male and female, and neotype designation. <i>Zootaxa</i> , 2012, 3178, 22.	0.2	14
406	Detección de <i>Rickettsia</i> spp. en ectoparásitos de animales domésticos y silvestres de la Reserva Natural Privada Cerro Chucantá y comunidades aledañas, Panamá, 2007-2010. <i>Biomedica</i> , 2012, 32, .	0.3	7
407	<i>Rangelia vitalii</i> : changes in the enzymes ALT, CK and AST during the acute phase of experimental infection in dogs. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 243-248.	0.2	15
408	<i>Paracoccidioides brasiliensis</i> infection in dogs from Western Brazilian Amazon. <i>Pesquisa Veterinaria Brasileira</i> , 2012, 32, 649-652.	0.5	13
409	Serological survey on <i>Ehrlichia</i> sp. among dogs in the central region of Rio Grande do Sul. <i>Brazilian Journal of Veterinary Parasitology</i> , 2012, 21, 415-417.	0.2	13
410	Ecological implications on the aggregation of <i>Amblyomma fuscum</i> (Acari: Ixodidae) on <i>Thrichomys laurentius</i> (Rodentia: Echimyidae), in northeastern Brazil. <i>Experimental and Applied Acarology</i> , 2012, 57, 83-90.	0.7	10
411	Thrombocytopenia and platelet activity in dogs experimentally infected with <i>Rangelia vitalii</i> . <i>Veterinary Parasitology</i> , 2012, 185, 131-137.	0.7	15
412	Experimental infection of the tick <i>Amblyomma cajennense</i> , Cayenne tick, with <i>Rickettsia rickettsii</i> , the agent of Rocky Mountain spotted fever. <i>Medical and Veterinary Entomology</i> , 2012, 26, 139-151.	0.7	80
413	Life-cycle and host preference of <i>Amblyomma ovale</i> (Acari: Ixodidae) under laboratory conditions. <i>Experimental and Applied Acarology</i> , 2012, 56, 151-158.	0.7	28
414	Tick-Borne Bacteria in Free-Living Jaguars (<i>Panthera onca</i>) in Pantanal, Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 1001-1005.	0.6	50

#	ARTICLE	IF	CITATIONS
415	Description of Adults and Nymph, and Redescription of the Larva, of <i>Ornithodoros marinkellei</i> (Acari: Tj ETQq1 1 0,784314 rgBT /Ove	0,3	90
416	First Report of the Isolation and Molecular Characterization of <i>Rickettsia amblyommii</i> and <i>Rickettsia felis</i> in Central America. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 1395-1397.	0.6	48
417	Genetic analysis of ticks belonging to the <i>Rhipicephalus sanguineus</i> group in Latin America. <i>Acta Tropica</i> , 2011, 117, 51-55.	0.9	136
418	The action of <i>Amblyomma cajennense</i> tick saliva in compounds of the hemostatic system and cytotoxicity in tumor cell lines. <i>Biomedicine and Pharmacotherapy</i> , 2011, 65, 443-450.	2.5	20
419	Experimental Infection of <i>Rhipicephalus sanguineus</i> Ticks with the Bacterium <i>Rickettsia rickettsii</i> , Using Experimentally Infected Dogs. <i>Vector-Borne and Zoonotic Diseases</i> , 2011, 11, 29-36.	0.6	77
420	First isolation and molecular characterization of <i>Ehrlichia canis</i> in Costa Rica, Central America. <i>Research in Veterinary Science</i> , 2011, 91, 95-97.	0.9	27
421	Tick toxicosis in a dog bitten by <i>Ornithodoros brasiliensis</i> . <i>Veterinary Clinical Pathology</i> , 2011, 40, 356-360.	0.3	19
422	Infection by Spotted Fever <i>Rickettsiae</i> in People, Dogs, Horses and Ticks in Londrina, Parana State, Brazil. <i>Zoonoses and Public Health</i> , 2011, 58, 416-423.	0.9	15
423	A novel <i>Rickettsia</i> infecting <i>Amblyomma dubitatum</i> ticks in Brazil. <i>Ticks and Tick-borne Diseases</i> , 2011, 2, 209-212.	1.1	25
424	Seroprevalence and risk factors to <i>Ehrlichia</i> spp. and <i>Rickettsia</i> spp. in dogs from the Pantanal Region of Mato Grosso State, Brazil. <i>Ticks and Tick-borne Diseases</i> , 2011, 2, 213-218.	1.1	51
425	Vigilância de la infección por <i>Rickettsia</i> sp. en capibaras (<i>Hydrochoerus hydrochaeris</i>) un modelo potencial de alerta epidemiológica en zonas endémicas. <i>Biomedica</i> , 2011, 31, 216.	0.3	11
426	Survey of rickettsiae in humans, dogs, horses, and ticks in Northern Paraná, Brazil. <i>Semina: Ciências Agrárias</i> , 2011, 32, 1527-1538.	0.1	3
427	Anti- <i>Rickettsia</i> spp. antibodies in free-ranging and captive capybaras from southern Brazil. <i>Pesquisa Veterinaria Brasileira</i> , 2011, 31, 1014-1018.	0.5	15
428	<i>Rickettsia</i> species infecting <i>Amblyomma</i> ticks from an area endemic for Brazilian spotted fever in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 308-311.	0.2	29
429	Ehrlichiosis in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 01-12.	0.2	99
430	Study of infection by <i>Rickettsiae</i> of the spotted fever group in humans and ticks in an urban park located in the City of Londrina, State of Paraná, Brazil. <i>Revista Da Sociedade Brasileira De Medicina Tropical</i> , 2011, 44, 313-317.	0.4	3
431	Tristeza parasitária bovina no Sertão da Paraíba. <i>Pesquisa Veterinaria Brasileira</i> , 2011, 31, 239-243.	0.5	16
432	Molecular detection of <i>Hepatozoon canis</i> and <i>Babesia canis vogeli</i> in domestic dogs from Cuiabá, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2011, 20, 253-255.	0.2	24

#	ARTICLE	IF	CITATIONS
433	Experimental Infection of <i>Amblyomma aureolatum</i> Ticks with <i>Rickettsia rickettsii</i> . Emerging Infectious Diseases, 2011, 17, 829-834.	2.0	61
434	Spotted fever group <i>Rickettsia</i> infecting ticks (Acari: Ixodidae) in the state of Santa Catarina, Brazil. Memorias Do Instituto Oswaldo Cruz, 2011, 106, 926-930.	0.8	52
435	Ticks (Acari: Ixodida) parasitizing free-living wild animals in the Caatinga biome in the State of Pernambuco, northeastern Brazil. Systematic and Applied Acarology, 2011, 16, 207.	0.5	27
436	Rickettsial infections of dogs, horses and ticks in Juiz de Fora, southeastern Brazil, and isolation of <i>Rickettsia rickettsii</i> from <i>Rhipicephalus sanguineus</i> ticks. Medical and Veterinary Entomology, 2011, 25, 148-155.	0.7	54
437	Experimental infection with <i>Rangelia vitalii</i> in dogs: Acute phase, parasitemia, biological cycle, clinical-pathological aspects and treatment. Experimental Parasitology, 2011, 128, 347-352.	0.5	37
438	Effect of Forest Fragmentation on Tick Infestations of Birds and Tick Infection Rates by <i>Rickettsia</i> in the Atlantic Forest of Brazil. EcoHealth, 2011, 8, 320-331.	0.9	53
439	Ticks (Acari: Ixodidae) infesting wild birds in the Atlantic Forest in northeastern Brazil, with notes on rickettsial infection in ticks. Parasitology Research, 2011, 108, 665-670.	0.6	59
440	Report of a clinical case of dog infected by <i>Hepatozoon canis</i> in Southern Brazil. Comparative Clinical Pathology, 2011, 20, 669-672.	0.3	4
441	An integrated database on ticks and tick-borne zoonoses in the tropics and subtropics with special reference to developing and emerging countries. Experimental and Applied Acarology, 2011, 54, 65-83.	0.7	17
442	<i>Carios mimon</i> (Acari: Argasidae): description of adults and redescription of larva. Experimental and Applied Acarology, 2011, 54, 93-104.	0.7	21
443	Cross-mating experiments with geographically different populations of <i>Amblyomma cajennense</i> (Acari: Tj ETQq1 1.0, 784314, rgBT / Overl	0.7	38
444	Morphological and molecular analysis of <i>Ornithonyssus</i> spp. (Acari: Macronyssidae) from small terrestrial mammals in Brazil. Experimental and Applied Acarology, 2011, 55, 305-327.	0.7	14
445	Distribution of <i>Rickettsia rickettsii</i> in ovary cells of <i>Rhipicephalus sanguineus</i> (Latreille1806) (Acari: Tj ETQq1 1.0, 784314, rgBT / Overl	1.0	13
446	Rickettsial infection in domestic mammals and their ectoparasites in El Valle de Antón, Coclé, Panamá. Veterinary Parasitology, 2011, 177, 134-138.	0.7	70
447	Detection and molecular characterization of a canine piroplasm from Brazil. Veterinary Parasitology, 2011, 180, 203-208.	0.7	78
448	<i>Rickettsia monteiroi</i> sp. nov., Infecting the Tick <i>Amblyomma incisum</i> in Brazil. Applied and Environmental Microbiology, 2011, 77, 5207-5211.	1.4	36
449	Ticks on free-living wild mammals in Emas National Park, Goias State, central Brazil. Systematic and Applied Acarology, 2011, 16, 201.	0.5	18
450	Rickettsial infection in Cerro Largo, State of Rio Grande do Sul, Brazil. Arquivo Brasileiro De Medicina Veterinaria E Zootecnia, 2011, 63, 511-514.	0.1	7

#	ARTICLE	IF	CITATIONS
451	Rickettsioses in Latin America, Caribbean, Spain and Portugal. <i>Revista MVZ Cordoba</i> , 2011, 16, 2435-2457.	0.2	128
452	Ticks (Acari: Ixodidae) infesting wild birds in the eastern Amazon, northern Brazil, with notes on rickettsial infection in ticks. <i>Parasitology Research</i> , 2010, 106, 809-816.	0.6	96
453	The life cycle of <i>Amblyomma auricularium</i> (Acari: Ixodidae) using rabbits (<i>Oryctolagus cuniculus</i>) as experimental host. <i>Experimental and Applied Acarology</i> , 2010, 50, 71-77.	0.7	13
454	Hosts, distribution and genetic divergence (16S rDNA) of <i>Amblyomma dubitatum</i> (Acari: Ixodidae). <i>Experimental and Applied Acarology</i> , 2010, 51, 335-351.	0.7	66
455	Description of immature stages and redescription of adults of <i>Ixodes luciae</i> S��nevet (Acari: Ixodidae). <i>Zootaxa</i> , 2010, 2495, .	0.2	5
456	Novel Spotted Fever Group Rickettsiosis, Brazil. <i>Emerging Infectious Diseases</i> , 2010, 16, 521-523.	2.0	159
457	Prevalence of ehrlichial infection among dogs and ticks in Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 89-93.	0.2	15
458	New tick records in Rond��nia, Western Brazilian Amazon. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 192-194.	0.2	16
459	Ticks on birds in a forest fragment of Brazilian cerrado (savanna) in the municipality of Uberl��ndia, State of Minas Gerais, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 244-248.	0.2	26
460	Anticorpos anti-rickettsias do grupo da febre maculosa em equ��deos e caninos no norte do Estado do Paran��, Brasil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2010, 62, 761-764.	0.1	6
461	Serosurvey of antibodies against spotted fever group <i>Rickettsia</i> spp. in horse farms in Northern Paran��, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 259-261.	0.2	10
462	First record of <i>Amblyomma scalpturatum</i> Neumann (Acari: Ixodidae) in the States of Paran�� and Roraima, Brazil. <i>Neotropical Entomology</i> , 2010, 39, 451-453.	0.5	7
463	Serological survey of <i>Rickettsia</i> sp. in horses and dogs in a non-endemic area in Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 205-209.	0.2	12
464	<i>Rickettsia felis</i> infection in cat fleas <i>Ctenocephalides felis felis</i> . <i>Brazilian Journal of Microbiology</i> , 2010, 41, 813-818.	0.8	5
465	Seroprevalence of <i>Rickettsia bellii</i> and <i>Rickettsia felis</i> in dogs, S��o Jos�� dos Pinhais, State of Paran��, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 222-227.	0.2	12
466	Wide Dispersal and Possible Multiple Origins of Low-Copy-Number Plasmids in <i>Rickettsia</i> Species Associated with Blood-Feeding Arthropods. <i>Applied and Environmental Microbiology</i> , 2010, 76, 1718-1731.	1.4	50
467	Survey of Ticks (Acari: Ixodidae) and Their <i>Rickettsia</i> in an Atlantic Rain Forest Reserve in the State of S��o Paulo, Brazil. <i>Journal of Medical Entomology</i> , 2010, 47, 913-916.	0.9	77
468	<i>Rickettsia</i> in Synanthropic and Domestic Animals and Their Hosts from Two Areas of Low Endemicity for Brazilian Spotted Fever in the Eastern Region of Minas Gerais, Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 1305-1307.	0.6	24

#	ARTICLE	IF	CITATIONS
469	Survey for Tick-Borne Zoonoses in the State of Espírito Santo, Southeastern Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2010, 83, 201-206.	0.6	40
470	Ticks Infesting Wildlife Species in Northeastern Brazil With New Host and Locality Records. <i>Journal of Medical Entomology</i> , 2010, 47, 1243-1246.	0.9	28
471	Description of a New Argasid Tick (Acari: Ixodida) from Bat Caves in Brazilian Amazon. <i>Journal of Parasitology</i> , 2010, 96, 1089-1101.	0.3	55
472	Comparison of two methods for collecting free-living ticks in the Amazonian forest. <i>Ticks and Tick-borne Diseases</i> , 2010, 1, 194-196.	1.1	36
473	Nymphs of the genus <i>Amblyomma</i> (Acari: Ixodidae) of Brazil: descriptions, redescription, and identification key. <i>Ticks and Tick-borne Diseases</i> , 2010, 1, 75-99.	1.1	329
474	Experimental Infection of the Opossum <i>Didelphis aurita</i> by <i>Rickettsia felis</i> , <i>Rickettsia bellii</i> , and <i>Rickettsia parkeri</i> and Evaluation of the Transmission of the Infection to Ticks <i>Amblyomma cajennense</i> and <i>Amblyomma dubitatum</i> . <i>Vector-Borne and Zoonotic Diseases</i> , 2010, 10, 959-967.	0.6	38
475	Serologic Survey for Rickettsiosis in Bats from São Paulo City, Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2010, 10, 459-463.	0.6	25
476	Survey of Ticks (Acari: Ixodidae) and Their <i>Rickettsia</i> in an Atlantic Rain Forest Reserve in the State of São Paulo, Brazil. <i>Journal of Medical Entomology</i> , 2010, 47, 913-916.	0.9	41
477	Prevalência de anticorpos anti- <i>Rickettsia</i> spp. em cães da cidade de Belo Horizonte, MG. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2010, 62, 1007-1010.	0.1	6
478	Seroprevalence of anti- <i>Leishmania</i> spp. antibodies in rural dogs from the city of Monte Negro, State of Rondônia, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 71-72.	0.2	5
479	Sensitivity evaluation of a single-step PCR assay using <i>Ehrlichia canis</i> p28 gene as a target and its application in diagnosis of canine ehrlichiosis. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 75-79.	0.2	16
480	Prevalence of ehrlichial infection among dogs and ticks in Northeastern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 89-93.	0.2	20
481	Brazilian spotted fever in cart horses in a non-endemic area in Southern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 130-131.	0.2	12
482	Sensitivity evaluation of a single-step PCR assay using <i>Ehrlichia canis</i> p28 gene as a target and its application in diagnosis of canine ehrlichiosis. <i>Brazilian Journal of Veterinary Parasitology</i> , 2010, 19, 75-9.	0.2	4
483	Pesquisa de anticorpos anti- <i>Rickettsia rickettsii</i> em eqüinos do Centro de Controle de Zoonoses do município de São Paulo (CCZ/SP). <i>Brazilian Journal of Veterinary Research and Animal Science</i> , 2009, 46, 85.	0.2	8
484	Serological evidence of <i>Rickettsia parkeri</i> as the etiological agent of rickettsiosis in Uruguay. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2009, 51, 337-339.	0.5	38
485	<i>Rickettsial</i> infection in <i>Amblyomma nodosum</i> ticks (Acari: Ixodidae) from Brazil. <i>Annals of Tropical Medicine and Parasitology</i> , 2009, 103, 413-425.	1.6	69
486	Molecular and clinical evidence of <i>Ehrlichia chaffeensis</i> infection in Cameroonian patients with undifferentiated febrile illness. <i>Annals of Tropical Medicine and Parasitology</i> , 2009, 103, 719-725.	1.6	26

#	ARTICLE	IF	CITATIONS
487	Rocky Mountain Spotted Fever in Dogs, Brazil. <i>Emerging Infectious Diseases</i> , 2009, 15, 458-460.	2.0	47
488	Influence of Photoperiod and Temperature on the Larval Behavioral Diapause of <i>Amblyomma cajennense</i> (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2009, 46, 1303-1309.	0.9	23
489	Ecological aspects of the free-living ticks (Acari: Ixodidae) on animal trails within Atlantic rainforest in south-eastern Brazil. <i>Annals of Tropical Medicine and Parasitology</i> , 2009, 103, 57-72.	1.6	71
490	Allopatric speciation in ticks: genetic and reproductive divergence between geographic strains of <i>Rhipicephalus (Boophilus) microplus</i> . <i>BMC Evolutionary Biology</i> , 2009, 9, 46.	3.2	82
491	Life cycle of <i>Ixodes luciae</i> (Acari: Ixodidae) in the laboratory. <i>Parasitology Research</i> , 2009, 105, 1749-1753.	0.6	10
492	Experimental infection of the rabbit tick, <i>Haemaphysalis leporispalustris</i> , with the bacterium <i>Rickettsia rickettsii</i> , and comparative biology of infected and uninfected tick lineages. <i>Experimental and Applied Acarology</i> , 2009, 47, 321-345.	0.7	21
493	Biology and life cycle of <i>Amblyomma incisum</i> (Acari: Ixodidae). <i>Experimental and Applied Acarology</i> , 2009, 48, 263-271.	0.7	16
494	Redescription of the female, description of the male, and several new records of <i>Amblyomma parkeri</i> (Acari: Ixodidae), a South American tick species. <i>Experimental and Applied Acarology</i> , 2009, 49, 243-260.	0.7	42
495	Diagnoses of and illustrated key to the species of <i>Ixodes</i> Latreille, 1795 (Acari: Ixodidae) from Brazil. <i>Systematic Parasitology</i> , 2009, 72, 143-157.	0.5	37
496	Tick-borne rickettsioses in America: Unanswered questions and emerging diseases. <i>Current Infectious Disease Reports</i> , 2009, 11, 40-50.	1.3	81
497	Ecology of <i>Rickettsia</i> in South America. <i>Annals of the New York Academy of Sciences</i> , 2009, 1166, 156-166.	1.8	323
498	Experimental infection of capybaras <i>Hydrochoerus hydrochaeris</i> by <i>Rickettsia rickettsii</i> and evaluation of the transmission of the infection to ticks <i>Amblyomma cajennense</i> . <i>Veterinary Parasitology</i> , 2009, 161, 116-121.	0.7	101
499	Hepatozoon canis infecting dogs in the State of Espírito Santo, southeastern Brazil. <i>Veterinary Parasitology</i> , 2009, 163, 357-361.	0.7	65
500	<i>Carios fonsecai</i> sp. nov. (Acari, Argasidae), a bat tick from the central-western region of Brazil. <i>Acta Parasitologica</i> , 2009, 54, .	0.4	47
501	Protective efficacy of bacterial membranes containing surface-exposed BM95 antigenic peptides for the control of cattle tick infestations. <i>Vaccine</i> , 2009, 27, 7244-7248.	1.7	23
502	Ticks (Acari: Ixodidae) Infesting Birds in an Atlantic Rain Forest Region of Brazil. <i>Journal of Medical Entomology</i> , 2009, 46, 1225-1229.	0.9	80
503	New Epidemiological Data on Brazilian Spotted Fever in an Endemic Area of the State of São Paulo, Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2009, 9, 73-78.	0.6	53
504	Notes on Population Dynamics of <i>Amblyomma</i> Ticks (Acari: Ixodidae) in Brazil. <i>Journal of Parasitology</i> , 2009, 95, 1016-1018.	0.3	40

#	ARTICLE	IF	CITATIONS
505	Experimental Infection of Opossums <i>Didelphis aurita</i> by <i>Rickettsia rickettsii</i> and Evaluation of the Transmission of the Infection to Ticks <i>Amblyomma cajennense</i> . <i>Vector-Borne and Zoonotic Diseases</i> , 2009, 9, 109-118.	0.6	80
506	Host Records for the Immature Stages of the South American Tick, <i>Amblyomma fuscum</i> (Acari: Tj ETQq0 0 0 rgBT /Overlock 10 Tf	0.5	12
507	Prevalence of <i>Rickettsia</i> species antibodies and <i>Rickettsia</i> species DNA in the blood of cats with and without fever. <i>Journal of Feline Medicine and Surgery</i> , 2009, 11, 266-270.	0.6	51
508	New records of <i>Ixodes paranaensis</i> (Acari: Ixodidae) from Minas Gerais, southeastern Brazil. <i>Systematic and Applied Acarology</i> , 2009, 14, 213.	0.5	8
509	Prevalence of equine Piroplasmiasis and its association with tick infestation in the State of São Paulo, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2009, 18, 1-8.	0.2	44
510	Biological aspects of <i>Amblyomma brasiliense</i> (Acari: Ixodidae) under laboratory conditions. <i>Experimental and Applied Acarology</i> , 2008, 44, 43-48.	0.7	15
511	The effect of temperature and fasting period on the viability of free-living females of <i>Rhipicephalus sanguineus</i> (Acari: Ixodidae) under laboratory conditions. <i>Experimental and Applied Acarology</i> , 2008, 45, 211-217.	0.7	4
512	Ticks (Acari: Ixodidae) Infesting Wild Birds in an Atlantic Forest Area in the State of São Paulo, Brazil, with Isolation of <i>Rickettsia</i> from the Tick <i>Amblyomma longirostre</i> . <i>Journal of Medical Entomology</i> , 2008, 45, 770-774.	0.9	27
513	Expressed sequence tags (ESTs) from the salivary glands of the tick <i>Amblyomma cajennense</i> (Acari: Tj ETQq1 1 0.784314 rgBT /Over	0.8	64
514	Comparative Susceptibility of Larval Stages of <i>Amblyomma aureolatum</i> , <i>Amblyomma cajennense</i> , and <i>Rhipicephalus sanguineus</i> to Infection by <i>Rickettsia rickettsii</i> . <i>Journal of Medical Entomology</i> , 2008, 45, 1156-1159.	0.9	47
515	New Reports of <i>Antricola guigliemonei</i> and <i>Antricola delacruzi</i> in Brazil, and a Description of a New Argasid Species (Acari). <i>Journal of Parasitology</i> , 2008, 94, 788-792.	0.3	34
516	Comparative Susceptibility of Larval Stages of <i>Amblyomma aureolatum</i> , <i>Amblyomma cajennense</i> , and <i>Rhipicephalus sanguineus</i> to Infection by <i>Rickettsia rickettsii</i> . <i>Journal of Medical Entomology</i> , 2008, 45, 1156-1159.	0.9	62
517	Ticks (Acari: Ixodidae) Infesting Wild Birds in an Atlantic Forest Area in the State of São Paulo, Brazil, with Isolation of <i>Rickettsia</i> from the Tick <i>Amblyomma longirostre</i> . <i>Journal of Medical Entomology</i> , 2008, 45, 770-774.	0.9	55
518	Description of the larva of <i>Amblyomma pacaе</i> Aragao, 1911 (Acari: Ixodidae) by light and scanning electron microscopy. <i>Systematic and Applied Acarology</i> , 2008, 13, 195.	0.5	5
519	Description of the larva of <i>Amblyomma ovale</i> Koch, 1844 (Acari: Ixodidae) by light and scanning electron microscopy. <i>Systematic and Applied Acarology</i> , 2008, 13, 109.	0.5	20
520	Serosurvey of <i>Rickettsia</i> spp. in dogs and humans from an endemic area for Brazilian spotted fever in the State of São Paulo, Brazil. <i>Cadernos De Saude Publica</i> , 2008, 24, 247-252.	0.4	79
521	Comments on the validity of <i>Haemaphysalis cinnabarina</i> Koch, 1844 (Acari: Ixodidae), a taxon known solely by the type specimens from Northern Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2008, 17, 53-55.	0.2	5
522	Experimental infection of dogs with a Brazilian strain of <i>Rickettsia rickettsii</i> : clinical and laboratory findings. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2008, 103, 696-701.	0.8	76

#	ARTICLE	IF	CITATIONS
523	Rickettsial spotted fever in capoeirã Village, Itabira, Minas Gerais, Brazil. <i>Revista Do Instituto De Medicina Tropical De Sao Paulo</i> , 2008, 50, 297-301.	0.5	27
524	Prevalência de anticorpos contra agentes virais e bacterianos em eqüídeos do Município de Monte Negro, Rondônia, Amazônia Ocidental Brasileira: Brazilian Journal of Veterinary Research and Animal Science, 2008, 45, 269.	0.2	34
525	In vitro isolation and molecular characterization of an Ehrlichia canis strain from São Paulo, Brazil. <i>Brazilian Journal of Microbiology</i> , 2008, 39, 489-493.	0.8	41
526	Canine Infection by Rickettsiae and Ehrlichiae in Southern Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 79, 102-108.	0.6	54
527	In vitro isolation and molecular characterization of an Ehrlichia canis strain from São Paulo, Brazil. <i>Brazilian Journal of Microbiology</i> , 2008, 39, 489-93.	0.8	9
528	Canine infection by rickettsiae and ehrlichiae in southern Brazil. <i>American Journal of Tropical Medicine and Hygiene</i> , 2008, 79, 102-8.	0.6	12
529	Biological parameters of ticks (<i>Amblyomma cajennense</i> Fabricius, 1787) under field and laboratory conditions in Pedro Leopoldo, State of Minas Gerais, Brazil. <i>Brazilian Journal of Veterinary Parasitology</i> , 2008, 17 Suppl 1, 14-7.	0.2	2
530	Repellent Efficacy of Formic Acid and the Abdominal Secretion of Carpenter Ants (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 4 718-721.	0.9	24
531	Prevalence of Ehrlichia canis (Rickettsiales: Anaplasmataceae) in Dogs and Rhipicephalus sanguineus (Acari: Ixodidae) Ticks from Brazil. <i>Journal of Medical Entomology</i> , 2007, 44, 126-132.	0.9	72
532	Isolation of Rickettsia rhipicephali and Rickettsia bellii from Haemaphysalis juxtakochi Ticks in the State of São Paulo, Brazil. <i>Applied and Environmental Microbiology</i> , 2007, 73, 869-873.	1.4	76
533	HUMAN PARASITISM BY THE CAPYBARA TICK, AMBLYOMMA DUBITATUM (ACARI: IXODIDAE). <i>Entomological News</i> , 2007, 118, 77-80.	0.1	41
534	Isolation and molecular characterization of a Brazilian strain of Borrelia anserina, the agent of fowl spirochaetosis. <i>Research in Veterinary Science</i> , 2007, 83, 145-149.	0.9	37
535	Repellent Efficacy of Formic Acid and the Abdominal Secretion of Carpenter Ants (Hymenoptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 4 718-721. <i>Entomology</i> , 2007, 44, 718-721.	0.9	15
536	Prevalence of Rickettsia Infection in Dogs from the Urban and Rural Areas of Monte Negro Municipality, Western Amazon, Brazil. <i>Vector-Borne and Zoonotic Diseases</i> , 2007, 7, 249-255.	0.6	138
537	Hyperparasitism in Amblyomma rotundatum (Acari: Ixodidae). <i>Journal of Parasitology</i> , 2007, 93, 1531-1532.	0.3	12
538	Prevalence of Ehrlichia canis (Rickettsiales: Anaplasmataceae) in Dogs and Rhipicephalus sanguineus (Acari: Ixodidae) Ticks from Brazil. <i>Journal of Medical Entomology</i> , 2007, 44, 126-132.	0.9	51
539	Taxonomic and Phylogenetic Relationships Between Neotropical Species of Ticks from Genus Amblyomma (Acari: Ixodidae) Inferred from Second Internal Transcribed Spacer Sequences of rDNA. <i>Journal of Medical Entomology</i> , 2007, 44, 222-228.	0.9	20
540	Infecção por rickettsia en capibaras (Hydrochoerus hydrochaeris) de São Paulo, Brasil: evidencia serológica de infecção por Rickettsia bellii y Rickettsia parkeri. <i>Biomedica</i> , 2007, 27, 364.	0.3	64

#	ARTICLE	IF	CITATIONS
541	Rickettsia infection in five areas of the state of São Paulo, Brazil. Memorias Do Instituto Oswaldo Cruz, 2007, 102, 793-801.	0.8	148
542	Fatores de risco associados à ocorrência de anticorpos anti-Leptospira spp. em cães do município de Monte Negro, Rondônia, Amazônia Ocidental Brasileira. Arquivo Brasileiro De Medicina Veterinária E Zootecnia, 2007, 59, 70-76.	0.1	23
543	Rickettsia parkeri in Brazil. Emerging Infectious Diseases, 2007, 13, 1111-1113.	2.0	129
544	Rickettsia felis in Chile. Emerging Infectious Diseases, 2007, 13, 1794-1795.	2.0	35
545	A preliminary investigation of Ehrlichia species in ticks, humans, dogs, and capybaras from Brazil. Veterinary Parasitology, 2007, 143, 189-195.	0.7	50
546	Species diversity and seasonality of free-living ticks (Acari: Ixodidae) in the natural habitat of wild Marsh deer (Blastocerus dichotomus) in Southeastern Brazil. Veterinary Parasitology, 2007, 143, 147-154.	0.7	84
547	Infection by Rickettsia bellii and Candidatus Rickettsia amblyommi in Amblyomma neumanni Ticks from Argentina. Microbial Ecology, 2007, 54, 126-133.	1.4	79
548	Topographical and numerical study of the idiosomal integumentary structures of the larva of four Neotropical species of Amblyomma Koch, 1844 (Acari: Ixodidae). Systematic Parasitology, 2007, 68, 57-70.	0.5	8
549	Validation and redescription of Amblyomma romitii Tonelli-Rondelli, 1939 (Acari: Ixodidae). Systematic Parasitology, 2007, 68, 79-86.	0.5	22
550	Description of the immature stages and redescription of the female of Ixodes schulzei Aragão & Fonseca, 1951 (Acari: Ixodidae), an endemic tick species of Brazil. Systematic Parasitology, 2007, 68, 157-166.	0.5	17
551	Redescription of Amblyomma varium Koch, 1844 (Acari: Ixodidae) based on light and scanning electron microscopy. Systematic Parasitology, 2007, 69, 137-144.	0.5	12
552	Anting in a Semifree-ranging Group of Cebus apella. International Journal of Primatology, 2007, 28, 47-53.	0.9	22
553	Detection of a novel spotted fever group rickettsia in Amblyomma parvum ticks (Acari: Ixodidae) from Argentina. Experimental and Applied Acarology, 2007, 43, 63-71.	0.7	55
554	Ticks collected on birds in the state of São Paulo, Brazil. Experimental and Applied Acarology, 2007, 43, 147-160.	0.7	72
555	Diagnóstico sorológico de erliquiose canina com antígeno brasileiro de Ehrlichia canis. Ciencia Rural, 2007, 37, 796-802.	0.3	58
556	Rickettsial infection in capybaras (Hydrochoerus hydrochaeris) from São Paulo, Brazil: serological evidence for infection by Rickettsia bellii and Rickettsia parkeri. Biomedica, 2007, 27, 364-71.	0.3	13
557	Rabbits (Oryctolagus cuniculus) as experimental hosts for Amblyomma dubitatum Neumann (Acari: Ixodidae). Ticks and Tick-Borne Diseases, 2007, 8, 107-111.	0.1	3
558	Rickettsia parkeri in Uruguay. Emerging Infectious Diseases, 2006, 12, 1804-1805.	2.0	51

#	ARTICLE	IF	CITATIONS
559	Parasitismo de <i>Amblyomma fuscum</i> (Acari: Ixodidae) em humanos. <i>Ciencia Rural</i> , 2006, 36, 1328-1330.	0.3	14
560	Seroprevalence of <i>Leptospira</i> spp in cattle from Monte Negro municipality, western Amazon. <i>Pesquisa Veterinaria Brasileira</i> , 2006, 26, 102-104.	0.5	21
561	Ticks (Acari: Ixodidae) on small red brocket deer (<i>Mazama bororo</i> Duarte) along deer trails in the Atlantic forest of southeastern Brazil. <i>Systematic and Applied Acarology</i> , 2006, 11, 41.	0.5	13
562	Rhythm of engorgement and detachment of <i>Anocentor nitens</i> females feeding on horses. <i>Veterinary Parasitology</i> , 2006, 137, 316-332.	0.7	6
563	Prevalence of anti- <i>Neospora caninum</i> antibodies in cattle and dogs from Western Amazon, Brazil, in association with some possible risk factors. <i>Veterinary Parasitology</i> , 2006, 142, 71-77.	0.7	46
564	Natural Infection, Transovarial Transmission, and Transstadial Survival of <i>Rickettsia bellii</i> in the Tick <i>Ixodes loricatus</i> (Acari: Ixodidae) from Brazil. <i>Annals of the New York Academy of Sciences</i> , 2006, 1078, 285-290.	1.8	42
565	Prevalence of <i>Rickettsia felis</i> in the Fleas <i>Ctenocephalides felis felis</i> and <i>Ctenocephalides canis</i> from Two Indian Villages in Sao Paulo Municipality, Brazil. <i>Annals of the New York Academy of Sciences</i> , 2006, 1078, 361-363.	1.8	18
566	Isolation of <i>Rickettsia rickettsii</i> and <i>Rickettsia bellii</i> in Cell Culture from the Tick <i>Amblyomma aureolatum</i> in Brazil. <i>Annals of the New York Academy of Sciences</i> , 2006, 1078, 523-529.	1.8	166
567	Ticks (Acari: Ixodidae) parasitizing humans in an Atlantic rainforest reserve of Southeastern Brazil with notes on host suitability. <i>Experimental and Applied Acarology</i> , 2006, 39, 339-346.	0.7	41
568	Ticks (Ixodidae) on humans in South America. <i>Experimental and Applied Acarology</i> , 2006, 40, 83-100.	0.7	274
569	Isolation of <i>Rickettsia felis</i> in the Mosquito Cell Line C6/36. <i>Applied and Environmental Microbiology</i> , 2006, 72, 1705-1707.	1.4	44
570	CHARACTERIZATION OF TOXOPLASMA GONDII ISOLATES IN FREE-RANGE CHICKENS FROM AMAZON, BRAZIL. <i>Journal of Parasitology</i> , 2006, 92, 36-40.	0.3	64
571	Detection of <i>Rickettsia felis</i> in a New World Flea Species, <i>Anomiopsyllus nudata</i> (Siphonaptera: Ctenophthalmidae). <i>Journal of Medical Entomology</i> , 2005, 42, 163-167.	0.9	41
572	Detection of a spotted fever group <i>Rickettsia</i> in the tick <i>Haemaphysalis juxtakochi</i> in Rondonia, Brazil. <i>Veterinary Parasitology</i> , 2005, 127, 169-174.	0.7	47
573	Molecular Characterization of <i>E. canis</i> gp36 and <i>E. chaffeensis</i> gp47 Tandem Repeats among Isolates from Different Geographic Locations. <i>Annals of the New York Academy of Sciences</i> , 2005, 1063, 433-435.	1.8	32
574	Ticks (Acari: Ixodida) on wild carnivores in Brazil. <i>Experimental and Applied Acarology</i> , 2005, 36, 149-163.	0.7	145
575	Redescription of <i>Amblyomma fuscum</i> Neumann, 1907 (Acari: Ixodidae), a rare South America tick confirmed in Brazil. <i>Systematic Parasitology</i> , 2005, 61, 85-92.	0.5	23
576	Detection of <i>Rickettsia rickettsii</i> in the tick <i>Amblyomma cajennense</i> in a new Brazilian spotted fever-endemic area in the state of Minas Gerais. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2005, 100, 841-845.	0.8	166

#	ARTICLE	IF	CITATIONS
577	Rickettsial Infection in Animals and Brazilian Spotted Fever Endemicity. <i>Emerging Infectious Diseases</i> , 2005, 11, 265-270.	2.0	309
578	<i>Rickettsia felis</i> (Rickettsiales: Rickettsiaceae) in <i>Ctenocephalides felis felis</i> (Siphonaptera: Pulicidae) in the State of São Paulo, Brazil. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2005, 57, 321-325.	0.1	23
579	Detection of <i>Rickettsia felis</i> in a New World Flea Species, <i>Anomiopsyllus nudata</i> (Siphonaptera: Ctenophthalmidae). <i>Journal of Medical Entomology</i> , 2005, 42, 163-167.	0.9	24
580	First Report of the Male of <i>Amblyomma rotundatum</i> (Acari: Ixodidae) from a Field-Collected Host. <i>Journal of Medical Entomology</i> , 2005, 42, 945-947.	0.9	34
581	Detection of Medically Important Ehrlichia by Quantitative Multicolor TaqMan Real-Time Polymerase Chain Reaction of the <i>dsb</i> Gene. <i>Journal of Molecular Diagnostics</i> , 2005, 7, 504-510.	1.2	192
582	First Report of the Male of <i>Amblyomma rotundatum</i> (Acari: Ixodidae) from a Field-Collected Host. <i>Journal of Medical Entomology</i> , 2005, 42, 945-947.	0.9	17
583	AMBLYOMMA LATEPUNCTATUM, A VALID TICK SPECIES (ACARI: IXODIDAE) LONG MISIDENTIFIED WITH BOTH AMBLYOMMA INCISUM AND AMBLYOMMA SCALPTURATUM. <i>Journal of Parasitology</i> , 2005, 91, 527-541.	0.3	61
584	Ticks (Acari: Ixodidae) from the state of Rondonia, western Amazon, Brazil. <i>Systematic and Applied Acarology</i> , 2005, 10, 17.	0.5	108
585	Ocorrência de anticorpos anti-Brucella abortus e anti-Brucella canis em cães rurais e urbanos do Município de Monte Negro, Rondônia, Brasil. <i>Ciencia Rural</i> , 2005, 35, 1216-1219.	0.3	11
586	Controle estratégico do carrapato <i>Amblyomma cajennense</i> em eqüinos. <i>Ciencia Rural</i> , 2004, 34, 195-200.	0.3	18
587	<i>Rickettsia</i> Species Infecting <i>Amblyomma cooperi</i> Ticks from an Area in the State of São Paulo, Brazil, Where Brazilian Spotted Fever Is Endemic. <i>Journal of Clinical Microbiology</i> , 2004, 42, 90-98.	1.8	522
588	Life cycle of <i>Amblyomma cooperi</i> (Acari: Ixodidae) using capybaras (<i>Hydrochaeris hydrochaeris</i>) as hosts. <i>Experimental and Applied Acarology</i> , 2004, 32, 79-88.	0.7	33
589	Occurrence of Anti-Toxoplasma gondii Antibodies in Dogs in the Urban Area of Monte Negro, Rondônia, Brazil. <i>Veterinary Research Communications</i> , 2004, 28, 113-118.	0.6	32
590	<i>Rickettsia bellii</i> and <i>Rickettsia amblyommii</i> in <i>Amblyomma</i> Ticks from the State of Rondônia, Western Amazon, Brazil. <i>Journal of Medical Entomology</i> , 2004, 41, 1073-1081.	0.9	261
591	Molecular Evidence for a Spotted Fever Group <i>Rickettsia</i> Species in the Tick <i>Amblyomma longirostre</i> in Brazil. <i>Journal of Medical Entomology</i> , 2004, 41, 533-537.	0.9	114
592	Study of the Seasonal Dynamics, Life Cycle, and Host Specificity of <i>Amblyomma aureolatum</i> (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2004, 41, 324-332.	0.9	64
593	PREVALENCE OF ANTIBODIES TO SPOTTED FEVER GROUP RICKETTSIAE IN HUMANS AND DOMESTIC ANIMALS IN A BRAZILIAN SPOTTED FEVER-ENDEMIC AREA IN THE STATE OF SÃO PAULO, BRAZIL: SEROLOGIC EVIDENCE FOR INFECTION BY RICKETTSIA RICKETTSII AND ANOTHER SPOTTED FEVER GROUP RICKETTSIA. <i>American Journal of Tropical Medicine and Hygiene</i> . 2004. 71, 93-97.	0.6	131
594	Prevalence of antibodies to spotted fever group rickettsiae in humans and domestic animals in a Brazilian spotted fever-endemic area in the state of São Paulo, Brazil: serologic evidence for infection by <i>Rickettsia rickettsii</i> and another spotted fever group <i>Rickettsia</i> . <i>American Journal of Tropical Medicine and Hygiene</i> , 2004, 71, 93-7.	0.6	33

#	ARTICLE	IF	CITATIONS
595	Life cycle and host specificity of <i>Amblyomma triste</i> (Acari: Ixodidae) under laboratory conditions. <i>Experimental and Applied Acarology</i> , 2003, 30, 305-316.	0.7	24
596	Ticks (Acari: Ixodidae) on Wild Marsh-Deer (<i>Blastocerus dichotomus</i>) from Southeast Brazil: Infestations Before and After Habitat Loss. <i>Journal of Medical Entomology</i> , 2003, 40, 268-274.	0.9	32
597	New Records and Laboratory-Rearing Data for<i>Ixodes schulzei</i> (Acari: Ixodidae) in Brazil : Table 1. <i>Journal of Medical Entomology</i> , 2003, 40, 116-118.	0.9	16
598	Larval Behavioral Diapause Regulates Life Cycle of <i>Amblyomma cajennense</i> (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2003, 40, 107-113.	0.9	43
599	Ticks (Acari: Ixodidae) on Wild Marsh-Deer (<i>Blastocerus dichotomus</i>) from Southeast Brazil: Infestations Before and After Habitat Loss. <i>Journal of Medical Entomology</i> , 2003, 40, 268-274.	0.9	61
600	Gynandromorphism in <i>Amblyomma cajennense</i> and <i>Rhipicephalus sanguineus</i> (Acari: Ixodidae). <i>Journal of Parasitology</i> , 2002, 88, 810-811.	0.3	39
601	Taxonomic Status of<i>Ixodes didelphidis</i> (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2002, 39, 135-142.	0.9	22
602	Parasitism of Domestic Swine (<i>Sus scrofa</i>) by <i>Amblyomma</i> Ticks (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2002, 39, 241-243.	0.9	20
603	Notes on Parasitism by <i>Amblyomma humerale</i> (Acari: Ixodidae) in the State of Rondônia, Western Amazon, Brazil. <i>Journal of Medical Entomology</i> , 2002, 39, 814-817.	0.9	29
604	Ticks (Acari: Ixodidae) on wild animals from the Porto-Primavera Hydroelectric power station area, Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2002, 97, 1133-1136.	0.8	78
605	The sex ratio of <i>Amblyomma cajennense</i> (Acari: Ixodidae) with notes on the male feeding period in the laboratory. <i>Veterinary Parasitology</i> , 2002, 105, 79-88.	0.7	58
606	Seasonal dynamics of ticks (Acari: Ixodidae) on horses in the state of São Paulo, Brazil. <i>Veterinary Parasitology</i> , 2002, 105, 65-77.	0.7	136
607	Life-cycle and host specificity of <i>Amblyomma tigrinum</i> (Acari: Ixodidae) under laboratory conditions. <i>Experimental and Applied Acarology</i> , 2002, 26, 115-125.	0.7	35
608	Risk factors to tick infestations and their occurrence on horses in the state of São Paulo, Brazil. <i>Veterinary Parasitology</i> , 2001, 97, 1-14.	0.7	127
609	Prevalência de carrapatos em cães de áreas rurais da região norte do Estado do Paraná. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2001, 53, 553-556.	0.1	28
610	Life cycle of the tick <i>Haemaphysalis leporis-palustris</i> (Acari: Ixodidae) under laboratory conditions. <i>Experimental and Applied Acarology</i> , 2000, 24, 683-694.	0.7	39
611	Ticks (Acari: Ixodidae) Associated with Rural Dogs in Uruará, Eastern Amazon, Brazil. <i>Journal of Medical Entomology</i> , 2000, 37, 774-776.	0.9	41
612	A Case of Gynandromorphism in <i>Amblyomma oblongoguttatum</i> (Acari: Ixodidae). <i>Journal of Medical Entomology</i> , 2000, 37, 777-779.	0.9	23

#	ARTICLE	IF	CITATIONS
613	Life Cycle of <i>Ixodes (Ixodes) loricatus</i> (Acari: Ixodidae) Under Laboratory Conditions. <i>Journal of Medical Entomology</i> , 2000, 37, 714-720.	0.9	11
614	<i>Amblyomma calcaratum</i> parasitando tamanduá-bandeira (<i>Myrmecophaga tridactyla</i>) em São Paulo. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2000, 52, 152-153.	0.1	3
615	Dinâmica populacional de <i>Boophilus microplus</i> (Canestrini, 1887) em bovinos leiteiros mantidos em manejo de pastejo rotativo de capim-elefante. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 2000, 52, 453-458.	0.1	12
616	Cryopreservation of an avian spirochete strain in liquid nitrogen. <i>Arquivo Brasileiro De Medicina Veterinaria E Zootecnia</i> , 1999, 51, 551-553.	0.1	11
617	Recognition of the Tick Genus <i>Anocentor</i> Schulze, 1937 (Acari: Ixodidae) by Numerical Taxonomy. <i>Journal of Medical Entomology</i> , 1998, 35, 891-894.	0.9	14
618	Host Specificity of <i>Amblyomma cajennense</i> (Fabricius, 1787) (Acari: Ixodidae) with Comments on the Drop-off Rhythm. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1998, 93, 347-351.	0.8	33
619	Reproductive Aspects of <i>Haemaphysalis leporis-palustris</i> . <i>Memorias Do Instituto Oswaldo Cruz</i> , 1997, 92, 373-376.	0.8	6
620	Study of the Weight of Eggs from Six Ixodid Species from Brazil. <i>Memorias Do Instituto Oswaldo Cruz</i> , 1997, 92, 205-207.	0.8	28
621	Ticks from the Brazilian Amazon: Species, Distribution and Host-Relations. , 0, , .		2
622	CARRAPATOS DO ESTADO DO ACRE E SUA INFECÇÃO POR <i>Rickettsia</i> spp.: UMA REVISÃO E PERSPECTIVAS PARA ESTUDOS FUTUROS. , 0, , 68-90.		1