

Pasquale Gallo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7025686/pasquale-gallo-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

54
papers

1,100
citations

22
h-index

32
g-index

58
ext. papers

1,274
ext. citations

4.1
avg. IF

4.07
L-index

#	Paper	IF	Citations
54	A survey of Δ^9 THC and relevant cannabinoids in products from the Italian market: A study by LC-MS/MS of food, beverages and feed. <i>Food Chemistry</i> , 2021 , 346, 128898	8.5	6
53	Dioxins and dioxin-like PCBs in buffalo milk from the Campania region (Italy): Decreasing trend and baseline assessment over 10 years (2008-2018). <i>Science of the Total Environment</i> , 2021 , 794, 148504	10.2	1
52	Concentrations of trace elements in tissues of loggerhead turtles (<i>Caretta caretta</i>) from the Tyrrhenian and the Ionian coastlines (Calabria, Italy). <i>Environmental Science and Pollution Research</i> , 2021 , 28, 26545-26557	5.1	6
51	T-2 and HT-2 toxins in feed and food from Southern Italy, determined by LC-MS/MS after immunoaffinity clean-up. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2020 , 13, 275-283	3.3	5
50	Bisphenol A, octylphenols and nonylphenols in fish muscle determined by LC/ESI-MS/MS after affinity chromatography clean up. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2020 , 13, 139-143	3.3	6
49	Non-essential toxic element (Cd, As, Hg and Pb) levels in muscle, liver and kidney of loggerhead sea turtles (<i>Caretta caretta</i>) stranded along the southwestern coasts of Tyrrhenian sea. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2020 , 231, 108725	3.2	7
48	A method to determine BPA, BPB, and BPF levels in fruit juices by liquid chromatography coupled to tandem mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2019 , 36, 1871-1881	3.2	8
47	BPA, BPB, BPF, BADGE and BFDGE in canned beers from the Italian market. <i>Food Additives and Contaminants: Part B Surveillance</i> , 2019 , 12, 268-274	3.3	3
46	Trace elements in vegetables and fruits cultivated in Southern Italy. <i>Journal of Food Composition and Analysis</i> , 2019 , 84, 103302	4.1	10
45	Hot topic: Bisphenol A in cow milk and dietary exposure at the farm level. <i>Journal of Dairy Science</i> , 2019 , 102, 1007-1013	4	15
44	Heavy metals in organs of stray dogs and cats from the city of Naples and its surroundings (Southern Italy). <i>Environmental Science and Pollution Research</i> , 2019 , 26, 3473-3478	5.1	7
43	Lactobacillus plantarum LUHS135 and paracasei LUHS244 as functional starter cultures for the food fermentation industry: Characterisation, mycotoxin-reducing properties, optimisation of biomass growth and sustainable encapsulation by using dairy by-products. <i>LWT - Food Science and Technology</i> , 2018 , 93, 649-658	5.4	22
42	Total mercury content in commercial swordfish (<i>Xiphias gladius</i>) from different FAO fishing areas. <i>Chemosphere</i> , 2018 , 197, 14-19	8.4	12
41	Inspective and toxicological survey of the poisoned baits and bites. <i>Forensic Science International</i> , 2018 , 287, 108-112	2.6	6
40	Food safety assessment of heavy metals in uncommon and abyssal fish and cephalopod from the Tyrrhenian Sea. <i>Journal Fur Verbraucherschutz Und Lebensmittelsicherheit</i> , 2018 , 13, 399-402	2.3	1
39	A rapid method to determine nine natural cannabinoids in beverages and food derived from <i>Cannabis sativa</i> by liquid chromatography coupled to tandem mass spectrometry on a QTRAP 4000. <i>Rapid Communications in Mass Spectrometry</i> , 2018 , 32, 1728-1736	2.2	15
38	Multi-drug ultraperformance liquid chromatography/tandem mass spectrometry method to quantify antimicrobials in feeding stuffs at carry-over level. <i>Rapid Communications in Mass Spectrometry</i> , 2018 , 32, 1831-1842	2.2	2

37	A survey on the Aflatoxin M1 occurrence and seasonal variation in buffalo and cow milk from Southern Italy. <i>Food Control</i> , 2017 , 81, 30-33	6.2	33
36	Determination of BPA, BPB, BPF, BADGE and BFDGE in canned energy drinks by molecularly imprinted polymer cleaning up and UPLC with fluorescence detection. <i>Food Chemistry</i> , 2017 , 220, 406-412	8.5	73
35	A novel method to determine valnemulin in feedingstuffs for several animal species by liquid chromatography-electrospray tandem mass spectrometry. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2016 , 33, 1678-1684	3.2	
34	Bisphenol A removal by a <i>Pseudomonas aeruginosa</i> immobilized on granular activated carbon and operating in a fluidized bed reactor. <i>Journal of Hazardous Materials</i> , 2015 , 291, 129-35	12.8	36
33	Migration of bisphenol A into canned tomatoes produced in Italy: dependence on temperature and storage conditions. <i>Food Chemistry</i> , 2014 , 160, 157-64	8.5	49
32	A developmental hepatotoxicity study of dietary bisphenol A in <i>Sparus aurata</i> juveniles. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2014 , 166, 1-13	3.2	26
31	A high selective and sensitive liquid chromatography-tandem mass spectrometry method for quantization of BPA urinary levels in children. <i>Analytical and Bioanalytical Chemistry</i> , 2013 , 405, 9139-48	4.4	31
30	Profiling microcystin contamination in a water reservoir by MALDI-TOF and liquid chromatography coupled to Q/TOF tandem mass spectrometry. <i>Food Research International</i> , 2013 , 54, 1321-1330	7	17
29	Determination of levamisole in feeds by liquid chromatography coupled to electrospray mass spectrometry on an ion trap. <i>Rapid Communications in Mass Spectrometry</i> , 2012 , 26, 733-9	2.2	1
28	A peptidomic approach for monitoring and characterising peptide cyanotoxins produced in Italian lakes by matrix-assisted laser desorption/ionisation and quadrupole time-of-flight mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2011 , 25, 1173-83	2.2	18
27	Contamination levels and congener distribution of PCDDs, PCDFs and dioxin-like PCBs in buffalo milk from Caserta province (Italy). <i>Chemosphere</i> , 2010 , 79, 341-8	8.4	42
26	Seasonal succession of <i>Cylindrospermopsis raciborskii</i> and <i>Aphanizomenon ovalisporum</i> blooms with cylindrospermopsin occurrence in the volcanic Lake Albano, Central Italy. <i>Environmental Toxicology</i> , 2010 , 25, 18-27	4.2	67
25	Confirmatory analysis of non-steroidal anti-inflammatory drugs in bovine milk by high-performance liquid chromatography with fluorescence detection. <i>Journal of Chromatography A</i> , 2010 , 1217, 2832-9	4.5	38
24	Optimisation and validation of an HPLC method for determination of polycyclic aromatic hydrocarbons (PAHs) in mussels. <i>Food Chemistry</i> , 2010 , 122, 920-925	8.5	47
23	Determination of the banned growth promoter moenomycin A in feed stuffs by liquid chromatography coupled to electrospray ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 1017-24	2.2	8
22	An analytical strategy for identification of a somatotropin-like bioactive peptide by ion trap liquid chromatography/electrospray ionization tandem mass spectrometry after immuno-affinity purification from buffalo serum. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 395-402	2.2	2
21	Liquid chromatography coupled to quadruple time-of-flight tandem mass spectrometry for microcystin analysis in freshwaters: method performances and characterisation of a novel variant of microcystin-RR. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 1328-36	2.2	34
20	Determination of cylindrospermopsin in freshwaters and fish tissue by liquid chromatography coupled to electrospray ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 3279-84	2.2	35

19	Confirmatory analysis of firocoxib in bovine milk by rapid resolution liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2009 , 877, 541-6	3.2	10
18	Rapid confirmatory analysis of non-steroidal anti-inflammatory drugs in bovine milk by rapid resolution liquid chromatography tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2009 , 1216, 8117-31	4.5	39
17	Modeling of DR CALUX bioassay response to screen PCDDs, PCDFs, and dioxin-like PCBs in farm milk from dairy herds. <i>Regulatory Toxicology and Pharmacology</i> , 2008 , 50, 366-75	3.4	6
16	Characterisation of biotoxins produced by a cyanobacteria bloom in Lake Averno using two LC-MS-based techniques. <i>Food Additives and Contaminants - Part A Chemistry, Analysis, Control, Exposure and Risk Assessment</i> , 2008 , 25, 1530-7	3.2	12
15	The use of plasmatic acceptors as specific ligands in affinity chromatography cleanup of veterinary drugs from biological matrices. <i>Analytical and Bioanalytical Chemistry</i> , 2008 , 391, 1153-62	4.4	
14	Confirmatory identification of sixteen non-steroidal anti-inflammatory drug residues in raw milk by liquid chromatography coupled with ion trap mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2008 , 22, 841-54	2.2	49
13	Purification of clenbuterol-like beta2-agonist drugs of new generation from bovine urine and hair by alpha1-acid glycoprotein affinity chromatography and determination by gas chromatography-mass spectrometry. <i>Analytica Chimica Acta</i> , 2007 , 587, 67-74	6.6	36
12	Multi-residue determination of non-steroidal anti-inflammatory drug residues in animal serum and plasma by HPLC and photo-diode array detection. <i>Journal of Chromatographic Science</i> , 2006 , 44, 585-90	1.4	22
11	Determination of fourteen non-steroidal anti-inflammatory drugs in animal serum and plasma by liquid chromatography/mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , 2006 , 20, 3412-20	2.2	47
10	Development of a liquid chromatography/electrospray tandem mass spectrometry method for confirmation of chloramphenicol residues in milk after alpha-1-acid glycoprotein affinity chromatography. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 574-9	2.2	10
9	In-house validation of a liquid chromatography/electrospray tandem mass spectrometry method for confirmation of chloramphenicol residues in muscle according to Decision 2002/657/EC. <i>Rapid Communications in Mass Spectrometry</i> , 2005 , 19, 3349-55	2.2	22
8	Differential role for Sp1/Sp3 transcription factors in the regulation of the promoter activity of multiple cyclin-dependent kinase inhibitor genes. <i>Journal of Cellular Biochemistry</i> , 2000 , 76, 360-7	4.7	37
7	The CDK9-associated cyclins T1 and T2 exert opposite effects on HIV-1 Tat activity. <i>Aids</i> , 1999 , 13, 1453-9	3.5	33
6	Single-step method for rapid detection of Brucella spp. in soft cheese by gene-specific polymerase chain reaction. <i>Journal of Dairy Research</i> , 1999 , 66, 313-7	1.6	15
5	Monitoring of mercury, lead and cadmium levels in seafoods during the years 1993-1995. <i>Toxicological and Environmental Chemistry</i> , 1998 , 66, 181-193	1.4	
4	Alpha 1-acid glycoprotein affinity columns for the clean-up of adrenergic drugs. <i>Analyst</i> , 1998 , 123, 2693-6	5	13
3	Solution conformational preferences of a peptidic analogue of a natural macrolide 1997 , 42, 349-361		
2	Determination of nitrofurantoin residues in avian eggs by liquid chromatography-UV photodiode array detection and confirmation by liquid chromatography-electrospray mass spectrometry. <i>Journal of Chromatography A</i> , 1997 , 777, 201-211	4.5	42

1 Specific interaction between cyclophilin and cyclic peptides. *Biopolymers*, **1995**, 36, 273-81

2.2 17