J Haxby Abbott

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/702679/j-haxby-abbott-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128
papers4,283
citations31
h-index63
g-index141
ext. papers5,548
ext. citations3.4
avg, IF5.78
L-index

#	Paper	IF	Citations
128	Measurement Properties of the Patient-Specific Functional Scale and Its Current Uses: An Updated Systematic Review of 57 Studies Using COSMIN Guidelines <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022 , 1-40	4.2	O
127	Prioritizing Healthcare Interventions: A Comparison of Multicriteria Decision Analysis and Cost-Effectiveness Analysis <i>Value in Health</i> , 2022 , 25, 268-275	3.3	0
126	Reliability, validity, responsiveness, and minimum important change of the Stair Climb Test in adults with hip and knee osteoarthritis. <i>Arthritis Care and Research</i> , 2021 ,	4.7	2
125	Total Hip and Knee Arthroplasties Are Highly Cost-Effective Procedures: The Importance of Duration of Follow-Up. <i>Journal of Arthroplasty</i> , 2021 , 36, 1864-1872.e10	4.4	О
124	Are education, exercise and diet interventions a cost-effective treatment to manage hip and knee osteoarthritis? A systematic review. <i>Osteoarthritis and Cartilage</i> , 2021 , 29, 456-470	6.2	7
123	Development and assessment of a verbal response scale for the Patient-Specific Functional Scale (PSFS) in a low-literacy, non-western population. <i>Quality of Life Research</i> , 2021 , 30, 613-628	3.7	3
122	Are manual therapy or booster sessions worthwhile in addition to exercise therapy for knee osteoarthritis: Economic evaluation and 2-year follow-up of a randomized controlled trial. <i>Musculoskeletal Science and Practice</i> , 2021 , 56, 102439	2.4	O
121	Translation and cross-cultural adaptation of Nepali versions of the Patient-Reported Outcomes Measurement Information System (PROMISI) Pain Intensity, Pain Interference, Pain Behavior, Depression, and Sleep Disturbance short forms in chronic musculoskeletal pain. <i>Quality of Life</i>	3.7	0
120	Research, 2021, 30, 1215-1224 Stakeholders[preferences for osteoarthritis interventions in health services: A cross-sectional study using multi-criteria decision analysis. Osteoarthritis and Cartilage Open, 2020, 2, 100110	1.5	2
119	The cost-effectiveness of recommended adjunctive interventions for knee osteoarthritis: Results from a computer simulation model. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100123	1.5	1
118	The Relationship Between Preoperative Oxford Hip and Knee Score and Change in Health-Related Quality of Life After Total Hip and Total Knee Arthroplasty: Can It Help Inform Rationing Decisions?. <i>Arthroplasty Today</i> , 2020 , 6, 585-589.e1	2	7
117	The Surgeon's Role in the Opioid Crisis: A Narrative Review and Call to Action. <i>Frontiers in Surgery</i> , 2020 , 7, 4	2.3	12
116	Choosing interventions for hip or knee osteoarthritis - What matters to stakeholders? A mixed-methods study. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100062	1.5	4
115	Stakeholder views about a novel consumer health resource for knee osteoarthritis. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 100058	1.5	3
114	The Outcomes of Nonoperative Management of Patients With Hip and Knee Osteoarthritis Triaged to a Physiotherapy-Led Clinic at Minimum 5-Year Follow-Up and Factors Associated With Progression to Surgery. <i>Journal of Arthroplasty</i> , 2020 , 35, 1497-1503	4.4	6
113	Group Differences Between Countries and Between Languages in Pain-Related Beliefs, Coping, and Catastrophizing in Chronic Pain: A Systematic Review. <i>Pain Medicine</i> , 2020 , 21, 1847-1862	2.8	21
112	Effectiveness of a lumbopelvic monitor and feedback device to change postural behaviour: the ELF cluster randomised controlled trial. <i>Occupational and Environmental Medicine</i> , 2020 , 77, 462-469	2.1	2

(2018-2020)

111	Systematic review of economic evaluations investigating education, exercise, and dietary weight management to manage hip and knee osteoarthritis: protocol. <i>Systematic Reviews</i> , 2020 , 9, 229	3	1
110	Risk Factors for Chronic Opioid Use Following Hip and Knee Arthroplasty: Evidence from New Zealand Population Data. <i>Journal of Arthroplasty</i> , 2020 , 35, 3099-3107.e14	4.4	5
109	Opioid Use and Total Joint Replacement. Current Rheumatology Reports, 2020, 22, 58	4.9	5
108	The Fear Reduction Exercised Early (FREE) approach to management of low back pain in general practice: A pragmatic cluster-randomised controlled trial. <i>PLoS Medicine</i> , 2019 , 16, e1002897	11.6	18
107	Does Religiosity/Spirituality Play a Role in Function, Pain-Related Beliefs, and Coping in Patients with Chronic Pain? A Systematic Review. <i>Journal of Religion and Health</i> , 2019 , 1	2.6	16
106	Sarcopenia in osteoarthritis and rheumatoid arthritis: The association with self-reported fatigue, physical function and obesity. <i>PLoS ONE</i> , 2019 , 14, e0217462	3.7	25
105	Results of a feasibility randomised clinical trial on pain education for low back pain in Nepal: the Pain Education in Nepal-Low Back Pain (PEN-LBP) feasibility trial. <i>BMJ Open</i> , 2019 , 9, e026874	3	11
104	Implementation of a 'Joint Clinic' to resolve unmet need for orthopaedic services in patients with hip and knee osteoarthritis: a program evaluation. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 324	2.8	4
103	OARSI guidelines for the non-surgical management of knee, hip, and polyarticular osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 1578-1589	6.2	800
102	Process evaluation of complex interventions tested in randomised controlled trials in musculoskeletal disorders: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028160	3	4
102		3	0
	musculoskeletal disorders: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028160 Effectiveness of a tailored rehabilitation versus standard strengthening programme for patients with shoulder pain: a protocol for a feasibility randomised controlled trial (the Otago MASTER	3	
101	musculoskeletal disorders: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028160 Effectiveness of a tailored rehabilitation versus standard strengthening programme for patients with shoulder pain: a protocol for a feasibility randomised controlled trial (the Otago MASTER trial). <i>BMJ Open</i> , 2019 , 9, e028261	3	0
101	musculoskeletal disorders: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028160 Effectiveness of a tailored rehabilitation versus standard strengthening programme for patients with shoulder pain: a protocol for a feasibility randomised controlled trial (the Otago MASTER trial). <i>BMJ Open</i> , 2019 , 9, e028261 State of clinical pain research in Nepal: a systematic scoping review. <i>Pain Reports</i> , 2019 , 4, e788 Incremental clinical effectiveness and cost effectiveness of providing supervised physiotherapy in addition to usual medical care in patients with osteoarthritis of the hip or knee: 2-year results of	3 3·5 6.2	0 3
101	musculoskeletal disorders: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028160 Effectiveness of a tailored rehabilitation versus standard strengthening programme for patients with shoulder pain: a protocol for a feasibility randomised controlled trial (the Otago MASTER trial). <i>BMJ Open</i> , 2019 , 9, e028261 State of clinical pain research in Nepal: a systematic scoping review. <i>Pain Reports</i> , 2019 , 4, e788 Incremental clinical effectiveness and cost effectiveness of providing supervised physiotherapy in addition to usual medical care in patients with osteoarthritis of the hip or knee: 2-year results of the MOA randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 424-434 Associations between Health Assessment Questionnaire Disability Index and physical performance	3 3·5 6.2	o 3 25
101 100 99 98	musculoskeletal disorders: a systematic review protocol. <i>BMJ Open</i> , 2019 , 9, e028160 Effectiveness of a tailored rehabilitation versus standard strengthening programme for patients with shoulder pain: a protocol for a feasibility randomised controlled trial (the Otago MASTER trial). <i>BMJ Open</i> , 2019 , 9, e028261 State of clinical pain research in Nepal: a systematic scoping review. <i>Pain Reports</i> , 2019 , 4, e788 Incremental clinical effectiveness and cost effectiveness of providing supervised physiotherapy in addition to usual medical care in patients with osteoarthritis of the hip or knee: 2-year results of the MOA randomised controlled trial. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, 424-434 Associations between Health Assessment Questionnaire Disability Index and physical performance in rheumatoid arthritis and osteoarthritis. <i>International Journal of Rheumatic Diseases</i> , 2019 , 22, 417-42 Long-term opioid medication use before and after joint replacement surgery in New Zealand. <i>New</i>	3 3.5 6.2 4 ^{2.3}	o 3 25 5
101 100 99 98 97	Effectiveness of a tailored rehabilitation versus standard strengthening programme for patients with shoulder pain: a protocol for a feasibility randomised controlled trial (the Otago MASTER trial). BMJ Open, 2019, 9, e028261 State of clinical pain research in Nepal: a systematic scoping review. Pain Reports, 2019, 4, e788 Incremental clinical effectiveness and cost effectiveness of providing supervised physiotherapy in addition to usual medical care in patients with osteoarthritis of the hip or knee: 2-year results of the MOA randomised controlled trial. Osteoarthritis and Cartilage, 2019, 27, 424-434 Associations between Health Assessment Questionnaire Disability Index and physical performance in rheumatoid arthritis and osteoarthritis. International Journal of Rheumatic Diseases, 2019, 22, 417-42 Long-term opioid medication use before and after joint replacement surgery in New Zealand. New Zealand Medical Journal, 2019, 132, 33-47 Radiographic knee osteoarthritis impacts multiple dimensions of health-related quality of life: data	3 3.5 6.2 4 ^{2.3} 0.8	o 3 25 5 4

93	Development and validation of a new population-based simulation model of osteoarthritis in New Zealand. <i>Osteoarthritis and Cartilage</i> , 2018 , 26, 531-539	6.2	4
92	The ShortMAC: Minimum Important Change of a Reduced Version of the Western Ontario and McMaster Universities Osteoarthritis Index. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018 , 48, 81-86	4.2	8
91	The Joint Clinic: Managing Excess Demand for Hip and Knee Osteoarthritis Referrals Using a New Physiotherapy-Led Outpatient Service. <i>Journal of Arthroplasty</i> , 2018 , 33, 983-987	4.4	12
90	Exercise, Manual Therapy, and Booster Sessions in Knee Osteoarthritis: Cost-Effectiveness Analysis From a Multicenter Randomized Controlled Trial. <i>Physical Therapy</i> , 2018 , 98, 16-27	3.3	16
89	Measurement properties of the Nepali version of the Connor Davidson resilience scales in individuals with chronic pain. <i>Health and Quality of Life Outcomes</i> , 2018 , 16, 56	3	20
88	Sample size estimation for cluster randomized controlled trials. <i>Musculoskeletal Science and Practice</i> , 2018 , 34, 108-111	2.4	12
87	Age, period and cohort effects on body mass index in New Zealand, 1997-2038. <i>Australian and New Zealand Journal of Public Health</i> , 2018 , 42, 396-402	2.3	16
86	Effectiveness of extrinsic feedback for management of non-specific low back pain: a systematic review protocol. <i>BMJ Open</i> , 2018 , 8, e021259	3	
85	Pain education for patients with non-specific low back pain in Nepal: protocol of a feasibility randomised clinical trial (PEN-LBP Trial). <i>BMJ Open</i> , 2018 , 8, e022423	3	8
84	Clinimetric properties of the Nepali version of the Pain Catastrophizing Scale in individuals with chronic pain. <i>Journal of Pain Research</i> , 2018 , 11, 265-276	2.9	10
83	Effects of internet-based pain coping skills training before home exercise for individuals with hip osteoarthritis (HOPE trial): a randomised controlled trial. <i>Pain</i> , 2018 , 159, 1833-1842	8	25
82	Outcomes and Factors Influencing Response to an Individualized Multidisciplinary Chronic Disease Management Program for Hip and Knee Osteoarthritis. <i>Journal of Arthroplasty</i> , 2018 , 33, 2780-2786	4.4	5
81	Effectiveness of a lumbopelvic monitor and feedback device to change postural behaviour: a protocol for the ELF cluster randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e015568	3	6
80	Effectiveness of an Internet-Delivered Exercise and Pain-Coping Skills Training Intervention for Persons With Chronic Knee Pain: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2017 , 166, 453-462	8	126
79	2016 JOSPT Reviewer of the Year Award. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 131-132	4.2	1
78	2016 JOSPT Awards: Additive Effects and Biological Mechanisms of Interventions Offer Important Insights. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 225-227	4.2	
77	Sarcopenic obesity is more prevalent in osteoarthritis than rheumatoid arthritis: are different processes involved?. <i>Rheumatology</i> , 2017 , 56, 1816-1818	3.9	6
76	Translation, cross-cultural adaptation and psychometric properties of the Nepali versions of numerical pain rating scale and global rating of change. <i>Health and Quality of Life Outcomes</i> , 2017 , 15, 236	3	29

(2015-2017)

75	Subgrouping and TargetEd Exercise pRogrammes for knee and hip OsteoArthritis (STEER OA): a systematic review update and individual participant data meta-analysis protocol. <i>BMJ Open</i> , 2017 , 7, e018971	3	13
74	Thank You to All JOSPT Contributors for 2017. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017 , 47, 889-891	4.2	
73	The Fear Reduction Exercised Early (FREE) approach to low back pain: study protocol for a randomised controlled trial. <i>Trials</i> , 2017 , 18, 484	2.8	3
72	The quality-of-life burden of knee osteoarthritis in New Zealand adults: A model-based evaluation. <i>PLoS ONE</i> , 2017 , 12, e0185676	3.7	39
71	A real time biofeedback using Kinect and Wii to improve gait for post-total knee replacement rehabilitation: a case study report. <i>Disability and Rehabilitation: Assistive Technology</i> , 2016 , 11, 251-62	1.8	18
70	Accommodating a Viewpoint. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 37-37	4.2	3
69	Exercise, manual therapy, and use of booster sessions in physical therapy for knee osteoarthritis: a multi-center, factorial randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 1340-9	6.2	37
68	The People Behind theJournal: A New Editorial Team for 2016. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 1-8	4.2	20
67	A Look Back at 2016: JOSPT. Journal of Orthopaedic and Sports Physical Therapy, 2016 , 46, 1016-1017	4.2	0
66	Thank You to All JOSPT Contributors for 2016. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 1018-1020	4.2	2
65	2015JOSPTReviewer of the Year Award. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016 , 46, 315-316	4.2	4
64	Perspectives for Practice: A New JOSPT Feature to Facilitate Translation of Research Into Practice. Journal of Orthopaedic and Sports Physical Therapy, 2016 , 46, 128-9	4.2	1
63	Exercise and load modification versus corticosteroid injection versus 'wait and see' for persistent gluteus medius/minimus tendinopathy (the LEAP trial): a protocol for a randomised clinical trial. BMC Musculoskeletal Disorders, 2016 , 17, 196	2.8	26
62	Growth and Consequences. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 610-2	4.2	2
61	Global ratings of change do not accurately reflect functional change over time in clinical practice. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 106-11, D1-3	4.2	34
60	Congenital 'butterfly vertebra' associated with low back pain: a case report. <i>Journal of Manual and Manipulative Therapy</i> , 2015 , 23, 93-100	1.6	11
59	Validity of pain drawings for predicting psychological status outcome in patients with recurrent or chronic low back pain. <i>Journal of Manual and Manipulative Therapy</i> , 2015 , 23, 12-9	1.6	11
58	The Incremental Effects of Manual Therapy or Booster Sessions in Addition to Exercise Therapy for Knee Osteoarthritis: A Randomized Clinical Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015 , 45, 975-83	4.2	47

57	Adjunctive therapies in addition to land-based exercise therapy for osteoarthritis of the hip or knee. <i>The Cochrane Library</i> , 2015 ,	5.2	2
56	Effects of Adding an Internet-Based Pain Coping Skills Training Protocol to a Standardized Education and Exercise Program for People With Persistent Hip Pain (HOPE Trial): Randomized Controlled Trial Protocol. <i>Physical Therapy</i> , 2015 , 95, 1408-22	3.3	12
55	Minimum important differences for the patient-specific functional scale, 4 region-specific outcome measures, and the numeric pain rating scale. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014 , 44, 560-4	4.2	94
54	The effectiveness of a lumbopelvic monitor and feedback device to change postural behavior: a feasibility randomized controlled trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014 , 44, 702	2-4-7	22
53	Internet-mediated physiotherapy and pain coping skills training for people with persistent knee pain (IMPACT - knee pain): a randomised controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 279	2.8	14
52	The Patient-Specific Functional Scale was valid for group-level change comparisons and between-group discrimination. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 681-8	5.7	44
51	Physical therapy and hip osteoarthritisreply. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1257-8	27.4	
50	Accuracy of physical therapists' prognosis of low back pain from the clinical examination: a prospective cohort study. <i>Journal of Manual and Manipulative Therapy</i> , 2014 , 22, 154-61	1.6	7
49	Effect of physical therapy on pain and function in patients with hip osteoarthritis: a randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 311, 1987-97	27.4	98
48	Patient global ratings of change did not adequately reflect change over time: a clinical cohort study. <i>Physical Therapy</i> , 2014 , 94, 534-42	3.3	17
47	OARSI recommended performance-based tests to assess physical function in people diagnosed with hip or knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1042-52	6.2	388
46	Manual therapy, exercise therapy, or both, in addition to usual care, for osteoarthritis of the hip or knee. 2: economic evaluation alongside a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1504-13	6.2	31
45	Manual therapy, exercise therapy, or both, in addition to usual care, for osteoarthritis of the hip or knee: a randomized controlled trial. 1: clinical effectiveness. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 525-3	3 ^{6.2}	129
44	Validity and reliability of the Spineangel lumbo-pelvic postural monitor. <i>Ergonomics</i> , 2013 , 56, 977-91	2.9	8
43	The patient-specific functional scale: psychometrics, clinimetrics, and application as a clinical outcome measure. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 30-42	4.2	223
42	Cost-effectiveness of nonpharmacologic, nonsurgical interventions for hip and/or knee osteoarthritis: systematic review. <i>Value in Health</i> , 2012 , 15, 1-12	3.3	65
41	Mapping Patient-Specific Functional Scale (PSFS) items to the International Classification of Functioning, Disability and Health (ICF). <i>Physical Therapy</i> , 2012 , 92, 310-7	3.3	44
40	The patient-specific functional scale: validity, reliability, and responsiveness in patients with upper extremity musculoskeletal problems. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 56-6	5 ^{4.2}	122

39	Dose-response relationship between work-related cumulative postural exposure and low back pain: a systematic review. <i>Annals of Occupational Hygiene</i> , 2012 , 56, 684-96		23	
38	DMA Clinical Pilates Directional-Bias Assessment: Reliability and Predictive Validity. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012 , 42, 676-87	4.2	7	
37	Extrinsic feedback and management of low back pain: A critical review of the literature. <i>Manual Therapy</i> , 2011 , 16, 231-9		30	
36	A rationale for the provision of extrinsic feedback towards management of low back pain. <i>Manual Therapy</i> , 2011 , 16, 301-5		13	
35	Good agreement between questionnaire and administrative databases for health care use and costs in patients with osteoarthritis. <i>BMC Medical Research Methodology</i> , 2011 , 11, 45	4.7	37	
34	Recommending NSAIDs and paracetamol: A survey of New Zealand physiotherapists' knowledge and behaviours. <i>Physiotherapy Research International</i> , 2011 , 16, 43-9	1.8	12	
33	Patient characteristics that predict progression of knee osteoarthritis: a systematic review of prognostic studies. <i>Arthritis Care and Research</i> , 2011 , 63, 1115-25	4.7	93	
32	Cumulative postural exposure measured by a novel device: a preliminary study. <i>Ergonomics</i> , 2011 , 54, 858-65	2.9	14	
31	The reliability and accuracy of an electromagnetic motion analysis system when used conjointly with an accelerometer. <i>Ergonomics</i> , 2011 , 54, 672-7	2.9	5	
30	Nonsteroidal antiinflammatory drugs (NSAIDs) and paracetamol for acute musculoskeletal injuries: physiotherapists' understanding of which is safer, more effective, and when to initiate treatment. <i>Physiotherapy Theory and Practice</i> , 2011 , 27, 482-91	1.5	3	
29	Predictors of response to physical therapy intervention in patients with primary hip osteoarthritis. <i>Physical Therapy</i> , 2011 , 91, 510-24	3.3	36	
28	Measurement of function in hip osteoarthritis: developing a standardized approach for physical performance measures. <i>Physiotherapy Theory and Practice</i> , 2011 , 27, 253-62	1.5	37	
27	Economic evaluation within a factorial-design randomised controlled trial of exercise, manual therapy, or both interventions for osteoarthritis of the hip or knee: study protocol. <i>BMJ Open</i> , 2011 , 1, e000136	3	4	
26	A comparison of 3 methodological approaches to defining major clinically important improvement of 4 performance measures in patients with hip osteoarthritis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011 , 41, 319-27	4.2	197	
25	Building the rationale and structure for a complex physical therapy intervention within the context of a clinical trial: a multimodal individualized treatment for patients with hip osteoarthritis. <i>Physical Therapy</i> , 2011 , 91, 1525-41	3.3	20	
24	Outcome measurement in clinical practice: practical and theoretical issues for health related quality of life (HRQOL) questionnaires. <i>Physical Therapy Reviews</i> , 2011 , 16, 155-167	0.7	18	
23	The ability of a sustained within-session finding of pain reduction during traction to dictate improved outcomes from a manual therapy approach on patients with osteoarthritis of the hip. <i>Journal of Manual and Manipulative Therapy</i> , 2010 , 18, 166-72	1.6	12	
22	Relationship between the Western Ontario and McMaster Universities Osteoarthritis Index Physical Function Subscale and physical performance measures in patients with hip osteoarthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 1558-64	2.8	16	

21	The Spineangel: Examining the validity and reliability of a novel clinical device for monitoring trunk motion. <i>Manual Therapy</i> , 2010 , 15, 160-6		21
20	Efficacy of a multimodal physiotherapy treatment program for hip osteoarthritis: a randomised placebo-controlled trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2010 , 11, 238	2.8	15
19	Manual physical assessment of spinal segmental motion: intent and validity. <i>Manual Therapy</i> , 2009 , 14, 36-44		48
18	Variables associated with the progression of hip osteoarthritis: a systematic review. <i>Arthritis and Rheumatism</i> , 2009 , 61, 925-36		77
17	Exercise therapy, manual therapy, or both, for osteoarthritis of the hip or knee: a factorial randomised controlled trial protocol. <i>Trials</i> , 2009 , 10, 11	2.8	34
16	Manual physical therapy and exercise versus electrophysical agents and exercise in the management of plantar heel pain: a multicenter randomized clinical trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2009 , 39, 573-85	4.2	82
15	Non-specific neck pain: predicting poor recovery?. Physical Therapy Reviews, 2008, 13, 69-70	0.7	
14	On "intertester reliability and validity of motion assessments" Landel et al. Phys Ther. 2008;88:43-49. <i>Physical Therapy</i> , 2008 , 88, 536; author reply 536-7	3.3	
13	Invited commentary. Journal of Manual and Manipulative Therapy, 2008, 16, 204-7	1.6	1
12	Screening for depression in a musculoskeletal outpatient physical therapy clinic: Point prevalence and comparison of two instruments. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2008 , 21, 171-1	7 ¹ 4 ⁴	3
11	Laser therapy in the treatment of achilles tendinopathy: a pilot study. <i>Photomedicine and Laser Surgery</i> , 2008 , 26, 25-30		54
10	Validity of manual examination in assessing patients with neck pain. Spine Journal, 2007, 7, 384-5	4	
9	Passive intervertbral motion tests for diagnosis of lumbar instability. <i>Australian Journal of Physiotherapy</i> , 2007 , 53, 66		4
8	Lumbar segmental mobility disorders: comparison of two methods of defining abnormal displacement kinematics in a cohort of patients with non-specific mechanical low back pain. <i>BMC Musculoskeletal Disorders</i> , 2006 , 7, 45	2.8	38
7	Calculating the 2D motion of lumbar vertebrae using splines. <i>Journal of Biomechanics</i> , 2006 , 39, 2703-8	2.9	16
6	Abnormal motion in spondylolytic spondylolisthesis. <i>Spine</i> , 2005 , 30, 2474; author reply 2474-5	3.3	
5	Lumbar segmental instability: a criterion-related validity study of manual therapy assessment. <i>BMC Musculoskeletal Disorders</i> , 2005 , 6, 56	2.8	63
4	On calculating the finite centre of rotation for rigid planar motion. <i>Medical Engineering and Physics</i> , 2005 , 27, 75-9	2.4	17

LIST OF PUBLICATIONS

3	Mobilization with movement applied to the elbow affects shoulder range of movement in subjects with lateral epicondylalgia. <i>Manual Therapy</i> , 2001 , 6, 170-7		47
2	The initial effects of an elbow mobilization with movement technique on grip strength in subjects with lateral epicondylalgia. <i>Manual Therapy</i> , 2001 , 6, 163-9		79
1	Tibialis posterior myofascial tightness as a source of heel pain: diagnosis and treatment. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2000 , 30, 624-32	4.2	5