

Jose C Nicolau Or Jose Nicolau Or Jose Carlos Nicolau Or Nicolau Jc Or Nicolau J

List of Publications by Year in Descending Order

Source:

<https://exaly.com/author-pdf/7027705/jose-c-nicolau-or-jose-nicolau-or-jose-carlos-nicolau-or-nicolau-jc-or-nicolau-j>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240 papers	34,897 citations	60 h-index	186 g-index
267 ext. papers	45,163 ext. citations	10.8 avg, IF	6.74 L-index

#	Paper	IF	Citations
240	Efficacy of Dapagliflozin in Black Versus White Patients With Heart Failure and Reduced Ejection Fraction.. <i>JACC: Heart Failure</i> , 2022 , 10, 52-64	7.9	1
239	Rationale and design of a study to assess the safety and efficacy of rNAPc2 in COVID-19: the Phase 2b ASPEN-COVID-19 trial.. <i>American Heart Journal</i> , 2022 , 246, 136-136	4.9	1
238	Effects of Ticagrelor and Clopidogrel on Coronary Microcirculation in Patients with Acute Myocardial Infarction.. <i>Advances in Therapy</i> , 2022 , 39, 1832	4.1	0
237	Endovascular therapeutic hypothermia adjunctive to percutaneous coronary intervention in acute myocardial infarction: realistic simulation as a game changer.. <i>Reviews in Cardiovascular Medicine</i> , 2022 , 23, 104	3.9	
236	Morphine and Clinical Outcomes in Patients with ST segment elevation Myocardial Infarction Treated with Fibrinolytic and Antiplatelet Therapy: Insights from the TREAT Trial.. <i>American Heart Journal</i> , 2022 , 251, 1-1	4.9	1
235	Cooling as an Adjunctive Therapy to Percutaneous Intervention in Acute Myocardial Infarction: COOL-MI InCor Trial. <i>Therapeutic Hypothermia and Temperature Management</i> , 2021 , 11, 135-144	1.3	3
234	Serial Assessment of High-Sensitivity Cardiac Troponin and the Effect of Dapagliflozin in Patients with Heart Failure with Reduced Ejection Fraction: An Analysis of the DAPA-HF Trial. <i>Circulation</i> , 2021 ,	16.7	1
233	Dapagliflozin and atrial fibrillation in heart failure with reduced ejection fraction: insights from DAPA-HF. <i>European Journal of Heart Failure</i> , 2021 ,	12.3	5
232	HDL proteome remodeling associates with COVID-19 severity. <i>Journal of Clinical Lipidology</i> , 2021 ,	4.9	5
231	The effect of intravenous ferric carboxymaltose on health-related quality of life in iron-deficient patients with acute heart failure: the results of the AFFIRM-AHF study. <i>European Heart Journal</i> , 2021 ,	9.5	17
230	Efficacy and safety of dapagliflozin according to aetiology in heart failure with reduced ejection fraction: insights from the DAPA-HF trial. <i>European Journal of Heart Failure</i> , 2021 , 23, 601-613	12.3	14
229	Prospective ARNI vs. ACE inhibitor trial to Determine Superiority in reducing heart failure Events after Myocardial Infarction (PARADISE-MI): design and baseline characteristics. <i>European Journal of Heart Failure</i> , 2021 , 23, 1040-1048	12.3	29
228	Dapagliflozin in HFrEF Patients Treated With Mineralocorticoid Receptor Antagonists: An Analysis of DAPA-HF. <i>JACC: Heart Failure</i> , 2021 , 9, 254-264	7.9	23
227	Prognostic accuracy of MALDI-TOF mass spectrometric analysis of plasma in COVID-19. <i>Life Science Alliance</i> , 2021 , 4,	5.8	9
226	Platelet Reactivity and Coagulation Markers in Patients with COVID-19. <i>Advances in Therapy</i> , 2021 , 38, 3911-3923	4.1	10
225	Extrapolating Long-term Event-Free and Overall Survival With Dapagliflozin in Patients With Heart Failure and Reduced Ejection Fraction: An Exploratory Analysis of a Phase 3 Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2021 , 6, 1298-1305	16.2	2
224	Covid-19 Automated Diagnosis and Risk Assessment through Metabolomics and Machine Learning. <i>Analytical Chemistry</i> , 2021 , 93, 2471-2479	7.8	41

223	Association between Statin Therapy and Lower Incidence of Hyperglycemia in Patients Hospitalized with Acute Coronary Syndromes. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 116, 285-294	1.2	0
222	Health-related quality of life 1-3 years post-myocardial infarction: its impact on prognosis. <i>Open Heart</i> , 2021 , 8,	3	3
221	Platelet Reactivity in Patients With Acute Coronary Syndromes Awaiting Surgical Revascularization. <i>Journal of the American College of Cardiology</i> , 2021 , 77, 1277-1286	15.1	2
220	Brazilian Society of Cardiology Guidelines on Unstable Angina and Acute Myocardial Infarction without ST-Segment Elevation - 2021. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 117, 181-264	1.2	7
219	Therapeutic Anticoagulation with Heparin in Noncritically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 790-802	59.2	203
218	Results of an international crowdsourcing survey on the treatment of non-ST segment elevation ACS patients at high-bleeding risk undergoing percutaneous intervention. <i>International Journal of Cardiology</i> , 2021 , 337, 1-8	3.2	2
217	Therapeutic Anticoagulation with Heparin in Critically Ill Patients with Covid-19. <i>New England Journal of Medicine</i> , 2021 , 385, 777-789	59.2	227
216	Position Statement on Hypertension and Spirituality - 2021. <i>Arquivos Brasileiros De Cardiologia</i> , 2021 , 117, 599-613	1.2	
215	Factors associated with actively working in the very long-term following acute coronary syndrome. <i>Clinics</i> , 2021 , 76, e2553	2.3	
214	Diabetes association with self-reported health, resource utilization, and prognosis post-myocardial infarction. <i>Clinical Cardiology</i> , 2020 , 43, 1352-1361	3.3	1
213	Sonothrombolysis Improves Myocardial Dynamics and Microvascular Obstruction Preventing Left Ventricular Remodeling in Patients With ST Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2020 , 13, e009536	3.9	4
212	Caffeinated Beverage Intake, Dyspnea With Ticagrelor, and Cardiovascular Outcomes: Insights From the PEGASUS-TIMI 54 Trial. <i>Journal of the American Heart Association</i> , 2020 , 9, e015785	6	2
211	Dabigatran Dual Therapy vs Warfarin Triple Therapy Post-Percutaneous Coronary Intervention in Patients with Atrial Fibrillation With/Without a Proton Pump Inhibitor: A Pre-Specified Analysis of the RE-DUAL PCI Trial. <i>Drugs</i> , 2020 , 80, 995-1005	12.1	2
210	Effect of Dapagliflozin on Worsening Heart Failure and Cardiovascular Death in Patients With Heart Failure With and Without Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 1353-1368	27.4	155
209	Two-year outcomes among stable high-risk patients following acute MI. Insights from a global registry in 25 countries. <i>International Journal of Cardiology</i> , 2020 , 311, 7-14	3.2	4
208	Morphine and Cardiovascular Outcomes Among Patients With Non-ST-Segment Elevation Acute Coronary Syndromes Undergoing Coronary Angiography. <i>Journal of the American College of Cardiology</i> , 2020 , 75, 289-300	15.1	12
207	Efficacy and safety of edoxaban compared with warfarin according to the burden of diseases in patients with atrial fibrillation: insights from the ENGAGE AF-TIMI 48 trial. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2020 , 6, 167-175	6.4	5
206	Predicting risk of cardiovascular events 1 to 3 years post-myocardial infarction using a global registry. <i>Clinical Cardiology</i> , 2020 , 43, 24-32	3.3	6

205	Long-term ticagrelor for secondary prevention in patients with prior myocardial infarction and no history of coronary stenting: insights from PEGASUS-TIMI 54. <i>European Heart Journal</i> , 2020 , 41, 1625-1632	9.5	19
204	Efficacy and Safety of Dapagliflozin in Heart Failure With Reduced Ejection Fraction According to Age: Insights From DAPA-HF. <i>Circulation</i> , 2020 , 141, 100-111	16.7	68
203	Effects of Dapagliflozin on Symptoms, Function, and Quality of Life in Patients With Heart Failure and Reduced Ejection Fraction: Results From the DAPA-HF Trial. <i>Circulation</i> , 2020 , 141, 90-99	16.7	130
202	Influence of Direct Thrombin Inhibitor and Low Molecular Weight Heparin on Platelet Function in Patients with Coronary Artery Disease: A Prospective Interventional Trial. <i>Advances in Therapy</i> , 2020 , 37, 420-430	4.1	2
201	Ferric carboxymaltose for iron deficiency at discharge after acute heart failure: a multicentre, double-blind, randomised, controlled trial. <i>Lancet, The</i> , 2020 , 396, 1895-1904	40	162
200	Relation of High Lipoprotein (a) Concentrations to Platelet Reactivity in Individuals with and Without Coronary Artery Disease. <i>Advances in Therapy</i> , 2020 , 37, 4568-4584	4.1	4
199	Effect of Dapagliflozin on Outpatient Worsening of Patients With Heart Failure and Reduced Ejection Fraction: A Prespecified Analysis of DAPA-HF. <i>Circulation</i> , 2020 , 142, 1623-1632	16.7	20
198	Anti-Thrombotic Therapy to Ameliorate Complications of COVID-19 (ATTACC): Study design and methodology for an international, adaptive Bayesian randomized controlled trial. <i>Clinical Trials</i> , 2020 , 17, 491-500	2.2	33
197	Performance of acute coronary syndrome approaches in Brazil: a report from the BRACE (Brazilian Registry in Acute Coronary SyndromEs). <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2020 , 6, 284-292	4.6	3
196	Ticagrelor in patients with diabetes and stable coronary artery disease with a history of previous percutaneous coronary intervention (THEMIS-PCI): a phase 3, placebo-controlled, randomised trial. <i>Lancet, The</i> , 2019 , 394, 1169-1180	40	106
195	Ticagrelor in Patients with Stable Coronary Disease and Diabetes. <i>New England Journal of Medicine</i> , 2019 , 381, 1309-1320	59.2	156
194	Dapagliflozin in Patients with Heart Failure and Reduced Ejection Fraction. <i>New England Journal of Medicine</i> , 2019 , 381, 1995-2008	59.2	2021
193	P2Y12 Inhibitor Switching in Response to Routine Notification of CYP2C19 Clopidogrel Metabolizer Status Following Acute Coronary Syndromes. <i>JAMA Cardiology</i> , 2019 , 4, 680-684	16.2	7
192	Sonothrombolysis in ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 2832-2842	15.1	41
191	Ticagrelor Versus Clopidogrel in Patients With STEMI Treated With Fibrinolysis: TREAT Trial. <i>Journal of the American College of Cardiology</i> , 2019 , 73, 2819-2828	15.1	34
190	A trial to evaluate the effect of the sodium-glucose co-transporter 2 inhibitor dapagliflozin on morbidity and mortality in patients with heart failure and reduced left ventricular ejection fraction (DAPA-HF). <i>European Journal of Heart Failure</i> , 2019 , 21, 665-675	12.3	145
189	Antithrombotic Therapy after Acute Coronary Syndrome or PCI in Atrial Fibrillation. <i>New England Journal of Medicine</i> , 2019 , 380, 1509-1524	59.2	538
188	Dapagliflozin and Cardiovascular Outcomes in Patients With Type 2 Diabetes Mellitus and Previous Myocardial Infarction. <i>Circulation</i> , 2019 , 139, 2516-2527	16.7	142

187	Increased bodyweight and inadequate response to aspirin in individuals with coronary artery disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2019 , 48, 217-224	5.1	3
186	Does prior coronary angioplasty affect outcomes of surgical coronary revascularization? Insights from the STICH trial. <i>International Journal of Cardiology</i> , 2019 , 291, 36-41	3.2	2
185	Urgent Revascularization Strategies in Patients With Diabetes Mellitus and Acute Coronary Syndrome. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 993-1001	3.8	8
184	Rationale, design and baseline characteristics of the effect of ticagrelor on health outcomes in diabetes mellitus patients Intervention study. <i>Clinical Cardiology</i> , 2019 , 42, 498-505	3.3	19
183	Effects of alirocumab on cardiovascular and metabolic outcomes after acute coronary syndrome in patients with or without diabetes: a prespecified analysis of the ODYSSEY OUTCOMES randomised controlled trial. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 618-628	18.1	120
182	Lipid transfer to high-density lipoproteins in coronary artery disease patients with and without previous cerebrovascular ischemic events. <i>Clinical Cardiology</i> , 2019 , 42, 1100-1105	3.3	3
181	Platelet function, coagulation and fibrinolysis in patients with previous coronary and cerebrovascular ischemic events. <i>Clinics</i> , 2019 , 74, e1222	2.3	2
180	Cardiology Training in Brazil and Developed Countries: Some Ideas for Improvement. <i>Arquivos Brasileiros De Cardiologia</i> , 2019 , 113, 768-774	1.2	
179	High Residual Platelet Reactivity during Aspirin Therapy in Patients with Non-ST Segment Elevation Acute Coronary Syndrome: Comparison Between Initial and Late Phases. <i>Arquivos Brasileiros De Cardiologia</i> , 2019 , 113, 357-363	1.2	0
178	Rationale and design of the AFFIRM-AHF trial: a randomised, double-blind, placebo-controlled trial comparing the effect of intravenous ferric carboxymaltose on hospitalisations and mortality in iron-deficient patients admitted for acute heart failure. <i>European Journal of Heart Failure</i> , 2019 , 21, 1651-1658	12.3	26
177	Hydrophilic-coating material guidewire embolization after complex percutaneous coronary intervention: necroscopic findings. <i>Coronary Artery Disease</i> , 2019 , 30, 152-155	1.4	
176	Dapagliflozin and Cardiovascular Outcomes in Type 2 Diabetes. <i>New England Journal of Medicine</i> , 2019 , 380, 347-357	59.2	2455
175	Ticagrelor versus clopidogrel after fibrinolytic therapy in patients with ST-elevation myocardial infarction: Rationale and design of the ticagrelor in patients with ST elevation myocardial infarction treated with thrombolysis (TREAT) trial. <i>American Heart Journal</i> , 2018 , 202, 89-96	4.9	10
174	Stem-cell therapy in ST-segment elevation myocardial infarction with reduced ejection fraction: A multicenter, double-blind randomized trial. <i>Clinical Cardiology</i> , 2018 , 41, 392-399	3.3	18
173	Sex Difference in Patients With Ischemic Heart Failure Undergoing Surgical Revascularization: Results From the STICH Trial (Surgical Treatment for Ischemic Heart Failure). <i>Circulation</i> , 2018 , 137, 771-780	16.7	19
172	Benefit of Adding Ezetimibe to Statin Therapy on Cardiovascular Outcomes and Safety in Patients With Versus Without Diabetes Mellitus: Results From IMPROVE-IT (Improved Reduction of Outcomes: Vytorin Efficacy International Trial). <i>Circulation</i> , 2018 , 137, 1571-1582	16.7	198
171	Anti-Inflammatory Therapy With Canakinumab for the Prevention and Management of Diabetes. <i>Journal of the American College of Cardiology</i> , 2018 , 71, 2392-2401	15.1	170
170	Ticagrelor vs Clopidogrel After Fibrinolytic Therapy in Patients With ST-Elevation Myocardial Infarction: A Randomized Clinical Trial. <i>JAMA Cardiology</i> , 2018 , 3, 391-399	16.2	49

169	Predictors of subclinical carotid atherosclerosis in middle-aged women. <i>PLoS ONE</i> , 2018 , 13, e0197582	3.7	7
168	The Use of Oral Beta-Blockers and Clinical Outcomes in Patients with Non-ST-Segment Elevation Acute Coronary Syndromes: a Long-Term Follow-Up Study. <i>Cardiovascular Drugs and Therapy</i> , 2018 , 32, 435-442	3.9	3
167	Activated Clotting Time to Guide Heparin Dosing in Non-ST-Segment-Elevation Acute Coronary Syndrome Patients Undergoing Percutaneous Coronary Intervention and Treated With IIb/IIIa Inhibitors: Impact on Ischemic and Bleeding Outcomes: Insights From the TAO Trial. <i>Circulation: Cardiovascular Interventions</i> , 2018 , 11, e006084	6	4
166	Ticagrelor for the prevention of ischemic events in patients with prior myocardial infarction and peripheral artery disease. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 1013-1019	4	
165	Pregnancy in Woman with Kawasaki Disease and Multiple Coronary Artery Aneurysms. <i>Arquivos Brasileiros De Cardiologia</i> , 2018 , 110, 97-100	1.2	3
164	Rivaroxaban with or without aspirin in patients with stable coronary artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 391, 205-218	40	204
163	Rivaroxaban with or without aspirin in patients with stable peripheral or carotid artery disease: an international, randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 391, 219-229	40	414
162	Relationship of C-reactive protein reduction to cardiovascular event reduction following treatment with canakinumab: a secondary analysis from the CANTOS randomised controlled trial. <i>Lancet, The</i> , 2018 , 391, 319-328	40	430
161	Academic health centers: integration of clinical research with healthcare and education. Comments on a workshop. <i>Clinics</i> , 2018 , 73, e515s	2.3	1
160	Alirocumab and Cardiovascular Outcomes after Acute Coronary Syndrome. <i>New England Journal of Medicine</i> , 2018 , 379, 2097-2107	59.2	1277
159	Reduction in Subtypes and Sizes of Myocardial Infarction With Ticagrelor in PEGASUS-TIMI 54. <i>Journal of the American Heart Association</i> , 2018 , 7, e009260	6	7
158	Effect of lorcaserin on prevention and remission of type 2 diabetes in overweight and obese patients (CAMELLIA-TIMI 61): a randomised, placebo-controlled trial. <i>Lancet, The</i> , 2018 , 392, 2269-2279	40	46
157	Edoxaban Versus Warfarin in Latin American Patients With Atrial Fibrillation: The ENGAGE AF-TIMI 48 Trial. <i>Journal of the American College of Cardiology</i> , 2018 , 72, 1466-1475	15.1	8
156	Sudden Cardiac Death in Patients With Ischemic Heart Failure Undergoing Coronary Artery Bypass Grafting: Results From the STICH Randomized Clinical Trial (Surgical Treatment for Ischemic Heart Failure). <i>Circulation</i> , 2017 , 135, 1136-1144	16.7	10
155	Longer-term oral antiplatelet use in stable post-myocardial infarction patients: Insights from the long Term risk, clinical management and healthcare Resource utilization of stable coronary artery disease (TIGRIS) observational study. <i>International Journal of Cardiology</i> , 2017 , 236, 54-60	3.2	19
154	Myocardial Inactivation of Thyroid Hormones in Patients with Aortic Stenosis. <i>Thyroid</i> , 2017 , 27, 738-745	6.2	7
153	Evacetrapib and Cardiovascular Outcomes in High-Risk Vascular Disease. <i>New England Journal of Medicine</i> , 2017 , 376, 1933-1942	59.2	406
152	Evolocumab and Clinical Outcomes in Patients with Cardiovascular Disease. <i>New England Journal of Medicine</i> , 2017 , 376, 1713-1722	59.2	2700

151	Cardiovascular Efficacy and Safety of Bococizumab in High-Risk Patients. <i>New England Journal of Medicine</i> , 2017 , 376, 1527-1539	59.2	390
150	Clinically significant bleeding with low-dose rivaroxaban versus aspirin, in addition to P2Y12 inhibition, in acute coronary syndromes (GEMINI-ACS-1): a double-blind, multicentre, randomised trial. <i>Lancet, The</i> , 2017 , 389, 1799-1808	40	132
149	Sympathetic nervous activity in patients with acute coronary syndrome: a comparative study of inflammatory biomarkers. <i>Clinical Science</i> , 2017 , 131, 883-895	6.5	8
148	High-Sensitivity Troponin I in Stable Patients with Atherosclerotic Disease in the TRA 2°P - TIMI 50 Trial. <i>Clinical Chemistry</i> , 2017 , 63, 307-315	5.5	16
147	Physical Activity and Mortality in Patients With Stable Coronary Heart Disease. <i>Journal of the American College of Cardiology</i> , 2017 , 70, 1689-1700	15.1	101
146	Effect of interleukin-1 inhibition with canakinumab on incident lung cancer in patients with atherosclerosis: exploratory results from a randomised, double-blind, placebo-controlled trial. <i>Lancet, The</i> , 2017 , 390, 1833-1842	40	634
145	Antiinflammatory Therapy with Canakinumab for Atherosclerotic Disease. <i>New England Journal of Medicine</i> , 2017 , 377, 1119-1131	59.2	3877
144	Rationale and design of the long-Term risk, clinical management, and healthcare Resource utilization of stable coronary artery disease in post-myocardial infarction patients (TIGRIS) study. <i>Clinical Cardiology</i> , 2017 , 40, 1197-1204	3.3	7
143	Methotrexate carried in lipid core nanoparticles reduces myocardial infarction size and improves cardiac function in rats. <i>International Journal of Nanomedicine</i> , 2017 , 12, 3767-3784	7.3	14
142	Neurovascular control during exercise in acute coronary syndrome patients with Gln27Glu polymorphism of β -adrenergic receptor. <i>PLoS ONE</i> , 2017 , 12, e0173061	3.7	1
141	Preprocedural statin therapy, inflammation, and myocardial injury in low-risk stable coronary artery disease patients submitted to coronary stent implantation. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 222-9	2.7	6
140	Drug Interaction Between Clopidogrel and Ranitidine or Omeprazole in Stable Coronary Artery Disease: A Double-Blind, Double Dummy, Randomized Study. <i>American Journal of Cardiovascular Drugs</i> , 2016 , 16, 275-284	4	12
139	Lipoprotein-Associated Phospholipase A2 Activity Is a Marker of Risk But Not a Useful Target for Treatment in Patients With Stable Coronary Heart Disease. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	36
138	Upstream clopidogrel, prasugrel, or ticagrelor for patients treated with primary angioplasty: Results of an angiographic randomized pilot study. <i>Catheterization and Cardiovascular Interventions</i> , 2016 , 87, 1187-93	2.7	3
137	Spontaneous MI After Non-ST-Segment Elevation Acute Coronary Syndrome Managed Without Revascularization: The TRILOGY ACS Trial. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 1289-97	15.1	13
136	Giant and Calcified Post-Infarction True Left Ventricular Aneurysm: What to Do?. <i>Arquivos Brasileiros De Cardiologia</i> , 2016 , 106, 259-62	1.2	
135	Diagnostic Ultrasound Impulses Improve Microvascular Flow in Patients With STEMI Receiving Intravenous Microbubbles. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2506-15	15.1	43
134	Ticagrelor for Prevention of Ischemic Events After Myocardial Infarction in Patients With Peripheral Artery Disease. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2719-2728	15.1	225

133	Validation of BARC Bleeding Criteria in Patients With Acute Coronary Syndromes: The TRACER Trial. <i>Journal of the American College of Cardiology</i> , 2016 , 67, 2135-2144	15.1	46
132	Angina and Future Cardiovascular Events in Stable Patients With Coronary Artery Disease: Insights From the Reduction of Atherothrombosis for Continued Health (REACH) Registry. <i>Journal of the American Heart Association</i> , 2016 , 5,	6	30
131	Outcomes With Edoxaban Versus Warfarin in Patients With Previous Cerebrovascular Events: Findings From ENGAGE AF-TIMI 48 (Effective Anticoagulation With Factor Xa Next Generation in Atrial Fibrillation-Thrombolysis in Myocardial Infarction 48). <i>Stroke</i> , 2016 , 47, 2075-82	6.7	57
130	Influence of proven oral therapies in the very old with acute coronary syndromes: A 15 year experience. <i>International Journal of Cardiology</i> , 2015 , 198, 213-5	3.2	1
129	Long-term use of ticagrelor in patients with prior myocardial infarction. <i>New England Journal of Medicine</i> , 2015 , 372, 1791-800	59.2	1193
128	Concomitant proton-pump inhibitor use, platelet activity, and clinical outcomes in patients with acute coronary syndromes treated with prasugrel versus clopidogrel and managed without revascularization: insights from the Targeted Platelet Inhibition to Clarify the Optimal Strategy to Medically Manage Acute Coronary Syndrome trial. <i>American Heart Journal</i> , 2015 , 150, 688-694	4.9	22
127	SBC guidelines on unstable angina and non-ST-elevation myocardial infarction: executive summary. <i>Arquivos Brasileiros De Cardiologia</i> , 2015 , 105, 214-27	1.2	6
126	Ezetimibe Added to Statin Therapy after Acute Coronary Syndromes. <i>New England Journal of Medicine</i> , 2015 , 372, 2387-97	59.2	2371
125	Efficacy and safety of vorapaxar as approved for clinical use in the United States. <i>Journal of the American Heart Association</i> , 2015 , 4, e001505	6	55
124	Health economic analysis of ticagrelor in patients with acute coronary syndromes intended for non-invasive therapy. <i>Heart</i> , 2015 , 101, 119-25	5.1	12
123	Saxagliptin and cardiovascular outcomes in patients with type 2 diabetes and moderate or severe renal impairment: observations from the SAVOR-TIMI 53 Trial. <i>Diabetes Care</i> , 2015 , 38, 696-705	14.6	114
122	Darapladib for preventing ischemic events in stable coronary heart disease. <i>New England Journal of Medicine</i> , 2014 , 370, 1702-11	59.2	363
121	The efficacy of ticagrelor is maintained in women with acute coronary syndromes participating in the prospective, randomized, PLATelet inhibition and patient Outcomes (PLATO) trial. <i>European Heart Journal</i> , 2014 , 35, 1541-50	9.5	53
120	Accuracy of multidetector computed tomography for detection of coronary artery stenosis in acute coronary syndrome compared with stable coronary disease: a CORE64 multicenter trial substudy. <i>International Journal of Cardiology</i> , 2014 , 177, 385-91	3.2	13
119	Exercise capacity and mortality in patients with ischemic left ventricular dysfunction randomized to coronary artery bypass graft surgery or medical therapy: an analysis from the STICH trial (Surgical Treatment for Ischemic Heart Failure). <i>JACC: Heart Failure</i> , 2014 , 2, 335-43	7.9	31
118	Extent of coronary and myocardial disease and benefit from surgical revascularization in ischemic LV dysfunction [Corrected]. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 553-61	15.1	57
117	Left ventricular hypertrophy and QTc dispersion are predictors of long-term mortality in subjects with type 2 diabetes. <i>International Journal of Cardiology</i> , 2014 , 176, 1170-2	3.2	4
116	Ticagrelor effects on myocardial infarction and the impact of event adjudication in the PLATO (Platelet Inhibition and Patient Outcomes) trial. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1493-9	15.1	39

115	Vorapaxar in acute coronary syndrome patients undergoing coronary artery bypass graft surgery: subgroup analysis from the TRACER trial (Thrombin Receptor Antagonist for Clinical Event Reduction in Acute Coronary Syndrome). <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1048-57	15.1	38
114	Do diabetic patients with acute coronary syndromes have a higher threshold for ischemic pain?. <i>Arquivos Brasileiros De Cardiologia</i> , 2014 , 103, 183-91	1.2	1
113	Patterns of long-term thienopyridine therapy and outcomes in patients with acute coronary syndrome treated with coronary stenting: Observations from the TIMI-38 Coronary Stent Registry. <i>Clinical Cardiology</i> , 2014 , 37, 293-9	3.3	3
112	Effect of darapladib on major coronary events after an acute coronary syndrome: the SOLID-TIMI 52 randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2014 , 312, 1006-15	27.4	285
111	Cardiovascular clinical research in South America. <i>American Heart Journal</i> , 2013 , 165, 848-53	4.9	2
110	Edoxaban versus warfarin in patients with atrial fibrillation. <i>New England Journal of Medicine</i> , 2013 , 369, 2093-104	59.2	3215
109	Anticoagulation with otamixaban and ischemic events in non-ST-segment elevation acute coronary syndromes: the TAO randomized clinical trial. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 1145-55	27.4	45
108	Prasugrel versus clopidogrel for patients with unstable angina or non-ST-segment elevation myocardial infarction with or without angiography: a secondary, prespecified analysis of the TRILOGY ACS trial. <i>Lancet, The</i> , 2013 , 382, 605-13	40	87
107	Reduction in first and recurrent cardiovascular events with ticagrelor compared with clopidogrel in the PLATO Study. <i>Circulation</i> , 2013 , 127, 673-80	16.7	58
106	Abnormal muscle vascular responses during exercise in myocardial infarction patients. <i>International Journal of Cardiology</i> , 2013 , 165, 210-2	3.2	1
105	Clinical characteristics and long-term outcome of patients with acute coronary syndromes and Takayasu arteritis. <i>Revista Portuguesa De Cardiologia</i> , 2013 , 32, 297-302	1	10
104	Late percutaneous coronary intervention for an occluded infarct-related artery in patients with preserved infarct zone viability: a pooled analysis of cardiovascular magnetic resonance studies. <i>Cardiology Journal</i> , 2013 , 20, 552-9	1.4	2
103	The bleeding risk score as a mortality predictor in patients with acute coronary syndrome. <i>Arquivos Brasileiros De Cardiologia</i> , 2013 , 101, 511-8	1.2	6
102	Unrecognized diabetes and myocardial necrosis: predictors of hyperglycemia in myocardial infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2013 , 100, 404-11	1.2	2
101	Thrombin-receptor antagonist vorapaxar in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2012 , 366, 20-33	59.2	570
100	Response to Letter Regarding Article, Association of Proton Pump Inhibitor Use on Cardiovascular Outcomes With Clopidogrel and Ticagrelor: Insights From PLATO. <i>Circulation</i> , 2012 , 126,	16.7	1
99	Association of proton pump inhibitor use on cardiovascular outcomes with clopidogrel and ticagrelor: insights from the platelet inhibition and patient outcomes trial. <i>Circulation</i> , 2012 , 125, 978-86	16.7	139
98	Pleiotropic effects of ezetimibe/simvastatin vs. high dose simvastatin. <i>International Journal of Cardiology</i> , 2012 , 158, 400-4	3.2	31

97	Use of demonstrably effective therapies in the treatment of acute coronary syndromes: comparison between different Brazilian regions. Analysis of the Brazilian Registry on Acute Coronary Syndromes (BRACE). <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 98, 282-9	1.2	26
96	Ticagrelor versus clopidogrel in patients with acute coronary syndromes and a history of stroke or transient ischemic attack. <i>Circulation</i> , 2012 , 125, 2914-21	16.7	92
95	Vorapaxar in the secondary prevention of atherothrombotic events. <i>New England Journal of Medicine</i> , 2012 , 366, 1404-13	59.2	694
94	US Food and Drug Administration approval of generic versions of complex biologics: implications for the practicing physician using low molecular weight heparins. <i>Journal of Thrombosis and Thrombolysis</i> , 2012 , 33, 230-8	5.1	10
93	Prasugrel versus clopidogrel for acute coronary syndromes without revascularization. <i>New England Journal of Medicine</i> , 2012 , 367, 1297-309	59.2	631
92	In patients with acute myocardial infarction, the impact of hyperglycemia as a risk factor for mortality is not homogeneous across age-groups. <i>Diabetes Care</i> , 2012 , 35, 150-2	14.6	10
91	Inflammation and circulating endothelial progenitor cells in patients with coronary artery disease and residual platelet reactivity. <i>Clinics</i> , 2012 , 67, 1117-21	2.3	2
90	Prediction of enzymatic infarct size in ST-segment elevation myocardial infarction. <i>Coronary Artery Disease</i> , 2012 , 23, 118-25	1.4	4
89	Management of acute coronary syndrome in South Africa: insights from the ACCESS (Acute Coronary Events - a Multinational Survey of Current Management Strategies) registry. <i>Cardiovascular Journal of Africa</i> , 2012 , 23, 365-70	0.7	36
88	Brazilian contribution to a better understanding of geriatric cardiology. <i>Journal of Geriatric Cardiology</i> , 2012 , 9, 77	1.7	
87	Occlusion of post-myocardial infarction ventricular defect with prosthesis CERA. <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 99, e112-3	1.2	
86	Use of therapeutic hypothermia in a patient with acute coronary heart disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 99, e122-4	1.2	
85	1st Guidelines of the Brazilian Society of Cardiology on processes and skills for education in cardiology in Brazil--executive summary. <i>Arquivos Brasileiros De Cardiologia</i> , 2012 , 98, 98-103	1.2	1
84	Ticagrelor versus clopidogrel in patients with acute coronary syndromes undergoing coronary artery bypass surgery: results from the PLATO (Platelet Inhibition and Patient Outcomes) trial. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 672-84	15.1	370
83	Myocardial viability and survival in ischemic left ventricular dysfunction. <i>New England Journal of Medicine</i> , 2011 , 364, 1617-25	59.2	574
82	Skeletonized coronary arteries: pathophysiological and clinical aspects of vascular calcification. <i>Vascular Health and Risk Management</i> , 2011 , 7, 143-51	4.4	12
81	CYP2C19 and ABCB1 gene polymorphisms are differently distributed according to ethnicity in the Brazilian general population. <i>BMC Medical Genetics</i> , 2011 , 12, 13	2.1	62
80	Effects of long-term exercise training on autonomic control in myocardial infarction patients. <i>Hypertension</i> , 2011 , 58, 1049-56	8.5	74

79	Preoperative B-type natriuretic peptide, and not the inflammation status, predicts an adverse outcome for patients undergoing heart surgery. <i>Interactive Cardiovascular and Thoracic Surgery</i> , 2011 , 12, 778-83	1.8	9
78	Lack of clopidogrel-statin interaction in patients undergoing coronary stent implantation. <i>Arquivos Brasileiros De Cardiologia</i> , 2010 , 95, 321-7	1.2	3
77	[Obesity and coronary artery disease: role of vascular inflammation]. <i>Arquivos Brasileiros De Cardiologia</i> , 2010 , 94, 255-61, 273-9, 260-6	1.2	40
76	Effect of beta-blockers on the risk of atrial fibrillation in patients with acute myocardial infarction. <i>Clinics</i> , 2010 , 65, 265-70	2.3	10
75	Ticagrelor vs. clopidogrel in patients with acute coronary syndromes and diabetes: a substudy from the PLATelet inhibition and patient Outcomes (PLATO) trial. <i>European Heart Journal</i> , 2010 , 31, 3006-16	9.5	317
74	Reduced expression of systemic proinflammatory and myocardial biomarkers after off-pump versus on-pump coronary artery bypass surgery: a prospective randomized study. <i>Journal of Critical Care</i> , 2010 , 25, 305-12	4	41
73	Influence of leukocytes and glycemia on the prognosis of patients with acute myocardial infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2009 , 92, 84-93	1.2	8
72	Effect of the novel thienopyridine prasugrel compared with clopidogrel on spontaneous and procedural myocardial infarction in the Trial to Assess Improvement in Therapeutic Outcomes by Optimizing Platelet Inhibition with Prasugrel-Thrombolysis in Myocardial Infarction 38: an application of the classification system from the universal definition of myocardial infarction.	16.7	137
71	Native LDL-cholesterol mediated monocyte adhesion molecule overexpression is blocked by simvastatin. <i>Cardiovascular Drugs and Therapy</i> , 2009 , 23, 215-20	3.9	12
70	Highlights from the I international symposium of thrombosis and anticoagulation in internal medicine, October 23-25, 2008, Sao Paulo, Brazil. <i>Journal of Thrombosis and Thrombolysis</i> , 2009 , 28, 106-16	5.1	1
69	Streptokinase and enoxaparin as an alternative to fibrin-specific lytic-based regimens: an ExTRACT-TIMI 25 analysis. <i>Drugs</i> , 2009 , 69, 1433-43	12.1	7
68	Association of lipoprotein lipase D9N polymorphism with myocardial infarction in type 2 diabetes: the genetics, outcomes, and lipids in type 2 diabetes (GOLD) study. <i>Atherosclerosis</i> , 2009 , 204, 165-70	3.1	19
67	Differences among low-molecular-weight heparins: evidence in patients with acute coronary syndromes. <i>Journal of Cardiovascular Pharmacology</i> , 2009 , 53, 440-5	3.1	9
66	The role of invasive therapies in elderly patients with acute myocardial infarction. <i>Clinics</i> , 2009 , 64, 553-60	3.3	7
65	Prevalence of Chlamydia pneumoniae and Mycoplasma pneumoniae in different forms of coronary disease. <i>Arquivos Brasileiros De Cardiologia</i> , 2009 , 92, 405-11, 422-8, 439-45	1.2	10
64	Comparison of MB fraction of creatine kinase mass and troponin I serum levels with necropsy findings in acute myocardial infarction. <i>American Journal of Cardiology</i> , 2008 , 101, 311-4	3	22
63	Invasive therapies after fibrinolysis. <i>International Journal of Cardiology</i> , 2008 , 127, 436	3.2	
62	Sodium-hydrogen exchange inhibition by cariporide to reduce the risk of ischemic cardiac events in patients undergoing coronary artery bypass grafting: results of the EXPEDITION study. <i>Annals of Thoracic Surgery</i> , 2008 , 85, 1261-70	2.7	215

61	Pentoxifylline reduces pro-inflammatory and increases anti-inflammatory activity in patients with coronary artery disease--a randomized placebo-controlled study. <i>Atherosclerosis</i> , 2008 , 196, 434-442	3.1	68
60	Depression: a predictor of smoking relapse in a 6-month follow-up after hospitalization for acute coronary syndrome. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2008 , 15, 89-94		47
59	History of hypertension and eplerenone in patients with acute myocardial infarction complicated by heart failure. <i>Hypertension</i> , 2008 , 52, 271-8	8.5	21
58	Takotsubo cardiomyopathy causing transitory ventricular dysfunction. <i>Arquivos Brasileiros De Cardiologia</i> , 2008 , 90, e16-9	1.2	1
57	The influence of health insurance plans on the long term outcome of patients with acute myocardial infarction. <i>Arquivos Brasileiros De Cardiologia</i> , 2008 , 91, 347-51	1.2	2
56	Multicenter double blind trial of autologous bone marrow mononuclear cell transplantation through intracoronary injection post acute myocardium infarction - MiHeart/AMI study. <i>Trials</i> , 2008 , 9, 41	2.8	11
55	Differences in the inflammatory response between patients with and those without diabetes mellitus after coronary stenting. <i>Journal of Interventional Cardiology</i> , 2008 , 21, 403-9	1.8	13
54	Determination of size and transmural extent of acute myocardial infarction by real-time myocardial perfusion echocardiography: a comparison with magnetic resonance imaging. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 126-35	5.8	12
53	Baseline glucose and left ventricular remodeling after acute myocardial infarction. <i>Journal of Diabetes and Its Complications</i> , 2007 , 21, 294-9	3.2	7
52	Left ventricular free-wall rupture after acute myocardial infarction imaged by cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2007 , 9, 719-21	6.9	6
51	A strategy of using enoxaparin as adjunctive antithrombin therapy reduces death and recurrent myocardial infarction in patients who achieve early ST-segment resolution after fibrinolytic therapy: the ExTRACT-TIMI 25 ECG study. <i>European Heart Journal</i> , 2007 , 28, 2070-6	9.5	7
50	Enoxaparin is superior to unfractionated heparin in patients with ST elevation myocardial infarction undergoing fibrinolysis regardless of the choice of lytic: an ExTRACT-TIMI 25 analysis. <i>European Heart Journal</i> , 2007 , 28, 1566-73	9.5	44
49	Smoking-associated factors in myocardial infarction and unstable angina: do gender differences exist?. <i>Addictive Behaviors</i> , 2007 , 32, 1295-301	4.2	4
48	Global outcomes of ST-elevation myocardial infarction: comparisons of the Enoxaparin and Thrombolysis Reperfusion for Acute Myocardial Infarction Treatment-Thrombolysis In Myocardial Infarction study 25 (ExTRACT-TIMI 25) registry and trial. <i>American Heart Journal</i> , 2007 , 154, 54-61	4.9	14
47	A comparison of percutaneous coronary intervention and surgical revascularization after fibrinolysis for acute myocardial infarction. Insights from the InTIME-2 trial. <i>International Journal of Cardiology</i> , 2007 , 116, 383-8	3.2	4
46	Enhanced inflammatory response following coronary stent implantation in stable angina patients. <i>International Journal of Cardiology</i> , 2007 , 118, 69-75	3.2	4
45	Glucose, insulin, and acute myocardial infarction: reply. <i>European Heart Journal</i> , 2006 , 27, 2142-2143	9.5	
44	Prognostic significance of the change in glucose level in the first 24 h after acute myocardial infarction: results from the CARDINAL study. <i>European Heart Journal</i> , 2006 , 27, 1289-97	9.5	141

43	Comparison of fondaparinux and enoxaparin in acute coronary syndromes. <i>New England Journal of Medicine</i> , 2006 , 354, 1464-76	59.2	922
42	Regression of coronary artery outward remodeling in patients with non-ST-segment acute coronary syndromes: a longitudinal study using noninvasive magnetic resonance imaging. <i>American Heart Journal</i> , 2006 , 152, 1123-32	4.9	12
41	Platelet activation in different clinical forms of the coronary artery disease (role of P-selectin and others platelet markers in stable and unstable angina). <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 87, 446-50	1.2	7
40	Coronary spasm induced by dobutamine-atropine stress echocardiography. <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 87, e250-3	1.2	6
39	Coronary artery bypass grafting in acute myocardial infarction. Analysis of preoperative predictors of mortality. <i>Arquivos Brasileiros De Cardiologia</i> , 2006 , 87, 254-9	1.2	4
38	Prognostic significance of blood markers of inflammation in patients with ST-segment elevation myocardial infarction undergoing primary angioplasty and effects of pexelizumab, a C5 inhibitor: a substudy of the COMMA trial. <i>European Heart Journal</i> , 2005 , 26, 1964-70	9.5	98
37	Platelet and leukocyte adhesion and activation in unstable angina and post-PTCA. <i>International Journal of Cardiology</i> , 2005 , 99, 423-8	3.2	14
36	Eplerenone reduces mortality 30 days after randomization following acute myocardial infarction in patients with left ventricular systolic dysfunction and heart failure. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 425-31	15.1	284
35	Late coronary artery recanalization effects on left ventricular remodelling and contractility by magnetic resonance imaging. <i>European Heart Journal</i> , 2005 , 26, 36-43	9.5	39
34	Detection of functional recovery using low-dose dobutamine and myocardial contrast echocardiography after acute myocardial infarction treated with successful thrombolytic therapy. <i>Echocardiography</i> , 2005 , 22, 496-502	1.5	9
33	Prognostic usefulness of white blood cell count and temperature in acute myocardial infarction (from the CARDINAL Trial). <i>American Journal of Cardiology</i> , 2005 , 95, 614-8	3	28
32	Value of myocardial contrast echocardiography for predicting left ventricular remodeling and segmental functional recovery after anterior wall acute myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 923-32	5.8	20
31	The role of gender in the long-term prognosis of patients with myocardial infarction submitted to fibrinolytic treatment. <i>Annals of Epidemiology</i> , 2004 , 14, 17-23	6.4	18
30	Angiographic aspects of ruptured plaque in patients with acute myocardial infarction: correlation with clinical and laboratory variables. <i>Atherosclerosis</i> , 2004 , 175, 125-30	3.1	1
29	Atorvastatin reduces proinflammatory markers in hypercholesterolemic patients. <i>Atherosclerosis</i> , 2004 , 177, 161-6	3.1	139
28	Pexelizumab, an anti-C5 complement antibody, as adjunctive therapy to primary percutaneous coronary intervention in acute myocardial infarction: the COMPLEMENT inhibition in Myocardial infarction treated with Angioplasty (COMMA) trial. <i>Circulation</i> , 2003 , 108, 1184-90	16.7	273
27	Effect of pexelizumab, an anti-C5 complement antibody, as adjunctive therapy to fibrinolysis in acute myocardial infarction: the COMPLEMENT inhibition in myocardial infarction treated with thromboLYtics (COMPLY) trial. <i>Circulation</i> , 2003 , 108, 1176-83	16.7	155
26	Role of oral blockade of platelet glycoprotein IIb/IIIa on neutrophil activation in patients with acute coronary syndromes. <i>Cardiovascular Drugs and Therapy</i> , 2003 , 17, 129-32	3.9	8

25	ST-segment resolution and late (6-month) left ventricular remodeling after acute myocardial infarction. <i>American Journal of Cardiology</i> , 2003 , 91, 451-3	3	13
24	Prospective evaluation comparing the effects of enalapril and losartan in left ventricular remodeling after acute myocardial infarction. <i>American Heart Journal</i> , 2003 , 145, E21	4.9	7
23	Primary coronary angioplasty in a nonagenarian. <i>Arquivos Brasileiros De Cardiologia</i> , 2002 , 78, 114-21	1.2	2
22	Availability of on-site catheterization and clinical outcomes in patients receiving fibrinolysis for ST-elevation myocardial infarction. <i>European Heart Journal</i> , 2001 , 22, 2104-15	9.5	14
21	Efficacy and safety of tenecteplase in combination with enoxaparin, abciximab, or unfractionated heparin: the ASSENT-3 randomised trial in acute myocardial infarction. <i>Lancet, The</i> , 2001 , 358, 605-13	4.0	586
20	Prognosis of acute myocardial infarction in the thrombolytic era: medical evaluation is still valuable. <i>European Journal of Heart Failure</i> , 2001 , 3, 569-76	12.3	5
19	Fatores prognósticos da revascularização na fase aguda do infarto agudo do miocárdio. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2001 , 16, 195	1.1	1
18	PANDORA - Survey of Brazilian cardiologists about cholesterol reduction. <i>Arquivos Brasileiros De Cardiologia</i> , 2000 , 75, 289-302	1.2	2
17	Intravenous NPA for the treatment of infarcting myocardium early; InTIME-II, a double-blind comparison of single-bolus lanoteplase vs accelerated alteplase for the treatment of patients with acute myocardial infarction. <i>European Heart Journal</i> , 2000 , 21, 2005-13	9.5	117
16	Effect of cholesterol lowering treatment on positive exercise tests in patients with hypercholesterolaemia and normal coronary angiograms. <i>Heart</i> , 1999 , 82, 689-93	5.1	10
15	Early infarct artery collateral flow does not improve long-term survival following thrombolytic therapy for acute myocardial infarction. <i>American Journal of Cardiology</i> , 1999 , 83, 21-6	3	38
14	Additional reduction in blood pressure after cholesterol-lowering treatment by statins (lovastatin or pravastatin) in hypercholesterolemic patients using angiotensin-converting enzyme inhibitors (enalapril or lisinopril). <i>American Journal of Cardiology</i> , 1999 , 83, 1497-9, A8	3	124
13	Sinus bradycardia as a predictor of right coronary artery occlusion in patients with inferior myocardial infarction. <i>International Journal of Cardiology</i> , 1999 , 68, 75-82	3.2	17
12	A multicenter, randomized study of argatroban versus heparin as adjunct to tissue plasminogen activator (TPA) in acute myocardial infarction: myocardial infarction with novastan and TPA (MINT) study. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1879-85	15.1	104
11	The role of antegrade and collateral flow in relation to left ventricular function post-thrombolysis. <i>International Journal of Cardiology</i> , 1997 , 61, 47-54	3.2	6
10	Diltiazem improves left ventricular systolic function following acute myocardial infarction treated with streptokinase. The Calcium Antagonist in Reperfusion Study (CARES) Group. <i>American Journal of Cardiology</i> , 1996 , 78, 1049-52	3	13
9	Echocardiographic Features of Ventricular Septal Rupture with Right Ventricular Aneurysm After Acute Myocardial Infarction. <i>Echocardiography</i> , 1996 , 13, 303-308	1.5	3
8	Electrocardiography in Chagas' heart disease. <i>Sao Paulo Medical Journal</i> , 1995 , 113, 802-13	1.6	30

7	Surgical revascularization after fibrinolysis in acute myocardial infarction. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1994 , 107, 1454-1459	1.5	7
6	Pheochromocytoma with echocardiographic features of obstructive hypertrophic cardiomyopathy. A case report. <i>Angiology</i> , 1994 , 45, 985-9	2.1	11
5	Valvular Surgery During Infective Endocarditis: Surgical Mortality and Long-Term Follow-up. <i>Vascular Surgery</i> , 1994 , 28, 341-348		
4	Acute myocardial infarction treated with intravenous streptokinase: 6-year follow-up. <i>International Journal of Cardiology</i> , 1993 , 38, 253-62	3.2	5
3	Diagnostic Features, Surgical Treatment, and Postoperative Follow-up of the Aortic-Left Ventricular Tunnel. <i>Vascular Surgery</i> , 1993 , 27, 99-104		
2	Severe Mitral Regurgitation Due to Uncommon Cystic Form of Fibroelastoma—A Case Report. <i>Vascular Surgery</i> , 1993 , 27, 74-77		
1	Clinical and laboratory signs of reperfusion: are they reliable?. <i>International Journal of Cardiology</i> , 1989 , 25, 313-20	3.2	24