

Douglas G Tilley

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7028156/publications.pdf>

Version: 2024-02-01

83
papers

3,589
citations

117571

34
h-index

138417

58
g-index

84
all docs

84
docs citations

84
times ranked

4452
citing authors

#	ARTICLE	IF	CITATIONS
1	Pepducin ICL1-9-Mediated β_2 -Adrenergic Receptor-Dependent Cardiomyocyte Contractility Occurs in a Gi Protein/ROCK/PKD-Sensitive Manner. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 245-256.	1.3	4
2	G protein-coupled receptor kinase 5 (GRK5) contributes to impaired cardiac function and immune cell recruitment in post-ischemic heart failure. <i>Cardiovascular Research</i> , 2022, 118, 169-183.	1.8	27
3	Epidermal growth factor receptor-dependent maintenance of cardiac contractility. <i>Cardiovascular Research</i> , 2022, 118, 1276-1288.	1.8	8
4	Epidermal growth factor receptor association with β_1 -adrenergic receptor is mediated via its juxtamembrane domain. <i>Cellular Signalling</i> , 2021, 78, 109846.	1.7	2
5	Recent advances in GPCR-regulated leukocyte responses during acute cardiac injury. <i>Current Opinion in Physiology</i> , 2021, 19, 55-61.	0.9	2
6	Self-made allosteric: endogenous COMP antagonizes pathologic AT1AR signaling. <i>Cell Research</i> , 2021, 31, 730-731.	5.7	2
7	Nicotinamide riboside kinase-2 alleviates ischemia-induced heart failure through P38 signaling. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020, 1866, 165609.	1.8	18
8	ADP exerts P2Y12 -dependent and P2Y12 -independent effects on primary human T cell responses to stimulation. <i>Journal of Cell Communication and Signaling</i> , 2020, 14, 111-126.	1.8	9
9	Loss of Protease-Activated Receptor 4 Prevents Inflammation Resolution and Predisposes the Heart to Cardiac Rupture After Myocardial Infarction. <i>Circulation</i> , 2020, 142, 758-775.	1.6	14
10	Cardiac Expression of Factor X Mediates Cardiac Hypertrophy and Fibrosis in Pressure Overload. <i>JACC Basic To Translational Science</i> , 2020, 5, 69-83.	1.9	11
11	Leukocyte-Dependent Regulation of Cardiac Fibrosis. <i>Frontiers in Physiology</i> , 2020, 11, 301.	1.3	32
12	Loss of dynamic regulation of G protein-coupled receptor kinase 2 by nitric oxide leads to cardiovascular dysfunction with aging. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2020, 318, H1162-H1175.	1.5	7
13	β_2 -adrenergic receptor-mediated mitochondrial biogenesis improves skeletal muscle recovery following spinal cord injury. <i>Experimental Neurology</i> , 2019, 322, 113064.	2.0	24
14	Cardiomyocyte-GSK-3 β promotes mPTP opening and heart failure in mice with chronic pressure overload. <i>Journal of Molecular and Cellular Cardiology</i> , 2019, 130, 65-75.	0.9	34
15	Muscarinic receptors promote pacemaker fate at the expense of secondary conduction system tissue in zebrafish. <i>JCI Insight</i> , 2019, 4, .	2.3	9
16	Prior beta blocker treatment decreases leukocyte responsiveness to injury. <i>JCI Insight</i> , 2019, 4, .	2.3	20
17	GRK5-mediated Exacerbation of Ischemic Heart Failure Involves Cardiac Immune and Inflammatory Responses. <i>FASEB Journal</i> , 2019, 33, 676.7.	0.2	0
18	The Role of Leukocytes in Diabetic Cardiomyopathy. <i>Frontiers in Physiology</i> , 2018, 9, 1547.	1.3	50

#	ARTICLE	IF	CITATIONS
19	Pepducin-mediated cardioprotection via β_2 -arrestin-biased β_2 -adrenergic receptor-specific signaling. <i>Theranostics</i> , 2018, 8, 4664-4678.	4.6	37
20	Designer Approaches for G Protein-Coupled Receptor Modulation for Cardiovascular Disease. <i>JACC Basic To Translational Science</i> , 2018, 3, 550-562.	1.9	23
21	G protein-coupled receptor kinase 2 contributes to impaired fatty acid metabolism in the failing heart. <i>Journal of Molecular and Cellular Cardiology</i> , 2018, 123, 108-117.	0.9	22
22	Association of Variants in <i>BAG3</i> With Cardiomyopathy Outcomes in African American Individuals. <i>JAMA Cardiology</i> , 2018, 3, 929.	3.0	57
23	Abstract 578: β_2 -arrestin-Biased β_2 -Adrenergic Receptor Signaling Enhances Cardiomyocyte Contractility via ROCK-Dependent Signaling. <i>Circulation Research</i> , 2018, 123, .	2.0	0
24	Cardiac GPCR-Mediated EGFR Transactivation: Impact and Therapeutic Implications. <i>Journal of Cardiovascular Pharmacology</i> , 2017, 70, 3-9.	0.8	23
25	DUSPs as critical regulators of cardiac hypertrophy. <i>Clinical Science</i> , 2017, 131, 155-158.	1.8	4
26	Dual inhibition of cathepsin G and chymase reduces myocyte death and improves cardiac remodeling after myocardial ischemia reperfusion injury. <i>Basic Research in Cardiology</i> , 2017, 112, 62.	2.5	50
27	Impact of paroxetine on proximal β_2 -adrenergic receptor signaling. <i>Cellular Signalling</i> , 2017, 38, 127-133.	1.7	18
28	G_{12q} Signaling in the Regulation of Autophagy and Heart Failure. <i>Journal of Cardiovascular Pharmacology</i> , 2017, 69, 212-214.	0.8	0
29	Interleukin-10 Inhibits Bone Marrow Fibroblast Progenitor Cell-Mediated Cardiac Fibrosis in Pressure-Overloaded Myocardium. <i>Circulation</i> , 2017, 136, 940-953.	1.6	57
30	Caspase-1 mediates hyperlipidemia-weakened progenitor cell vessel repair. <i>Frontiers in Bioscience - Landmark</i> , 2016, 21, 178-191.	3.0	54
31	β_2 -Adrenergic receptor-dependent chemokine receptor 2 expression regulates leukocyte recruitment to the heart following acute injury. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 15126-15131.	3.3	48
32	Adeno-Associated Virus Serotype 9-Driven Expression of BAG3 Improves Left Ventricular Function in Murine Hearts With Left Ventricular Dysfunction Secondary to a Myocardial Infarction. <i>JACC Basic To Translational Science</i> , 2016, 1, 647-656.	1.9	32
33	Skeletal Muscle-specific G Protein-coupled Receptor Kinase 2 Ablation Alters Isolated Skeletal Muscle Mechanics and Enhances Clenbuterol-stimulated Hypertrophy. <i>Journal of Biological Chemistry</i> , 2016, 291, 21913-21924.	1.6	9
34	Leukocyte-Expressed β_2 -Adrenergic Receptors Are Essential for Survival After Acute Myocardial Injury. <i>Circulation</i> , 2016, 134, 153-167.	1.6	53
35	Vasopressin type 1A receptor deletion enhances cardiac contractility, β_2 -adrenergic receptor sensitivity and acute cardiac injury-induced dysfunction. <i>Clinical Science</i> , 2016, 130, 2017-2027.	1.8	6
36	β_2 -arrestin-biased signaling through the β_2 -adrenergic receptor promotes cardiomyocyte contraction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, E4107-16.	3.3	94

#	ARTICLE	IF	CITATIONS
37	BAG3 regulates contractility and Ca ²⁺ homeostasis in adult mouse ventricular myocytes. <i>Journal of Molecular and Cellular Cardiology</i> , 2016, 92, 10-20.	0.9	56
38	Arginine vasopressin receptor signaling and functional outcomes in heart failure. <i>Cellular Signalling</i> , 2016, 28, 224-233.	1.7	37
39	Bcl-2-associated athanogene 3 protects the heart from ischemia/reperfusion injury. <i>JCI Insight</i> , 2016, 1, e90931.	2.3	40
40	Cardiac Dysfunction in HIV-1 Transgenic Mouse: Role of Stress and BAG3. <i>Clinical and Translational Science</i> , 2015, 8, 305-310.	1.5	20
41	Early Hyperlipidemia Promotes Endothelial Activation via a Caspase-1-Sirtuin 1 Pathway. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2015, 35, 804-816.	1.1	197
42	Role of Epidermal Growth Factor Receptor and Endoplasmic Reticulum Stress in Vascular Remodeling Induced by Angiotensin II. <i>Hypertension</i> , 2015, 65, 1349-1355.	1.3	82
43	BAG3: a new player in the heart failure paradigm. <i>Heart Failure Reviews</i> , 2015, 20, 423-434.	1.7	79
44	The Lysophosphatidylinositol Receptor GPR55 Modulates Pain Perception in the Periaqueductal Gray. <i>Molecular Pharmacology</i> , 2015, 88, 265-272.	1.0	48
45	Orphan Nuclear Receptor Nur77 Inhibits Cardiac Hypertrophic Response to Beta-Adrenergic Stimulation. <i>Molecular and Cellular Biology</i> , 2015, 35, 3312-3323.	1.1	36
46	Temporal and gefitinib-sensitive regulation of cardiac cytokine expression via chronic β_2 -adrenergic receptor stimulation. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2015, 308, H316-H330.	1.5	23
47	Abstract 19409: β_2 -Adrenergic Receptor Regulation of Innate Immune Responses Following Acute Myocardial Injury. <i>Circulation</i> , 2015, 132, .	1.6	0
48	β_2 -Adrenergic Receptor-Dependent Alterations in Murine Cardiac Transcript Expression Are Differentially Regulated by Gefitinib In Vivo. <i>PLoS ONE</i> , 2014, 9, e99195.	1.1	17
49	Cardiac Progenitor Cells Engineered With β_2 ARKct Have Enhanced β_2 -Adrenergic Tolerance. <i>Molecular Therapy</i> , 2014, 22, 178-185.	3.7	12
50	Decreased Levels of BAG3 in a Family With a Rare Variant and in Idiopathic Dilated Cardiomyopathy. <i>Journal of Cellular Physiology</i> , 2014, 229, 1697-1702.	2.0	68
51	GRK5-Mediated Exacerbation of Pathological Cardiac Hypertrophy Involves Facilitation of Nuclear NFAT Activity. <i>Circulation Research</i> , 2014, 115, 976-985.	2.0	73
52	Dynamic mass redistribution analysis of endogenous β_2 -adrenergic receptor signaling in neonatal rat cardiac fibroblasts. <i>Pharmacology Research and Perspectives</i> , 2014, 2, e00024.	1.1	17
53	Increased Vasopressin 1A Receptor Expression in Failing Human Hearts. <i>Journal of the American College of Cardiology</i> , 2014, 63, 375-376.	1.2	21
54	Urotensin II promotes vagal-mediated bradycardia by activating cardiac-projecting parasympathetic neurons of nucleus ambiguus. <i>Journal of Neurochemistry</i> , 2014, 129, 628-636.	2.1	12

#	ARTICLE	IF	CITATIONS
55	Direct evidence of intracrine angiotensin II signaling in neurons. American Journal of Physiology - Cell Physiology, 2014, 306, C736-C744.	2.1	19
56	β_2 -Adrenergic Receptor-Mediated Cardiac Contractility Is Inhibited via Vasopressin Type 1A-Receptor-Dependent Signaling. Circulation, 2014, 130, 1800-1811.	1.6	34
57	β_2 -Adrenergic receptor-mediated transactivation of epidermal growth factor receptor decreases cardiomyocyte apoptosis through differential subcellular activation of ERK1/2 and Akt. Journal of Molecular and Cellular Cardiology, 2014, 72, 39-51.	0.9	38
58	Abstract 16796: β_2 -Adrenergic Receptor Expression on Hematopoietic Cells is Critical for Survival Following Myocardial Infarction. Circulation, 2014, 130, .	1.6	0
59	Arginine Vasopressin Enhances Cell Survival via a G Protein-Coupled Receptor Kinase 2/Arrestin1/Extracellular-Regulated Kinase 1/2-Dependent Pathway in H9c2 Cells. Molecular Pharmacology, 2013, 84, 227-235.	1.0	30
60	Unexpected Cardiac Hypertrophy by Epidermal Growth Factor Receptor Silencing. Hypertension, 2013, 61, e46.	1.3	3
61	Differential Activation of Cultured Neonatal Cardiomyocytes by Plasmalemmal Versus Intracellular G Protein-coupled Receptor 55. Journal of Biological Chemistry, 2013, 288, 22481-22492.	1.6	36
62	Nesfatin-1 activates cardiac vagal neurons of nucleus ambiguus and elicits bradycardia in conscious rats. Journal of Neurochemistry, 2013, 126, 739-748.	2.1	33
63	β_2 -Adrenergic Regulation of Cardiac Progenitor Cell Death Versus Survival and Proliferation. Circulation Research, 2013, 112, 476-486.	2.0	59
64	Nuclear Translocation of Cardiac G Protein-Coupled Receptor Kinase 5 Downstream of Select Gq-Activating Hypertrophic Ligands Is a Calmodulin-Dependent Process. PLoS ONE, 2013, 8, e57324.	1.1	60
65	Acute cardiac gene expression changes mediated through β_2 -mediated transactivation of EGFR in vivo. FASEB Journal, 2013, 27, 652.18.	0.2	0
66	Subtype specific β_2 -adrenergic receptor-mediated transactivation of epidermal growth factor receptor decreases apoptosis through differential activation of ERK1/2 and Akt. FASEB Journal, 2013, 27, 652.10.	0.2	0
67	G Protein-Dependent and G Protein-Independent Signaling Pathways and Their Impact on Cardiac Function. Circulation Research, 2011, 109, 217-230.	2.0	126
68	Functional Relevance of Biased Signaling at the Angiotensin II Type 1 Receptor. Endocrine, Metabolic and Immune Disorders - Drug Targets, 2011, 11, 99-111.	0.6	16
69	Troglitazone stimulates β_2 -arrestin-dependent cardiomyocyte contractility via the angiotensin II type 1A receptor. Biochemical and Biophysical Research Communications, 2010, 396, 921-926.	1.0	18
70	AT1A Receptor-Arrestin signaling confers PPAR β agonist-mediated myocyte contractility. FASEB Journal, 2010, 24, 586.3.	0.2	0
71	β_2 -Arrestin Mediates β_1 -Adrenergic Receptor-Epidermal Growth Factor Receptor Interaction and Downstream Signaling. Journal of Biological Chemistry, 2009, 284, 20375-20386.	1.6	92
72	Physiologic and cardiac roles of β_2 -arrestins. Journal of Molecular and Cellular Cardiology, 2009, 46, 300-308.	0.9	50

#	ARTICLE	IF	CITATIONS
73	Î²-Blockers alprenolol and carvedilol stimulate Î²-arrestin-mediated EGFR transactivation. Proceedings of the National Academy of Sciences of the United States of America, 2008, 105, 14555-14560.	3.3	241
74	Beta-Arrestin-Mediated Signaling in the Heart. Circulation Journal, 2008, 72, 1725-1729.	0.7	46
75	Î²-Arrestin-mediated Î²1-adrenergic receptor transactivation of the EGFR confers cardioprotection. Journal of Clinical Investigation, 2007, 117, 2445-2458.	3.9	405
76	Role of Î²-adrenergic receptor signaling and desensitization in heart failure: new concepts and prospects for treatment. Expert Review of Cardiovascular Therapy, 2006, 4, 417-432.	0.6	70
77	Regulation of PDE Expression in Arteries. , 2006, , .		0
78	Vascular Smooth Muscle Cell Phenotype-Dependent Phosphodiesterase 4D Short Form Expression: Role of Differential Histone Acetylation on cAMP-Regulated Function. Molecular Pharmacology, 2005, 68, 596-605.	1.0	39
79	Cyclic Nucleotide Phosphodiesterase Activity, Expression, and Targeting in Cells of the Cardiovascular System. Molecular Pharmacology, 2003, 64, 533-546.	1.0	289
80	Vascular Smooth Muscle Cell Phosphodiesterase (PDE) 3 and PDE4 Activities and Levels are Regulated by Cyclic AMP in Vivo. Molecular Pharmacology, 2002, 62, 497-506.	1.0	51
81	Altered Phosphodiesterase 3-Mediated cAMP Hydrolysis Contributes to a Hypermotile Phenotype in Obese JCR:LA-cp Rat Aortic Vascular Smooth Muscle Cells: Implications for Diabetes-Associated Cardiovascular Disease. Diabetes, 2002, 51, 1194-1200.	0.3	29
82	Reduced Phosphodiesterase 3 Activity and Phosphodiesterase 3A Level in Synthetic Vascular Smooth Muscle Cells: Implications for Use of Phosphodiesterase 3 Inhibitors in Cardiovascular Tissues. Molecular Pharmacology, 2002, 61, 1033-1040.	1.0	34
83	Expression of Phosphodiesterase 4D (PDE4D) Is Regulated by Both the Cyclic AMP-dependent Protein Kinase and Mitogen-activated Protein Kinase Signaling Pathways. Journal of Biological Chemistry, 2000, 275, 26615-26624.	1.6	72