

Hasan Al-Nashash

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7030175/hasan-al-nashash-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

100
papers

849
citations

15
h-index

25
g-index

124
ext. papers

1,082
ext. citations

2.6
avg, IF

4.32
L-index

#	Paper	IF	Citations
100	Vigilance Assessment and Enhancement 2022 , 1-24		
99	Stress management using fNIRS and binaural beats stimulation. <i>Biomedical Optics Express</i> , 2022 , 13, 3552-3563	3.5	1
98	Asymmetry of Regional Phase Synchrony Cortical Networks Under Cognitive Alertness and Vigilance Decrement States. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2021 , 29, 2378-2387	4.8	2
97	Brain Source Localization Using Stochastic Gradient Descent. <i>IEEE Sensors Journal</i> , 2021 , 21, 8375-8383	4	3
96	An Intraoral Camera for Supporting Assistive Devices. <i>IEEE Sensors Journal</i> , 2021 , 21, 8553-8563	4	
95	Fabrication of titanium dioxide nanomaterial for implantable highly flexible composite bioelectrode for biosensing applications. <i>Chemosphere</i> , 2021 , 273, 129680	8.4	4
94	A Review on Mental Stress Assessment Methods Using EEG Signals. <i>Sensors</i> , 2021 , 21,	3.8	14
93	Effect of thoracic spinal cord injury on forelimb somatosensory evoked potential. <i>Brain Research Bulletin</i> , 2021 , 173, 22-27	3.9	1
92	Highly Flexible Polyaniline-Based Implantable Electrode Materials for Neural Sensing/Stimulation Applications. <i>Electronic Materials</i> , 2021 , 2, 413-427	0.8	0
91	Comparative analysis of functional assessment for contusion and transection models of spinal cord injury. <i>Spinal Cord</i> , 2021 , 59, 1206-1209	2.7	0
90	. <i>IEEE Access</i> , 2021 , 9, 22955-22970	3.5	5
89	. <i>IEEE Transactions on Components, Packaging and Manufacturing Technology</i> , 2020 , 10, 1079-1087	1.7	5
88	2020 ,		1
87	Characterization of transection spinal cord injuries by monitoring somatosensory evoked potentials and motor behavior. <i>Brain Research Bulletin</i> , 2020 , 156, 150-163	3.9	7
86	. <i>IEEE Access</i> , 2020 , 8, 115941-115956	3.5	11
85	Trading baseline with forelimbs somatosensory evoked potential for longitudinal analysis in thoracic transection spinal cord injury. <i>Journal of Neuroscience Methods</i> , 2020 , 343, 108858	3	2
84	. <i>IEEE Access</i> , 2020 , 8, 191080-191089	3.5	4

83	TCAD Simulation and Analysis of Selective Buried Oxide MOSFET Dynamic Power. <i>Journal of Low Power Electronics and Applications</i> , 2019 , 9, 29	1.7	
82	Static power characteristics of selective buried oxide CMOS devices. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2019 , 32, e2460	1	2
81	Vigilance Decrement and Enhancement Techniques: A Review. <i>Brain Sciences</i> , 2019 , 9,	3.4	18
80	. <i>IEEE Access</i> , 2019 , 7, 143550-143562	3.5	19
79	Internet of things based multi-sensor patient fall detection system. <i>Healthcare Technology Letters</i> , 2019 , 6, 132-137	1.9	8
78	Brain Connectivity Analysis Under Semantic Vigilance and Enhanced Mental States. <i>Brain Sciences</i> , 2019 , 9,	3.4	19
77	Novel Modeling of Somatosensory Evoked Potentials for the Assessment of Spinal Cord Injury. <i>IEEE Transactions on Biomedical Engineering</i> , 2018 , 65, 511-520	5	6
76	2018 ,		5
75	Medical equipment efficient failure management in IoT environment 2018 ,		2
74	Modeling and simulation of static power dissipation in CMOS with SELBOX structure 2017 ,		1
73	Assessment of Spinal Cord Injury via Sparse Modeling of Somatosensory Evoked Potential Signals 2017 ,		2
72	. <i>IEEE Sensors Journal</i> , 2017 , 17, 7019-7028	4	13
71	Role of multisensory stimuli in vigilance enhancement- a single trial event related potential study. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 2446-2449	0.9	8
70	Cortical Source Localization and Signal Estimation Without Exact Knowledge of the Leadfield Matrix. <i>IEEE Sensors Journal</i> , 2017 , 17, 450-458	4	3
69	Measuring vigilance decrement using computer vision assisted eye tracking in dynamic naturalistic environments. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2017 , 2017, 2478-2481	0.9	6
68	Group projects in foundation electrical engineering courses: Do they help, harm or make no difference to the students learning experience?. <i>International Journal of Electrical Engineering and Education</i> , 2016 , 53, 305-313	0.6	1
67	The effect of anaesthesia on somatosensory evoked potential measurement in a rat model. <i>Laboratory Animals</i> , 2016 , 50, 63-6	2.6	8
66	Automatic Parametrization of Somatosensory Evoked Potentials With Chirp Modeling. <i>IEEE Transactions on Neural Systems and Rehabilitation Engineering</i> , 2016 , 24, 981-992	4.8	7

65	EEG and Eye Tracking Demonstrate Vigilance Enhancement with Challenge Integration. <i>Frontiers in Human Neuroscience</i> , 2016 , 10, 273	3.3	38
64	Minimization of self-heating in SOI MOSFET devices with SELBOX structure 2016 ,		1
63	Natural Progression of Spinal Cord Transection Injury and Reorganization of Neural Pathways. <i>Journal of Neurotrauma</i> , 2016 , 33, 2191-2201	5.4	8
62	Generalised correlation index for quantifying signal morphological similarity. <i>Electronics Letters</i> , 2016 , 52, 1832-1834	1.1	2
61	Cognitive workload modulation through degraded visual stimuli: a single-trial EEG study. <i>Journal of Neural Engineering</i> , 2015 , 12, 046020	5	21
60	Extracting fetal ECG from a single maternal abdominal record 2015 ,		3
59	Vigilance Differentiation from EEG Complexity Attributes. <i>Lecture Notes in Computer Science</i> , 2015 , 199-206		8
58	Transfer-Function-Based Calibration of Sparse EEG Systems for Brain Source Localization. <i>IEEE Sensors Journal</i> , 2015 , 15, 1504-1514	4	8
57	Prolonged Local Hypothermia Has No Long-Term Adverse Effect on the Spinal Cord. <i>Therapeutic Hypothermia and Temperature Management</i> , 2015 , 5, 152-62	1.3	7
56	Eye tracking and EEG synchronization to analyze microsaccades during a workload task. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2015 , 2015, 7994-7	0.9	2
55	Visual aid for Optic Nerve Hypoplasia patients 2014 ,		1
54	ERP signal estimation from single trial EEG. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 2989-92	0.9	3
53	Brain source localization in the presence of leadfield perturbations. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 4551-4	0.9	
52	Cognitive workload estimation due to vague visual stimuli using saccadic eye movements. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 2993-6	0.9	7
51	Effect of isoflurane on somatosensory evoked potentials in a rat model. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2014 , 2014, 4286-9	0.9	4
50	The analytic bilinear discrimination of single-trial EEG signals in rapid image triage. <i>PLoS ONE</i> , 2014 , 9, e100097	3.7	5
49	Thermal model of MOSFET with SELBOX structure. <i>Journal of Computational Electronics</i> , 2013 , 12, 803-81.8		15
48	Using Variations of Somatosensory Evoked Potentials to Quantify Spinal Cord Injury Level. <i>Engineering</i> , 2013 , 05, 99-102	0.4	1

47	Quantification of the bone healing process using information of B-Mode ultrasound image. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2012, 2012, 4442-5</i>	0.9	
46	Frequency response of MOS devices with SELBOX structure 2012,		3
45	Circuit model for SelBox MOSFET 2012,		1
44	Analysis of Kink Reduction in SOI MOSFET Using Selective Back Oxide Structure. <i>Active and Passive Electronic Components, 2012, 2012, 1-9</i>	0.3	8
43	Calibration of Low Density EEG Sensor Arrays for Brain Source Localization. <i>Lecture Notes in Computer Science, 2012, 331-338</i>	0.9	2
42	Assessment of Bone Healing Using Ultrasound 2012, 283-297		2
41	Design of low frequency highpass filter using pseudo resistors 2011,		3
40	Towards an assessment of bone fracture healing using pulsed mode ultrasound. <i>Technology and Health Care, 2011, 19, 261-9</i>	1.1	3
39	Assessment of retinopathy severity using digital fundus images 2011,		4
38	Spinal cord injury evaluation using morphological difference of somatosensory evoked potentials 2011,		3
37	Histogram based quantification of spinal cord injury level using somatosensory evoked potentials. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference, 2010, 2010, 4942-5</i>	0.9	7
36	Quantification of Spinal Cord Injury Level Using Somatosensory Evoked Potentials. <i>International Conference on Bioinformatics and Biomedical Engineering: [proceedings] International Conference on Bioinformatics and Biomedical Engineering, 2010,</i>		4
35	Spinal cord injury detection and monitoring using spectral coherence. <i>IEEE Transactions on Biomedical Engineering, 2009, 56, 1971-9</i>	5	26
34	Introducing undergraduate students to simulation of semiconductor doping techniques. <i>Computers and Electrical Engineering, 2009, 35, 567-577</i>	4.3	
33	Improving electrical engineering education at the American University of Sharjah through continuous assessment. <i>European Journal of Engineering Education, 2009, 34, 15-28</i>	1.5	5
32	Fetal ECG extraction from a single abdominal ECG signal using SVD and polynomial classifiers 2008,		8
31	Studies and minimization of kink effect in SOI MOSFET devices with SELBOX structure 2008,		2
30	Fetal ECG Signal Enhancement using Polynomial Classifiers and Wavelet Denoising 2008,		5

29	Monitoring of global cerebral ischemia using instantaneous phase variation plots. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2008 , 2008, 4182-5	0.9	
28	Detection and assessment of spinal cord injury using spectral coherence. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2007 , 2007, 1426-9		4
27	New insights into image processing of cortical blood flow monitors using laser speckle imaging. <i>IEEE Transactions on Medical Imaging</i> , 2007 , 26, 833-42	11.7	48
26	Novel near-field microwave bone healing monitoring using open-ended rectangular waveguides 2006 ,		2
25	Quantitative monitoring of bone healing process using ultrasound. <i>Journal of the Franklin Institute</i> , 2006 , 343, 495-500	4	5
24	Statistical mapping of speckle autocorrelation for visualization of hyperaemic responses to cortical stimulation. <i>Annals of Biomedical Engineering</i> , 2006 , 34, 1107-18	4.7	4
23	Surface myoelectric signal classification for prostheses control. <i>Journal of Medical Engineering and Technology</i> , 2005 , 29, 203-7	1.8	12
22	A novel technique for the extraction of fetal ECG using polynomial networks. <i>IEEE Transactions on Biomedical Engineering</i> , 2005 , 52, 1148-52	5	64
21	Monitoring of global cerebral ischemia using wavelet entropy rate of change. <i>IEEE Transactions on Biomedical Engineering</i> , 2005 , 52, 2119-22	5	20
20	Spectral subtraction and cepstral distance for enhancing EEG entropy. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2005 , 2005, 2751-4		2
19	EEG signal modeling using adaptive Markov process amplitude. <i>IEEE Transactions on Biomedical Engineering</i> , 2004 , 51, 744-51	5	25
18	Wavelet entropy for subband segmentation of EEG during injury and recovery. <i>Annals of Biomedical Engineering</i> , 2003 , 31, 653-8	4.7	38
17	Prediction of PTZ-induced seizures using wavelet-based residual entropy of cortical and subcortical field potentials. <i>IEEE Transactions on Biomedical Engineering</i> , 2003 , 50, 640-8	5	18
16	Cardiac arrhythmia classification using neural networks. <i>Technology and Health Care</i> , 2000 , 8, 363-372	1.1	13
15	Cardiac arrhythmia classification using neural networks. <i>Technology and Health Care</i> , 2000 , 8, 363-72	1.1	
14	Effect of vibrations with two different amplitudes on the ECG. <i>Journal of Medical Engineering and Technology</i> , 1997 , 21, 135-40	1.8	1
13	Sudden infant death syndrome detector. <i>Technology and Health Care</i> , 1997 , 5, 461-469	1.1	
12	Detection of life-threatening cardiac arrhythmias using the wavelet transformation. <i>Medical and Biological Engineering and Computing</i> , 1997 , 35, 626-32	3.1	98

11	Three-dimensional model for the simulation of the HPS electrogram. <i>Bio-Medical Materials and Engineering</i> , 1997 , 7, 401-10	1	0
10	Sudden infant death syndrome detector. <i>Technology and Health Care</i> , 1997 , 5, 461-9	1.1	
9	ECG data compression using Hebbian neural networks. <i>Journal of Medical Engineering and Technology</i> , 1996 , 20, 211-8	1.8	3
8	ECG response of the human body subjected to vibrations. <i>Journal of Medical Engineering and Technology</i> , 1996 , 20, 2-10	1.8	10
7	A dynamic Fourier series for the compression of ECG using FFT and adaptive coefficient estimation. <i>Medical Engineering and Physics</i> , 1995 , 17, 197-203	2.4	29
6	ECG data compression using adaptive Fourier coefficients estimation. <i>Medical Engineering and Physics</i> , 1994 , 16, 62-6	2.4	14
5	New method for estimating explosive anaerobic leg power. <i>Journal of Biomedical Engineering</i> , 1993 , 15, 430-4		
4	Noninvasive beat-to-beat detection of ventricular late potentials. <i>Medical and Biological Engineering and Computing</i> , 1989 , 27, 64-8	3.1	12
3	Beat-to-beat detection of His-Purkinje system signals using adaptive filters. <i>Medical and Biological Engineering and Computing</i> , 1988 , 26, 117-25	3.1	11
2	Wavelet entropy method for EEG analysis: application to global brain injury		8
1	The effect of the whitening matrix in determining the final solution in blind source separation of biomedical signals		1