

# Yong-Keun Jung

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7030565/yong-keun-jung-publications-by-year.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

101  
papers

13,010  
citations

40  
h-index

103  
g-index

103  
ext. papers

14,306  
ext. citations

7.6  
avg, IF

5.47  
L-index

#	Paper	IF	Citations
101	AK2 is an AMP-sensing negative regulator of BRAF in tumorigenesis.. <i>Cell Death and Disease</i> , <b>2022</b> , 13, 469	9.8	0
100	Aberrant role of ALK in tau proteinopathy through autophagosomal dysregulation. <i>Molecular Psychiatry</i> , <b>2021</b> ,	15.1	2
99	Aberrant role of pyruvate kinase M2 in the regulation of gamma-secretase and memory deficits in Alzheimer's disease. <i>Cell Reports</i> , <b>2021</b> , 37, 110102	10.6	1
98	SERP1 is an assembly regulator of $\beta$ secretase in metabolic stress conditions. <i>Science Signaling</i> , <b>2020</b> , 13,	8.8	5
97	FKBP8 LIRL-dependent mitochondrial fragmentation facilitates mitophagy under stress conditions. <i>FASEB Journal</i> , <b>2020</b> , 34, 2944-2957	0.9	18
96	DR4-Ser424 -GlcNAcylation Promotes Sensitization of TRAIL-Tolerant Persisters and TRAIL-Resistant Cancer Cells to Death. <i>Cancer Research</i> , <b>2019</b> , 79, 2839-2852	10.1	7
95	Cardioprotective role of APIP in myocardial infarction through ADORA2B. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 511	9.8	4
94	Highlighting apoptosis in neuronal injury. <i>Biochemical and Biophysical Research Communications</i> , <b>2019</b> , 520, 681	3.4	
93	Casein kinase-1 $\alpha$ and 3 stimulate tumor necrosis factor-induced necroptosis through RIPK3. <i>Cell Death and Disease</i> , <b>2019</b> , 10, 923	9.8	10
92	Amelioration of amyloid $\beta$ Fc $\beta$ IIb neurotoxicity and tau pathologies by targeting LYN. <i>FASEB Journal</i> , <b>2019</b> , 33, 4300-4313	0.9	8
91	A Molecular Approach to Mitophagy and Mitochondrial Dynamics. <i>Molecules and Cells</i> , <b>2018</b> , 41, 18-26	3.5	164
90	TOM1 Regulates Neuronal Accumulation of Amyloid- $\beta$ Oligomers by Fc $\beta$ IIb2 Variant in Alzheimer's Disease. <i>Journal of Neuroscience</i> , <b>2018</b> , 38, 9001-9018	6.6	16
89	Pimozide reduces toxic forms of tau in TauC3 mice via 5Sadenosine monophosphate-activated protein kinase-mediated autophagy. <i>Journal of Neurochemistry</i> , <b>2017</b> , 142, 734-746	6	19
88	Phosphorylated CAV1 activates autophagy through an interaction with BECN1 under oxidative stress. <i>Cell Death and Disease</i> , <b>2017</b> , 8, e2822	9.8	27
87	SUMO-Modified FADD Recruits Cytosolic Drp1 and Caspase-10 to Mitochondria for Regulated Necrosis. <i>Molecular and Cellular Biology</i> , <b>2017</b> , 37,	4.8	15
86	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , <b>2016</b> , 12, 1-222	10.2	3838
85	ENC1 Modulates the Aggregation and Neurotoxicity of Mutant Huntingtin Through p62 Under ER Stress. <i>Molecular Neurobiology</i> , <b>2016</b> , 53, 6620-6634	6.2	22

84	Caspase-cleaved tau exhibits rapid memory impairment associated with tau oligomers in a transgenic mouse model. <i>Neurobiology of Disease</i> , <b>2016</b> , 87, 19-28	7.5	39
83	APIP, an ERBB3-binding partner, stimulates erbB2-3 heterodimer formation to promote tumorigenesis. <i>Oncotarget</i> , <b>2016</b> , 7, 21601-17	3.3	7
82	FcRIIb-SHIP2 axis links Aβ to tau pathology by disrupting phosphoinositide metabolism in Alzheimer's disease model. <i>ELife</i> , <b>2016</b> , 5,	8.9	28
81	Dual-specificity phosphatase 26 (DUSP26) stimulates Aβ2 generation by promoting amyloid precursor protein axonal transport during hypoxia. <i>Journal of Neurochemistry</i> , <b>2016</b> , 137, 770-81	6	15
80	E2-25K SUMOylation inhibits proteasome for cell death during cerebral ischemia/reperfusion. <i>Cell Death and Disease</i> , <b>2016</b> , 7, e2573	9.8	9
79	Pyruvate stimulates mitophagy via PINK1 stabilization. <i>Cellular Signalling</i> , <b>2015</b> , 27, 1824-30	4.9	17
78	Autophagy in neurodegenerative diseases: from mechanism to therapeutic approach. <i>Molecules and Cells</i> , <b>2015</b> , 38, 381-9	3.5	139
77	Essential role of POLDIP2 in Tau aggregation and neurotoxicity via autophagy/proteasome inhibition. <i>Biochemical and Biophysical Research Communications</i> , <b>2015</b> , 462, 112-8	3.4	13
76	Low levels of methyl βcyclodextrin disrupt GluA1-dependent synaptic potentiation but not synaptic depression. <i>Journal of Neurochemistry</i> , <b>2015</b> , 132, 276-85	6	6
75	iRhom1 regulates proteasome activity via PAC1/2 under ER stress. <i>Scientific Reports</i> , <b>2015</b> , 5, 11559	4.9	23
74	Identification of glucose-6-phosphate transporter as a key regulator functioning at the autophagy initiation step. <i>FEBS Letters</i> , <b>2015</b> , 589, 2100-9	3.8	7
73	Amyloid beta receptors responsible for neurotoxicity and cellular defects in Alzheimer's disease. <i>Cellular and Molecular Life Sciences</i> , <b>2014</b> , 71, 4803-13	10.3	33
72	Choline dehydrogenase interacts with SQSTM1/p62 to recruit LC3 and stimulate mitophagy. <i>Autophagy</i> , <b>2014</b> , 10, 1906-20	10.2	81
71	The DUSP26 phosphatase activator adenylate kinase 2 regulates FADD phosphorylation and cell growth. <i>Nature Communications</i> , <b>2014</b> , 5, 3351	17.4	42
70	Structural and biochemical basis for the inhibition of cell death by APIP, a methionine salvage enzyme. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, E54-61	11.5	23
69	OCIAD2 activates βsecretase to enhance amyloid β production by interacting with nicastrin. <i>Cellular and Molecular Life Sciences</i> , <b>2014</b> , 71, 2561-76	10.3	17
68	Overexpression of Atg5 in mice activates autophagy and extends lifespan. <i>Nature Communications</i> , <b>2013</b> , 4, 2300	17.4	420
67	BECN1/Beclin 1 is recruited into lipid rafts by prion to activate autophagy in response to amyloid β42. <i>Autophagy</i> , <b>2013</b> , 9, 2009-21	10.2	28

66	Calsenilin contributes to neuronal cell death in ischemic stroke. <i>Brain Pathology</i> , <b>2013</b> , 23, 402-12	6	8
65	The Interplay between Autophagy and Aging. <i>Diabetes and Metabolism Journal</i> , <b>2013</b> , 37, 333-9	5	29
64	Fc $\beta$ IIb mediates amyloid- $\beta$ neurotoxicity and memory impairment in Alzheimer's disease. <i>Journal of Clinical Investigation</i> , <b>2013</b> , 123, 2791-802	15.9	91
63	Dimethyl sulfoxide reduces hepatocellular lipid accumulation through autophagy induction. <i>Autophagy</i> , <b>2012</b> , 8, 1085-97	10.2	44
62	Role of S5b/PSMD5 in proteasome inhibition caused by TNF- $\alpha$ /NF $\kappa$ B in higher eukaryotes. <i>Cell Reports</i> , <b>2012</b> , 2, 603-15	10.6	32
61	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , <b>2012</b> , 8, 445-544	4.2	2783
60	Neuropathogenic role of adenylate kinase-1 in A $\beta$ -mediated tau phosphorylation via AMPK and GSK3 $\beta$ . <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 2725-37	5.6	61
59	IRE1 plays an essential role in ER stress-mediated aggregation of mutant huntingtin via the inhibition of autophagy flux. <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 101-14	5.6	107
58	Molecules and their functions in autophagy. <i>Experimental and Molecular Medicine</i> , <b>2012</b> , 44, 73-80	12.8	170
57	Lithium rescues the impaired autophagy process in CbCln3( $\beta$ x7/8/ $\beta$ x7/8) cerebellar cells and reduces neuronal vulnerability to cell death via IMPase inhibition. <i>Journal of Neurochemistry</i> , <b>2011</b> , 116, 659-68	6	27
56	Amyloid $\beta$ -induced FOXRED2 mediates neuronal cell death via inhibition of proteasome activity. <i>Cellular and Molecular Life Sciences</i> , <b>2011</b> , 68, 2115-27	10.3	16
55	Autophagy induction by capsaicin in malignant human breast cells is modulated by p38 and extracellular signal-regulated mitogen-activated protein kinases and retards cell death by suppressing endoplasmic reticulum stress-mediated apoptosis. <i>Molecular Pharmacology</i> , <b>2010</b> , 78, 114-25	4.3	102
54	Structural basis of E2-25K/UBB+1 interaction leading to proteasome inhibition and neurotoxicity. <i>Journal of Biological Chemistry</i> , <b>2010</b> , 285, 36070-80	5.4	38
53	Selective induction of catalase-mediated autophagy by dihydrocapsaicin in lung cell lines. <i>Free Radical Biology and Medicine</i> , <b>2010</b> , 49, 245-57	7.8	29
52	Design and synthesis of 1,4-dihydropyridine derivatives as BACE-1 inhibitors. <i>European Journal of Medicinal Chemistry</i> , <b>2010</b> , 45, 2578-90	6.8	26
51	The nuclear inclusion a (NIa) protease of turnip mosaic virus (TuMV) cleaves amyloid- $\beta$ . <i>PLoS ONE</i> , <b>2010</b> , 5, e15645	3.7	11
50	Intracellular cleavage of osteopontin by caspase-8 modulates hypoxia/reoxygenation cell death through p53. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2009</b> , 106, 15326-31	11.5	35
49	SCAMP5 links endoplasmic reticulum stress to the accumulation of expanded polyglutamine protein aggregates via endocytosis inhibition. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 11318-25	5.4	42

48	An alternative spliced mouse presenilin-2 mRNA encodes a novel gamma-secretase inhibitor. <i>FEBS Letters</i> , <b>2009</b> , 583, 1403-8	3.8	4
47	Protection of cardiomyocytes from ischemic/hypoxic cell death via Drbp1 and pMe2GlyDH in cardio-specific ARC transgenic mice. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 30707-14	5.4	25
46	Compensatory activation of ERK1/2 in Atg5-deficient mouse embryo fibroblasts suppresses oxidative stress-induced cell death. <i>Autophagy</i> , <b>2008</b> , 4, 315-21	10.2	33
45	E2-25K/Hip-2 regulates caspase-12 in ER stress-mediated Abeta neurotoxicity. <i>Journal of Cell Biology</i> , <b>2008</b> , 182, 675-84	7.3	69
44	Characterization of subcellular localization and Ca <sup>2+</sup> modulation of calsenilin/DREAM/KChIP3. <i>NeuroReport</i> , <b>2008</b> , 19, 1193-7	1.7	12
43	AK2 activates a novel apoptotic pathway through formation of a complex with FADD and caspase-10. <i>Nature Cell Biology</i> , <b>2007</b> , 9, 1303-10	23.4	68
42	Neuronal vulnerability of CLN3 deletion to calcium-induced cytotoxicity is mediated by calsenilin. <i>Human Molecular Genetics</i> , <b>2007</b> , 16, 317-26	5.6	39
41	Plantainoside D protects adriamycin-induced apoptosis in H9c2 cardiac muscle cells via the inhibition of ROS generation and NF-kappaB activation. <i>Life Sciences</i> , <b>2007</b> , 80, 314-23	6.8	51
40	Suppression of receptor-mediated apoptosis by death effector domain recruiting domain binding peptide aptamer. <i>Biochemical and Biophysical Research Communications</i> , <b>2006</b> , 343, 1165-70	3.4	7
39	Essential roles of Atg5 and FADD in autophagic cell death: dissection of autophagic cell death into vacuole formation and cell death. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 20722-9	5.4	417
38	Overexpression of calsenilin enhances gamma-secretase activity. <i>Neuroscience Letters</i> , <b>2005</b> , 378, 59-64	3.3	38
37	Identification and functional characterization of cereblon as a binding protein for large-conductance calcium-activated potassium channel in rat brain. <i>Journal of Neurochemistry</i> , <b>2005</b> , 94, 1212-24	6	103
36	Role of FLASH in caspase-8-mediated activation of NF-kappaB: dominant-negative function of FLASH mutant in NF-kappaB signaling pathway. <i>Oncogene</i> , <b>2005</b> , 24, 688-96	9.2	25
35	Identification and integrative analysis of 28 novel genes specifically expressed and developmentally regulated in murine spermatogenic cells. <i>Journal of Biological Chemistry</i> , <b>2005</b> , 280, 7685-93	5.4	47
34	Calcium binding of ARC mediates regulation of caspase 8 and cell death. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 9763-70	4.8	48
33	Induced inhibition of ischemic/hypoxic injury by APIP, a novel Apaf-1-interacting protein. <i>Journal of Biological Chemistry</i> , <b>2004</b> , 279, 39942-50	5.4	46
32	Induction of pro-apoptotic calsenilin/DREAM/KChIP3 in Alzheimer's disease and cultured neurons after amyloid-beta exposure. <i>Journal of Neurochemistry</i> , <b>2004</b> , 88, 604-11	6	48
31	Induction of pro-apoptotic calsenilin/DREAM/KChIP3 in Alzheimer's disease and cultured neurons after amyloid-beta exposure. <i>Journal of Neurochemistry</i> , <b>2004</b> , 88, 1570-1570	6	27

30	Inhibition of Bcl10-mediated activation of NF-kappa B by BinCARD, a Bcl10-interacting CARD protein. <i>FEBS Letters</i> , <b>2004</b> , 578, 239-44	3.8	12
29	Characterization and comparative genomic analysis of intronless Adams with testicular gene expression. <i>Genomics</i> , <b>2004</b> , 83, 636-46	4.3	19
28	Alzheimer's disease meets the ubiquitin-proteasome system. <i>Trends in Molecular Medicine</i> , <b>2004</b> , 10, 565-70	11.5	50
27	Essential role of E2-25K/Hip-2 in mediating amyloid-beta neurotoxicity. <i>Molecular Cell</i> , <b>2003</b> , 12, 553-63	17.6	127
26	Atypical role of proximal caspase-8 in truncated Tau-induced neurite regression and neuronal cell death. <i>Neurobiology of Disease</i> , <b>2003</b> , 14, 557-66	7.5	14
25	Down-regulation of ARC contributes to vulnerability of hippocampal neurons to ischemia/hypoxia. <i>FEBS Letters</i> , <b>2003</b> , 543, 170-3	3.8	18
24	Contribution of presenilin/gamma-secretase to calsenilin-mediated apoptosis. <i>Biochemical and Biophysical Research Communications</i> , <b>2003</b> , 305, 62-6	3.4	25
23	Reduced expression of calsenilin/DREAM/KChIP3 in the brains of kainic acid-induced seizure and epilepsy patients. <i>Neuroscience Letters</i> , <b>2003</b> , 340, 33-6	3.3	18
22	Identification and characterization of ADAM32 with testis-predominant gene expression. <i>Gene</i> , <b>2003</b> , 304, 151-62	3.8	22
21	Fas-associated factor 1, FAF1, is a member of Fas death-inducing signaling complex. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 24003-10	5.4	75
20	Caspase cleavage product lacking amino-terminus of IkappaBalpha sensitizes resistant cells to TNF-alpha and TRAIL-induced apoptosis. <i>Journal of Cellular Biochemistry</i> , <b>2002</b> , 85, 334-45	4.7	24
19	Calpain-dependent cleavage of cain/cabin1 activates calcineurin to mediate calcium-triggered cell death. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2002</b> , 99, 9870-5	11.5	103
18	Potential of Fas- and TRAIL-mediated apoptosis by IFN-gamma in A549 lung epithelial cells: enhancement of caspase-8 expression through IFN-response element. <i>Cytokine</i> , <b>2002</b> , 20, 283-8	4	40
17	The involvement of oxidative stress in tumor necrosis factor (TNF)-related apoptosis-inducing ligand (TRAIL)-induced apoptosis in HeLa cells. <i>Cancer Letters</i> , <b>2002</b> , 182, 75-82	9.9	45
16	Cleavage of Bax is mediated by caspase-dependent or -independent calpain activation in dopaminergic neuronal cells: protective role of Bcl-2. <i>Journal of Neurochemistry</i> , <b>2001</b> , 77, 1531-41	6	114
15	Inactivation of farnesyltransferase and geranylgeranyltransferase I by caspase-3: cleavage of the common alpha subunit during apoptosis. <i>Oncogene</i> , <b>2001</b> , 20, 358-66	9.2	17
14	FLASH coordinates NF-kappa B activity via TRAF2. <i>Journal of Biological Chemistry</i> , <b>2001</b> , 276, 25073-7	5.4	39
13	Pro-apoptotic function of calsenilin/DREAM/KChIP3. <i>FASEB Journal</i> , <b>2001</b> , 15, 589-91	0.9	66

12	Proapoptotic effects of tau cleavage product generated by caspase-3. <i>Neurobiology of Disease</i> , <b>2001</b> , 8, 162-72	7.5	176
11	An anti-apoptotic protein human survivin is a direct inhibitor of caspase-3 and -7. <i>Biochemistry</i> , <b>2001</b> , 40, 1117-23	3.2	589
10	Synergetic activation of p38 mitogen-activated protein kinase and caspase-3-like proteases for execution of calyculin A-induced apoptosis but not N-methyl-d-aspartate-induced necrosis in mouse cortical neurons. <i>Journal of Neurochemistry</i> , <b>2000</b> , 74, 2455-61	6	37
9	Selenite negatively regulates caspase-3 through a redox mechanism. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 8487-91	5.4	56
8	Fas- and tumor necrosis factor-mediated apoptosis uses the same binding surface of FADD to trigger signal transduction. A typical model for convergent signal transduction. <i>Journal of Biological Chemistry</i> , <b>2000</b> , 275, 36217-22	5.4	55
7	Reconstitution of caspase-8 sensitizes JB6 cells to TRAIL. <i>Biochemical and Biophysical Research Communications</i> , <b>2000</b> , 277, 311-6	3.4	18
6	A nuclear factor, ASC-2, as a cancer-amplified transcriptional coactivator essential for ligand-dependent transactivation by nuclear receptors in vivo. <i>Journal of Biological Chemistry</i> , <b>1999</b> , 274, 34283-93	5.4	169
5	Murine caspase-11, an ICE-interacting protease, is essential for the activation of ICE. <i>Cell</i> , <b>1998</b> , 92, 501-56.2	5.6	585
4	Alternative cleavage of Alzheimer-associated presenilins during apoptosis by a caspase-3 family protease. <i>Science</i> , <b>1997</b> , 277, 373-6	33.3	335
3	Suppression of interleukin-1beta converting enzyme (ICE)-induced apoptosis by SV40 large T antigen. <i>Oncogene</i> , <b>1997</b> , 14, 1207-14	9.2	16
2	Identification and characterization of Ich-3, a member of the interleukin-1beta converting enzyme (ICE)/Ced-3 family and an upstream regulator of ICE. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 20580-7	5.4	194
1	Suppression of interleukin-1 beta-converting enzyme-mediated cell death by insulin-like growth factor. <i>Journal of Biological Chemistry</i> , <b>1996</b> , 271, 5112-7	5.4	91