Niina Kuosmanen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7031557/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Abrupt high-latitude climate events and decoupled seasonal trends during the Eemian. Nature Communications, 2018, 9, 2851.	12.8	41
2	The role of climate, forest fires and human population size in Holocene vegetation dynamics in Fennoscandia. Journal of Vegetation Science, 2018, 29, 382-392.	2.2	24
3	Widespread, episodic decline of alder (<i>Alnus</i>) during the medieval period in the boreal forest of Europe. Journal of Quaternary Science, 2017, 32, 903-907.	2.1	19
4	Role of forest fires in Holocene stand-scale dynamics in the unmanaged taiga forest of northwestern Russia. Holocene, 2014, 24, 1503-1514.	1.7	18
5	Holocene fire frequency variability in Vesijako, Strict Nature Reserve, Finland, and its application to conservation and management. Biological Conservation, 2013, 166, 90-97.	4.1	17
6	Holocene stand-scale vegetation dynamics and fire history of an old-growth spruce forest in southern Finland. Vegetation History and Archaeobotany, 2015, 24, 731-741.	2.1	14
7	Late Glacial and Holocene records of tree-killing conifer bark beetles in Europe and North America: Implications for forest disturbance dynamics. Holocene, 2020, 30, 847-857.	1.7	14
8	Long-term forest composition and its drivers in taiga forest in NW Russia. Vegetation History and Archaeobotany, 2016, 25, 221-236.	2.1	13
9	Integration of dendrochronological and palaeoecological disturbance reconstructions in temperate mountain forests. Forest Ecology and Management, 2020, 475, 118413.	3.2	11
10	Changes in species composition and diversity of a montane beetle community over the last millennium in the High Tatras, Slovakia: Implications for forest conservation and management. Palaeogeography, Palaeoclimatology, Palaeoecology, 2020, 555, 109834.	2.3	10
11	Importance of climate, forest fires and human population size in the Holocene boreal forest composition change in northern Europe. Boreas, 2016, 45, 688-702.	2.4	9
12	Warm summers and rich biotic communities during N-Hemisphere deglaciation. Global and Planetary Change, 2018, 167, 61-73.	3.5	9
13	The Reading Palaeofire Database: an expanded global resource to document changes in fire regimes from sedimentary charcoal records. Earth System Science Data, 2022, 14, 1109-1124.	9.9	9
14	Postglacial succession of caddisfly (Trichoptera) assemblages in a central European montane lake. Biologia (Poland), 2019, 74, 1325-1338.	1.5	5
15	Sub-fossil bark beetles as indicators of past disturbance events in temperate Picea abies mountain forests. Quaternary Science Reviews, 2022, 275, 107289.	3.0	5
16	Prolonged interglacial warmth during the Last Glacial in northern Europe. Boreas, 2021, 50, 331-350.	2.4	3