

Rui Liu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/7032177/rui-liu-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

1,640
citations

20
h-index

36
g-index

128
ext. papers

2,205
ext. citations

4.6
avg, IF

5.25
L-index

#	Paper	IF	Citations
114	The Therapeutic Effect of an Anti-TNF- α /HSA/IL-6R Triple-Specific Fusion Protein Under Experimental Septic Conditions.. <i>Inflammation</i> , 2022 , 1	5.1	0
113	Identification and release kinetics of peptides from tilapia skin collagen during alcalase hydrolysis.. <i>Food Chemistry</i> , 2022 , 378, 132089	8.5	2
112	Response boosting-based approach for absolute quantification of gelatin peptides using LC-MS/MS.. <i>Food Chemistry</i> , 2022 , 390, 133111	8.5	1
111	Comparative transcriptome analyses of different varieties during the accumulation of tanshinones. <i>PeerJ</i> , 2021 , 9, e12300	3.1	0
110	Facile Fabrication of MnO/Graphene/Ni Foam Composites for High-Performance Supercapacitors. <i>Nanomaterials</i> , 2021 , 11,	5.4	6
109	Quantitative Detection of Donkey Hide Gelatin (Colla corii asini) Adulteration by Real-Time PCR on the Basis of Single-Copy Nuclear Genes. <i>Journal of Food Protection</i> , 2021 , 84, 194-199	2.5	1
108	A Dual Target-Directed Single Domain-Based Fusion Protein Against Interleukin-6 Receptor Decelerate Experimental Arthritis Progression Via Modulating JNK Expression. <i>Inflammation</i> , 2021 , 44, 1620-1628	5.1	1
107	Collagen derived species-specific peptides for distinguishing donkey-hide gelatin (Asini Corii Colla). <i>Chinese Herbal Medicines</i> , 2021 , 13, 261-266	1.4	2
106	Dictamnine is an effective anti-anaphylactoid compound acting via the MrgX2 receptor located on mast cells. <i>Phytotherapy Research</i> , 2021 , 35, 3181-3193	6.7	0
105	Renoprotective Effect of the Recombinant Anti-IL-6R Fusion Proteins by Inhibiting JAK2/STAT3 Signaling Pathway in Diabetic Nephropathy. <i>Frontiers in Pharmacology</i> , 2021 , 12, 681424	5.6	2
104	Recent Progress on Emerging Transistor-Based Neuromorphic Devices. <i>Advanced Intelligent Systems</i> , 2021 , 3, 2000210	6	14
103	Synergistic Activity of the HSP90 Inhibitor Ganetespib With Lapatinib Reverses Acquired Lapatinib Resistance in HER2-Positive Breast Cancer Cells. <i>Frontiers in Pharmacology</i> , 2021 , 12, 651516	5.6	0
102	A quantitative strategy of ultrasound-assisted digestion combined UPLC-MS/MS for rapid identifying species-specific peptide markers in the application of food gelatin authentication. <i>LWT - Food Science and Technology</i> , 2021 , 147, 111590	5.4	1
101	Proteolysis of tilapia skin collagen: Identification and release behavior of ACE-inhibitory peptides. <i>LWT - Food Science and Technology</i> , 2021 , 139, 110502	5.4	5
100	Freestanding Dual-Gate Oxide-Based Neuromorphic Transistors for Flexible Artificial Nociceptors. <i>IEEE Transactions on Electron Devices</i> , 2021 , 68, 415-420	2.9	7
99	Linolenic acid attenuates pseudo-allergic reactions by inhibiting Lyn kinase activity. <i>Phytomedicine</i> , 2021 , 80, 153391	6.5	7
98	Novel computer-assisted separation prediction strategy for online-enrichment-HPLC-FLD in simultaneous monitoring of bisphenols in children's water bottles. <i>Food Chemistry</i> , 2021 , 339, 127766	8.5	3

97	Inhibition of Lysozyme Amyloid Fibrillation by Silybin Diastereoisomers: The Effects of Stereochemistry. <i>ACS Omega</i> , 2021 , 6, 3307-3318	3.9	5
96	Oroxilin A is a severe acute respiratory syndrome coronavirus 2-spiked pseudotyped virus blocker obtained from Radix Scutellariae using angiotensin-converting enzyme II/cell membrane chromatography. <i>Phytotherapy Research</i> , 2021 , 35, 3194-3204	6.7	7
95	Advances in cell membrane chromatography. <i>Journal of Chromatography A</i> , 2021 , 1639, 461916	4.5	9
94	Characterization of interactions between local anesthetics and histamine H receptor by cell membrane chromatography model. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 196, 113914	3.5	0
93	Discovery of peptide biomarkers by label-free peptidomics for discrimination of horn gelatin and hide gelatin from Cervus nippon Temminck. <i>Food Chemistry</i> , 2021 , 363, 130347	8.5	2
92	Efficient microwave-assisted extraction of salidroside from <i>Rhodiola crenulata</i> . <i>SN Applied Sciences</i> , 2021 , 3, 1	1.8	0
91	A novel ELISA method to determine human MrgX2 in chronic urticaria. <i>Clinical and Translational Allergy</i> , 2020 , 10, 61	5.2	3
90	Imiquimod-related dermatitis is mainly mediated by mast cell degranulation via Mas-related G-protein coupled receptor B2. <i>International Immunopharmacology</i> , 2020 , 81, 106258	5.8	4
89	HR mediates local anesthetic-induced vascular permeability in angioedema. <i>Toxicology and Applied Pharmacology</i> , 2020 , 392, 114921	4.6	4
88	The anti-anaphylactoid effects of Piperine through regulating MAS-related G protein-coupled receptor X2 activation. <i>Phytotherapy Research</i> , 2020 , 34, 1409-1420	6.7	6
87	The recombinant anti-TNF- α Fusion protein ameliorates rheumatoid arthritis by the protective role of autophagy. <i>Bioscience Reports</i> , 2020 , 40,	4.1	2
86	Paeoniflorin inhibits MRGPRX2-mediated pseudo-allergic reaction via calcium signaling pathway. <i>Phytotherapy Research</i> , 2020 , 34, 401-408	6.7	9
85	Quercetin as a Lyn kinase inhibitor inhibits IgE-mediated allergic conjunctivitis. <i>Food and Chemical Toxicology</i> , 2020 , 135, 110924	4.7	20
84	Flexible Oxide-Based Schottky Neuromorphic TFTs With Configurable Spiking Dynamic Functions. <i>IEEE Transactions on Electron Devices</i> , 2020 , 67, 5216-5220	2.9	6
83	Chloroquine and hydroxychloroquine as ACE2 blockers to inhibit viropexis of 2019-nCoV Spike pseudotyped virus. <i>Phytomedicine</i> , 2020 , 79, 153333	6.5	31
82	Integrated Label-Free and 10-Plex DiLeu Isobaric Tag Quantitative Methods for Profiling Changes in the Mouse Hypothalamic Neuropeptidome and Proteome: Assessment of the Impact of the Gut Microbiome. <i>Analytical Chemistry</i> , 2020 , 92, 14021-14030	7.8	6
81	A strategy for identifying species-specific peptide biomarkers in deer-hide gelatin using untargeted and targeted mass spectrometry approaches. <i>Analytica Chimica Acta</i> , 2019 , 1092, 32-41	6.6	15
80	Dehydroandrographolide inhibits IgE-mediated anaphylactic reactions via calcium signaling pathway. <i>Toxicology and Applied Pharmacology</i> , 2019 , 366, 46-53	4.6	7

79	Discovery of Food-Derived Dipeptidyl Peptidase IV Inhibitory Peptides: A Review. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	49
78	Low-Voltage Oxide-Based Synaptic Transistors for Spiking Humidity Detection. <i>IEEE Electron Device Letters</i> , 2019 , 40, 459-462	4.4	11
77	Neohesperidin suppresses IgE-mediated anaphylactic reactions and mast cell activation via Lyn-PLC-Ca pathway. <i>Phytotherapy Research</i> , 2019 , 33, 2034-2043	6.7	11
76	Polymyxin B and polymyxin E induce anaphylactoid response through mediation of Mas-related G protein-coupled receptor X2. <i>Chemico-Biological Interactions</i> , 2019 , 308, 304-311	5	13
75	Comparison of the peptidome released from keratins in Saiga antelope horn and goat horn under simulated gastrointestinal digestion. <i>Electrophoresis</i> , 2019 , 40, 2759-2766	3.6	1
74	Comparative proteomic analysis of plasma of children with congenital heart disease. <i>Electrophoresis</i> , 2019 , 40, 1848-1854	3.6	2
73	Mast cell-mediated hypersensitivity to fluoroquinolone is MRGPRX2 dependent. <i>International Immunopharmacology</i> , 2019 , 70, 417-427	5.8	25
72	Spatiotemporal Information Processing Emulated by Multiterminal Neuro-Transistor Networks. <i>Advanced Materials</i> , 2019 , 31, e1900903	24	96
71	Multi-year assessment of paralytic shellfish toxins in hard clam species along the coastline of Jiangsu Province, China. <i>Acta Oceanologica Sinica</i> , 2019 , 38, 24-33	1	0
70	A mast-cell-specific receptor mediates Iopamidol induced immediate IgE-independent anaphylactoid reactions. <i>International Immunopharmacology</i> , 2019 , 75, 105800	5.8	10
69	Inhibitory effect of taspine derivative TAD1822-7 on tumor cell growth and angiogenesis via suppression of EphrinB2 and related signaling pathways. <i>Acta Pharmaceutica</i> , 2019 , 69, 423-431	3.2	1
68	Tissue Immune Cells Fuel Obesity-Associated Inflammation in Adipose Tissue and Beyond. <i>Frontiers in Immunology</i> , 2019 , 10, 1587	8.4	104
67	Thimerosal induces skin pseudo-allergic reaction via Mas-related G-protein coupled receptor B2. <i>Journal of Dermatological Science</i> , 2019 , 95, 99-106	4.3	7
66	Nanosecond photochemically promoted click chemistry for enhanced neuropeptide visualization and rapid protein labeling. <i>Nature Communications</i> , 2019 , 10, 4697	17.4	13
65	A Mast Cell-Specific Receptor Is Critical for Granuloma Induced by Intrathecal Morphine Infusion. <i>Journal of Immunology</i> , 2019 , 203, 1701-1714	5.3	11
64	The crystal structure of 2-chloro-4-(prop-2-yn-1-yloxy)-6-phenyl-1,3,5-triazine, C ₁₂ H ₈ ClN ₃ O. <i>Zeitschrift Fur Kristallographie - New Crystal Structures</i> , 2019 , 234, 701-702	0.2	
63	Indium-Gallium-Zinc-Oxide Schottky Synaptic Transistors for Silent Synapse Conversion Emulation. <i>IEEE Electron Device Letters</i> , 2019 , 40, 139-142	4.4	15
62	Harpagoside-induced anaphylactic reaction in an IgE-independent manner both in vitro and in vivo. <i>Immunopharmacology and Immunotoxicology</i> , 2018 , 40, 173-178	3.2	2

61	Saikosaponin A inhibits compound 48/80-induced pseudo-allergy via the Mrgprx2 pathway in vitro and in vivo. <i>Biochemical Pharmacology</i> , 2018 , 148, 147-154	6	39
60	The anti-anaphylactoid effects of hydroxysafflor yellow A on the suppression of mast cell Ca influx and degranulation. <i>Phytomedicine</i> , 2018 , 48, 43-50	6.5	8
59	Processing Optimization and Characterization of Angiotensin- I -Converting Enzyme Inhibitory Peptides from Lizardfish (<i>Lepidion</i>) Scale Gelatin. <i>Marine Drugs</i> , 2018 , 16,	6	19
58	Electric-double-layer transistors for synaptic devices and neuromorphic systems. <i>Journal of Materials Chemistry C</i> , 2018 , 6, 5336-5352	7.1	110
57	Mivacurium induce mast cell activation and pseudo-allergic reactions via MAS-related G protein coupled receptor-X2. <i>Cellular Immunology</i> , 2018 , 332, 121-128	4.4	28
56	Flexible ITO-Based TFTs on Paper Substrates 2018 ,		1
55	A Novel Antithrombotic Protease from Marine Worm. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	8
54	Relationship between MRGPRX2 and pethidine hydrochloride- or fentanyl citrate-induced LAD2 cell degranulation. <i>Journal of Pharmacy and Pharmacology</i> , 2018 , 70, 1596-1605	4.8	5
53	Further evidence for sustainable alternatives to replace threatened animal horn based on quantitative proteomic analysis. <i>Electrophoresis</i> , 2018 , 39, 3185-3190	3.6	2
52	Determination of a natural DNMT1 inhibitor, peperomin E, in rat plasma by UFLC-MS/MS and method application in a pharmacokinetic study. <i>Biomedical Chromatography</i> , 2017 , 31, e3930	1.7	3
51	Dihydroberberine exhibits synergistic effects with sunitinib on NSCLC NCI-H460 cells by repressing MAP kinase pathways and inflammatory mediators. <i>Journal of Cellular and Molecular Medicine</i> , 2017 , 21, 2573-2585	5.6	5
50	Characterization of angiotensin- I -converting enzyme inhibiting peptide from <i>Venerupis philippinarum</i> with nano-liquid chromatography in combination with orbitrap mass spectrum detection and molecular docking. <i>Journal of Ocean University of China</i> , 2017 , 16, 473-478	1	2
49	Nanoparticle Delivery of Artesunate Enhances the Anti-tumor Efficiency by Activating Mitochondria-Mediated Cell Apoptosis. <i>Nanoscale Research Letters</i> , 2017 , 12, 403	5	20
48	Use of the relative release index for histamine in LAD2 cells to evaluate the potential anaphylactoid effects of drugs. <i>Scientific Reports</i> , 2017 , 7, 13714	4.9	26
47	Characterization of Collagen Peptides in Elaphuri Davidiani Cornu Aqueous Extract with Proliferative Activity on Osteoblasts Using Nano-Liquid Chromatography in Tandem with Orbitrap Mass Spectrometry. <i>Molecules</i> , 2017 , 22,	4.8	3
46	Typical antimicrobials induce mast cell degranulation and anaphylactoid reactions via MRGPRX2 and its murine homologue MRGPRB2. <i>European Journal of Immunology</i> , 2017 , 47, 1949-1958	6.1	40
45	Peptidome characterization of the antipyretic fraction of Bubali Cornu aqueous extract by nano liquid chromatography with orbitrap mass spectrometry detection. <i>Journal of Separation Science</i> , 2017 , 40, 587-595	3.4	8
44	Variability of organic carbon isotope and C/N in the Hemudu Area, Hangzhou Bay and its environmental implications in the Holocene. <i>Geochemistry International</i> , 2017 , 55, 1154-1163	0.8	1

43	Rapid Identification of Dipeptidyl Peptidase-IV (DPP-IV) Inhibitory Peptides from Ruditapes philippinarum Hydrolysate. <i>Molecules</i> , 2017 , 22,	4.8	23
42	Chitosan-Based Electrolyte Gated Low Voltage Oxide Transistor With a Coplanar Modulatory Terminal. <i>IEEE Electron Device Letters</i> , 2017 , 38, 322-325	4.4	5
41	Peperomin E reactivates silenced tumor suppressor genes in lung cancer cells by inhibition of DNA methyltransferase. <i>Cancer Science</i> , 2016 , 107, 1506-1519	6.9	17
40	Available sustainable alternatives replace endangered animal horn based on their proteomic analysis and bio-effect evaluation. <i>Scientific Reports</i> , 2016 , 6, 36027	4.9	8
39	Rapid Determination of Free Amino Acids, Nucleosides, and Nucleobases in Commercial Clam Species Harvested at Different Seasons in Jiangsu, China, Using UFLC-MS/MS. <i>Food Analytical Methods</i> , 2016 , 9, 1520-1531	3.4	7
38	The natural secolignan peperomin E induces apoptosis of human gastric carcinoma cells via the mitochondrial and PI3K/Akt signaling pathways in vitro and in vivo. <i>Phytomedicine</i> , 2016 , 23, 818-27	6.5	9
37	Preparation, analysis and antioxidant evaluation of the controlled product of polysaccharide from <i>Mactra veneriformis</i> by mild acid hydrolysis. <i>Carbohydrate Polymers</i> , 2016 , 137, 709-718	10.3	8
36	Total saponins isolated from Radix et Rhizoma Leonticis suppresses tumor cells growth by regulation of PI3K/Akt/mTOR and p38 MAPK pathways. <i>Environmental Toxicology and Pharmacology</i> , 2016 , 41, 39-44	5.8	5
35	Sinomenine potentiates P815 cell degranulation via upregulation of Ca ²⁺ mobilization through the Lyn/PLC γ /IP3R pathway. <i>International Journal of Immunopathology and Pharmacology</i> , 2016 , 29, 676-683	3	17
34	Metabolomics of the Antipyretic Effects of Bubali Cornu (Water Buffalo Horn) in Rats. <i>PLoS ONE</i> , 2016 , 11, e0158478	3.7	9
33	A taspine derivative suppresses Caco-2 cell growth by competitively targeting EphrinB2 and regulating its pathway. <i>Oncology Reports</i> , 2016 , 36, 1526-34	3.5	3
32	Analysis of Drug Interactions with Dopamine Receptor by Frontal Analysis and Cell Membrane Chromatography. <i>Chromatographia</i> , 2015 , 78, 649-654	2.1	4
31	In Vivo Antioxidant Effects of Hydrolysate Derived from Waste Proteins of <i>Mactra veneriformis</i> . <i>Journal of Aquatic Food Product Technology</i> , 2015 , 24, 143-152	1.6	5
30	Antipyretic and anti-inflammatory activities of <i>Thais luteostoma</i> extracts and underlying mechanisms. <i>Chinese Journal of Natural Medicines</i> , 2015 , 13, 192-8	2.8	1
29	Effect of drying methods on the free and conjugated bufadienolide content in toad venom determined by ultra-performance liquid chromatography-triple quadrupole mass spectrometry coupled with a pattern recognition approach. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 114, 482-7	3.5	8
28	Rapid identification of bioactive peptides with antioxidant activity from the enzymatic hydrolysate of <i>Mactra veneriformis</i> by UHPLC-Q-TOF mass spectrometry. <i>Food Chemistry</i> , 2015 , 167, 484-9	8.5	57
27	Taspine derivative TAS9 regulates cell growth and metastasis of human hepatocellular carcinoma. <i>Molecular Medicine Reports</i> , 2015 , 12, 7735-41	2.9	1
26	Interactions between histamine H1 receptor and its antagonists by using cell membrane chromatography method. <i>Journal of Pharmacy and Pharmacology</i> , 2015 , 67, 1567-74	4.8	7

25	Simultaneous Determination of Fucoxanthin and Its Deacetylated Metabolite Fucoxanthinol in Rat Plasma by Liquid Chromatography-Tandem Mass Spectrometry. <i>Marine Drugs</i> , 2015 , 13, 6521-36	6	19
24	Hydrophilic Interaction Ultra-High Performance Liquid Chromatography Coupled with Triple-Quadrupole Mass Spectrometry for Determination of Nucleosides and Nucleobases in Animal Horns. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2015 , 38, 1185-1193	1.3	5
23	Novel taspine derivative 12k inhibits cell growth and induces apoptosis in lung cell carcinoma. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 70, 227-33	7.5	1
22	c-Myc plays a key role in TADs-induced apoptosis and cell cycle arrest in human hepatocellular carcinoma cells. <i>American Journal of Cancer Research</i> , 2015 , 5, 1076-88	4.4	3
21	Occurrence and Seasonal Variations of Lipophilic Marine Toxins in Commercial Clam Species along the Coast of Jiangsu, China. <i>Toxins</i> , 2015 , 8,	4.9	8
20	A novel compound T7 (N-{4S[(1E)-N-hydroxyethanimidoyl]-3S5,6-trimethoxybiphenyl-3-yl}-NS[4-(3-morpholin-4-ylpropoxy)phenyl]urea) screened by tissue angiogenesis model and its activity evaluation on anti-angiogenesis. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 94, 1-11	3.5	6
19	Qualitative and quantitative analyses of bioactive secolignans from folk medicinal plant <i>Peperomia dindygulensis</i> using UHPLC-UV/Q-TOF-MS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 94, 1-11	3.5	6
18	Simultaneous determination of five bioactive secolignans in rat plasma by LC-MS/MS for pharmacokinetic studies following oral administration of <i>Peperomia dindygulensis</i> Miq. extract. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2014 , 944, 82-9	3.2	9
17	Characterization of ACE inhibitory peptides from <i>Macra veneriformis</i> hydrolysate by nano-liquid chromatography electrospray ionization mass spectrometry (Nano-LC-ESI-MS) and molecular docking. <i>Marine Drugs</i> , 2014 , 12, 3917-28	6	18
16	<i>Eupolyphaga sinensis</i> Walker demonstrates angiogenic activity and inhibits A549 cell growth by targeting the KDR signaling pathway. <i>Molecular Medicine Reports</i> , 2014 , 10, 1590-6	2.9	9
15	Extracts of centipede induce cell cycle arrest and apoptosis in A375 human melanoma cells. <i>Oncology Letters</i> , 2014 , 8, 414-420	2.6	15
14	<i>Eupolyphaga sinensis</i> walker displays inhibition on hepatocellular carcinoma through regulating cell growth and metastasis signaling. <i>Scientific Reports</i> , 2014 , 4, 5518	4.9	18
13	Overview on biological activities and molecular characteristics of sulfated polysaccharides from marine green algae in recent years. <i>Marine Drugs</i> , 2014 , 12, 4984-5020	6	141
12	Comparative evaluation of the radical-scavenging activities of fucoxanthin and its stereoisomers. <i>Molecules</i> , 2014 , 19, 2100-13	4.8	36
11	DETERMINATION OF 5-HYDROXYINDOLE-3-ACETIC ACID, DIHYDROXYPHENYLACETIC ACID, AND HOMO VANILLIC ACID IN THE BRAINS OF FREELY MOVING RATS USING MICRODIALYSIS COUPLED WITH HPLC-EC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2014 , 37, 803-814	1.3	3
10	DEVELOPMENT OF A FINGERPRINT METHOD FOR ANIMAL HORN CLASSIFICATION BY LIQUID CHROMATOGRAPHY COUPLED WITH HIERARCHICAL CLUSTERING ANALYSIS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2012 , 35, 205-214	1.3	5
9	Characterisation of nucleosides and nucleobases in <i>Macra veneriformis</i> by high performance liquid chromatography coupled with diode array detector-mass spectrometry (HPLC-DAD-MS). <i>Food Chemistry</i> , 2012 , 135, 548-54	8.5	28
8	A novel hydrolytic product from flesh of <i>Macra veneriformis</i> and its bioactivities in calcium supplement. <i>Journal of Ocean University of China</i> , 2012 , 11, 389-396	1	8

7	Analysis of active components of rhinoceros, water buffalo and yak horns using two-dimensional electrophoresis and ethnopharmacological evaluation. <i>Journal of Separation Science</i> , 2011 , 34, 354-62	3.4	14
6	Isolation and structural elucidation of novel homogenous polysaccharide from <i>Macraa veneriformis</i> . <i>Carbohydrate Polymers</i> , 2011 , 86, 982-987	10.3	37
5	Antipyretic and antioxidant activities of the aqueous extract of Cornu bubali (water buffalo horn). <i>The American Journal of Chinese Medicine</i> , 2010 , 38, 293-306	6	19
4	Purification and identification of three novel antioxidant peptides from Cornu Bubali (water buffalo horn). <i>Peptides</i> , 2010 , 31, 786-93	3.8	63
3	Efficient Synthesis of 1-Aryl-1H-indazole Derivatives via Copper(I)-Catalyzed Intramolecular Amination Reaction. <i>Synthetic Communications</i> , 2008 , 38, 249-254	1.7	29
2	Molecular-targeted antitumor agents. 15. Neolamellarins from the marine sponge <i>Dendrilla nigra</i> inhibit hypoxia-inducible factor-1 activation and secreted vascular endothelial growth factor production in breast tumor cells. <i>Journal of Natural Products</i> , 2007 , 70, 1741-5	4.9	51
1	The preparation and characterization of gas bubble containing liposomes. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society</i> , 2005 , 2005, 3998-4001		1