Laszlo Hegeds

List of Publications by Citations

Source: https://exaly.com/author-pdf/7033159/laszlo-hegedus-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 177
 10,566
 54
 99

 papers
 citations
 h-index
 g-index

 193
 12,560
 5.6
 6.76

 ext. papers
 ext. citations
 avg, IF
 L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 177 | Clinical practice. The thyroid nodule. <i>New England Journal of Medicine</i> , 2004 , 351, 1764-71 | 59.2 | 1041 |
| 176 | AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS, AMERICAN COLLEGE OF ENDOCRINOLOGY, AND ASSOCIAZIONE MEDICI ENDOCRINOLOGI MEDICAL GUIDELINES FOR CLINICAL PRACTICE FOR THE DIAGNOSIS AND MANAGEMENT OF THYROID NODULES-2016 UPDATE. Endocrine Practice, 2016, 22, 622-39 | 3.2 | 690 |
| 175 | Graves@isease. New England Journal of Medicine, 2016, 375, 1552-1565 | 59.2 | 534 |
| 174 | Management of simple nodular goiter: current status and future perspectives. <i>Endocrine Reviews</i> , 2003 , 24, 102-32 | 27.2 | 480 |
| 173 | American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and EuropeanThyroid Association Medical Guidelines for Clinical Practice for the Diagnosis and Management of Thyroid Nodules. <i>Endocrine Practice</i> , 2010 , 16 Suppl 1, 1-43 | 3.2 | 408 |
| 172 | Evidence for a major role of heredity in Graves disease: a population-based study of two Danish twin cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001 , 86, 930-4 | 5.6 | 330 |
| 171 | American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical guidelines for clinical practice for the diagnosis and management of thyroid nodules: executive summary of recommendations. <i>Endocrine Practice</i> , 2010 | 3.2 | 218 |
| 170 | Radioiodine therapy in benign thyroid diseases: effects, side effects, and factors affecting therapeutic outcome. <i>Endocrine Reviews</i> , 2012 , 33, 920-80 | 27.2 | 187 |
| 169 | Clinical review: Nonsurgical, image-guided, minimally invasive therapy for thyroid nodules. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 3949-57 | 5.6 | 185 |
| 168 | Treatment of recurrent thyroid cysts with ethanol: a randomized double-blind controlled trial. Journal of Clinical Endocrinology and Metabolism, 2003 , 88, 5773-7 | 5.6 | 175 |
| 167 | The 2015 European Thyroid Association Guidelines on Diagnosis and Treatment of Endogenous Subclinical Hyperthyroidism. <i>European Thyroid Journal</i> , 2015 , 4, 149-63 | 4.2 | 159 |
| 166 | Risk of malignancy in thyroid incidentalomas detected by 18F-fluorodeoxyglucose positron emission tomography: a systematic review. <i>Thyroid</i> , 2012 , 22, 918-25 | 6.2 | 157 |
| 165 | GLP-1 and calcitonin concentration in humans: lack of evidence of calcitonin release from sequential screening in over 5000 subjects with type 2 diabetes or nondiabetic obese subjects treated with the human GLP-1 analog, liraglutide. <i>Journal of Clinical Endocrinology and Metabolism</i> , | 5.6 | 155 |
| 164 | A population-based study of chronic autoimmune hypothyroidism in Danish twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 536-9 | 5.6 | 155 |
| 163 | Quality of life in patients with benign thyroid disorders. A review. <i>European Journal of Endocrinology</i> , 2006 , 154, 501-10 | 6.5 | 146 |
| 162 | Thyroid nodule guidelines: agreement, disagreement and need for future research. <i>Nature Reviews Endocrinology</i> , 2011 , 7, 354-61 | 15.2 | 126 |
| 161 | Validity and reliability of the novel thyroid-specific quality of life questionnaire, ThyPRO. <i>European Journal of Endocrinology</i> , 2010 , 162, 161-7 | 6.5 | 123 |

(2016-2019)

| 160 | Controversies, Consensus, and Collaboration in the Use of I Therapy in Differentiated Thyroid Cancer: A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the Society of Nuclear Medicine and Molecular Imaging, and the European | 6.2 | 119 |
|-----|--|-----|-----|
| 159 | Thyroid Association. <i>Thyroid</i> , 2019 , 29, 461-470 Twin studies as a model for exploring the aetiology of autoimmune thyroid disease. <i>Clinical Endocrinology</i> , 2012 , 76, 457-64 | 3.4 | 111 |
| 158 | Comparative efficacy of radiofrequency and laser ablation for the treatment of benign thyroid nodules: systematic review including traditional pooling and bayesian network meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 1903-11 | 5.6 | 107 |
| 157 | Effect of ultrasound-guided interstitial laser photocoagulation on benign solitary solid cold thyroid nodules - a randomised study. <i>European Journal of Endocrinology</i> , 2005 , 152, 341-5 | 6.5 | 107 |
| 156 | A population-based study of GravesOdisease in Danish twins. Clinical Endocrinology, 1998 , 48, 397-400 | 3.4 | 103 |
| 155 | The relative importance of genetic and environmental effects for the early stages of thyroid autoimmunity: a study of healthy Danish twins. <i>European Journal of Endocrinology</i> , 2006 , 154, 29-38 | 6.5 | 103 |
| 154 | Cigarette smoking and risk of clinically overt thyroid disease: a population-based twin case-control study. <i>Archives of Internal Medicine</i> , 2000 , 160, 661-6 | | 103 |
| 153 | Thyroid incidentalomas: epidemiology, risk stratification with ultrasound and workup. <i>European Thyroid Journal</i> , 2014 , 3, 154-63 | 4.2 | 98 |
| 152 | Long-term outcome following interstitial laser photocoagulation of benign cold thyroid nodules. <i>European Journal of Endocrinology</i> , 2011 , 165, 123-8 | 6.5 | 97 |
| 151 | Diagnosis and treatment of the solitary thyroid nodule. Results of a European survey. <i>Clinical Endocrinology</i> , 1999 , 50, 357-63 | 3.4 | 90 |
| 150 | 2020 European Thyroid Association Clinical Practice Guideline for the Use of Image-Guided Ablation in Benign Thyroid Nodules. <i>European Thyroid Journal</i> , 2020 , 9, 172-185 | 4.2 | 89 |
| 149 | Selenium Supplementation Significantly Reduces Thyroid Autoantibody Levels in Patients with Chronic Autoimmune Thyroiditis: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , 2016 , 26, 1681-1692 | 6.2 | 88 |
| 148 | Management of the nontoxic multinodular goiter: a North American survey. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2002 , 87, 112-7 | 5.6 | 87 |
| 147 | Long-term effect of radioactive iodine on thyroid function and size in patients with solitary autonomously functioning toxic thyroid nodules. <i>Clinical Endocrinology</i> , 1999 , 50, 197-202 | 3.4 | 85 |
| 146 | The thyroid-related quality of life measure ThyPRO has good responsiveness and ability to detect relevant treatment effects. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3708-17 | 5.6 | 82 |
| 145 | Morbidity before and after the diagnosis of hyperthyroidism: a nationwide register-based study. <i>PLoS ONE</i> , 2013 , 8, e66711 | 3.7 | 79 |
| 144 | Management of the nontoxic multinodular goitre: a European questionnaire study. <i>Clinical Endocrinology</i> , 2000 , 53, 5-12 | 3.4 | 78 |
| 143 | Disease-Specific as Well as Generic Quality of Life Is Widely Impacted in Autoimmune Hypothyroidism and Improves during the First Six Months of Levothyroxine Therapy. <i>PLoS ONE</i> , 2016 , 11, e0156925 | 3.7 | 78 |

| 142 | Radioiodine therapy for multinodular toxic goiter. <i>Archives of Internal Medicine</i> , 1999 , 159, 1364-8 | | 73 |
|-----|---|------|----|
| 141 | Increased psychiatric morbidity before and after the diagnosis of hypothyroidism: a nationwide register study. <i>Thyroid</i> , 2014 , 24, 802-8 | 6.2 | 72 |
| 140 | Relationship between cigarette smoking and GravesOophthalmopathy. <i>Journal of Endocrinological Investigation</i> , 2004 , 27, 265-71 | 5.2 | 72 |
| 139 | Percutaneous ethanol injection therapy in benign solitary solid cold thyroid nodules: a randomized trial comparing one injection with three injections. <i>Thyroid</i> , 1999 , 9, 225-33 | 6.2 | 71 |
| 138 | Randomized prospective study comparing a single radioiodine dose and a single laser therapy session in autonomously functioning thyroid nodules. <i>European Journal of Endocrinology</i> , 2007 , 157, 95- | 100 | 70 |
| 137 | Stimulation with 0.3-mg recombinant human thyrotropin prior to iodine 131 therapy to improve the size reduction of benign nontoxic nodular goiter: a prospective randomized double-blind trial. <i>Archives of Internal Medicine</i> , 2006 , 166, 1476-82 | | 70 |
| 136 | Selenium in thyroid disorders - essential knowledge for clinicians. <i>Nature Reviews Endocrinology</i> , 2020 , 16, 165-176 | 15.2 | 69 |
| 135 | Improvement of goiter volume reduction after 0.3 mg recombinant human thyrotropin-stimulated radioiodine therapy in patients with a very large goiter: a double-blinded, randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 3424-8 | 5.6 | 68 |
| 134 | Excess mortality in patients diagnosed with hypothyroidism: a nationwide cohort study of singletons and twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, 1069-75 | 5.6 | 65 |
| 133 | Genetic and environmental causes of individual differences in thyroid size: a study of healthy Danish twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2071-7 | 5.6 | 65 |
| 132 | Graves@disease and toxic nodular goiter are both associated with increased mortality but differ with respect to the cause of death: a Danish population-based register study. <i>Thyroid</i> , 2013 , 23, 408-13 | 6.2 | 63 |
| 131 | Excess mortality in hyperthyroidism: the influence of preexisting comorbidity and genetic confounding: a danish nationwide register-based cohort study of twins and singletons. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 4123-9 | 5.6 | 62 |
| 130 | Which domains of thyroid-related quality of life are most relevant? Patients and clinicians provide complementary perspectives. <i>Thyroid</i> , 2007 , 17, 647-54 | 6.2 | 62 |
| 129 | Time to reconsider nonsurgical therapy of benign non-toxic multinodular goitre: focus on recombinant human TSH augmented radioiodine therapy. <i>European Journal of Endocrinology</i> , 2009 , 160, 517-28 | 6.5 | 59 |
| 128 | Diagnosis of endocrine disease: thyroid ultrasound (US) and US-assisted procedures: from the shadows into an array of applications. <i>European Journal of Endocrinology</i> , 2014 , 170, R133-46 | 6.5 | 58 |
| 127 | Major role of genes in the etiology of simple goiter in females: a population-based twin study. Journal of Clinical Endocrinology and Metabolism, 1999 , 84, 3071-5 | 5.6 | 57 |
| 126 | Type and extent of somatic morbidity before and after the diagnosis of hypothyroidism. a nationwide register study. <i>PLoS ONE</i> , 2013 , 8, e75789 | 3.7 | 56 |
| 125 | Treatment of GravesChyperthyroidism: evidence-based and emerging modalities. <i>Endocrinology and Metabolism Clinics of North America</i> , 2009 , 38, 355-71, ix | 5.5 | 56 |

(2013-2018)

| 124 | Over- and Under-Treatment of Hypothyroidism Is Associated with Excess Mortality: A Register-Based Cohort Study. <i>Thyroid</i> , 2018 , 28, 566-574 | 6.2 | 54 | |
|-----|--|-----|----|--|
| 123 | Acute changes in thyroid volume and function following 131I therapy of multinodular goitre. <i>Clinical Endocrinology</i> , 1994 , 41, 715-8 | 3.4 | 54 | |
| 122 | Excess Mortality in Treated and Untreated Hyperthyroidism Is Related to Cumulative Periods of Low Serum TSH. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2301-2309 | 5.6 | 52 | |
| 121 | Hyperthyroidism and psychiatric morbidity: evidence from a Danish nationwide register study. <i>European Journal of Endocrinology</i> , 2014 , 170, 341-8 | 6.5 | 51 | |
| 120 | Development of a Short Version of the Thyroid-Related Patient-Reported Outcome ThyPRO. <i>Thyroid</i> , 2015 , 25, 1069-79 | 6.2 | 50 | |
| 119 | Duration of thyroid dysfunction correlates with all-cause mortality. the OPENTHYRO Register Cohort. <i>PLoS ONE</i> , 2014 , 9, e110437 | 3.7 | 50 | |
| 118 | PREGO (presentation of GravesOrbitopathy) study: changes in referral patterns to European Group On GravesOrbitopathy (EUGOGO) centres over the period from 2000 to 2012. <i>British Journal of Ophthalmology</i> , 2015 , 99, 1531-5 | 5.5 | 49 | |
| 117 | The advent of ultrasound-guided ablation techniques in nodular thyroid disease: towards a patient-tailored approach. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 601-18 | 6.5 | 49 | |
| 116 | Detection of PAX8/PPARG and RET/PTC rearrangements is feasible in routine air-dried fine needle aspiration smears. <i>Thyroid</i> , 2012 , 22, 1025-30 | 6.2 | 49 | |
| 115 | Selenium supplementation for patients with GravesChyperthyroidism (the GRASS trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 119 | 2.8 | 48 | |
| 114 | The chronic autoimmune thyroiditis quality of life selenium trial (CATALYST): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 115 | 2.8 | 47 | |
| 113 | Duration of Hyperthyroidism and Lack of Sufficient Treatment Are Associated with Increased Cardiovascular Risk. <i>Thyroid</i> , 2019 , 29, 332-340 | 6.2 | 47 | |
| 112 | Does selenium supplementation affect thyroid function? Results from a randomized, controlled, double-blinded trial in a Danish population. <i>European Journal of Endocrinology</i> , 2015 , 172, 657-67 | 6.5 | 45 | |
| 111 | Is Thyroid Autoimmunity per se a Determinant of Quality of Life in Patients with Autoimmune Hypothyroidism?. <i>European Thyroid Journal</i> , 2012 , 1, 186-92 | 4.2 | 43 | |
| 110 | Transient goiter enlargement after administration of 0.3 mg of recombinant human thyrotropin in patients with benign nontoxic nodular goiter: a randomized, double-blind, crossover trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 1317-22 | 5.6 | 43 | |
| 109 | Recombinant human thyrotropin markedly changes the 131I kinetics during 131I therapy of patients with nodular goiter: an evaluation by a randomized double-blinded trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 79-83 | 5.6 | 42 | |
| 108 | Cross-cultural validity of the thyroid-specific quality-of-life patient-reported outcome measure, ThyPRO. <i>Quality of Life Research</i> , 2015 , 24, 769-80 | 3.7 | 41 | |
| 107 | Interstitial laser photocoagulation (ILP) of benign cystic thyroid nodulesa prospective randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013 , 98, E1213-7 | 5.6 | 40 | |
| | | | | |

| 106 | Recombinant human thyrotropin-stimulated radioiodine therapy of large nodular goiters facilitates tracheal decompression and improves inspiration. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2008 , 93, 3981-4 | 5.6 | 40 |
|-----|---|---------------|----|
| 105 | Effects of 0.9 mg recombinant human thyrotropin on thyroid size and function in normal subjects: a randomized, double-blind, cross-over trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 2242-7 | 5.6 | 39 |
| 104 | Quality of life in patients with benign nontoxic goiter: impact of disease and treatment response, and comparison with the general population. <i>Thyroid</i> , 2015 , 25, 284-91 | 6.2 | 37 |
| 103 | Quality-of-Life Impairments Persist Six Months After Treatment of Graves Chyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study. <i>Thyroid</i> , 2016 , 26, 1010-8 | 6.2 | 37 |
| 102 | Recombinant human thyrotropin-stimulated radioiodine therapy of nodular goiter allows major reduction of the radiation burden with retained efficacy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 3719-25 | 5.6 | 36 |
| 101 | Genome-wide linkage analysis reveals evidence for four new susceptibility loci for familial euthyroid goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2004 , 89, 4044-52 | 5.6 | 35 |
| 100 | Approach to management of the patient with primary or secondary intrathoracic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 5155-62 | 5.6 | 33 |
| 99 | The majority of Danish nontoxic goitre patients are ineligible for Levothyroxine suppressive therapy. <i>Clinical Endocrinology</i> , 2008 , 69, 653-8 | 3.4 | 33 |
| 98 | Insufficient documentation for clinical efficacy of selenium supplementation in chronic autoimmune thyroiditis, based on a systematic review and meta-analysis. <i>Endocrine</i> , 2017 , 55, 376-385 | 4 | 32 |
| 97 | Confirmatory factor analysis of the thyroid-related quality of life questionnaire ThyPRO. <i>Health and Quality of Life Outcomes</i> , 2014 , 12, 126 | 3 | 32 |
| 96 | Targeted biological therapies for Graves Odisease and thyroid-associated ophthalmopathy. Focus on B-cell depletion with Rituximab. <i>Clinical Endocrinology</i> , 2011 , 74, 1-8 | 3.4 | 32 |
| 95 | Prestimulation with recombinant human thyrotropin (rhTSH) improves the long-term outcome of radioiodine therapy for multinodular nontoxic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 2653-60 | 5.6 | 32 |
| 94 | Resumption of methimazole after 131I therapy of hyperthyroid diseases: effect on thyroid function and volume evaluated by a randomized clinical trial. <i>European Journal of Endocrinology</i> , 2003 , 149, 485- | 9 2 .5 | 32 |
| 93 | The impact of goitre and its treatment on the trachea, airflow, oesophagus and swallowing function. A systematic review. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 481-94 | 6.5 | 31 |
| 92 | Characterization of Regulatory B Cells in Graves Disease and Hashimoto Thyroiditis. <i>PLoS ONE</i> , 2015 , 10, e0127949 | 3.7 | 30 |
| 91 | Optimizing 131I uptake after rhTSH stimulation in patients with nontoxic multinodular goiter: evidence from a prospective, randomized, double-blind study. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 732-7 | 8.9 | 29 |
| 90 | Ruling in or ruling out thyroid malignancy by molecular diagnostics of thyroid nodules. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 545-57 | 6.5 | 28 |
| 89 | Dose-dependent acute effects of recombinant human TSH (rhTSH) on thyroid size and function: comparison of 0.1, 0.3 and 0.9 mg of rhTSH. <i>Clinical Endocrinology</i> , 2010 , 72, 411-6 | 3.4 | 28 |

(2021-2015)

| 88 | A two miRNA classifier differentiates follicular thyroid carcinomas from follicular thyroid adenomas. <i>Molecular and Cellular Endocrinology</i> , 2015 , 399, 43-9 | 4.4 | 27 | |
|----|---|------|----|--|
| 87 | Does radioiodine therapy have an equal effect on substernal and cervical goiter volumes? Evaluation by magnetic resonance imaging. <i>Thyroid</i> , 2002 , 12, 313-7 | 6.2 | 27 | |
| 86 | Quality of life after thyroidectomy in patients with nontoxic nodular goiter: A prospective cohort study. <i>Head and Neck</i> , 2017 , 39, 2232-2240 | 4.2 | 26 | |
| 85 | The effects of recombinant human thyrotropin, in normal subjects and patients with goitre. <i>Clinical Endocrinology</i> , 2004 , 61, 655-63 | 3.4 | 26 | |
| 84 | Predictive score for the development or progression of Graves@rbitopathy in patients with newly diagnosed Graves@hyperthyroidism. <i>European Journal of Endocrinology</i> , 2018 , 178, 635-643 | 6.5 | 25 | |
| 83 | Few items in the thyroid-related quality of life instrument ThyPRO exhibited differential item functioning. <i>Quality of Life Research</i> , 2014 , 23, 327-38 | 3.7 | 25 | |
| 82 | Low birth weight is not associated with clinically overt thyroid disease: a population based twin case-control study. <i>Clinical Endocrinology</i> , 2000 , 53, 171-6 | 3.4 | 25 | |
| 81 | Duration of over- and under-treatment of hypothyroidism is associated with increased cardiovascular risk. <i>European Journal of Endocrinology</i> , 2019 , 180, 407-416 | 6.5 | 25 | |
| 80 | Two-miRNA classifiers differentiate mutation-negative follicular thyroid carcinomas and follicular thyroid adenomas in fine needle aspirations with high specificity. <i>Endocrine</i> , 2016 , 54, 440-447 | 4 | 24 | |
| 79 | Risk and course of SARS-CoV-2 infection in patients treated for hypothyroidism and hyperthyroidism. <i>Lancet Diabetes and Endocrinology,the</i> , 2021 , 9, 197-199 | 18.1 | 24 | |
| 78 | Hypothyroidism is a predictor of disability pension and loss of labor market income: a Danish register-based study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2014 , 99, 3129-35 | 5.6 | 23 | |
| 77 | Long-term effects of radioiodine on thyroid function, size and patient satisfaction in non-toxic diffuse goitre. <i>European Journal of Endocrinology</i> , 2004 , 150, 439-45 | 6.5 | 23 | |
| 76 | MR imaging of large multinodular goiters: observer agreement on volume versus observer disagreement on dimensions of the involved trachea. <i>American Journal of Roentgenology</i> , 2002 , 179, 259-66 | 5.4 | 23 | |
| 75 | Respiratory Manifestations of Hypothyroidism: A Systematic Review. <i>Thyroid</i> , 2016 , 26, 1519-1527 | 6.2 | 23 | |
| 74 | Anxiety and depression are more prevalent in patients with gravesOdisease than in patients with nodular goitre. <i>European Thyroid Journal</i> , 2014 , 3, 173-8 | 4.2 | 22 | |
| 73 | No Evidence of Increase in Calcitonin Concentrations or Development of C-Cell Malignancy in Response to Liraglutide for Up to 5 Years in the LEADER Trial. <i>Diabetes Care</i> , 2018 , 41, 620-622 | 14.6 | 21 | |
| 72 | Development and implementation of PROgmatic: A clinical trial management system for pragmatic multi-centre trials, optimised for electronic data capture and patient-reported outcomes. <i>Clinical Trials</i> , 2014 , 11, 344-354 | 2.2 | 20 | |
| 71 | European Thyroid Association and Cardiovascular and Interventional Radiological Society of Europe 2021 Clinical Practice Guideline for the Use of Minimally Invasive Treatments in Malignant Thyroid Lesions. <i>European Thyroid Journal</i> , 2021 , 10, 185-197 | 4.2 | 19 | |

| 70 | Death by Suicide in Graves @ isease and Graves @ rbitopathy: A Nationwide Danish Register Study. <i>Thyroid</i> , 2017 , 27, 1475-1480 | 6.2 | 18 |
|----|--|------|----|
| 69 | European Thyroid Association Survey on Use of Minimally Invasive Techniques for Thyroid Nodules. <i>European Thyroid Journal</i> , 2020 , 9, 194-204 | 4.2 | 18 |
| 68 | Methimazole and risk of acute pancreatitis. Lancet Diabetes and Endocrinology, the, 2020, 8, 187-189 | 18.1 | 17 |
| 67 | A Computer-Interpretable Version of the AACE, AME, ETA Medical Guidelines for Clinical Practice for the Diagnosis and Management of Thyroid Nodules. <i>Endocrine Practice</i> , 2014 , 20, 352-9 | 3.2 | 17 |
| 66 | New Formulations of Levothyroxine in the Treatment of Hypothyroidism: Trick or Treat?. <i>Thyroid</i> , 2021 , 31, 193-201 | 6.2 | 17 |
| 65 | Patient satisfaction and quality of life in hypothyroidism: An online survey by the british thyroid foundation. <i>Clinical Endocrinology</i> , 2021 , 94, 513-520 | 3.4 | 17 |
| 64 | Graves Disease and Toxic Nodular Goiter, Aggravated by Duration of Hyperthyroidism, Are Associated with Alzheimer and Vascular Dementia: A Registry-Based Long-Term Follow-Up of Two Large Cohorts. <i>Thyroid</i> , 2020 , 30, 672-680 | 6.2 | 16 |
| 63 | Is selenium supplementation in autoimmune thyroid diseases justified?. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2017 , 24, 348-355 | 4 | 16 |
| 62 | Evidence of diffuse atrophy of the thyroid gland in patients with anorexia nervosa. <i>International Journal of Eating Disorders</i> , 2001 , 29, 230-5 | 6.3 | 16 |
| 61 | Use of Thyroid Hormones in Hypothyroid and Euthyroid Patients; the 2019 Italian Survey. <i>European Thyroid Journal</i> , 2020 , 9, 25-31 | 4.2 | 16 |
| 60 | Radioiodine therapy in non-toxic multinodular goitre. The possibility of effect-amplification with recombinant human TSH (rhTSH). <i>Acta Oncolgica</i> , 2006 , 45, 1051-8 | 3.2 | 15 |
| 59 | The role of radioiodine therapy in benign nodular goitre. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , 2014 , 28, 619-31 | 6.5 | 14 |
| 58 | Exploring the experiences of people with hypo- and hyperthyroidism. <i>Qualitative Health Research</i> , 2015 , 25, 945-53 | 3.9 | 13 |
| 57 | Non-surgical approach to the benign nodular goiter: new opportunities by recombinant human TSH-stimulated 131I-therapy. <i>Endocrine</i> , 2011 , 40, 344-53 | 4 | 13 |
| 56 | The interrelation between hypothyroidism and glaucoma: a critical review and meta-analyses. <i>Acta Ophthalmologica</i> , 2017 , 95, 759-767 | 3.7 | 11 |
| 55 | Mortality in GravesOrbitopathy is increased and influenced by gender, age and pre-existing morbidity: a nationwide Danish register study. <i>European Journal of Endocrinology</i> , 2017 , 176, 669-676 | 6.5 | 11 |
| 54 | Death by unnatural causes, mainly suicide, is increased in patients with Hashimoto@thyroiditis. A nationwide Danish register study. <i>Endocrine</i> , 2019 , 65, 616-622 | 4 | 11 |
| 53 | Hyperthyroidism is associated with work disability and loss of labour market income. A Danish register-based study in singletons and disease-discordant twin pairs. <i>European Journal of Endocripology</i> 2015, 173, 505, 602 | 6.5 | 11 |

(2019-2021)

| 52 | The enigma of persistent symptoms in hypothyroid patients treated with levothyroxine: A narrative review. <i>Clinical Endocrinology</i> , 2021 , | 3.4 | 10 |
|----|--|------|----|
| 51 | The Impact of Post-thyroidectomy Paresis on Quality of Life in Patients with Nodular Thyroid Disease. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 161, 589-597 | 5.5 | 9 |
| 50 | A 2018 European Thyroid Association Survey on the Use of Selenium Supplementation in Hashimoto@Thyroiditis. <i>European Thyroid Journal</i> , 2020 , 9, 99-105 | 4.2 | 9 |
| 49 | Changes in Swallowing Symptoms and Esophageal Motility After Thyroid Surgery: A Prospective Cohort Study. <i>World Journal of Surgery</i> , 2018 , 42, 998-1004 | 3.3 | 9 |
| 48 | Patients with Benign Thyroid Diseases Experience an Impaired Sex Life. <i>Thyroid</i> , 2018 , 28, 1261-1269 | 6.2 | 9 |
| 47 | High-intensity focused ultrasound (HIFU) therapy for benign thyroid nodules: a 3-year retrospective multicenter follow-up study. <i>International Journal of Hyperthermia</i> , 2020 , 37, 1301-1309 | 3.7 | 9 |
| 46 | Radiofrequency ablation and related ultrasound-guided ablation technologies for treatment of benign and malignant thyroid disease: An international multidisciplinary consensus statement of the American Head and Neck Society Endocrine Surgery Section with the Asia Pacific Society of | 4.2 | 9 |
| 45 | Thyroid Surgery, Associazione Medici Endocrinologi, British Association of Endocrine and Thyroid Month of birth is associated with the subsequent diagnosis of autoimmune hypothyroidism. A ciety nationwide Danish register-based study. Clinical Endocrinology, 2017, 87, 832-837 | 3.4 | 8 |
| 44 | Thyroidectomy Improves Tracheal Anatomy and Airflow in Patients with Nodular Goiter: A Prospective Cohort Study. <i>European Thyroid Journal</i> , 2017 , 6, 307-314 | 4.2 | 8 |
| 43 | Long-term outcome following laser therapy of benign cystic-solid thyroid nodules. <i>Endocrine Connections</i> , 2019 , 8, 846-852 | 3.5 | 8 |
| 42 | A 2018 European Thyroid Association Survey on the Use of Selenium Supplementation in GravesO Hyperthyroidism and GravesOorbitopathy. <i>European Thyroid Journal</i> , 2019 , 8, 7-15 | 4.2 | 8 |
| 41 | Increased risk of dementia in hypothyroidism: A Danish nationwide register-based study. <i>Clinical Endocrinology</i> , 2021 , 94, 1017-1024 | 3.4 | 8 |
| 40 | American Association of Clinical Endocrinology And Associazione Medici Endocrinologi Thyroid Nodule Algorithmic Tool. <i>Endocrine Practice</i> , 2021 , 27, 649-660 | 3.2 | 7 |
| 39 | Use of thyroid hormones in hypothyroid and euthyroid patients: a THESIS* questionnaire survey of Polish physicians. *THESIS: Treatment of hypothyroidism in Europe by specialists: an international survey. <i>Endokrynologia Polska</i> , 2021 , 72, 357-365 | 1.1 | 7 |
| 38 | Total Thyroidectomy for Thyroid Cancer Followed by Thyroid Storm due to Thyrotropin Receptor Antibody Stimulation of Metastatic Thyroid Tissue. <i>European Thyroid Journal</i> , 2017 , 6, 276-280 | 4.2 | 6 |
| 37 | Consequences of Hyperthyroidism and Its Treatment for Bone Microarchitecture Assessed by High-Resolution Peripheral Quantitative Computed Tomography. <i>Thyroid</i> , 2021 , 31, 208-216 | 6.2 | 6 |
| 36 | Primary hypothyroidism and quality of life Nature Reviews Endocrinology, 2022, | 15.2 | 5 |
| 35 | The Impact of Esophageal Compression on Goiter Symptoms before and after Thyroid Surgery. <i>European Thyroid Journal</i> , 2019 , 8, 16-23 | 4.2 | 5 |

| 34 | Adaptation and cross-cultural validation of the Spanish version of the Thyroid-Related Quality-of-Life Patient-Reported Outcome questionnaire. <i>Endocrinologia, Diabetes Y Nutrici</i> b, 2018 , 65, 500-507 | 1.3 | 5 |
|----|--|--------------|---|
| 33 | The compensatory enlargement of the remaining thyroid lobe following hemithyroidectomy is small and without impact on symptom relief. <i>European Archives of Oto-Rhino-Laryngology</i> , 2018 , 275, 161-167 | 3.5 | 4 |
| 32 | Recent evidence sets therapeutic targets for levothyroxine-treated patients with primary hypothyroidism based on risk of death. <i>European Journal of Endocrinology</i> , 2021 , 184, C1-C3 | 6.5 | 4 |
| 31 | Determining minimal important change for the thyroid-related quality of life questionnaire ThyPRO. <i>Endocrine Connections</i> , 2021 , 10, 316-324 | 3.5 | 4 |
| 30 | Conversion of standard retrospective patient-reported outcomes to momentary versions: cognitive interviewing reveals varying degrees of momentary compatibility. <i>Quality of Life Research</i> , 2018 , 27, 1065-1076 | 3.7 | 4 |
| 29 | The Impact of Goiter and Thyroid Surgery on Goiter Related Esophageal Dysfunction. A Systematic Review. <i>Frontiers in Endocrinology</i> , 2018 , 9, 679 | 5.7 | 4 |
| 28 | Use of thyroid hormone in hypothyroid patients and euthyroid subjects in Spain: A THESIS* questionnaire survey. <i>Endocrinologia, Diabetes Y Nutric</i> , 2021 , | 1.3 | 4 |
| 27 | Calculating the incalculable. Optimal radioiodine dose in GravesChyperthyroidism. <i>Endocrine</i> , 2017 , 56, 222-223 | 4 | 3 |
| 26 | Systemic oxidative stress to nucleic acids is unaltered following radioiodine therapy of patients with benign nodular goiter. <i>European Thyroid Journal</i> , 2015 , 4, 20-5 | 4.2 | 3 |
| 25 | No link between season of birth and subsequent development of Graves disease or toxic nodular goitre: a nationwide Danish register-based study. <i>Endocrine Connections</i> , 2018 , | 3.5 | 3 |
| 24 | Ultrasound-guided fine-needle aspiration biopsy of thyroid nodules. <i>Head and Neck</i> , 2021 , 43, 1009-101 | 3 4.2 | 3 |
| 23 | Severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2) infection and thyroid disease. An update. <i>Current Opinion in Endocrinology, Diabetes and Obesity,</i> 2021 , 28, 525-532 | 4 | 3 |
| 22 | Too early to dismiss the block & replace regime for GravesOdisease. Clinical Endocrinology, 2015, 83, 435 | 5-564 | 2 |
| 21 | Determination of in-utero thyroid size. <i>Clinical Endocrinology</i> , 1998 , 48, 9-10 | 3.4 | 2 |
| 20 | The potential antigoitrogenic effect of HMG-CoA reductase inhibitors (statins) in man. <i>Clinical Endocrinology</i> , 2008 , 68, 2-3 | 3.4 | 2 |
| 19 | No evidence of a causal relationship between hypothyroidism and glaucoma: A Danish nationwide register-based cohort study. <i>PLoS ONE</i> , 2018 , 13, e0192311 | 3.7 | 2 |
| 18 | Use of thyroid hormones in hypothyroid and euthyroid patients: a 2020 THESIS questionnaire survey of members of the Hellenic Endocrine Society. <i>Hormones</i> , 2021 , 21, 103 | 3.1 | 2 |
| 17 | Treatment of Hyperthyroidism Reduces Systemic Oxidative Stress, as Measured by Markers of RNA and DNA Damage. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e2512-e2520 | 5.6 | 2 |

LIST OF PUBLICATIONS

| 16 | Common genetic variants associated with thyroid function may be risk alleles for Hashimoto@ disease and Graves@disease. <i>Clinical Endocrinology</i> , 2016 , 84, 278-283 | 3.4 | 2 |
|----|---|-----|---|
| 15 | Thyroid Nodule 2018 , 529-538 | | 1 |
| 14 | Optimizing remission rates using antithyroid drugs for GravesOdisease. <i>Clinical Endocrinology</i> , 2010 , 72, 729-30 | 3.4 | 1 |
| 13 | Ethanol injection into autonomous thyroid adenomas. Clinical Endocrinology, 1993, 38, 439-40 | 3.4 | 1 |
| 12 | Restoration of euthyroidism in women with Hashimoto@thyroiditis changes bone microarchitecture but not estimated bone strength. <i>Endocrine</i> , 2021 , 71, 397-406 | 4 | 1 |
| 11 | Re: "Association Between Thionamides and Acute Pancreatitis: A Case-Control Study" by Guo. <i>Thyroid</i> , 2021 , 31, 147 | 6.2 | 1 |
| 10 | EU-TIRADS-Based Omission of Fine-Needle Aspiration and Cytology from Thyroid Nodules Overlooks a Substantial Number of Follicular Thyroid Cancers. <i>International Journal of Endocrinology</i> , 2021 , 2021, 9924041 | 2.7 | 1 |
| 9 | Use of Thyroid Hormones in Hypothyroid and Euthyroid Patients: A 2020 THESIS Questionnaire Survey of Members of the Swedish Endocrine Society <i>Frontiers in Endocrinology</i> , 2021 , 12, 795111 | 5.7 | 1 |
| 8 | A survey on the psychological impact and access to health care of thyroid patients during the first SARS-COV-2 lockdown. <i>Clinical Endocrinology</i> , 2021 , | 3.4 | 1 |
| 7 | Ultrasound-Based Indications for Thyroid Fine-Needle Aspiration: Outcome of a TIRADS-Based Approach versus OperatorsŒxpertise. <i>European Thyroid Journal</i> , 2021 , 10, 416-424 | 4.2 | О |
| 6 | Use of thyroid hormones in hypothyroid and euthyroid patients: a THESIS* survey of Belgian specialists *THESIS: treatment of hypothyroidism in Europe by specialists: an international survey <i>Thyroid Research</i> , 2022 , 15, 3 | 2.4 | O |
| 5 | Use of thyroid hormones in hypothyroid and euthyroid patients: a 2020 THESIS questionnaire survey of members of the Czech Society of Endocrinology <i>BMC Endocrine Disorders</i> , 2022 , 22, 117 | 3.3 | O |
| 4 | Nontoxic Goiter. <i>Endocrinology</i> , 2018 , 127-163 | 0.1 | |
| 3 | Can clinical and biochemical criteria augment fine-needle aspiration cytology in the diagnosis of thyroid cancer?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2007 , 3, 218-9 | | |
| 2 | Nontoxic Goiter. <i>Endocrinology</i> , 2017 , 1-38 | 0.1 | |
| 1 | Low urinary selenium levels are associated with iodine deficiency in Brazilian schoolchildren and adolescents. <i>Endocrine</i> , 2021 , 73, 609-616 | 4 | |