

# Laszlo Hegeds

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/7033159/laszlo-hegedus-publications-by-year.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

177  
papers

10,566  
citations

54  
h-index

99  
g-index

193  
ext. papers

12,560  
ext. citations

5.6  
avg, IF

6.76  
L-index

#	Paper	IF	Citations
177	Primary hypothyroidism and quality of life.. <i>Nature Reviews Endocrinology</i> , <b>2022</b> ,	15.2	5
176	Use of thyroid hormones in hypothyroid and euthyroid patients: a THESIS* survey of Belgian specialists *THESIS: treatment of hypothyroidism in Europe by specialists: an international survey.. <i>Thyroid Research</i> , <b>2022</b> , 15, 3	2.4	0
175	Use of thyroid hormones in hypothyroid and euthyroid patients: a 2020 THESIS questionnaire survey of members of the Czech Society of Endocrinology.. <i>BMC Endocrine Disorders</i> , <b>2022</b> , 22, 117	3.3	0
174	Use of thyroid hormones in hypothyroid and euthyroid patients: a 2020 THESIS questionnaire survey of members of the Hellenic Endocrine Society. <i>Hormones</i> , <b>2021</b> , 21, 103	3.1	2
173	Ultrasound-guided fine-needle aspiration biopsy of thyroid nodules. <i>Head and Neck</i> , <b>2021</b> , 43, 1009-1013	4.2	3
172	Low urinary selenium levels are associated with iodine deficiency in Brazilian schoolchildren and adolescents. <i>Endocrine</i> , <b>2021</b> , 73, 609-616	4	
171	Risk and course of SARS-CoV-2 infection in patients treated for hypothyroidism and hyperthyroidism. <i>Lancet Diabetes and Endocrinology</i> , <b>2021</b> , 9, 197-199	18.1	24
170	The enigma of persistent symptoms in hypothyroid patients treated with levothyroxine: A narrative review. <i>Clinical Endocrinology</i> , <b>2021</b> ,	3.4	10
169	Treatment of Hyperthyroidism Reduces Systemic Oxidative Stress, as Measured by Markers of RNA and DNA Damage. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e2512-e2520	5.6	2
168	American Association of Clinical Endocrinology And Associazione Medici Endocrinologi Thyroid Nodule Algorithmic Tool. <i>Endocrine Practice</i> , <b>2021</b> , 27, 649-660	3.2	7
167	Severe acute respiratory syndrome coronavirus-2 (SARS-CoV-2) infection and thyroid disease. An update. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , <b>2021</b> , 28, 525-532	4	3
166	Restoration of euthyroidism in women with Hashimoto's thyroiditis changes bone microarchitecture but not estimated bone strength. <i>Endocrine</i> , <b>2021</b> , 71, 397-406	4	1
165	Consequences of Hyperthyroidism and Its Treatment for Bone Microarchitecture Assessed by High-Resolution Peripheral Quantitative Computed Tomography. <i>Thyroid</i> , <b>2021</b> , 31, 208-216	6.2	6
164	New Formulations of Levothyroxine in the Treatment of Hypothyroidism: Trick or Treat?. <i>Thyroid</i> , <b>2021</b> , 31, 193-201	6.2	17
163	Patient satisfaction and quality of life in hypothyroidism: An online survey by the british thyroid foundation. <i>Clinical Endocrinology</i> , <b>2021</b> , 94, 513-520	3.4	17
162	Ultrasound-Based Indications for Thyroid Fine-Needle Aspiration: Outcome of a TIRADS-Based Approach versus Operators' Expertise. <i>European Thyroid Journal</i> , <b>2021</b> , 10, 416-424	4.2	0
161	European Thyroid Association and Cardiovascular and Interventional Radiological Society of Europe 2021 Clinical Practice Guideline for the Use of Minimally Invasive Treatments in Malignant Thyroid Lesions. <i>European Thyroid Journal</i> , <b>2021</b> , 10, 185-197	4.2	19

160	Re: "Association Between Thionamides and Acute Pancreatitis: A Case-Control Study" by Guo. <i>Thyroid</i> , <b>2021</b> , 31, 147	6.2	1
159	Increased risk of dementia in hypothyroidism: A Danish nationwide register-based study. <i>Clinical Endocrinology</i> , <b>2021</b> , 94, 1017-1024	3.4	8
158	Recent evidence sets therapeutic targets for levothyroxine-treated patients with primary hypothyroidism based on risk of death. <i>European Journal of Endocrinology</i> , <b>2021</b> , 184, C1-C3	6.5	4
157	Determining minimal important change for the thyroid-related quality of life questionnaire ThyPRO. <i>Endocrine Connections</i> , <b>2021</b> , 10, 316-324	3.5	4
156	Use of thyroid hormones in hypothyroid and euthyroid patients: a THESIS* questionnaire survey of Polish physicians. *THESIS: Treatment of hypothyroidism in Europe by specialists: an international survey. <i>Endokrynologia Polska</i> , <b>2021</b> , 72, 357-365	1.1	7
155	EU-TIRADS-Based Omission of Fine-Needle Aspiration and Cytology from Thyroid Nodules Overlooks a Substantial Number of Follicular Thyroid Cancers. <i>International Journal of Endocrinology</i> , <b>2021</b> , 2021, 9924041	2.7	1
154	Use of thyroid hormone in hypothyroid patients and euthyroid subjects in Spain: A THESIS* questionnaire survey. <i>Endocrinologia, Diabetes Y Nutrición</i> , <b>2021</b> ,	1.3	4
153	Radiofrequency ablation and related ultrasound-guided ablation technologies for treatment of benign and malignant thyroid disease: An international multidisciplinary consensus statement of the American Head and Neck Society Endocrine Surgery Section with the Asia Pacific Society of Thyroid Surgery, Associazione Medici Endocrinologi, British Association of Endocrine and Thyroid	4.2	9
152	Use of Thyroid Hormones in Hypothyroid and Euthyroid Patients: A 2020 THESIS Questionnaire Survey of Members of the Swedish Endocrine Society.. <i>Frontiers in Endocrinology</i> , <b>2021</b> , 12, 795111	5.7	1
151	A survey on the psychological impact and access to health care of thyroid patients during the first SARS-COV-2 lockdown. <i>Clinical Endocrinology</i> , <b>2021</b> ,	3.4	1
150	2020 European Thyroid Association Clinical Practice Guideline for the Use of Image-Guided Ablation in Benign Thyroid Nodules. <i>European Thyroid Journal</i> , <b>2020</b> , 9, 172-185	4.2	89
149	Methimazole and risk of acute pancreatitis. <i>Lancet Diabetes and Endocrinology</i> , <b>2020</b> , 8, 187-189	18.1	17
148	A 2018 European Thyroid Association Survey on the Use of Selenium Supplementation in Hashimoto's Thyroiditis. <i>European Thyroid Journal</i> , <b>2020</b> , 9, 99-105	4.2	9
147	Graves Disease and Toxic Nodular Goiter, Aggravated by Duration of Hyperthyroidism, Are Associated with Alzheimer's and Vascular Dementia: A Registry-Based Long-Term Follow-Up of Two Large Cohorts. <i>Thyroid</i> , <b>2020</b> , 30, 672-680	6.2	16
146	Selenium in thyroid disorders - essential knowledge for clinicians. <i>Nature Reviews Endocrinology</i> , <b>2020</b> , 16, 165-176	15.2	69
145	Use of Thyroid Hormones in Hypothyroid and Euthyroid Patients; the 2019 Italian Survey. <i>European Thyroid Journal</i> , <b>2020</b> , 9, 25-31	4.2	16
144	High-intensity focused ultrasound (HIFU) therapy for benign thyroid nodules: a 3-year retrospective multicenter follow-up study. <i>International Journal of Hyperthermia</i> , <b>2020</b> , 37, 1301-1309	3.7	9
143	European Thyroid Association Survey on Use of Minimally Invasive Techniques for Thyroid Nodules. <i>European Thyroid Journal</i> , <b>2020</b> , 9, 194-204	4.2	18

142	The Impact of Post-thyroidectomy Paresis on Quality of Life in Patients with Nodular Thyroid Disease. <i>Otolaryngology - Head and Neck Surgery</i> , <b>2019</b> , 161, 589-597	5.5	9
141	Death by unnatural causes, mainly suicide, is increased in patients with Hashimoto's thyroiditis. A nationwide Danish register study. <i>Endocrine</i> , <b>2019</b> , 65, 616-622	4	11
140	Controversies, Consensus, and Collaboration in the Use of I Therapy in Differentiated Thyroid Cancer: A Joint Statement from the American Thyroid Association, the European Association of Nuclear Medicine, the Society of Nuclear Medicine and Molecular Imaging, and the European Thyroid Association. <i>Thyroid</i> , <b>2019</b> , 29, 461-470	6.2	119
139	Long-term outcome following laser therapy of benign cystic-solid thyroid nodules. <i>Endocrine Connections</i> , <b>2019</b> , 8, 846-852	3.5	8
138	Duration of over- and under-treatment of hypothyroidism is associated with increased cardiovascular risk. <i>European Journal of Endocrinology</i> , <b>2019</b> , 180, 407-416	6.5	25
137	A 2018 European Thyroid Association Survey on the Use of Selenium Supplementation in Graves' Orbitopathy. <i>European Thyroid Journal</i> , <b>2019</b> , 8, 7-15	4.2	8
136	Duration of Hyperthyroidism and Lack of Sufficient Treatment Are Associated with Increased Cardiovascular Risk. <i>Thyroid</i> , <b>2019</b> , 29, 332-340	6.2	47
135	The Impact of Esophageal Compression on Goiter Symptoms before and after Thyroid Surgery. <i>European Thyroid Journal</i> , <b>2019</b> , 8, 16-23	4.2	5
134	Over- and Under-Treatment of Hypothyroidism Is Associated with Excess Mortality: A Register-Based Cohort Study. <i>Thyroid</i> , <b>2018</b> , 28, 566-574	6.2	54
133	Predictive score for the development or progression of Graves' Orbitopathy in patients with newly diagnosed Graves' hyperthyroidism. <i>European Journal of Endocrinology</i> , <b>2018</b> , 178, 635-643	6.5	25
132	No Evidence of Increase in Calcitonin Concentrations or Development of C-Cell Malignancy in Response to Liraglutide for Up to 5 Years in the LEADER Trial. <i>Diabetes Care</i> , <b>2018</b> , 41, 620-622	14.6	21
131	The compensatory enlargement of the remaining thyroid lobe following hemithyroidectomy is small and without impact on symptom relief. <i>European Archives of Oto-Rhino-Laryngology</i> , <b>2018</b> , 275, 161-167	3.5	4
130	Changes in Swallowing Symptoms and Esophageal Motility After Thyroid Surgery: A Prospective Cohort Study. <i>World Journal of Surgery</i> , <b>2018</b> , 42, 998-1004	3.3	9
129	Patients with Benign Thyroid Diseases Experience an Impaired Sex Life. <i>Thyroid</i> , <b>2018</b> , 28, 1261-1269	6.2	9
128	Thyroid Nodule <b>2018</b> , 529-538		1
127	Nontoxic Goiter. <i>Endocrinology</i> , <b>2018</b> , 127-163	0.1	
126	No evidence of a causal relationship between hypothyroidism and glaucoma: A Danish nationwide register-based cohort study. <i>PLoS ONE</i> , <b>2018</b> , 13, e0192311	3.7	2
125	No link between season of birth and subsequent development of Graves' disease or toxic nodular goitre: a nationwide Danish register-based study. <i>Endocrine Connections</i> , <b>2018</b> ,	3.5	3

124	Conversion of standard retrospective patient-reported outcomes to momentary versions: cognitive interviewing reveals varying degrees of momentary compatibility. <i>Quality of Life Research</i> , <b>2018</b> , 27, 1065-1076	3.7	4
123	Adaptation and cross-cultural validation of the Spanish version of the Thyroid-Related Quality-of-Life Patient-Reported Outcome questionnaire. <i>Endocrinologia, Diabetes Y Nutrición</i> , <b>2018</b> , 65, 500-507	1.3	5
122	The Impact of Goiter and Thyroid Surgery on Goiter Related Esophageal Dysfunction. A Systematic Review. <i>Frontiers in Endocrinology</i> , <b>2018</b> , 9, 679	5.7	4
121	The interrelation between hypothyroidism and glaucoma: a critical review and meta-analyses. <i>Acta Ophthalmologica</i> , <b>2017</b> , 95, 759-767	3.7	11
120	Calculating the incalculable. Optimal radioiodine dose in GravesHyperthyroidism. <i>Endocrine</i> , <b>2017</b> , 56, 222-223	4	3
119	Mortality in GravesOrbitopathy is increased and influenced by gender, age and pre-existing morbidity: a nationwide Danish register study. <i>European Journal of Endocrinology</i> , <b>2017</b> , 176, 669-676	6.5	11
118	Total Thyroidectomy for Thyroid Cancer Followed by Thyroid Storm due to Thyrotropin Receptor Antibody Stimulation of Metastatic Thyroid Tissue. <i>European Thyroid Journal</i> , <b>2017</b> , 6, 276-280	4.2	6
117	Excess Mortality in Treated and Untreated Hyperthyroidism Is Related to Cumulative Periods of Low Serum TSH. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2017</b> , 102, 2301-2309	5.6	52
116	Quality of life after thyroidectomy in patients with nontoxic nodular goiter: A prospective cohort study. <i>Head and Neck</i> , <b>2017</b> , 39, 2232-2240	4.2	26
115	Month of birth is associated with the subsequent diagnosis of autoimmune hypothyroidism. A nationwide Danish register-based study. <i>Clinical Endocrinology</i> , <b>2017</b> , 87, 832-837	3.4	8
114	Thyroidectomy Improves Tracheal Anatomy and Airflow in Patients with Nodular Goiter: A Prospective Cohort Study. <i>European Thyroid Journal</i> , <b>2017</b> , 6, 307-314	4.2	8
113	Death by Suicide in GravesDisease and GravesOrbitopathy: A Nationwide Danish Register Study. <i>Thyroid</i> , <b>2017</b> , 27, 1475-1480	6.2	18
112	Is selenium supplementation in autoimmune thyroid diseases justified?. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , <b>2017</b> , 24, 348-355	4	16
111	Insufficient documentation for clinical efficacy of selenium supplementation in chronic autoimmune thyroiditis, based on a systematic review and meta-analysis. <i>Endocrine</i> , <b>2017</b> , 55, 376-385	4	32
110	Nontoxic Goiter. <i>Endocrinology</i> , <b>2017</b> , 1-38	0.1	
109	Two-miRNA classifiers differentiate mutation-negative follicular thyroid carcinomas and follicular thyroid adenomas in fine needle aspirations with high specificity. <i>Endocrine</i> , <b>2016</b> , 54, 440-447	4	24
108	Quality-of-Life Impairments Persist Six Months After Treatment of GravesHyperthyroidism and Toxic Nodular Goiter: A Prospective Cohort Study. <i>Thyroid</i> , <b>2016</b> , 26, 1010-8	6.2	37
107	GravesDisease. <i>New England Journal of Medicine</i> , <b>2016</b> , 375, 1552-1565	59.2	534

106	Disease-Specific as Well as Generic Quality of Life Is Widely Impacted in Autoimmune Hypothyroidism and Improves during the First Six Months of Levothyroxine Therapy. <i>PLoS ONE</i> , <b>2016</b> , 11, e0156925	3.7	78
105	Common genetic variants associated with thyroid function may be risk alleles for Hashimoto's disease and Graves disease. <i>Clinical Endocrinology</i> , <b>2016</b> , 84, 278-283	3.4	2
104	AMERICAN ASSOCIATION OF CLINICAL ENDOCRINOLOGISTS, AMERICAN COLLEGE OF ENDOCRINOLOGY, AND ASSOCIAZIONE MEDICI ENDOCRINOLOGI MEDICAL GUIDELINES FOR CLINICAL PRACTICE FOR THE DIAGNOSIS AND MANAGEMENT OF THYROID NODULES--2016 UPDATE. <i>Endocrine Practice</i> , <b>2016</b> , 22, 622-39	3.2	690
103	Respiratory Manifestations of Hypothyroidism: A Systematic Review. <i>Thyroid</i> , <b>2016</b> , 26, 1519-1527	6.2	23
102	Selenium Supplementation Significantly Reduces Thyroid Autoantibody Levels in Patients with Chronic Autoimmune Thyroiditis: A Systematic Review and Meta-Analysis. <i>Thyroid</i> , <b>2016</b> , 26, 1681-1692	6.2	88
101	Exploring the experiences of people with hypo- and hyperthyroidism. <i>Qualitative Health Research</i> , <b>2015</b> , 25, 945-53	3.9	13
100	Comparative efficacy of radiofrequency and laser ablation for the treatment of benign thyroid nodules: systematic review including traditional pooling and bayesian network meta-analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 1903-11	5.6	107
99	PREGO (presentation of Graves Orbitopathy) study: changes in referral patterns to European Group On Graves Orbitopathy (EUGOGO) centres over the period from 2000 to 2012. <i>British Journal of Ophthalmology</i> , <b>2015</b> , 99, 1531-5	5.5	49
98	Does selenium supplementation affect thyroid function? Results from a randomized, controlled, double-blinded trial in a Danish population. <i>European Journal of Endocrinology</i> , <b>2015</b> , 172, 657-67	6.5	45
97	Quality of life in patients with benign nontoxic goiter: impact of disease and treatment response, and comparison with the general population. <i>Thyroid</i> , <b>2015</b> , 25, 284-91	6.2	37
96	Development of a Short Version of the Thyroid-Related Patient-Reported Outcome ThyPRO. <i>Thyroid</i> , <b>2015</b> , 25, 1069-79	6.2	50
95	The 2015 European Thyroid Association Guidelines on Diagnosis and Treatment of Endogenous Subclinical Hyperthyroidism. <i>European Thyroid Journal</i> , <b>2015</b> , 4, 149-63	4.2	159
94	Cross-cultural validity of the thyroid-specific quality-of-life patient-reported outcome measure, ThyPRO. <i>Quality of Life Research</i> , <b>2015</b> , 24, 769-80	3.7	41
93	A two miRNA classifier differentiates follicular thyroid carcinomas from follicular thyroid adenomas. <i>Molecular and Cellular Endocrinology</i> , <b>2015</b> , 399, 43-9	4.4	27
92	Hyperthyroidism is associated with work disability and loss of labour market income. A Danish register-based study in singletons and disease-discordant twin pairs. <i>European Journal of Endocrinology</i> , <b>2015</b> , 173, 595-602	6.5	11
91	Too early to dismiss the block & replace regime for Graves disease. <i>Clinical Endocrinology</i> , <b>2015</b> , 83, 435-4	5.4	2
90	Characterization of Regulatory B Cells in Graves disease and Hashimoto's Thyroiditis. <i>PLoS ONE</i> , <b>2015</b> , 10, e0127949	3.7	30
89	Systemic oxidative stress to nucleic acids is unaltered following radioiodine therapy of patients with benign nodular goiter. <i>European Thyroid Journal</i> , <b>2015</b> , 4, 20-5	4.2	3

88	The advent of ultrasound-guided ablation techniques in nodular thyroid disease: towards a patient-tailored approach. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 28, 601-18	6.5	49
87	Ruling in or ruling out thyroid malignancy by molecular diagnostics of thyroid nodules. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 28, 545-57	6.5	28
86	The chronic autoimmune thyroiditis quality of life selenium trial (CATALYST): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2014</b> , 15, 115	2.8	47
85	Thyroid incidentalomas: epidemiology, risk stratification with ultrasound and workup. <i>European Thyroid Journal</i> , <b>2014</b> , 3, 154-63	4.2	98
84	The impact of goitre and its treatment on the trachea, airflow, oesophagus and swallowing function. A systematic review. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 28, 481-94	6.5	31
83	Increased psychiatric morbidity before and after the diagnosis of hypothyroidism: a nationwide register study. <i>Thyroid</i> , <b>2014</b> , 24, 802-8	6.2	72
82	A Computer-Interpretable Version of the AACE, AME, ETA Medical Guidelines for Clinical Practice for the Diagnosis and Management of Thyroid Nodules. <i>Endocrine Practice</i> , <b>2014</b> , 20, 352-9	3.2	17
81	Anxiety and depression are more prevalent in patients with graves disease than in patients with nodular goitre. <i>European Thyroid Journal</i> , <b>2014</b> , 3, 173-8	4.2	22
80	Duration of thyroid dysfunction correlates with all-cause mortality. the OPENTHYRO Register Cohort. <i>PLoS ONE</i> , <b>2014</b> , 9, e110437	3.7	50
79	Confirmatory factor analysis of the thyroid-related quality of life questionnaire ThyPRO. <i>Health and Quality of Life Outcomes</i> , <b>2014</b> , 12, 126	3	32
78	The thyroid-related quality of life measure ThyPRO has good responsiveness and ability to detect relevant treatment effects. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 3708-17	5.6	82
77	Hypothyroidism is a predictor of disability pension and loss of labor market income: a Danish register-based study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 99, 3129-35	5.6	23
76	Development and implementation of PROgmatic: A clinical trial management system for pragmatic multi-centre trials, optimised for electronic data capture and patient-reported outcomes. <i>Clinical Trials</i> , <b>2014</b> , 11, 344-354	2.2	20
75	Hyperthyroidism and psychiatric morbidity: evidence from a Danish nationwide register study. <i>European Journal of Endocrinology</i> , <b>2014</b> , 170, 341-8	6.5	51
74	Diagnosis of endocrine disease: thyroid ultrasound (US) and US-assisted procedures: from the shadows into an array of applications. <i>European Journal of Endocrinology</i> , <b>2014</b> , 170, R133-46	6.5	58
73	The role of radioiodine therapy in benign nodular goitre. <i>Best Practice and Research in Clinical Endocrinology and Metabolism</i> , <b>2014</b> , 28, 619-31	6.5	14
72	Few items in the thyroid-related quality of life instrument ThyPRO exhibited differential item functioning. <i>Quality of Life Research</i> , <b>2014</b> , 23, 327-38	3.7	25
71	Selenium supplementation for patients with Graves hyperthyroidism (the GRASS trial): study protocol for a randomized controlled trial. <i>Trials</i> , <b>2013</b> , 14, 119	2.8	48

70	Clinical review: Nonsurgical, image-guided, minimally invasive therapy for thyroid nodules. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 3949-57	5.6	185
69	Interstitial laser photocoagulation (ILP) of benign cystic thyroid nodules--a prospective randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, E1213-7	5.6	40
68	Excess mortality in patients diagnosed with hypothyroidism: a nationwide cohort study of singletons and twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2013</b> , 98, 1069-75	5.6	65
67	Graves disease and toxic nodular goiter are both associated with increased mortality but differ with respect to the cause of death: a Danish population-based register study. <i>Thyroid</i> , <b>2013</b> , 23, 408-13	6.2	63
66	Type and extent of somatic morbidity before and after the diagnosis of hypothyroidism. a nationwide register study. <i>PLoS ONE</i> , <b>2013</b> , 8, e75789	3.7	56
65	Morbidity before and after the diagnosis of hyperthyroidism: a nationwide register-based study. <i>PLoS ONE</i> , <b>2013</b> , 8, e66711	3.7	79
64	Twin studies as a model for exploring the aetiology of autoimmune thyroid disease. <i>Clinical Endocrinology</i> , <b>2012</b> , 76, 457-64	3.4	111
63	Radioiodine therapy in benign thyroid diseases: effects, side effects, and factors affecting therapeutic outcome. <i>Endocrine Reviews</i> , <b>2012</b> , 33, 920-80	27.2	187
62	Detection of PAX8/PPARG and RET/PTC rearrangements is feasible in routine air-dried fine needle aspiration smears. <i>Thyroid</i> , <b>2012</b> , 22, 1025-30	6.2	49
61	Excess mortality in hyperthyroidism: the influence of preexisting comorbidity and genetic confounding: a danish nationwide register-based cohort study of twins and singletons. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 4123-9	5.6	62
60	Prestimulation with recombinant human thyrotropin (rhTSH) improves the long-term outcome of radioiodine therapy for multinodular nontoxic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2012</b> , 97, 2653-60	5.6	32
59	Risk of malignancy in thyroid incidentalomas detected by 18F-fluorodeoxyglucose positron emission tomography: a systematic review. <i>Thyroid</i> , <b>2012</b> , 22, 918-25	6.2	157
58	Is Thyroid Autoimmunity per se a Determinant of Quality of Life in Patients with Autoimmune Hypothyroidism?. <i>European Thyroid Journal</i> , <b>2012</b> , 1, 186-92	4.2	43
57	Thyroid nodule guidelines: agreement, disagreement and need for future research. <i>Nature Reviews Endocrinology</i> , <b>2011</b> , 7, 354-61	15.2	126
56	Targeted biological therapies for Graves disease and thyroid-associated ophthalmopathy. Focus on B-cell depletion with Rituximab. <i>Clinical Endocrinology</i> , <b>2011</b> , 74, 1-8	3.4	32
55	Non-surgical approach to the benign nodular goiter: new opportunities by recombinant human TSH-stimulated 131I-therapy. <i>Endocrine</i> , <b>2011</b> , 40, 344-53	4	13
54	GLP-1 and calcitonin concentration in humans: lack of evidence of calcitonin release from sequential screening in over 5000 subjects with type 2 diabetes or nondiabetic obese subjects treated with the human GLP-1 analog, liraglutide. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2011</b> , 96, 853-60	5.6	155
53	Long-term outcome following interstitial laser photocoagulation of benign cold thyroid nodules. <i>European Journal of Endocrinology</i> , <b>2011</b> , 165, 123-8	6.5	97



52	Dose-dependent acute effects of recombinant human TSH (rhTSH) on thyroid size and function: comparison of 0.1, 0.3 and 0.9 mg of rhTSH. <i>Clinical Endocrinology</i> , <b>2010</b> , 72, 411-6	3.4	28
51	American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical guidelines for clinical practice for the diagnosis and management of thyroid nodules: executive summary of recommendations. <i>Endocrine Practice</i> , <b>2010</b> , 16, 468-75	3.2	218
50	Approach to management of the patient with primary or secondary intrathoracic goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 5155-62	5.6	33
49	Validity and reliability of the novel thyroid-specific quality of life questionnaire, ThyPRO. <i>European Journal of Endocrinology</i> , <b>2010</b> , 162, 161-7	6.5	123
48	American Association of Clinical Endocrinologists, Associazione Medici Endocrinologi, and European Thyroid Association Medical Guidelines for Clinical Practice for the Diagnosis and Management of Thyroid Nodules. <i>Endocrine Practice</i> , <b>2010</b> , 16 Suppl 1, 1-43	3.2	408
47	Recombinant human thyrotropin-stimulated radioiodine therapy of nodular goiter allows major reduction of the radiation burden with retained efficacy. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2010</b> , 95, 3719-25	5.6	36
46	Optimizing remission rates using antithyroid drugs for Graves Disease. <i>Clinical Endocrinology</i> , <b>2010</b> , 72, 729-30	3.4	1
45	Time to reconsider nonsurgical therapy of benign non-toxic multinodular goitre: focus on recombinant human TSH augmented radioiodine therapy. <i>European Journal of Endocrinology</i> , <b>2009</b> , 160, 517-28	6.5	59
44	Optimizing 131I uptake after rhTSH stimulation in patients with nontoxic multinodular goiter: evidence from a prospective, randomized, double-blind study. <i>Journal of Nuclear Medicine</i> , <b>2009</b> , 50, 732-7	8.9	29
43	Treatment of Graves Hyperthyroidism: evidence-based and emerging modalities. <i>Endocrinology and Metabolism Clinics of North America</i> , <b>2009</b> , 38, 355-71, ix	5.5	56
42	The potential antigoirogenic effect of HMG-CoA reductase inhibitors (statins) in man. <i>Clinical Endocrinology</i> , <b>2008</b> , 68, 2-3	3.4	2
41	The majority of Danish nontoxic goitre patients are ineligible for Levothyroxine suppressive therapy. <i>Clinical Endocrinology</i> , <b>2008</b> , 69, 653-8	3.4	33
40	Recombinant human thyrotropin-stimulated radioiodine therapy of large nodular goiters facilitates tracheal decompression and improves inspiration. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2008</b> , 93, 3981-4	5.6	40
39	Randomized prospective study comparing a single radioiodine dose and a single laser therapy session in autonomously functioning thyroid nodules. <i>European Journal of Endocrinology</i> , <b>2007</b> , 157, 95-100	6.5	70
38	Which domains of thyroid-related quality of life are most relevant? Patients and clinicians provide complementary perspectives. <i>Thyroid</i> , <b>2007</b> , 17, 647-54	6.2	62
37	Improvement of goiter volume reduction after 0.3 mg recombinant human thyrotropin-stimulated radioiodine therapy in patients with a very large goiter: a double-blinded, randomized trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 3424-8	5.6	68
36	Can clinical and biochemical criteria augment fine-needle aspiration cytology in the diagnosis of thyroid cancer?. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , <b>2007</b> , 3, 218-9		
35	Stimulation with 0.3-mg recombinant human thyrotropin prior to iodine 131 therapy to improve the size reduction of benign nontoxic nodular goiter: a prospective randomized double-blind trial. <i>Archives of Internal Medicine</i> , <b>2006</b> , 166, 1476-82		70

34	Quality of life in patients with benign thyroid disorders. A review. <i>European Journal of Endocrinology</i> , <b>2006</b> , 154, 501-10	6.5	146
33	Transient goiter enlargement after administration of 0.3 mg of recombinant human thyrotropin in patients with benign nontoxic nodular goiter: a randomized, double-blind, crossover trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2006</b> , 91, 1317-22	5.6	43
32	The relative importance of genetic and environmental effects for the early stages of thyroid autoimmunity: a study of healthy Danish twins. <i>European Journal of Endocrinology</i> , <b>2006</b> , 154, 29-38	6.5	103
31	Radioiodine therapy in non-toxic multinodular goitre. The possibility of effect-amplification with recombinant human TSH (rhTSH). <i>Acta Oncologica</i> , <b>2006</b> , 45, 1051-8	3.2	15
30	Effect of ultrasound-guided interstitial laser photocoagulation on benign solitary solid cold thyroid nodules - a randomised study. <i>European Journal of Endocrinology</i> , <b>2005</b> , 152, 341-5	6.5	107
29	Recombinant human thyrotropin markedly changes the 131I kinetics during 131I therapy of patients with nodular goiter: an evaluation by a randomized double-blinded trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2005</b> , 90, 79-83	5.6	42
28	Genetic and environmental causes of individual differences in thyroid size: a study of healthy Danish twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 2071-7	5.6	65
27	Genome-wide linkage analysis reveals evidence for four new susceptibility loci for familial euthyroid goiter. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 4044-52	5.6	35
26	Effects of 0.9 mg recombinant human thyrotropin on thyroid size and function in normal subjects: a randomized, double-blind, cross-over trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2004</b> , 89, 2242-7	5.6	39
25	The effects of recombinant human thyrotropin, in normal subjects and patients with goitre. <i>Clinical Endocrinology</i> , <b>2004</b> , 61, 655-63	3.4	26
24	Relationship between cigarette smoking and Graves Ophthalmopathy. <i>Journal of Endocrinological Investigation</i> , <b>2004</b> , 27, 265-71	5.2	72
23	Clinical practice. The thyroid nodule. <i>New England Journal of Medicine</i> , <b>2004</b> , 351, 1764-71	59.2	1041
22	Long-term effects of radioiodine on thyroid function, size and patient satisfaction in non-toxic diffuse goitre. <i>European Journal of Endocrinology</i> , <b>2004</b> , 150, 439-45	6.5	23
21	Treatment of recurrent thyroid cysts with ethanol: a randomized double-blind controlled trial. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2003</b> , 88, 5773-7	5.6	175
20	Resumption of methimazole after 131I therapy of hyperthyroid diseases: effect on thyroid function and volume evaluated by a randomized clinical trial. <i>European Journal of Endocrinology</i> , <b>2003</b> , 149, 485-92	6.5	32
19	Management of simple nodular goiter: current status and future perspectives. <i>Endocrine Reviews</i> , <b>2003</b> , 24, 102-32	27.2	480
18	MR imaging of large multinodular goiters: observer agreement on volume versus observer disagreement on dimensions of the involved trachea. <i>American Journal of Roentgenology</i> , <b>2002</b> , 179, 259-66	5.4	23
17	Management of the nontoxic multinodular goiter: a North American survey. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2002</b> , 87, 112-7	5.6	87

16	Does radioiodine therapy have an equal effect on substernal and cervical goiter volumes? Evaluation by magnetic resonance imaging. <i>Thyroid</i> , <b>2002</b> , 12, 313-7	6.2	27
15	Evidence of diffuse atrophy of the thyroid gland in patients with anorexia nervosa. <i>International Journal of Eating Disorders</i> , <b>2001</b> , 29, 230-5	6.3	16
14	Evidence for a major role of heredity in GravesDisease: a population-based study of two Danish twin cohorts. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2001</b> , 86, 930-4	5.6	330
13	Low birth weight is not associated with clinically overt thyroid disease: a population based twin case-control study. <i>Clinical Endocrinology</i> , <b>2000</b> , 53, 171-6	3.4	25
12	Management of the nontoxic multinodular goitre: a European questionnaire study. <i>Clinical Endocrinology</i> , <b>2000</b> , 53, 5-12	3.4	78
11	Cigarette smoking and risk of clinically overt thyroid disease: a population-based twin case-control study. <i>Archives of Internal Medicine</i> , <b>2000</b> , 160, 661-6		103
10	A population-based study of chronic autoimmune hypothyroidism in Danish twins. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 536-9	5.6	155
9	Major role of genes in the etiology of simple goiter in females: a population-based twin study. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1999</b> , 84, 3071-5	5.6	57
8	Radioiodine therapy for multinodular toxic goiter. <i>Archives of Internal Medicine</i> , <b>1999</b> , 159, 1364-8		73
7	Percutaneous ethanol injection therapy in benign solitary solid cold thyroid nodules: a randomized trial comparing one injection with three injections. <i>Thyroid</i> , <b>1999</b> , 9, 225-33	6.2	71
6	Long-term effect of radioactive iodine on thyroid function and size in patients with solitary autonomously functioning toxic thyroid nodules. <i>Clinical Endocrinology</i> , <b>1999</b> , 50, 197-202	3.4	85
5	Diagnosis and treatment of the solitary thyroid nodule. Results of a European survey. <i>Clinical Endocrinology</i> , <b>1999</b> , 50, 357-63	3.4	90
4	Determination of in-utero thyroid size. <i>Clinical Endocrinology</i> , <b>1998</b> , 48, 9-10	3.4	2
3	A population-based study of GravesDisease in Danish twins. <i>Clinical Endocrinology</i> , <b>1998</b> , 48, 397-400	3.4	103
2	Acute changes in thyroid volume and function following 131I therapy of multinodular goitre. <i>Clinical Endocrinology</i> , <b>1994</b> , 41, 715-8	3.4	54
1	Ethanol injection into autonomous thyroid adenomas. <i>Clinical Endocrinology</i> , <b>1993</b> , 38, 439-40	3.4	1