List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7034089/publications.pdf Version: 2024-02-01



H FELLY FISCHED

#	Article	IF	CITATIONS
1	Subcortical brain alterations in major depressive disorder: findings from the ENIGMA Major Depressive Disorder working group. Molecular Psychiatry, 2016, 21, 806-812.	4.1	850
2	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression. JAMA - Journal of the American Medical Association, 2020, 323, 2290.	3.8	242
3	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. Psychological Medicine, 2020, 50, 1368-1380.	2.7	175
4	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. Journal of Clinical Epidemiology, 2014, 67, 73-86.	2.4	138
5	High prevalence but limited evidence in complementary and alternative medicine: guidelines for future research. BMC Complementary and Alternative Medicine, 2014, 14, 46.	3.7	113
6	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. Journal of Clinical Epidemiology, 2020, 122, 115-128.e1.	2.4	113
7	Validation of patient health questionnaire (PHQ) for major depression in Chinese outpatients with multiple somatic symptoms: A multicenter cross-sectional study. Journal of Affective Disorders, 2015, 174, 636-643.	2.0	78
8	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. Psychotherapy and Psychosomatics, 2020, 89, 25-37.	4.0	67
9	Measurement invariance and general population reference values of the PROMIS Profile 29 in the UK, France, and Germany. Quality of Life Research, 2018, 27, 999-1014.	1.5	58
10	A Common Metric for Self-Reported Severity of Personality Disorder. Psychopathology, 2020, 53, 168-178.	1.1	56
11	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. British Journal of Psychiatry, 2018, 212, 377-385.	1.7	53
12	A Research Roadmap for Complementary and Alternative Medicine - What We Need to Know by 2020. Research in Complementary Medicine, 2014, 21, 6-6.	2.2	45
13	An integrative model of developing tinnitus based on recent neurobiological findings. Medical Hypotheses, 2006, 66, 592-600.	0.8	34
14	How to compare scores from different depression scales: equating the Patient Health Questionnaire (PHQ) and the ICDâ€10â€5ymptom Rating (ISR) using Item Response Theory. International Journal of Methods in Psychiatric Research, 2011, 20, 203-214.	1.1	33
15	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale – Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. Journal of Psychosomatic Research, 2020, 129, 109892.	1.2	33
16	Mindful Walking in Psychologically Distressed Individuals: A Randomized Controlled Trial. Evidence-based Complementary and Alternative Medicine, 2013, 2013, 1-7.	0.5	32
17	Addressing Unmet Information Needs: Results of a Clinician-Led Consultation Service About Complementary and Alternative Medicine for Cancer Patients and Their Relatives. Integrative Cancer Therapies, 2018, 17, 1172-1182.	0.8	29
18	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. Frontiers in Psychiatry, 2018, 9, 240.	1.3	29

#	Article	IF	CITATIONS
19	A consultation training program for physicians for communication about complementary medicine with breast cancer patients: a prospective, multi-center, cluster-randomized, mixed-method pilot study. BMC Cancer, 2016, 16, 843.	1.1	28
20	Screening for mental disorders in heart failure patients using computer-adaptive tests. Quality of Life Research, 2014, 23, 1609-1618.	1.5	27
21	Scoring Depression on a Common Metric: A Comparison of EAP Estimation, Plausible Value Imputation, and Full Bayesian IRT Modeling. Multivariate Behavioral Research, 2019, 54, 85-99.	1.8	26
22	Computerized Adaptive Testing—Ready for Ambulatory Monitoring?. Psychosomatic Medicine, 2012, 74, 338-348.	1.3	25
23	A Modified Version of the Transactional Stress Concept According to Lazarus and Folkman Was Confirmed in a Psychosomatic Inpatient Sample. Frontiers in Psychology, 2021, 12, 584333.	1.1	25
24	Evaluation of Quality Indicators of Integrated Care in a Regional Psychiatry Budget – A Pre-Post Comparison by Secondary Data Analysis. International Journal of Integrated Care, 2016, 16, 17.	0.1	24
25	Key Issues in Clinical and Epidemiological Research in Complementary and Alternative Medicine – a Systematic Literature Review. Research in Complementary Medicine, 2012, 19, 51-60.	2.2	22
26	Effect of time and duration of untreated psychosis on cognitive and social functioning in Chinese patients with first-episode schizophrenia: A 1-year study. Nordic Journal of Psychiatry, 2015, 69, 254-261.	0.7	21
27	An initial psychometric evaluation of the German PROMIS v1.2 Physical Function item bank in patients with a wide range of health conditions. Clinical Rehabilitation, 2018, 32, 84-93.	1.0	20
28	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. Journal of Psychosomatic Research, 2020, 139, 110256.	1.2	19
29	Outcomes and outcome measures used in evaluation of communication training in oncology – a systematic literature review, an expert workshop, and recommendations for future research. BMC Cancer, 2019, 19, 808.	1.1	18
30	The Novel 10-Item Asthma Prediction Tool: External Validation in the German MAS Birth Cohort. PLoS ONE, 2014, 9, e115852.	1.1	17
31	www.common-metrics.org: a web application to estimate scores from different patient-reported outcome measures on a common scale. BMC Medical Research Methodology, 2016, 16, 142.	1.4	17
32	Using Patient Health Questionnaire-9 item parameters of a common metric resulted in similar depression scores compared to independent item response theory model reestimation. Journal of Clinical Epidemiology, 2016, 71, 25-34.	2.4	17
33	Exact replication: Foundation of science or game of chance?. PLoS Biology, 2019, 17, e3000188.	2.6	17
34	Languageâ€related differential item functioning between English and German PROMIS Depression items is negligible. International Journal of Methods in Psychiatric Research, 2017, 26, .	1.1	14
35	Measuring fatigue in cancer patients: a common metric for six fatigue instruments. Quality of Life Research, 2019, 28, 1615-1626.	1.5	13
36	Evaluation of a blended-learning training concept to train oncology physicians to advise their patients about complementary and integrative medicine (KOKON-KTO): study protocol for a prospective, multi-center, cluster-randomized trial. Trials, 2019, 20, 90.	0.7	12

#	Article	IF	CITATIONS
37	Varying the item format improved the range of measurement in patient-reported outcome measures assessing physical function. Arthritis Research and Therapy, 2017, 19, 66.	1.6	11
38	PRO B: evaluating the effect of an alarm-based patient-reported outcome monitoring compared with usual care in metastatic breast cancer patients—study protocol for a randomised controlled trial. Trials, 2021, 22, 666.	0.7	11
39	Real-world reference scores for EORTC QLQ-C30 and EORTC QLQ-BR23 in early breast cancer patients. European Journal of Cancer, 2022, 163, 128-139.	1.3	11
40	On the validity of measuring change over time in routine clinical assessment: a close examination of item-level response shifts in psychosomatic inpatients. Quality of Life Research, 2016, 25, 1339-1347.	1.5	10
41	Frequency and clinical relevance of potential cytochrome P450 drug interactions in a psychiatric patient population – an analysis based on German insurance claims data. BMC Health Services Research, 2016, 16, 482.	0.9	10
42	Incomplete total body protein recovery in adolescent patients with anorexia nervosa. American Journal of Clinical Nutrition, 2018, 107, 303-312.	2.2	10
43	<p>A Step Towards a Better Understanding of Pain Phenotypes: Latent Class Analysis in Chronic Pain Patients Receiving Multimodal Inpatient Treatment</p> . Journal of Pain Research, 2020, Volume 13, 1023-1038.	0.8	10
44	Reviving the Clinician Scientist: A Best Practice Model. Psychotherapy and Psychosomatics, 2019, 88, 114-115.	4.0	9
45	Comparison of different scoring methods based on latent variable models of the PHQ-9: an individual participant data meta-analysis. Psychological Medicine, 2022, 52, 3472-3483.	2.7	9
46	Predicting EQ-5D-5L crosswalk from the PROMIS-29 profile for the United Kingdom, France, and Germany. Health and Quality of Life Outcomes, 2020, 18, 389.	1.0	9
47	Pregnancy in Multiple Sclerosis: A Questionnaire Study. PLoS ONE, 2014, 9, e99106.	1.1	9
48	Impact of Cross-Calibration Methods on the Interpretation of a Treatment Comparison Study Using 2 Depression Scales. Medical Care, 2012, 50, 320-326.	1.1	8
49	Illness Perception of Patients with Functional Gastrointestinal Disorders. Frontiers in Psychiatry, 2018, 9, 122.	1.3	8
50	Comparison of the PROMIS Preference Score (PROPr) and EQ-5D-5L Index Value in General Population Samples in the United Kingdom, France, and Germany. Value in Health, 2022, 25, 824-834.	0.1	8
51	Complementary medicine in nursing homes - results of a mixed methods pilot study. BMC Complementary and Alternative Medicine, 2014, 14, 443.	3.7	7
52	A 67-item stress resilience item bank showing high content validity wasÂdeveloped in a psychosomatic sample. Journal of Clinical Epidemiology, 2018, 100, 1-12.	2.4	7
53	Development and Factorial Validation of a Short Version of the Narcissism Inventory (NI-20). Psychopathology, 2010, 43, 150-158.	1.1	5
54	Peripheral injected cholecystokinin-8S modulates the concentration of serotonin in nerve fibers of the rat brainstem. Peptides, 2014, 59, 25-33.	1.2	5

#	Article	IF	CITATIONS
55	Applying Item Response Theory to the OPD Structure Questionnaire: Identification of a Unidimensional Core Construct and Feasibility of Computer Adaptive Testing. Journal of Personality Assessment, 2021, 103, 645-658.	1.3	5
56	Using subdomain-specific item sets affected PROMIS physical function scores differently in cardiology and rheumatology patients. Journal of Clinical Epidemiology, 2020, 127, 151-160.	2.4	5
57	Trajectories of Health-Related Quality of Life and HbA1c Values of Children and Adolescents With Diabetes Mellitus Type 1 Over 6 Months: A Longitudinal Observational Study. Frontiers in Pediatrics, 2019, 7, 566.	0.9	5
58	The Effect of Attending Steiner Schools during Childhood on Health in Adulthood: A Multicentre Cross-Sectional Study. PLoS ONE, 2013, 8, e73135.	1.1	3
59	More flexible response functions for the PROMIS physical functioning item bank by application of a monotonic polynomial approach. Quality of Life Research, 2021, , 1.	1.5	3
60	External validation of a shortened screening tool using individual participant data meta-analysis: A case study of the Patient Health Questionnaire-Dep-4. Methods, 2022, 204, 300-311.	1.9	3
61	Course of self-reported symptoms of 342 outpatients receiving medium- versus long-term psychodynamic psychotherapy. BioPsychoSocial Medicine, 2016, 10, 23.	0.9	2
62	Complementary and Integrative Medicine in Nursing Homes: Results of a Cross-Sectional Study in Residents and Caregivers. Complementary Medicine Research, 2019, 26, 310-321.	0.5	2
63	Using Bayes theorem to estimate positive and negative predictive values for continuously and ordinally scaled diagnostic tests. International Journal of Methods in Psychiatric Research, 2021, 30, e1868.	1.1	2
64	PHQ-8 scores and estimation of depression prevalence. Lancet Public Health, The, 2021, 6, e793.	4.7	2
65	Short-term UVB irradiation significantly increases vitamin D serum concentration in obese patients: a clinical pilot study. Endocrine, 2017, 56, 186-195	1.1	1