

H Felix Fischer

List of Publications by Citations

Source: <https://exaly.com/author-pdf/7034089/h-felix-fischer-publications-by-citations.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65
papers

1,708
citations

19
h-index

40
g-index

76
ext. papers

2,336
ext. citations

4.5
avg, IF

4.22
L-index

#	Paper	IF	Citations
65	Subcortical brain alterations in major depressive disorder: findings from the ENIGMA Major Depressive Disorder working group. <i>Molecular Psychiatry</i> , 2016 , 21, 806-12	15.1	589
64	Standardization of depression measurement: a common metric was developed for 11 self-report depression measures. <i>Journal of Clinical Epidemiology</i> , 2014 , 67, 73-86	5.7	102
63	Accuracy of the PHQ-2 Alone and in Combination With the PHQ-9 for Screening to Detect Major Depression: Systematic Review and Meta-analysis. <i>JAMA - Journal of the American Medical Association</i> , 2020 , 323, 2290-2300	27.4	86
62	High prevalence but limited evidence in complementary and alternative medicine: guidelines for future research. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 46	4.7	84
61	Equivalency of the diagnostic accuracy of the PHQ-8 and PHQ-9: a systematic review and individual participant data meta-analysis. <i>Psychological Medicine</i> , 2020 , 50, 1368-1380	6.9	65
60	Patient Health Questionnaire-9 scores do not accurately estimate depression prevalence: individual participant data meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2020 , 122, 115-128.e1	5.7	58
59	Validation of patient health questionnaire (PHQ) for major depression in Chinese outpatients with multiple somatic symptoms: a multicenter cross-sectional study. <i>Journal of Affective Disorders</i> , 2015 , 174, 636-43	6.6	43
58	The Accuracy of the Patient Health Questionnaire-9 Algorithm for Screening to Detect Major Depression: An Individual Participant Data Meta-Analysis. <i>Psychotherapy and Psychosomatics</i> , 2020 , 89, 25-37	9.4	42
57	Probability of major depression diagnostic classification using semi-structured versus fully structured diagnostic interviews. <i>British Journal of Psychiatry</i> , 2018 , 212, 377-385	5.4	36
56	Measurement invariance and general population reference values of the PROMIS Profile 29 in the UK, France, and Germany. <i>Quality of Life Research</i> , 2018 , 27, 999-1014	3.7	33
55	How to compare scores from different depression scales: equating the Patient Health Questionnaire (PHQ) and the ICD-10-Symptom Rating (ISR) using Item Response Theory. <i>International Journal of Methods in Psychiatric Research</i> , 2011 , 20, 203-14	4.3	28
54	[A research roadmap for complementary and alternative medicine - what we need to know by 2020]. <i>Research in Complementary Medicine</i> , 2014 , 21, e1-16		26
53	An integrative model of developing tinnitus based on recent neurobiological findings. <i>Medical Hypotheses</i> , 2006 , 66, 592-600	3.8	23
52	A consultation training program for physicians for communication about complementary medicine with breast cancer patients: a prospective, multi-center, cluster-randomized, mixed-method pilot study. <i>BMC Cancer</i> , 2016 , 16, 843	4.8	22
51	Probability of major depression diagnostic classification based on the SCID, CIDI and MINI diagnostic interviews controlling for Hospital Anxiety and Depression Scale - Depression subscale scores: An individual participant data meta-analysis of 73 primary studies. <i>Journal of Psychosomatic Research</i> , 2020 , 122, 109888	4.1	22
50	Screening for mental disorders in heart failure patients using computer-adaptive tests. <i>Quality of Life Research</i> , 2014 , 23, 1609-18	3.7	21
49	Key issues in clinical and epidemiological research in complementary and alternative medicine--a systematic literature review. <i>Research in Complementary Medicine</i> , 2012 , 19 Suppl 2, 51-60		20

48	Mindful walking in psychologically distressed individuals: a randomized controlled trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2013 , 2013, 489856	2.3	19
47	A Common Metric for Self-Reported Severity of Personality Disorder. <i>Psychopathology</i> , 2020 , 53, 168-178	3.4	19
46	Effect of time and duration of untreated psychosis on cognitive and social functioning in Chinese patients with first-episode schizophrenia: A 1-year study. <i>Nordic Journal of Psychiatry</i> , 2015 , 69, 254-61	2.3	17
45	Comparison of the Factor Structure of the Patient Health Questionnaire for Somatic Symptoms (PHQ-15) in Germany, the Netherlands, and China. A Transcultural Structural Equation Modeling (SEM) Study. <i>Frontiers in Psychiatry</i> , 2018 , 9, 240	5	17
44	Addressing Unmet Information Needs: Results of a Clinician-Led Consultation Service About Complementary and Alternative Medicine for Cancer Patients and Their Relatives. <i>Integrative Cancer Therapies</i> , 2018 , 17, 1172-1182	3	16
43	Using Patient Health Questionnaire-9 item parameters of a common metric resulted in similar depression scores compared to independent item response theory model reestimation. <i>Journal of Clinical Epidemiology</i> , 2016 , 71, 25-34	5.7	15
42	Computerized adaptive testing--ready for ambulatory monitoring?. <i>Psychosomatic Medicine</i> , 2012 , 74, 338-48	3.7	15
41	Evaluation of Quality Indicators of Integrated Care in a Regional Psychiatry Budget - A Pre-Post Comparison by Secondary Data Analysis. <i>International Journal of Integrated Care</i> , 2016 , 16, 17	2	15
40	The novel 10-item asthma prediction tool: external validation in the German MAS birth cohort. <i>PLoS ONE</i> , 2014 , 9, e115852	3.7	14
39	An initial psychometric evaluation of the German PROMIS v1.2 Physical Function item bank in patients with a wide range of health conditions. <i>Clinical Rehabilitation</i> , 2018 , 32, 84-93	3.3	13
38	Exact replication: Foundation of science or game of chance?. <i>PLoS Biology</i> , 2019 , 17, e3000188	9.7	12
37	www.common-metrics.org: a web application to estimate scores from different patient-reported outcome measures on a common scale. <i>BMC Medical Research Methodology</i> , 2016 , 16, 142	4.7	11
36	Language-related differential item functioning between English and German PROMIS Depression items is negligible. <i>International Journal of Methods in Psychiatric Research</i> , 2017 , 26,	4.3	10
35	Varying the item format improved the range of measurement in patient-reported outcome measures assessing physical function. <i>Arthritis Research and Therapy</i> , 2017 , 19, 66	5.7	9
34	Evaluation of a blended-learning training concept to train oncology physicians to advise their patients about complementary and integrative medicine (KOKON-KTO): study protocol for a prospective, multi-center, cluster-randomized trial. <i>Trials</i> , 2019 , 20, 90	2.8	9
33	Scoring Depression on a Common Metric: A Comparison of EAP Estimation, Plausible Value Imputation, and Full Bayesian IRT Modeling. <i>Multivariate Behavioral Research</i> , 2019 , 54, 85-99	2.3	9
32	Outcomes and outcome measures used in evaluation of communication training in oncology - a systematic literature review, an expert workshop, and recommendations for future research. <i>BMC Cancer</i> , 2019 , 19, 808	4.8	8
31	Incomplete total body protein recovery in adolescent patients with anorexia nervosa. <i>American Journal of Clinical Nutrition</i> , 2018 , 107, 303-312	7	7

30	On the validity of measuring change over time in routine clinical assessment: a close examination of item-level response shifts in psychosomatic inpatients. <i>Quality of Life Research</i> , 2016 , 25, 1339-47	3.7	7
29	Frequency and clinical relevance of potential cytochrome P450 drug interactions in a psychiatric patient population - an analysis based on German insurance claims data. <i>BMC Health Services Research</i> , 2016 , 16, 482	2.9	7
28	Complementary medicine in nursing homes--results of a mixed methods pilot study. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 443	4.7	7
27	Impact of cross-calibration methods on the interpretation of a treatment comparison study using 2 depression scales. <i>Medical Care</i> , 2012 , 50, 320-6	3.1	7
26	A 67-item stress resilience item bank showing high content validity was developed in a psychosomatic sample. <i>Journal of Clinical Epidemiology</i> , 2018 , 100, 1-12	5.7	6
25	Pregnancy in multiple sclerosis: a questionnaire study. <i>PLoS ONE</i> , 2014 , 9, e99106	3.7	6
24	Peripheral injected cholecystokinin-8S modulates the concentration of serotonin in nerve fibers of the rat brainstem. <i>Peptides</i> , 2014 , 59, 25-33	3.8	5
23	Development and factorial validation of a short version of the narcissism inventory (NI-20). <i>Psychopathology</i> , 2010 , 43, 150-8	3.4	5
22	Measuring fatigue in cancer patients: a common metric for six fatigue instruments. <i>Quality of Life Research</i> , 2019 , 28, 1615-1626	3.7	5
21	Depression prevalence using the HADS-D compared to SCID major depression classification: An individual participant data meta-analysis. <i>Journal of Psychosomatic Research</i> , 2020 , 139, 110256	4.1	4
20	A Modified Version of the Transactional Stress Concept According to Lazarus and Folkman Was Confirmed in a Psychosomatic Inpatient Sample. <i>Frontiers in Psychology</i> , 2021 , 12, 584333	3.4	4
19	Comparison of different scoring methods based on latent variable models of the PHQ-9: an individual participant data meta-analysis. <i>Psychological Medicine</i> , 2021 , 1-12	6.9	4
18	A Step Towards a Better Understanding of Pain Phenotypes: Latent Class Analysis in Chronic Pain Patients Receiving Multimodal Inpatient Treatment. <i>Journal of Pain Research</i> , 2020 , 13, 1023-1038	2.9	3
17	Trajectories of Health-Related Quality of Life and HbA1c Values of Children and Adolescents With Diabetes Mellitus Type 1 Over 6 Months: A Longitudinal Observational Study. <i>Frontiers in Pediatrics</i> , 2019 , 7, 566	3.4	3
16	The effect of attending steiner schools during childhood on health in adulthood: a multicentre cross-sectional study. <i>PLoS ONE</i> , 2013 , 8, e73135	3.7	3
15	Predicting EQ-5D-5L crosswalk from the PROMIS-29 profile for the United Kingdom, France, and Germany. <i>Health and Quality of Life Outcomes</i> , 2020 , 18, 389	3	3
14	Illness Perception of Patients with Functional Gastrointestinal Disorders. <i>Frontiers in Psychiatry</i> , 2018 , 9, 122	5	2
13	Real-world reference scores for EORTC QLQ-C30 and EORTC QLQ-BR23 in early breast cancer patients.. <i>European Journal of Cancer</i> , 2022 , 163, 128-139	7.5	2

12	More flexible response functions for the PROMIS physical functioning item bank by application of a monotonic polynomial approach. <i>Quality of Life Research</i> , 2021 , 1	3.7	2
11	Empowering Early Career Researchers to Improve Science		2
10	Reviving the Clinician Scientist: A Best Practice Model. <i>Psychotherapy and Psychosomatics</i> , 2019 , 88, 114-115	4.15	2
9	PRO B: evaluating the effect of an alarm-based patient-reported outcome monitoring compared with usual care in metastatic breast cancer patients-study protocol for a randomised controlled trial. <i>Trials</i> , 2021 , 22, 666	2.8	2
8	Complementary and Integrative Medicine in Nursing Homes: Results of a Cross-Sectional Study in Residents and Caregivers. <i>Complementary Medicine Research</i> , 2019 , 26, 310-321	1.3	1
7	Using subdomain-specific item sets affected PROMIS physical function scores differently in cardiology and rheumatology patients. <i>Journal of Clinical Epidemiology</i> , 2020 , 127, 151-160	5.7	1
6	Course of self-reported symptoms of 342 outpatients receiving medium- versus long-term psychodynamic psychotherapy. <i>BioPsychoSocial Medicine</i> , 2016 , 10, 23	2.8	1
5	Using Bayes theorem to estimate positive and negative predictive values for continuously and ordinaly scaled diagnostic tests. <i>International Journal of Methods in Psychiatric Research</i> , 2021 , 30, e1868	4.3	1
4	Short-term UVB irradiation significantly increases vitamin D serum concentration in obese patients: a clinical pilot study. <i>Endocrine</i> , 2017 , 56, 186-195	4	0
3	Applying Item Response Theory to the OPD Structure Questionnaire: Identification of a Unidimensional Core Construct and Feasibility of Computer Adaptive Testing. <i>Journal of Personality Assessment</i> , 2021 , 103, 645-658	2.8	0
2	Comparison of the PROMIS Preference Score (PROPr) and EQ-5D-5L Index Value in General Population Samples in the United Kingdom, France, and Germany.. <i>Value in Health</i> , 2022 , 25, 824-834	3.3	0
1	PHQ-8 scores and estimation of depression prevalence. <i>Lancet Public Health, The</i> , 2021 , 6, e793	22.4	