
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/7034198/publications.pdf Version: 2024-02-01



TAE-LOONG KIM

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Effect of Waiting Time from Pathological Diagnosis to Definitive Concurrent Chemoradiation for Cervical Cancer on Overall Survival. Cancer Research and Treatment, 2022, 54, 245-252. | 1.3 | 5 |
| 2 | Utility of 3T MRI in Women with IB1 Cervical Cancer in Determining the Necessity of Less Invasive Surgery. Cancers, 2022, 14, 224. | 1.7 | 3 |
| 3 | Impact of no residual disease on postoperative computed tomography on survival in patients with optimally debulked advanced high-grade serous ovarian cancer during upfront surgery. Gynecologic Oncology, 2022, , . | 0.6 | 2 |
| 4 | Clinical outcome of pulmonary lymphangitic carcinomatosis in gynecologic malignancy: A single-institution experience. Taiwanese Journal of Obstetrics and Gynecology, 2022, 61, 333-338. | 0.5 | 3 |
| 5 | Prognostic Significance of HER3 Expression in Patients with Cervical Cancer. Cancers, 2022, 14, 2139. | 1.7 | 3 |
| 6 | Comparison of Surgical Outcomes of Hysterectomy by Vaginal Natural Orifice Transluminal Endoscopic Surgery (vNOTES) versus Single-Port Access (SPA) Surgery. Journal of Personalized Medicine, 2022, 12, 875. | 1.1 | 8 |
| 7 | Significance of serum CA125 level in surgically resected cervical adenocarcinoma with adverse features. Journal of Gynecologic Oncology, 2021, 32, e72. | 1.0 | 3 |
| 8 | Minimally-Invasive Versus Abdominal Hysterectomy for Endometrial Carcinoma With Glandular or Stromal Invasion of Cervix. Frontiers in Oncology, 2021, 11, 670214. | 1.3 | 2 |
| 9 | Minimally invasive surgical staging for early stage ovarian cancer: A long-term follow up. European Journal of Surgical Oncology, 2021, 47, 1698-1704. | 0.5 | 24 |
| 10 | Single-port access (SPA) laparoscopic myomectomy with uterine artery ligation via a retroperitoneal approach is feasible in women with large uterine leiomyoma. Taiwanese Journal of Obstetrics and Gynecology, 2021, 60, 752-757. | 0.5 | 1 |
| 11 | Early Metabolic Response Assessed Using 18F-FDC-PET/CT for Image-Guided Intracavitary Brachytherapy Can Better Predict Treatment Outcomes in Patients with Cervical Cancer. Cancer Research and Treatment, 2021, 53, 803-812. | 1.3 | 2 |
| 12 | Validation of Potential Protein Markers Predicting Chemoradioresistance in Early Cervical Cancer by Immunohistochemistry. Frontiers in Oncology, 2021, 11, 665595. | 1.3 | 2 |
| 13 | Useful MRI Findings for Minimally Invasive Surgery for Early Cervical Cancer. Cancers, 2021, 13, 4078. | 1.7 | 7 |
| 14 | The prevention of postoperative port-site adhesion following single-port access (SPA) laparoscopic surgeries. Medicine (United States), 2021, 100, e27441. | 0.4 | 0 |
| 15 | Prognostic Relevance of BRCA1 Expression in Survival of Patients With Cervical Cancer. Frontiers in Oncology, 2021, 11, 770103. | 1.3 | 2 |
| 16 | Feasibility of Single-Port Access (SPA) Laparoscopy for Large Ovarian Tumor Suspected to Be Borderline Ovarian Tumor. Frontiers in Oncology, 2020, 10, 583515. | 1.3 | 4 |
| 17 | Validation of IOTA-ADNEX Model in Discriminating Characteristics of Adnexal Masses: A Comparison with Subjective Assessment. Journal of Clinical Medicine, 2020, 9, 2010. | 1.0 | 20 |
| 18 | Prognostic Significance of Tumor Regression Rate during Concurrent Chemoradiotherapy in Locally Advanced Cervix Cancer: Analysis by Radiation Phase and Histologic Type. Journal of Clinical Medicine, 2020, 9, 3471. | 1.0 | 8 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Incisional hernia after 2498 single-port access (SPA) gynecologic surgery over a 10-year period. Scientific Reports, 2020, 10, 17388. | 1.6 | 12 |
| 20 | Preclinical assessment of the VEGFR inhibitor axitinib as a therapeutic agent for epithelial ovarian cancer. Scientific Reports, 2020, 10, 4904. | 1.6 | 10 |
| 21 | Uterine artery ligation at its origin following retroperitoneal space development decreases blood loss during single-port total laparoscopic hysterectomy. Taiwanese Journal of Obstetrics and Gynecology, 2020, 59, 262-268. | 0.5 | 2 |
| 22 | Triplet chemotherapy vs doublet chemotherapy plus bevacizumab in metastatic, recurrent, and persistent cervical cancer. Current Problems in Cancer, 2020, 44, 100557. | 1.0 | 5 |
| 23 | Comparison of Laparoscopy and Laparotomy for Para-Aortic Lymphadenectomy in Women With Presumed Stage l–II High-Risk Endometrial Cancer. Frontiers in Oncology, 2020, 10, 451. | 1.3 | 4 |
| 24 | Identification of Candidate Genes Associated with Susceptibility to Ovarian Clear Cell Adenocarcinoma Using cis-eQTL Analysis. Journal of Clinical Medicine, 2020, 9, 1137. | 1.0 | 2 |
| 25 | Hysterectomy and Adnexal Procedures by Vaginal Natural Orifice Transluminal Endoscopic Surgery (VNH): Initial Findings From a Korean Surgeon. Frontiers in Medicine, 2020, 7, 583147. | 1.2 | 5 |
| 26 | Long-term outcomes of single-port laparoscopic myomectomy using a modified suture technique. Obstetrics and Gynecology Science, 2020, 63, 164-172. | 0.6 | 5 |
| 27 | Epithelial ovarian cancer: a review of preoperative imaging features indicating suboptimal surgery. Journal of Gynecologic Oncology, 2020, 31, e57. | 1.0 | 3 |
| 28 | Asian Society for Gynecologic Robotic Surgery consensus guidelines on robotic surgery in gynecological cancer. Gynecologic Robotic Surgery, 2020, 1, 2-13. | 0.4 | 2 |
| 29 | Combination of a pulmonary recruitment maneuver and intraperitoneal bupivacaine for the reduction of postoperative shoulder pain in gynecologic laparoscopy: a randomized, controlled trial. Obstetrics and Gynecology Science, 2020, 63, 187-194. | 0.6 | 6 |
| 30 | Anti-Tumor Effects of Wee1 Kinase Inhibitor with Radiotherapy in Human Cervical Cancer. Scientific Reports, 2019, 9, 15394. | 1.6 | 27 |
| 31 | Optimal cutoff age for predicting prognosis associated with serous epithelial ovarian cancer: what is the best age cutoff?. Journal of Gynecologic Oncology, 2019, 30, e11. | 1.0 | 8 |
| 32 | Prognostic factors for recurrence and survival in uterine leiomyosarcoma: Korean single center experience with 50 cases. Obstetrics and Gynecology Science, 2019, 62, 103. | 0.6 | 5 |
| 33 | Prediction of survival outcomes in patients with epithelial ovarian cancer using machine learning methods. Journal of Gynecologic Oncology, 2019, 30, e65. | 1.0 | 38 |
| 34 | Pharmacogenomic analysis of patient-derived tumor cells in gynecologic cancers. Genome Biology, 2019, 20, 253. | 3.8 | 16 |
| 35 | Comparison between laparoendoscopic single-site and conventional laparoscopic surgery in mature cystic teratoma of the ovary. Gynecology and Minimally Invasive Therapy, 2019, 8, 155. | 0.2 | 10 |
| 36 | Prevalence and oncologic outcomes of <i>BRCA1/2</i> mutation and variant of unknown significance in epithelial ovarian carcinoma patients in Korea. Obstetrics and Gynecology Science, 2019, 62, 411. | 0.6 | 7 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Genomic Network-Based Analysis Reveals Pancreatic Adenocarcinoma Up-Regulating Factor-Related Prognostic Markers in Cervical Carcinoma. Frontiers in Oncology, 2018, 8, 465. | 1.3 | 6 |
| 38 | Retrospective study of combination chemotherapy with etoposide and ifosfamide in patients with heavily pretreated recurrent or persistent epithelial ovarian cancer. Obstetrics and Gynecology Science, 2018, 61, 352. | 0.6 | 4 |
| 39 | Prognostic significance of normal-sized ovary in advanced serous epithelial ovarian cancer. Journal of Gynecologic Oncology, 2018, 29, e13. | 1.0 | 9 |
| 40 | The role of appendectomy in patients with mucinous borderline ovarian tumors. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 229, 112-116. | 0.5 | 10 |
| 41 | Primary malignant melanoma of the uterine cervix treated with pembrolizumab after radical surgery: a case report and literature review. Obstetrics and Gynecology Science, 2018, 61, 524. | 0.6 | 9 |
| 42 | Clinical outcomes of patients with clear cell and endometrioid ovarian cancer arising from endometriosis. Journal of Gynecologic Oncology, 2018, 29, e18. | 1.0 | 29 |
| 43 | Molecular Signature for Lymphatic Invasion Associated with Survival of Epithelial Ovarian Cancer. Cancer Research and Treatment, 2018, 50, 461-473. | 1.3 | 3 |
| 44 | Preservation of the endometrial enhancement after magnetic resonance imaging-guided high-intensity focused ultrasound ablation of submucosal uterine fibroids. European Radiology, 2017, 27, 3956-3965. | 2.3 | 16 |
| 45 | Minimally invasive compared with open surgery in patients with borderline ovarian tumors. Gynecologic Oncology, 2017, 145, 508-512. | 0.6 | 21 |
| 46 | Practice Patterns of Hereditary Ovarian Cancer Management in Korea. International Journal of Gynecological Cancer, 2017, 27, 895-899. | 1.2 | 10 |
| 47 | Effective thermal destruction of residual tubal epithelium using an advanced sealing device in opportunistic salpingectomy: A randomized trial. Gynecology and Minimally Invasive Therapy, 2017, 6, 108-112. | 0.2 | 0 |
| 48 | The anti-cancer effects of itraconazole in epithelial ovarian cancer. Scientific Reports, 2017, 7, 6552. | 1.6 | 37 |
| 49 | Perioperative administration of propranolol to women undergoing ovarian cancer surgery: A pilot study. Obstetrics and Gynecology Science, 2017, 60, 170. | 0.6 | 33 |
| 50 | Laparoendoscopic single-site radical hysterectomy for early stage cervical cancer. Obstetrics and Gynecology Science, 2017, 60, 110. | 0.6 | 3 |
| 51 | Extrauterine epithelioid trophoblastic tumor in hysterectomized woman. Obstetrics and Gynecology Science, 2017, 60, 124. | 0.6 | 18 |
| 52 | Catamenial hemoptysis accompanied by subcutaneous endometriosis treated with combination therapy. Obstetrics and Gynecology Science, 2017, 60, 236. | 0.6 | 2 |
| 53 | Proton Pump Inhibition Enhances the Cytotoxicity of Paclitaxel in Cervical Cancer. Cancer Research and Treatment, 2017, 49, 595-606. | 1.3 | 24 |
| 54 | Nomograms Predicting Platinum Sensitivity, Progression-Free Survival, and Overall Survival Using Pretreatment Complete Blood Cell Counts in Epithelial Ovarian Cancer. Cancer Research and Treatment, 2017, 49, 635-642. | 1.3 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Patient-Derived Xenograft Models of Epithelial Ovarian Cancer for Preclinical Studies. Cancer Research and Treatment, 2017, 49, 915-926. | 1.3 | 58 |
| 56 | Development and Validation of the Korean Version of Hand-Foot Skin Reaction and Quality of Life Questionnaire (HF-QoL-K). Journal of Korean Medical Science, 2016, 31, 1969. | 1.1 | 4 |
| 57 | Time-lapse imaging of sentinel lymph node using indocyanine green with near-infrared fluorescence imaging in early endometrial cancer. Journal of Gynecologic Oncology, 2016, 27, e27. | 1.0 | 11 |
| 58 | Position statements on genetic test for peritoneal, ovarian, and fallopian tubal cancers: Korean Society of Gynecologic Oncology (KSGO). Journal of Gynecologic Oncology, 2016, 27, e36. | 1.0 | 15 |
| 59 | Comparison of survival outcomes after recurrence detected by cancer antigen 125 elevation versus imaging study in epithelial ovarian cancer. Journal of Gynecologic Oncology, 2016, 27, e46. | 1.0 | 9 |
| 60 | Retroperitoneal Approach in Single-Port Laparoscopic Hysterectomy. Journal of the Society of Laparoendoscopic Surgeons, 2016, 20, e2016.00001. | 0.5 | 4 |
| 61 | Outcomes of laparoscopic fertility-sparing surgery in clinically early-stage epithelial ovarian cancer. Journal of Gynecologic Oncology, 2016, 27, e20. | 1.0 | 17 |
| 62 | Feasibility of laparoscopic cytoreduction in patients with localized recurrent epithelial ovarian cancer. Journal of Gynecologic Oncology, 2016, 27, e24. | 1.0 | 6 |
| 63 | Survival impact based on the thoroughness of pelvic lymphadenectomy in intermediate- or high-risk groups of endometrioid-type endometrial cancer: A multi-center retrospective cohort analysis. Gynecologic Oncology, 2016, 141, 440-446. | 0.6 | 23 |
| 64 | Impact of lymphadenectomy on survival after recurrence in patients with advanced ovarian cancer without suspected lymph node metastasis. Gynecologic Oncology, 2016, 143, 252-257. | 0.6 | 20 |
| 65 | Timing and patterns of recurrence in epithelial ovarian cancer patients with no gross residual disease after primary debulking surgery. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2016, 56, 639-647. | 0.4 | 14 |
| 66 | Women with double primary cancers of the colorectum and endometrium: do they have Lynch syndrome?. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2016, 199, 208-212. | 0.5 | 4 |
| 67 | Clinical outcomes of primary surgical treatment for acquired vulvar lymphangioma circumscriptum. Archives of Gynecology and Obstetrics, 2016, 293, 157-162. | 0.8 | 18 |
| 68 | Dynamin 2 Inhibitors as Novel Therapeutic Agents Against Cervical Cancer Cells. Anticancer Research, 2016, 36, 6381-6388. | 0.5 | 13 |
| 69 | Prognostic model for disease-free survival, lymphatic and/or hematogenous recurrence, in patients with early stage cervical cancer treated with radical hysterectomy: A Korean Gynecologic Oncology Group Study Journal of Clinical Oncology, 2016, 34, e17000-e17000. | 0.8 | Ο |
| 70 | Single-site robotic surgery in gynecologic cancer: a pilot study. Journal of Gynecologic Oncology, 2015, 26, 62. | 1.0 | 19 |
| 71 | Robotic high para-aortic lymph node dissection with high port placement using same port for pelvic surgery in gynecologic cancer patients. Journal of Gynecologic Oncology, 2015, 26, 222. | 1.0 | 2 |
| 72 | Survival analysis of revised 2013 FIGO staging classification of epithelial ovarian cancer and comparison with previous FIGO staging classification. Obstetrics and Gynecology Science, 2015, 58, 124. | 0.6 | 45 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Proton pump inhibitors enhance the effects of cytotoxic agents in chemoresistant epithelial ovarian carcinoma. Oncotarget, 2015, 6, 35040-35050. | 0.8 | 48 |
| 74 | Sphingosine kinase 1 is a reliable prognostic factor and a novel therapeutic target for uterine cervical cancer. Oncotarget, 2015, 6, 26746-26756. | 0.8 | 55 |
| 75 | The effect of coexisting squamous cell lesions on prognosis in patients with cervical adenocarcinoma in situ. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 190, 26-30. | 0.5 | 5 |
| 76 | Multi-institution, Prospective, Randomized Trial to Compare theÂSuccess Rates of Single-port Versus Multiport LaparoscopicÂHysterectomy for the Treatment of Uterine MyomaÂorÂAdenomyosis. Journal of Minimally Invasive Gynecology, 2015, 22, 785-791. | 0.3 | 31 |
| 77 | Laparo-endoscopic single site paraaortic lymphadenectomy facilitated by a new articulating vessel sealing device. Gynecologic Oncology, 2015, 139, 385-386. | 0.6 | 1 |
| 78 | Comparison of barbed suture versus traditional suture in laparoendoscopic single-site myomectomy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 185, 99-102. | 0.5 | 32 |
| 79 | Borderline ovarian tumor in women aged ≥65 years: impact on recurrence and survival. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 184, 38-42. | 0.5 | 11 |
| 80 | A prospective comparative study of cosmetic satisfaction for three different surgical approaches. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2015, 190, 48-51. | 0.5 | 6 |
| 81 | Robotic Single-port Hysterectomy, Adnexectomy, and Lymphadenectomy in Endometrial Cancer. Journal of Minimally Invasive Gynecology, 2015, 22, 322. | 0.3 | 24 |
| 82 | Is laparoendoscopic single-site surgery (LESS) retroperitoneal hysterectomy feasible?: Surgical outcomes of the initial 27 cases. Taiwanese Journal of Obstetrics and Gynecology, 2015, 54, 150-154. | 0.5 | 4 |
| 83 | Laparoendoscopic single-site myomectomy compared with conventional laparoscopic myomectomy: a multicenter, randomized, controlled trial. Fertility and Sterility, 2015, 104, 1325-1331. | 0.5 | 29 |
| 84 | Mesothelial cell inclusions in pelvic and para-aortic lymph nodes: a clinicopathologic analysis. International Journal of Clinical and Experimental Pathology, 2015, 8, 5318-26. | 0.5 | 3 |
| 85 | Analysis of clinical outcomes of patients with adenoid cystic carcinoma of Bartholin glands. International Journal of Clinical and Experimental Pathology, 2015, 8, 5688-94. | 0.5 | 10 |
| 86 | Prognostic value of pretreatment hemoglobin level in patients with early cervical cancer. Obstetrics and Gynecology Science, 2014, 57, 28. | 0.6 | 27 |
| 87 | Dual targeting of angiotensin receptors (AGTR1 and AGTR2) in epithelial ovarian carcinoma. Gynecologic Oncology, 2014, 135, 108-117. | 0.6 | 29 |
| 88 | Uterine Fibroids: Semiquantitative Perfusion MR Imaging Parameters Associated with the Intraprocedural and Immediate Postprocedural Treatment Efficiencies of MR Imaging–guided High-Intensity Focused Ultrasound Ablation. Radiology, 2014, 273, 462-471. | 3.6 | 25 |
| 89 | Comparison of Laparoendoscopic Single-Site Hysterectomies: Laparoscopic Hysterectomy with Some Vaginal Component Versus Laparoscopically Assisted Vaginal Hysterectomy. Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A, 2014, 24, 254-259. | 0.5 | 0 |
| 90 | Postoperative outcomes of MR-invisible stage IB1 cervical cancer. American Journal of Obstetrics and Gynecology, 2014, 211, 168.e1-168.e7. | 0.7 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-------------------|--------------------|
| 91 | Laparoendoscopic single-site (LESS) myomectomy: characteristics of the appropriate myoma. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 175, 58-61. | 0.5 | 15 |
| 92 | Surgical outcome prediction in patients with advanced ovarian cancer using computed tomography scans and intraoperative findings. Taiwanese Journal of Obstetrics and Gynecology, 2014, 53, 343-347. | 0.5 | 19 |
| 93 | Prognostic factors and outcomes in endometrial stromal sarcoma with the 2009 FIGO staging system: A multicenter review of 114 cases. Gynecologic Oncology, 2014, 132, 70-75. | 0.6 | 63 |
| 94 | Surgical Outcomes of a New Approach to Laparoscopic Myomectomy: Single-Port and Modified Suture Technique. Journal of Minimally Invasive Gynecology, 2014, 21, 580-585. | 0.3 | 31 |
| 95 | Laparoendoscopic single site (LESS) surgery in benign gynecology: perioperative and late complications of 515 cases. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2013, 167, 215-218. | 0.5 | 44 |
| 96 | Uterine Endometrial Carcinoma: 10 YearsÂ' Experience with Long-Term Follow-Up at a Single Korean Institution. Gynecologic and Obstetric Investigation, 2012, 74, 313-319. | 0.7 | 8 |
| 97 | Does single-port access (SPA) laparoscopy mean reduced pain? A retrospective cohort analysis between SPA and conventional laparoscopy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 162, 71-74. | 0.5 | 31 |
| 98 | Cosmesis and body image after singleâ€port access surgery for gynaecologic disease. Australian and New Zealand Journal of Obstetrics and Gynaecology, 2012, 52, 465-469. | 0.4 | 17 |
| 99 | Single-port-access laparoscopic-assisted vaginal hysterectomy versus conventional laparoscopic-assisted vaginal hysterectomy: a comparison of perioperative outcomes. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 2248-2252. | 1.3 | 121 |
| 100 | Evolving strategies for ovarian cancer: gynecologic oncology in ASCO's 46th annual meeting. Journal of Gynecologic Oncology, 2010, 21, 72. | 1.0 | 0 |
| 101 | Single port access laparoscopic adnexal surgery versus conventional laparoscopic adnexal surgery: a comparison of peri-operative outcomes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2010, 151, 181-184. | 0.5 | 97 |
| 102 | The prognostic significance of the SUVmax (maximum standardized uptake value for F-18) Tj ETQq0 0 0 rgBT /Ov results. Gynecologic Oncology, 2009, 115, 65-68. | verlock 10 0.6 | Tf 50 307 Td 78 |
| 103 | Single Port Access Laparoscopic Adnexal Surgery. Journal of Minimally Invasive Gynecology, 2009, 16, 612-615. | 0.3 | 116 |
| 104 | Single-Port Access Laparoscopic-Assisted Vaginal Hysterectomy: A Novel Method with a Wound Retractor and a Glove. Journal of Minimally Invasive Gynecology, 2009, 16, 450-453. | 0.3 | 126 |
| 105 | Gene expression profiling for the prediction of lymph node metastasis in patients with cervical cancer. Cancer Science, 2008, 99, 31-38. | 1.7 | 34 |
| 106 | Papillary serous carcinoma in ovaries of normal size: A clinicopathologic study of 20 cases and comparison with extraovarian peritoneal papillary serous carcinoma. Gynecologic Oncology, 2007, 105, 762-768. | 0.6 | 28 |
| 107 | High expression of tissue inhibitor of metalloproteinase-2 in serous ovarian carcinomas and the role of this expression in ovarian tumorigenesis. Human Pathology, 2006, 37, 906-913. | 1.1 | 14 |
| 108 | Germline mutations of BRCA1 in two Korean hereditary breast/ovarian cancer families. Oncology Reports, 2006, 15, 565-9. | 1.2 | 2 |