Helen Goncalves

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/703430/publications.pdf

Version: 2024-02-01

195 papers 12,020 citations

30 h-index 30894 102 g-index

214 all docs

214 docs citations

times ranked

214

20721 citing authors

#	Article	IF	Citations
1	Worldwide trends in body-mass index, underweight, overweight, and obesity from 1975 to 2016: a pooled analysis of 2416 population-based measurement studies in 128·9 million children, adolescents, and adults. Lancet, The, 2017, 390, 2627-2642.	6.3	5,010
2	Worldwide trends in blood pressure from 1975 to 2015: a pooled analysis of 1479 population-based measurement studies with $19\hat{A}\cdot 1$ million participants. Lancet, The, 2017, 389, 37-55.	6.3	1,667
3	Rising rural body-mass index is the main driver of the global obesity epidemic in adults. Nature, 2019, 569, 260-264.	13.7	469
4	Association between breastfeeding and intelligence, educational attainment, and income at 30 years of age: a prospective birth cohort study from Brazil. The Lancet Global Health, 2015, 3, e199-e205.	2.9	468
5	Attention-Deficit/Hyperactivity Disorder Trajectories From Childhood to Young Adulthood. JAMA Psychiatry, 2016, 73, 705.	6.0	265
6	Height and body-mass index trajectories of school-aged children and adolescents from 1985 to 2019 in 200 countries and territories: a pooled analysis of 2181 population-based studies with 65 million participants. Lancet, The, 2020, 396, 1511-1524.	6.3	219
7	Nutrition Counseling Increases Weight Gain among Brazilian Children. Journal of Nutrition, 2001, 131, 2866-2873.	1.3	136
8	Cohort Profile Update: The 1982 Pelotas (Brazil) Birth Cohort Study. International Journal of Epidemiology, 2015, 44, 441-441e.	0.9	129
9	Perceived barriers to leisure-time physical activity during pregnancy: A literature review of quantitative and qualitative evidence. Journal of Science and Medicine in Sport, 2017, 20, 17-25.	0.6	127
10	Adverse childhood experiences: Prevalence and related factors in adolescents of a Brazilian birth cohort. Child Abuse and Neglect, 2016, 51, 21-30.	1.3	124
11	Methodological aspects of the 1993 Pelotas (Brazil) birth cohort study. Revista De Saude Publica, 2006, 40, 39-46.	0.7	117
12	Cohort Profile update: The 1993 Pelotas (Brazil) Birth Cohort follow-up visits in adolescence. International Journal of Epidemiology, 2014, 43, 1082-1088.	0.9	117
13	The Pelotas birth cohort study, Rio Grande do Sul, Brazil, 1982-2001. Cadernos De Saude Publica, 2003, 19, 1241-1256.	0.4	106
14	ADHD in DSM-5: a field trial in a large, representative sample of 18- to 19-year-old adults. Psychological Medicine, 2015, 45, 361-373.	2.7	87
15	Cohort Profile Update: The 1993 Pelotas (Brazil) Birth Cohort follow-up at 22 years. International Journal of Epidemiology, 2018, 47, 1389-1390e.	0.9	87
16	Nutrition Counseling Training Changes Physician Behavior and Improves Caregiver Knowledge Acquisition. Journal of Nutrition, 2004, 134, 357-362.	1.3	84
17	Trends in cardiometabolic risk factors in the Americas between 1980 and 2014: a pooled analysis of population-based surveys. The Lancet Global Health, 2020, 8, e123-e133.	2.9	73
18	Effects of socioeconomic change from birth to early adulthood on height and overweight. International Journal of Epidemiology, 2006, 35, 1233-1238.	0.9	68

#	Article	IF	CITATIONS
19	Contributions of mean and shape of blood pressure distribution to worldwide trends and variations in raised blood pressure: a pooled analysis of 1018 population-based measurement studies with 88.6 million participants. International Journal of Epidemiology, 2018, 47, 872-883i.	0.9	65
20	Childhood maltreatment preceding depressive disorder at age 18 years: A prospective Brazilian birth cohort study. Journal of Affective Disorders, 2017, 217, 218-224.	2.0	48
21	The emergence of vaccine hesitancy among upper-class Brazilians: Results from four birth cohorts, 1982–2015. Vaccine, 2020, 38, 482-488.	1.7	46
22	The 11-year follow-up of the 1993 Pelotas (Brazil) birth cohort study: methods. Cadernos De Saude Publica, 2010, 26, 1875-1886.	0.4	45
23	Identifying Adolescents at Risk for Depression: AÂPrediction Score Performance in Cohorts Based inÂ3ÂDifferent Continents. Journal of the American Academy of Child and Adolescent Psychiatry, 2021, 60, 262-273.	0.3	43
24	Childhood behaviour problems predict crime and violence in late adolescence: Brazilian and British birth cohort studies. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 579-589.	1.6	40
25	Low birthweight and preterm birth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i46-i53.	0.9	38
26	Happiness and Depression in Adolescence after Maternal Smoking during Pregnancy: Birth Cohort Study. PLoS ONE, 2013, 8, e80370.	1.1	37
27	Anthropology and Epidemiology: learning epistemological lessons through a collaborative venture. Ciencia E Saude Coletiva, 2008, 13, 1701-1710.	0.1	36
28	Built environment and physical activity: domain- and activity-specific associations among Brazilian adolescents. BMC Public Health, 2017, 17, 616.	1.2	36
29	Trends and inequalities in maternal and child health in a Brazilian city: methodology and sociodemographic description of four population-based birth cohort studies, 1982–2015. International Journal of Epidemiology, 2019, 48, i4-i15.	0.9	32
30	Risk factors for childbearing during adolescence in a population-based birth cohort in southern Brazil. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2004, 16, 1-10.	0.6	32
31	Mental disorders and suicide risk in emerging adulthood: the 1993 Pelotas birth cohort. Revista De Saude Publica, 2019, 53, 96.	0.7	30
32	InÃcio da vida sexual entre adolescentes (10 a 14 anos) e comportamentos em saúde. Revista Brasileira De Epidemiologia, 2015, 18, 25-41.	0.3	29
33	Physical activity throughout adolescence and body composition at 18Âyears: 1993 Pelotas (Brazil) birth cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2016, 13, 105.	2.0	29
34	Self-Medication Among Adolescents Aged 18 Years: The 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2014, 55, 175-181.	1.2	28
35	Longitudinal Association Between Physical Activity and Body Fat During Adolescence: A Systematic Review. Journal of Physical Activity and Health, 2015, 12, 1344-1358.	1.0	28
36	Maternal depression and anxiety predicts the pattern of offspring symptoms during their transition to adulthood. Psychological Medicine, 2016, 46, 415-424.	2.7	28

#	Article	IF	CITATIONS
37	RPS Brazilian Birth Cohorts Consortium (Ribeirão Preto, Pelotas and São LuÃs): history, objectives and methods. Cadernos De Saude Publica, 2021, 37, e00093320.	0.4	28
38	Smoking in Early Adolescence: Evidence from the 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2006, 39, 669-677.	1.2	27
39	Intervenção comunitária para prevenção de acidentes de trânsito entre trabalhadores ciclistas. Revista De Saude Publica, 2010, 44, 867-875.	0.7	27
40	Breastfeeding and mental health in adulthood: A birth cohort study in Brazil. Journal of Affective Disorders, 2016, 202, 115-119.	2.0	27
41	Low Maternal Capital Predicts Life History Trade-Offs in Daughters: Why Adverse Outcomes Cluster in Individuals. Frontiers in Public Health, 2019, 7, 206.	1.3	27
42	Does the way I see you affect the way I see myself? Associations between interviewers' and interviewees' "color/race" in southern Brazil. Cadernos De Saude Publica, 2009, 25, 2111-2124.	0.4	26
43	Tracking of Medicine Use and Self-Medication From Infancy to Adolescence: 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S11-S15.	1,2	25
44	Leisure-Time Physical Activity and Social Support Among Brazilian Adults. Journal of Physical Activity and Health, 2013, 10, 871-879.	1.0	25
45	Associations between body mass index, body composition and bone density in young adults: findings from a southern Brazilian cohort. BMC Musculoskeletal Disorders, 2019, 20, 322.	0.8	25
46	The role of questionnaire length and reminders frequency on response rates to a web-based epidemiologic study: a randomised trial. International Journal of Social Research Methodology: Theory and Practice, 2019, 22, 625-635.	2.3	25
47	Breastfeeding exclusivity and duration: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i72-i79.	0.9	25
48	Antenatal care and caesarean sections: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i37-i45.	0.9	25
49	Relative Age and Attention-Deficit/Hyperactivity Disorder: Data From Three Epidemiological Cohorts and a Meta-analysis. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 990-997.	0.3	25
50	Validation of Self-Reported Information on Dental Caries in a Birth Cohort at 18 Years of Age. PLoS ONE, 2014, 9, e106382.	1,1	24
51	Physical Activity and Lung Function in Adolescents: The 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S27-S31.	1.2	23
52	Adverse childhood experiences and consumption of alcohol, tobacco and illicit drugs among adolescents of a Brazilian birth cohort. Cadernos De Saude Publica, 2016, 32, e00085815.	0.4	23
53	Infant nutrition and growth: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i80-i88.	0.9	23
54	Caesarean section and adiposity at 6, 18 and 30Âyears of age: results from three Pelotas (Brazil) birth cohorts. BMC Public Health, 2017, 17, 256.	1,2	22

#	Article	IF	CITATIONS
55	Maternal anthropometry: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i26-i36.	0.9	22
56	Socioeconomic Changes and Adolescent Psychopathology in a Brazilian Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S5-S10.	1.2	21
57	Adiposity, depression and anxiety: interrelationship and possible mediators. Revista De Saude Publica, 2019, 53, 103.	0.7	21
58	Transtornos mentais em adolescentes, jovens e adultos do Consórcio de Coortes de Nascimento brasileiras RPS (Ribeirão Preto, Pelotas e São LuÃs). Cadernos De Saude Publica, 2020, 36, e00154319.	0.4	21
59	Contraceptive medicalisation, fear of infertility and teenage pregnancy in Brazil. Culture, Health and Sexuality, 2011, 13, 201-215.	1.0	20
60	Adolescents' Perception of Causes of Obesity: Unhealthy Lifestyles or Heritage?. Journal of Adolescent Health, 2012, 51, S46-S52.	1.2	20
61	Parent-Related Normative Perceptions of Adolescents and Later Weight Control Behavior: Longitudinal Analysis of Cohort Data From Brazil. Journal of Adolescent Health, 2020, 66, S9-S16.	1.2	20
62	Violent delinquency in a Brazilian birth cohort: the roles of breast feeding, early poverty and demographic factors. Paediatric and Perinatal Epidemiology, 2010, 24, 12-23.	0.8	19
63	Childhood Behavioural Problems and Adverse Outcomes in Early Adulthood: a Comparison of Brazilian and British Birth Cohorts. Journal of Developmental and Life-Course Criminology, 2019, 5, 517-535.	0.8	19
64	Early age at menarche and metabolic cardiovascular risk factors: mediation by body composition in adulthood. Scientific Reports, 2021, 11, 148.	1.6	19
65	Seasonality of infant feeding practices in three Brazilian birth cohorts. International Journal of Epidemiology, 2012, 41, 743-752.	0.9	18
66	Sleep Duration Trajectories and Body Composition in Adolescents: Prospective Birth Cohort Study. PLoS ONE, 2016, 11, e0152348.	1,1	18
67	Correlates of self-reported weekday sleep duration in adolescents: the 18-year follow-up of the 1993 Pelotas (Brazil) Birth Cohort Study. Sleep Medicine, 2016, 23, 81-88.	0.8	18
68	Adverse Childhood Experiences (ACEs) and Adiposity in Adolescents: A Crossâ€Cohort Comparison. Obesity, 2018, 26, 150-159.	1.5	18
69	COMT and DAT1 genes are associated with hyperactivity and inattention traits in the 1993 Pelotas Birth Cohort: evidence of sex-specific combined effect. Journal of Psychiatry and Neuroscience, 2016, 41, 405-412.	1.4	17
70	Protocol for Objective Measurement of Infants' Physical Activity using Accelerometry. Medicine and Science in Sports and Exercise, 2018, 50, 1084-1092.	0.2	17
71	Stillbirth, newborn and infant mortality: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i54-i62.	0.9	17
72	Associations between self-reported physical activity and screen time with cardiometabolic risk factors in adolescents: Findings from the 1993 Pelotas (Brazil) Birth Cohort Study. Preventive Medicine, 2019, 119, 31-36.	1.6	17

#	Article	IF	CITATIONS
73	Tracking of physical activity during adolescence: the 1993 Pelotas Birth Cohort, Brazil. Revista De Saude Publica, 2014, 48, 925-930.	0.7	16
74	Physical Activity throughout Adolescence and Cognitive Performance at 18 Years of Age. Medicine and Science in Sports and Exercise, 2015, 47, 2552-2557.	0.2	16
75	Perinatal and sociodemographic factors at birth predicting conduct problems and violence to age 18Âyears: comparison of Brazilian and British birth cohorts. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 914-922.	3.1	16
76	Impact of the age at menarche on body composition in adulthood: results from two birth cohort studies. BMC Public Health, 2016, 16, 1007.	1.2	16
77	Breastfeeding and behavior disorders among children and adolescents: a systematic review. Revista De Saude Publica, 2018, 52, 9.	0.7	16
78	How different online recruitment methods impact on recruitment rates for the web-based coortesnaweb project: a randomised trial. BMC Medical Research Methodology, 2019, 19, 127.	1.4	16
79	Determinantes sociais da iniciação sexual precoce na coorte de nascimentos de 1982 a 2004-5, Pelotas, RS. Revista De Saude Publica, 2008, 42, 34-41.	0.7	16
80	Physical activity throughout adolescence and bone mineral density in early adulthood: the 1993 Pelotas (Brazil) Birth Cohort Study. Osteoporosis International, 2014, 25, 2007-2015.	1.3	15
81	Age of sexual initiation and depression in adolescents: Data from the 1993 Pelotas (Brazil) Birth Cohort. Journal of Affective Disorders, 2017, 221, 259-266.	2.0	15
82	Association between interleukin-6, C-reactive protein and adiponectin with adiposity: Findings from the 1993 pelotas (Brazil) birth cohort at 18 and 22†years. Cytokine, 2018, 110, 44-51.	1.4	15
83	Population-based study in a rural area. Revista De Saude Publica, 2018, 52, 3s.	0.7	15
84	Associations between growth from birth to 18 years, intelligence, and schooling in a Brazilian cohort. American Journal of Clinical Nutrition, 2020, 112, 187-194.	2.2	15
85	Interrelationship between Diet Quality and Depressive Symptoms in Elderly. Journal of Nutrition, Health and Aging, 2018, 22, 387-392.	1.5	14
86	Health problems and the rural area. Revista De Saude Publica, 2018, 52, 1s.	0.7	14
87	Predictors of Body Mass Index Change From 11 to 15 Years of Age: The 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Adolescent Health, 2012, 51, S65-S69.	1.2	13
88	Active Commuting Throughout Adolescence and Central Fatness before Adulthood: Prospective Birth Cohort Study. PLoS ONE, 2014, 9, e96634.	1.1	13
89	Trends in Leisure-Time Physical Activity in a Southern Brazilian City: 2003-2010. Journal of Physical Activity and Health, 2014, 11, 1313-1317.	1.0	13
90	Socioeconomic position and sedentary behavior in Brazilian adolescents: A life-course approach. Preventive Medicine, 2018, 107, 29-35.	1.6	13

#	Article	IF	CITATIONS
91	Relationship between Body Composition and Pulmonary Function in Early Adult Life: A Cross-Sectional Analysis Nested in Two Birth Cohort Studies. PLoS ONE, 2016, 11, e0163428.	1.1	12
92	Screen time and working memory in adolescents: A longitudinal study. Journal of Psychiatric Research, 2021, 137, 266-272.	1.5	11
93	Decline in attention-deficit hyperactivity disorder traits over the life course in the general population: trajectories across five population birth cohorts spanning ages 3 to 45 years. International Journal of Epidemiology, 2022, 51, 919-930.	0.9	11
94	Making medicine for the poor: primary health care interpretations in Pelotas, Brazil. Health Policy and Planning, 2002, 17, 131-143.	1.0	10
95	Avaliação da eficácia do aconselhamento nutricional dentro da estratégia do AIDPI (OMS/UNICEF). Revista Brasileira De Epidemiologia, 2002, 5, 15-29.	0.3	10
96	Ten-year trends in prevalence of asthma in adults in southern Brazil: comparison of two population-based studies. Cadernos De Saude Publica, 2012, 28, 135-144.	0.4	10
97	Physical Activity at 11 Years of Age and Incidence of Mental Health Problems in Adolescence: Prospective Study. Journal of Physical Activity and Health, 2015, 12, 535-539.	1.0	10
98	Parental Separation and Cardiometabolic Risk Factors in Late Adolescence: A Cross-Cohort Comparison. American Journal of Epidemiology, 2017, 185, 898-906.	1.6	10
99	Adolescent parenthood associated with adverse socioâ€economic outcomes at age 30 years in women and men of the Pelotas, Brazil: 1982 Birth Cohort Study. BJOG: an International Journal of Obstetrics and Gynaecology, 2019, 126, 360-367.	1.1	10
100	Maternal reproductive history: trends and inequalities in four population-based birth cohorts in Pelotas, Brazil, 1982–2015. International Journal of Epidemiology, 2019, 48, i16-i25.	0.9	10
101	The Intersectionality of Gender and Wealth in Adolescent Health and Behavioral Outcomes in Brazil: The 1993 Pelotas Birth Cohort. Journal of Adolescent Health, 2020, 66, S51-S57.	1.2	10
102	Sleep parameters measured by accelerometry: descriptive analyses from the 22-year follow-up of the Pelotas 1993 birth cohort. Sleep Medicine, 2020, 67, 83-90.	0.8	10
103	Short-term effect of physical activity on sleep health: A population-based study using accelerometry. Journal of Sport and Health Science, 2022, 11, 630-638.	3.3	10
104	Maternal low birth weight and adverse perinatal outcomes: the 1982 Pelotas Birth Cohort Study, Brazil. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2009, 26, 112-119.	0.6	10
105	Two decades of socioeconomic inequalities in the prevalence of untreated dental caries in early childhood: Results from three birth cohorts in southern Brazil. Community Dentistry and Oral Epidemiology, 2023, 51, 355-363.	0.9	10
106	Household Trials with Very Small Samples Predict Responses to Nutrition Counseling Intervention. Food and Nutrition Bulletin, 2003, 24, 343-349.	0.5	9
107	Experiências de discriminação entre universitários do Rio de Janeiro. Revista De Saude Publica, 2010, 44, 28-38.	0.7	9
108	Conhecimento sobre a transmissão de HIV/AIDS entre adolescentes com 11 anos de idade do Sul do Brasil. Revista Brasileira De Epidemiologia, 2013, 16, 420-431.	0.3	9

#	Article	IF	CITATIONS
109	Household food availability in Pelotas, Brazil: An approach to assess the obesogenic environment. Revista De Nutricao, 2014, 27, 193-203.	0.4	9
110	Adiposity during adolescence and carotid intima-media thickness in adulthood: Results from the 1993 Pelotas Birth Cohort. Atherosclerosis, 2016, 255, 25-30.	0.4	9
111	Genomic ancestry and the social pathways leading to major depression in adulthood: the mediating effect of socioeconomic position and discrimination. BMC Psychiatry, 2016, 16, 308.	1.1	9
112	Impact of stressful life events on central adiposity in the Pelotas Birth Cohort. Revista De Saude Publica, 2018, 52, 61.	0.7	9
113	Mental disorders, comorbidities, and suicidality at 30†years of age in a Brazilian birth cohort. Comprehensive Psychiatry, 2020, 102, 152194.	1.5	9
114	Systematic review: Symptoms of parental depression and anxiety and offspring overweight. Revista De Saude Publica, 2020, 54, 49.	0.7	9
115	Patterns of Growth in Childhood in Relation to Adult Schooling Attainment and Intelligence Quotient in 6 Birth Cohorts in Low- and Middle-Income Countries: Evidence from the Consortium of Health-Oriented Research in Transitioning Societies (COHORTS). Journal of Nutrition, 2021, 151, 2342-2352.	1.3	9
116	Breastfeeding duration and blood pressure among Brazilian adolescents. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 325-331.	0.7	8
117	Lifecourse relationship between maternal smoking during pregnancy, birth weight, contemporaneous anthropometric measurements and bone mass at 18 years old. The 1993 Pelotas Birth Cohort. Early Human Development, 2014, 90, 901-906.	0.8	8
118	Physical Activity in Early Adolescence and Pulmonary Function Gain From 15 to 18 Years of Age in a Birth Cohort in Brazil. Journal of Physical Activity and Health, 2016, 13, 1164-1173.	1.0	8
119	Aconselhamento por profissionais de saúde e comportamentos saudáveis entre idosos: estudo de base populacional em Pelotas, sul do Brasil, 2014*. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2018, 27, e201720112.	0.3	8
120	Early Emotional Symptoms Predicting Carotid Atherosclerosis in Youth: Results From a Birth Cohort in Latin America. Journal of the American Heart Association, 2019, 8, e011011.	1.6	8
121	Characterisation of pulmonary function trajectories: results from a Brazilian cohort. ERJ Open Research, 2020, 6, 00065-2020.	1.1	8
122	How sex differences in schooling and income contribute to sex differences in depression, anxiety and common mental disorders: The mental health sex-gap in a birth cohort from Brazil. Journal of Affective Disorders, 2020, 274, 977-985.	2.0	8
123	Maternal pregnancy smoking in three Brazilian cities: trends and differences according to education, income, and age. International Journal of Public Health, 2020, 65, 207-215.	1.0	8
124	Consumption of ultra-processed foods at $11,22$ and 30 years at the 2004, 1993 and 1982 Pelotas Birth Cohorts. Public Health Nutrition, $2021,24,299-308$.	1.1	8
125	Relative validity of a computer-based semi-quantitative FFQ for use in the Pelotas (Brazil) Birth Cohort Studies. Public Health Nutrition, 2021, 24, 34-42.	1.1	8
126	Do inflammation and adiposity mediate the association of diet quality with depression and anxiety in young adults?. Clinical Nutrition, 2021, 40, 2800-2808.	2.3	8

#	Article	IF	Citations
127	Prevalence of ideal cardiovascular health in young adults: A birth cohort from southern Brazil. American Heart Journal, 2021, 235, 65-73.	1.2	8
128	Maternidade e paternidade na coorte de nascimentos de 1982 a 2004-5, Pelotas, RS. Revista De Saude Publica, 2008, 42, 42-50.	0.7	8
129	Child maltreatment and substances use throughout adolescence and adulthood: Data from a Brazilian Birth Cohort. Child Abuse and Neglect, 2022, 131, 105766.	1.3	8
130	Body mass index at 11\^A years and bone mass at age 18: path analysis within the 1993 Pelotas (Brazil) birth cohort study. BMC Musculoskeletal Disorders, 2015, 16, 71.	0.8	7
131	Promotion of Weight Gain in Early Childhood Does Not Increase Metabolic Risk in Adolescents: A 15-Year Follow-Up of a Cluster-Randomized Controlled Trial. Journal of Nutrition, 2015, 145, 2749-2755.	1.3	7
132	Body composition from 18 to 22 years and pulmonary function at 22 years—1993 Pelotas Birth Cohort. PLoS ONE, 2019, 14, e0219077.	1.1	7
133	Association of modifiable risk factors and IL-6, CRP, and adiponectin: Findings from the 1993 Birth Cohort, Southern Brazil. PLoS ONE, 2019, 14, e0216202.	1.1	7
134	Trends and inequalities in unplanned pregnancy in three population-based birth cohorts in Pelotas, Brazil. International Journal of Public Health, 2020, 65, 1635-1645.	1.0	7
135	<p>Longitudinal Association Between Diet Quality and Asthma Symptoms in Early Adult Life in a Brazilian Birth Cohort</p> . Journal of Asthma and Allergy, 2020, Volume 13, 493-503.	1.5	7
136	Associations between Device-measured Physical Activity and Cardiometabolic Health in the Transition to Early Adulthood. Medicine and Science in Sports and Exercise, 2021, 53, 2076-2085.	0.2	7
137	Depression in a youth population-based sample from Brazil: Prevalence and symptom structure. Journal of Affective Disorders, 2021, 292, 633-641.	2.0	7
138	Common Mental Disorders and Contemporary Factors: 1982 Birth Cohort. Revista Brasileira De Enfermagem, 2020, 73, e20180162.	0.2	7
139	The impact of sociodemographic conditions on quality of life among adolescents in a Brazilian birth cohort: a longitudinal study. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2010, 28, 71-79.	0.6	7
140	Association between dental caries and obesity evaluated by air displacement plethysmography in 18â€yearâ€old adolescents in <scp>P</scp> elotas, <scp>B</scp> razil. Community Dentistry and Oral Epidemiology, 2015, 43, 17-23.	0.9	6
141	Lifelong robbery victimisation and mental disorders at age 18 years: Brazilian population-based study. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 487-496.	1.6	6
142	Are cytokines (IL-6, CRP and adiponectin) associated with bone mineral density in a young adult birth cohort?. BMC Musculoskeletal Disorders, 2018, 19, 427.	0.8	6
143	Maternal smoking during pregnancy and offspring body composition in adulthood: Results from two birth cohort studies. BMJ Open, 2019, 9, e023852.	0.8	6
144	Hospital admissions in the first year of life: inequalities over three decades in a southern Brazilian city. International Journal of Epidemiology, 2019, 48, i63-i71.	0.9	6

#	Article	IF	CITATIONS
145	Is vigorous-intensity physical activity required for improving bone mass in adolescence? Findings from a Brazilian birth cohort. Osteoporosis International, 2019, 30, 1307-1315.	1.3	6
146	Sleep duration trajectories from adolescence to emerging adulthood: Findings from a populationâ€based birth cohort. Journal of Sleep Research, 2021, 30, e13155.	1.7	6
147	Is Screen Time Throughout Adolescence Related to ADHD? Findings from 1993 Pelotas (Brazil) Birth Cohort Study. Journal of Attention Disorders, 2021, , 108705472199755.	1.5	6
148	Influence of maternal pre-pregnancy nutritional status on offspring anthropometric measurements and body composition in three Brazilian Birth Cohorts. Public Health Nutrition, 2021, 24, 882-894.	1.1	6
149	Youth depression and inflammation: Cross-sectional network analyses of C-Reactive protein, interleukin-6 and symptoms in a population-based sample. Journal of Psychiatric Research, 2022, 150, 197-201.	1.5	6
150	Stability and change in fruit and vegetable intake of Brazilian adolescents over a 3-year period: 1993 Pelotas Birth Cohort. Public Health Nutrition, 2016, 19, 386-392.	1.1	5
151	Gestational weight gain and childhood body mass index across three generations: Results from the 1993 Pelotas (Brazil) Birth Cohort. Pediatric Obesity, 2021, 16, e12760.	1.4	5
152	Consumo alimentar e multimorbidade entre idosos não institucionalizados de Pelotas, 2014: estudo transversal *. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2020, 29, e2019050.	0.3	5
153	Prospective association between ultra-processed food consumption and incidence of elevated symptoms of common mental disorders. Journal of Affective Disorders, 2022, 312, 78-85.	2.0	5
154	The Effect of Fetal and Childhood Growth over Depression in Early Adulthood in a Southern Brazilian Birth Cohort. PLoS ONE, 2015, 10, e0140621.	1.1	4
155	Distribution of Glycated Haemoglobin According to Early-Life and Contemporary Characteristics in Adolescents and Adults without Diabetes: The 1982 and 1993 Pelotas Birth Cohorts. PLoS ONE, 2016, 11, e0162614.	1.1	4
156	Vitimização por violência urbana em uma cidade de médio porte do sul do Brasil. Revista Brasileira De Epidemiologia, 2011, 14, 15-26.	0.3	4
157	Pesquisando na interface: problemas e desafios a partir da pesquisa qualitativa em saúde. Interface: Communication, Health, Education, 2014, 18, 449-456.	0.4	4
158	Ideal cardiovascular health, inflammation, and arterial stiffness in the transition to adulthood. International Journal of Cardiology, 2022, 355, 45-51.	0.8	4
159	Longitudinal change in physical activity and adiposity in the transition from adolescence to early adulthood: the 1993 Pelotas cohort study. International Journal of Behavioral Nutrition and Physical Activity, 2022, 19, .	2.0	4
160	Explorando as múltiplas trajetórias de causalidade: colaboração entre antropologia e epidemiologia na coorte de nascimentos de 1982, Pelotas, RS. Revista De Saude Publica, 2008, 42, 115-123.	0.7	3
161	Intrauterine exposure to smoking and wheezing in adolescence: the 1993 Pelotas Birth Cohort. Journal of Developmental Origins of Health and Disease, 2015, 6, 217-224.	0.7	3
162	Growth across life course and cardiovascular risk markers in 18-year-old adolescents: the 1993 Pelotas birth cohort. BMJ Open, 2018, 8, e019164.	0.8	3

#	Article	IF	CITATIONS
163	Depressive symptomatology among residents of the rural area of a city in Southern Brazil. Revista De Saude Publica, 2018, 52, 11s.	0.7	3
164	Short and long sleep duration and associated factors in pre-adolescence and early adulthood: evidence from the 1993 Pelotas birth cohort study. Sleep Medicine, 2020, 75, 477-483.	0.8	3
165	Wheezing trajectories from childhood to adulthood in a population-based cohort. Allergology International, 2022, 71, 200-206.	1.4	3
166	Associations between sleep duration trajectories from adolescence to early adulthood and working memory, schooling and income: a prospective birth cohort study from Brazil. Sleep Medicine, 2021, 86, 40-47.	0.8	3
167	Vitimização por crime na infância e adolescência segundo registros oficiais: coorte de nascimentos de Pelotas, Rio Grande do Sul, Brasil. Cadernos De Saude Publica, 2016, 32, e00072915.	0.4	2
168	Physical Activity Throughout Adolescence and Hbalc in Early Adulthood: Birth Cohort Study. Journal of Physical Activity and Health, 2017, 14, 375-381.	1.0	2
169	Growth from birth to adolescence and bone mineral density in young adults: The 1993 Pelotas birth cohort. Bone, 2020, 130, 115088.	1.4	2
170	Intergenerational breastfeeding practices among parents and children: 1993 Pelotas (Brazil) birth cohort. Maternal and Child Nutrition, 2021, 17, e13058.	1.4	2
171	Association between maternal prepregnancy body mass index with offspring cardiometabolic risk factors: analysis of three Brazilian birth cohorts. Journal of Developmental Origins of Health and Disease, 2021, , 1-7.	0.7	2
172	Multimorbidity and simultaneity of health risk factors, from adolescence to early adulthood: 1993 Pelotas Birth Cohort. Preventive Medicine, 2022, 155, 106932.	1.6	2
173	Maternal smoking during pregnancy and children's mental health at age 22 years: Results of a birth cohort study. Journal of Affective Disorders, 2022, 300, 203-208.	2.0	2
174	ADHD in childhood predicts BMI and body composition measurements over time in a population-based birth cohort. International Journal of Obesity, 2022, 46, 1204-1211.	1.6	2
175	Afinal, o uso doméstico do computador está associado à diminuição da reprovação escolar? Resultados de um estudo longitudinal. Ensaio, 2016, 24, 59-81.	0.2	1
176	Effect of childhood nutrition counselling on intelligence in adolescence: a 15-year follow-up of a cluster-randomised trial. Public Health Nutrition, 2017, 20, 2034-2041.	1.1	1
177	Association between leisure-time activities and school failure in adolescents: The 1993 Birth Cohort. PLoS ONE, 2018, 13, e0205793.	1.1	1
178	Evolution of total body and regional adiposity from late adolescence to early adulthood in a birth cohort study. Nutrition and Metabolism, 2019, 16, 21.	1.3	1
179	Second generation of the 1993 birth cohort, Pelotas (Brazil): Aims, design, preliminary results. Health Science Reports, 2020, 3, e199.	0.6	1
180	Association between cesarean section and human capital in adulthood: 1982 and 1993 Pelotas birth cohorts, Rio Grande do Sul State, Brazil. Cadernos De Saude Publica, 2021, 37, e00235520.	0.4	1

#	Article	IF	CITATIONS
181	Influence of maternal excess weight before pregnancy on breast-feeding and weaning: pooled analyses of four population-based cohorts born between 1982 and 2015. British Journal of Nutrition, 2022, 128, 124-130.	1.2	1
182	Breastfeeding and Bone Mass at the Ages of 18 and 30: Prospective Analysis of Live Births from the Pelotas (Brazil) 1982 and 1993 Cohorts. PLoS ONE, 2015, 10, e0122759.	1.1	1
183	Socioeconomic status and body mass index life course models: the 1993 Pelotas (Brazil) birth cohort. Cadernos De Saude Publica, 2021, 37, e00260820.	0.4	1
184	Maternal smoking during pregnancy and intelligence quotient of offspring aged 18 and 30Âyears: Evidence from two birth cohorts in southern Brazil. Preventive Medicine, 2022, 156, 106983.	1.6	1
185	Breastfeeding duration and blood pressure among Brazilian adolescents. Acta Paediatrica, International Journal of Paediatrics, 2006, 95, 325-331.	0.7	0
186	Association of risk behaviours, socio-economic characteristics and academic progress in adolescents: an analysis of the 1993 birth cohort in Pelotas, Brazil. International Journal of Adolescence and Youth, 2019, 24, 474-483.	0.9	0
187	Excess weight and obesity prevalence in the RPS Brazilian Birth Cohort Consortium (Ribeirão Preto,) Tj ETQq1 1	0.784314	1 rgBT /Over
188	Influence of parental physical activity on offspring's nutritional status: an intergenerational study in the 1993 Pelotas birth cohort. Public Health Nutrition, 2021, , 1-20.	1.1	0
189	Trends in prevalence and inequalities in wheezing and medical diagnosis of asthma during adolescence: The Pelotas 1993 birth cohort, Brazil. , 2015, , .		0
190	Body composition and pulmonary function at 18 years old: Findings from a birth cohort in southern Brazil. , $2015, , .$		0
191	Physical Activity During Adolescence and Lung Function Gain from 15 to 18 Years of Age. Medicine and Science in Sports and Exercise, 2016, 48, 241.	0.2	0
192	Abdominal adiposity measured by ultrasound and pulmonary function: A cross-sectional analysis nested in a birth cohort. , 2016 , , .		0
193	Is there a direct effect of physical activity on lung function gain in adolescents? The 1993 Pelotas (Brazil) birth cohort. , 2016, , .		0
194	Body adiposity at 18 and 22 years and lung function at 22 years old., 2017,,.		0
195	Estudo transversal sobre trabalho e comportamentos de risco à saúde entre escolares de zona rural do Rio Grande do Sul, 2010 *. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2020, 29, e2019285.	0.3	O