

Hyeon Joo Jeong

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/7034770/publications.pdf>

Version: 2024-02-01

112
papers

1,402
citations

394390

19
h-index

434170

31
g-index

114
all docs

114
docs citations

114
times ranked

1607
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Decreased Circulating C3 Levels and Mesangial C3 Deposition Predict Renal Outcome in Patients with IgA Nephropathy. PLoS ONE, 2012, 7, e40495. | 2.5 | 112 |
| 2 | Clinical Features and Outcomes of IgA Nephropathy with Nephrotic Syndrome. Clinical Journal of the American Society of Nephrology: CJASN, 2012, 7, 427-436. | 4.5 | 88 |
| 3 | An analysis of 4,514 cases of renal biopsy in Korea. Yonsei Medical Journal, 2001, 42, 247. | 2.2 | 85 |
| 4 | Cyclosporin A therapy for severe Henoch-Schönlein nephritis with nephrotic syndrome. Pediatric Nephrology, 2005, 20, 1093-1097. | 1.7 | 62 |
| 5 | Can azathioprine and steroids alter the progression of severe Henoch-Schönlein nephritis in children?. Pediatric Nephrology, 2005, 20, 1087-1092. | 1.7 | 59 |
| 6 | LIVE DONOR RENAL ALLOGRAFT IN END-STAGE RENAL FAILURE PATIENTS FROM IMMUNOGLOBULIN A NEPHROPATHY1,2. Transplantation, 2001, 71, 233-238. | 1.0 | 53 |
| 7 | Diagnosis of renal transplant rejection: Banff classification and beyond. Kidney Research and Clinical Practice, 2020, 39, 17-31. | 2.2 | 50 |
| 8 | DOES DELAYED OPERATION FOR PEDIATRIC URETEROPELVIC JUNCTION OBSTRUCTION CAUSE HISTOPATHOLOGICAL CHANGES?. Journal of Urology, 1998, 160, 984-988. | 0.4 | 35 |
| 9 | Predictive value of mesangial C3 and C4d deposition in IgA nephropathy. Clinical Immunology, 2020, 211, 108331. | 3.2 | 31 |
| 10 | Comparison of the Haas and the Oxford classifications for prediction of renal outcome in patients with IgA nephropathy. Human Pathology, 2014, 45, 236-243. | 2.0 | 30 |
| 11 | Factors affecting histological regression of crescentic Henoch-Schönlein nephritis in children. Pediatric Nephrology, 2006, 21, 54-59. | 1.7 | 29 |
| 12 | Focal segmental glomerulosclerosis and medullary nephrocalcinosis in children with ADCK4 mutations. Pediatric Nephrology, 2017, 32, 1547-1554. | 1.7 | 27 |
| 13 | Clinical implication of crescentic lesions in immunoglobulin A nephropathy. Nephrology Dialysis Transplantation, 2014, 29, 356-364. | 0.7 | 25 |
| 14 | ELASTIN CONTENT OF THE RENAL PELVIS AND URETER DETERMINES POST-PYELOPLASTY RECOVERY. Journal of Urology, 2005, 173, 962-966. | 0.4 | 23 |
| 15 | Toll-Like Receptor 4 Signaling is Involved in IgA-Stimulated Mesangial Cell Activation. Yonsei Medical Journal, 2011, 52, 610. | 2.2 | 22 |
| 16 | Clinical features and outcomes of focal segmental glomerulosclerosis pathologic variants in Korean adult patients. BMC Nephrology, 2014, 15, 52. | 1.8 | 22 |
| 17 | Optimal Proteinuria Target for Renoprotection in Patients with IgA Nephropathy. PLoS ONE, 2014, 9, e101935. | 2.5 | 21 |
| 18 | The Effect of Bortezomib on Antibody-Mediated Rejection after Kidney Transplantation. Yonsei Medical Journal, 2015, 56, 1638. | 2.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Glomerular crescents are responsible for chronic graft dysfunction in post-transplant IgA nephropathy. <i>Pathology International</i> , 2004, 54, 837-842. | 1.3 | 20 |
| 20 | Successful use of cyclosporin A in severe Schönlein-Henoch nephritis resistant to both methylprednisolone pulse and azathioprine. <i>Clinical Rheumatology</i> , 2006, 25, 759-760. | 2.2 | 18 |
| 21 | Long-term outcome of kidney transplantation in adult recipients with focal segmental glomerulosclerosis. <i>Yonsei Medical Journal</i> , 2001, 42, 209. | 2.2 | 16 |
| 22 | Nutcracker syndrome combined with IgA nephropathy in a child with recurrent hematuria. <i>Pediatrics International</i> , 2006, 48, 324-326. | 0.5 | 16 |
| 23 | Predictive factors for cyclosporin-associated nephrotoxicity in children with minimal change nephrotic syndrome. <i>Journal of Clinical Pathology</i> , 2011, 64, 516-519. | 2.0 | 16 |
| 24 | Overview of IgG4-Related Tubulointerstitial Nephritis and Its Mimickers. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 26-36. | 1.1 | 16 |
| 25 | Usefulness of Oxford Classification in Assessing Immunoglobulin A Nephropathy After Transplantation. <i>Transplantation</i> , 2013, 95, 1491-1497. | 1.0 | 15 |
| 26 | Lysyl oxidase-like 2 is expressed in kidney tissue and is associated with the progression of tubulointerstitial fibrosis. <i>Molecular Medicine Reports</i> , 2017, 16, 2477-2482. | 2.4 | 15 |
| 27 | Significance of mesangial IgA deposition in minimal change nephrotic syndrome: a study of 60 cases. <i>Yonsei Medical Journal</i> , 1990, 31, 258. | 2.2 | 14 |
| 28 | Osteopontin expression and microvascular injury in cyclosporine nephrotoxicity. <i>Pediatric Nephrology</i> , 2004, 19, 288-294. | 1.7 | 14 |
| 29 | Glomerular epithelial CD44 expression and segmental sclerosis in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 871-877. | 1.6 | 14 |
| 30 | IgA Nephropathy in Renal Allografts-Recurrence and Graft Dysfunction. <i>Yonsei Medical Journal</i> , 2004, 45, 1043. | 2.2 | 13 |
| 31 | Progression of renal allograft histology after renal transplantation in recurrent and nonrecurrent immunoglobulin A nephropathy. <i>Human Pathology</i> , 2008, 39, 1511-1518. | 2.0 | 13 |
| 32 | An analysis of 2361 cases of renal biopsy in Korea. <i>Yonsei Medical Journal</i> , 1991, 32, 9. | 2.2 | 12 |
| 33 | Myxoma: life-threatening benign nonepithelial tumor of the larynx. <i>Yonsei Medical Journal</i> , 1997, 38, 187. | 2.2 | 12 |
| 34 | The First Case of Familial Mediterranean Fever Associated with Renal Amyloidosis in Korea. <i>Yonsei Medical Journal</i> , 2012, 53, 454. | 2.2 | 12 |
| 35 | Fibroblast Growth Factor Receptor 1 Overexpression Is Associated with Poor Survival in Patients with Resected Muscle Invasive Urothelial Carcinoma. <i>Yonsei Medical Journal</i> , 2016, 57, 831. | 2.2 | 12 |
| 36 | Relationship between complement deposition and the Oxford classification score and their combined effects on renal outcome in immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 2130-2137. | 0.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Segmental glomerulosclerosis in IgA nephropathy after renal transplantation: relationship with proteinuria and therapeutic response to enalapril. <i>Clinical Transplantation</i> , 2003, 17, 108-113. | 1.6 | 11 |
| 38 | Serum IgA/C3 Ratio May Be a Useful Marker of Disease Activity in Severe Henoch-Schönlein Nephritis. <i>Nephron Clinical Practice</i> , 2005, 101, c72-c78. | 2.3 | 11 |
| 39 | Urinary HLA-DR and CD54 expression—indicators for inflammatory activity in decoy cell shedding patients. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 2601-2606. | 0.7 | 11 |
| 40 | Renal tubular expression of Toll-like receptor 4 in cyclosporine nephrotoxicity. <i>Apmis</i> , 2009, 117, 583-591. | 2.0 | 11 |
| 41 | Podocytic infolding glomerulopathy: A case report. <i>Ultrastructural Pathology</i> , 2016, 40, 374-377. | 0.9 | 11 |
| 42 | The significance of tubulointerstitial lesions in childhood Henoch-Schönlein nephritis. <i>Pediatric Nephrology</i> , 2016, 31, 2087-2093. | 1.7 | 11 |
| 43 | Clinical usefulness of the Oxford classification in determining immunosuppressive treatment in IgA nephropathy. <i>Annals of Medicine</i> , 2017, 49, 217-229. | 3.8 | 11 |
| 44 | INCREASED NEPHRON VOLUME IS NOT A CAUSE OF SUPRANORMAL RENOGRAPHIC DIFFERENTIAL RENAL FUNCTION IN PATIENTS WITH URETEROPELVIC JUNCTION OBSTRUCTION. <i>Journal of Urology</i> , 2004, 172, 1108-1110. | 0.4 | 10 |
| 45 | Factors Indicating Renal Injury in Pediatric Bilateral Ureteropelvic-junction Obstruction. <i>Urology</i> , 2013, 81, 873-879. | 1.0 | 10 |
| 46 | Rifampicin-Induced Minimal Change Disease Is Improved after Cessation of Rifampicin without Steroid Therapy. <i>Yonsei Medical Journal</i> , 2015, 56, 582. | 2.2 | 10 |
| 47 | A re-evaluation of the renal ablation model of progressive renal disease in rats. <i>Journal of Nephrology</i> , 2003, 16, 196-202. | 2.0 | 9 |
| 48 | Hepatic amyloidosis: two cases report. <i>Journal of Korean Medical Science</i> , 1988, 3, 151. | 2.5 | 8 |
| 49 | Effects of Cyclosporin A Therapy Combined with Steroids and Angiotensin Converting Enzyme Inhibitors on Childhood IgA Nephropathy. <i>Journal of Korean Medical Science</i> , 2010, 25, 723. | 2.5 | 8 |
| 50 | A Case of Constrictive Pericarditis due to Immunoglobulin G4-Related Disease. <i>Korean Circulation Journal</i> , 2015, 45, 161. | 1.9 | 8 |
| 51 | Transplant outcomes in positive complement-dependent cytotoxicity- versus flow cytometry-crossmatch kidney transplant recipients after successful desensitization: a retrospective study. <i>BMC Nephrology</i> , 2019, 20, 456. | 1.8 | 8 |
| 52 | Renal tissue elasticity by acoustic radiation force impulse. <i>Medicine (United States)</i> , 2021, 100, e23561. | 1.0 | 8 |
| 53 | Successful treatment of tubulointerstitial nephritis and uveitis with steroid and azathioprine in a 12-year-old boy. <i>Korean Journal of Pediatrics</i> , 2016, 59, S99. | 1.9 | 8 |
| 54 | Successful launch of an ABO-incompatible kidney transplantation program to overcome the shortage of compatible living donors: experience at a single center. <i>Clinical Nephrology</i> , 2017, 88, 117-123. | 0.7 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | A case of Klinefelter syndrome with retroperitoneal teratoma. <i>Yonsei Medical Journal</i> , 2000, 41, 136. | 2.2 | 7 |
| 56 | Polyomavirus nephropathy in renal transplantation: a clinico-pathological study. <i>Transplant International</i> , 2003, 16, 671-675. | 1.6 | 7 |
| 57 | Expression of fibrosis-associated molecules in IgA nephropathy treated with cyclosporine. <i>Pediatric Nephrology</i> , 2009, 24, 513-519. | 1.7 | 7 |
| 58 | Tubuloreticular inclusions in peritubular capillaries of renal allografts. <i>Pathology Research and Practice</i> , 2017, 213, 1185-1190. | 2.3 | 7 |
| 59 | Cytologic Features of Giant Cell Ependymoma: A Case Report and Review of the Literature. <i>Korean Journal of Pathology</i> , 2012, 46, 507. | 1.3 | 7 |
| 60 | Primary carcinoid tumor of the larynx. <i>Yonsei Medical Journal</i> , 1989, 30, 193. | 2.2 | 6 |
| 61 | Melanosis coli—histochemical and immunohistochemical comparison of the pigments of melanosis coli and Dubin-Johnson syndrome. <i>Yonsei Medical Journal</i> , 1990, 31, 27. | 2.2 | 6 |
| 62 | Peritubular Capillary C4d Deposition in Chronic Allograft Dysfunction. <i>Yonsei Medical Journal</i> , 2004, 45, 859. | 2.2 | 6 |
| 63 | Development of Graves' disease during cyclosporin treatment for severe Henoch-Schönlein nephritis. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 2014-2015. | 0.7 | 6 |
| 64 | Angiotensin II receptor blockade blocker pre-treatment largely prevents injury from gradual renal ablation in rats. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2007, 8, 110-117. | 1.7 | 6 |
| 65 | Methylprednisolone and cyclosporin therapy in a patient with nephrotic proteinuria. <i>Indian Journal of Pediatrics</i> , 2007, 74, 593-595. | 0.8 | 6 |
| 66 | Association between post-transplant uric acid level and renal allograft fibrosis: Analysis using Banff pathologic scores from renal biopsies. <i>Scientific Reports</i> , 2018, 8, 11601. | 3.3 | 6 |
| 67 | Renal intravascular large B cell lymphoma: the first case report in Korea and a review of the literature. <i>Journal of Pathology and Translational Medicine</i> , 2020, 54, 426-431. | 1.1 | 6 |
| 68 | Electron microscopic study of the cases of minimal change nephrotic syndrome with mesangial IgA deposition. <i>Yonsei Medical Journal</i> , 1992, 33, 351. | 2.2 | 5 |
| 69 | Granzyme B and TIA-1 Expression in Chronic and Acute on Chronic Renal Allograft Rejection. <i>Yonsei Medical Journal</i> , 2001, 42, 285. | 2.2 | 5 |
| 70 | Smoking-Related Renal Histologic Injury in IgA Nephropathy Patients. <i>Yonsei Medical Journal</i> , 2016, 57, 209. | 2.2 | 5 |
| 71 | Successful kidney transplantation across a positive complement-dependent cytotoxicity crossmatch by using C1q assay-directed, bortezomib-assisted desensitization. <i>Medicine (United States)</i> , 2017, 96, e8145. | 1.0 | 5 |
| 72 | Tubulointerstitial Infiltration of M2 Macrophages in Henoch-Schönlein Purpura Nephritis Indicates the Presence of Glomerular Crescents and Bad Clinical Parameters. <i>BioMed Research International</i> , 2019, 2019, 1-10. | 1.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | CD71 mesangial IgA1 receptor and the progression of IgA nephropathy. <i>Translational Research</i> , 2021, 230, 34-43. | 5.0 | 5 |
| 74 | Immunologic Control for Polyomavirus Infection after Kidney Transplantation. <i>Nephron Clinical Practice</i> , 2008, 108, c148-c154. | 2.3 | 4 |
| 75 | A case of nephrotic syndrome in a patient with Churgâ€“Strauss syndrome. <i>Rheumatology International</i> , 2010, 30, 1385-1388. | 3.0 | 4 |
| 76 | Dense Deposit Disease in Korean Children: A Multicenter Clinicopathologic Study. <i>Journal of Korean Medical Science</i> , 2012, 27, 1215. | 2.5 | 4 |
| 77 | Renal Histologic Parameters Influencing Postoperative Renal Function in Renal Cell Carcinoma Patients. <i>Korean Journal of Pathology</i> , 2013, 47, 557. | 1.3 | 4 |
| 78 | Urinary Decoy Cell Grading and Its Clinical Implications. <i>Korean Journal of Pathology</i> , 2012, 46, 233. | 1.3 | 4 |
| 79 | Alterations in extracellular matrix components in transplant glomerulopathy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2000, 437, 69-73. | 2.8 | 3 |
| 80 | Live donor renal transplantation in patients with endâ€“stage renal failure due to IgA nephropathy: clinicopathological assessment. <i>Nephrology</i> , 2002, 7, S74. | 1.6 | 3 |
| 81 | Polyomavirus nephropathy in renal transplantation: a clinico-pathological study. <i>Transplant International</i> , 2003, 16, 671-675. | 1.6 | 3 |
| 82 | Most Transmitted Glomerular Lesions in a Zero-Hour Biopsy of Allograft Kidney Have No Clinical Significance. <i>The Journal of the Korean Society for Transplantation</i> , 2012, 26, 174. | 0.2 | 3 |
| 83 | A case of membranous nephropathy as a manifestation of graft-versus-host disease. <i>Kidney Research and Clinical Practice</i> , 2013, 32, 39-42. | 2.2 | 3 |
| 84 | Influence of cyclosporine A on glomerular growth and the effect of mizoribine and losartan on cyclosporine nephrotoxicity in young rats. <i>Scientific Reports</i> , 2016, 6, 22374. | 3.3 | 3 |
| 85 | <i>De novo</i> C3 glomerulonephritis in a renal allograft. <i>Ultrastructural Pathology</i> , 2016, 40, 112-115. | 0.9 | 3 |
| 86 | Adult Wilms' tumor: a case report. <i>Yonsei Medical Journal</i> , 1989, 30, 88. | 2.2 | 2 |
| 87 | Aberrant breast tissue of the perineum: a report on two cases. <i>Yonsei Medical Journal</i> , 1990, 31, 182. | 2.2 | 2 |
| 88 | Practical Standardization in Renal Biopsy Reporting. <i>Korean Journal of Pathology</i> , 2010, 44, 613. | 1.3 | 2 |
| 89 | An Analysis of Focal Segmental Glomerulosclerosis according to Morphologic Subtypes. <i>Korean Journal of Pathology</i> , 2010, 44, 589. | 1.3 | 2 |
| 90 | Clinicopathologic Changes of IgA Nephropathy in Children During Long-term (average 10.8 yrs) Follow-up. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2010, 14, 154. | 0.1 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | Effects of bisphosphonates on long-term kidney transplantation outcomes. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 722-729. | 0.7 | 2 |
| 92 | Distribution of lymphocytic subpopulations infiltrated in thyroid glands of Graves' disease. <i>Yonsei Medical Journal</i> , 1989, 30, 118. | 2.2 | 1 |
| 93 | Fabry's disease: a case report and review of literatures reported in Korea. <i>Yonsei Medical Journal</i> , 1998, 39, 67. | 2.2 | 1 |
| 94 | Minimal Change Disease in Systemic Lupus: Another Renal Manifestation of Lupus?. <i>The Ewha Medical Journal</i> , 2013, 36, 139. | 0.2 | 1 |
| 95 | Sirolimus Conversion Efficacy for Graft Function Improvement and Histopathology in Renal Recipients with Mild to Moderate Renal Insufficiency. <i>Journal of Korean Medical Science</i> , 2014, 29, 1069. | 2.5 | 1 |
| 96 | Clinical Significance of Revised Banff Criteria in the Diagnosis of Antibody-Mediated Rejection. <i>Transplantation Proceedings</i> , 2019, 51, 1488-1490. | 0.6 | 1 |
| 97 | Glomerular subepithelial microparticles - a footprint for podocyte injury. <i>Ultrastructural Pathology</i> , 2021, 45, 236-242. | 0.9 | 1 |
| 98 | Aberrant Blood Vessel Formation Connecting the Glomerular Capillary Tuft and the Interstitium Is a Characteristic Feature of Focal Segmental Glomerulosclerosis-like IgA Nephropathy. <i>Journal of Pathology and Translational Medicine</i> , 2016, 50, 211-216. | 1.1 | 1 |
| 99 | Seven-Year Follow Up of Microscopic Polyangiitis Presenting with Rapidly Progressive Glomerulonephritis. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2008, 12, 99. | 0.1 | 1 |
| 100 | A Study of Glomerular Minimal Lesion and Minimal Mesangial Proliferation with or without Nephrotic Syndrome; Pathologic, Immunopathologic and Clinical Correlations. <i>Yonsei Medical Journal</i> , 1986, 27, 17. | 2.2 | 0 |
| 101 | Histopathologic and Immunocytochemical Study of Hodgkin's Disease. <i>Yonsei Medical Journal</i> , 1988, 29, 326. | 2.2 | 0 |
| 102 | Pathogenesis of Transplant Glomerulopathy. <i>The Journal of the Korean Society for Transplantation</i> , 2011, 25, 71. | 0.2 | 0 |
| 103 | Clinical Remission of Renal Amyloidosis after Autologous Peripheral Blood Stem Cell Transplantation. <i>The Ewha Medical Journal</i> , 2013, 36, S25. | 0.2 | 0 |
| 104 | Validation of Tissue Microarrays for the Study of Immunosuppressive Agent-induced Nephrotoxicity. <i>The Journal of the Korean Society for Transplantation</i> , 2013, 27, 114. | 0.2 | 0 |
| 105 | Changes of Kidney Injury Molecule-1 Expression and Renal Allograft Function in Protocol and for Cause Renal Allograft Biopsy. <i>The Journal of the Korean Society for Transplantation</i> , 2014, 28, 135. | 0.2 | 0 |
| 106 | Reduction in proteinuria after immunosuppressive therapy and long-term kidney outcomes in patients with immunoglobulin A nephropathy. <i>Korean Journal of Internal Medicine</i> , 2021, 36, 1169-1180. | 1.7 | 0 |
| 107 | Relationship of Glomerular Basement Membrane Alterations to Epithelial Cell Structure and Clinical Parameters in Alport Syndrome. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2010, 14, 22. | 0.1 | 0 |
| 108 | A Case of Atypical Thrombotic Microangiopathy. <i>Journal of the Korean Society of Pediatric Nephrology</i> , 2013, 17, 149. | 0.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Podocytopathy and Morphologic Changes in Focal Segmental Glomerulosclerosis. Journal of the Korean Society of Pediatric Nephrology, 2013, 17, 13. | 0.1 | 0 |
| 110 | Solitary Fibrous Tumor in Retroperitoneum. Journal of the Korean Radiological Society, 1996, 35, 957. | 0.0 | 0 |
| 111 | Does Heparin Attenuate the Renal Injury Induced by Ischemia Reperfusion in the Rabbit?. Daehan Macwi'gwa Haghoeji, 1998, 35, 23. | 0.2 | 0 |
| 112 | Expression of Phospholipase A2 Receptor in Pediatric Hepatitis B Virus-Related Membranous Nephropathy. Childhood Kidney Diseases, 2020, 24, 36-41. | 0.4 | 0 |